

ROXA: a new multi-frequency selected large sample of blazars with SDSS and 2dF optical spectroscopy

Sara Turriziani^{1,2}, Elisabetta Cavazzuti^{2,3} and Paolo Giommi^{2,3}

¹ Università degli studi di Roma, Tor Vergata, Dip. Fisica, via della ricerca scientifica 1, 00133 Roma, Italy.

² ASI Science Data Center, ASDC c/o ESRIN, via G. Galilei 00044 Frascati, Italy.

³ Agenzia Spaziale Italiana, Unità Osservazione dell'Universo, viale Liegi 26 00198 Roma, Italy

Received; Accepted

ABSTRACT

Context. Although Blazars are a small fraction of the overall AGN population they are expected to be the dominant population of extragalactic sources in the hard X-ray and gamma-ray bands and have been shown to be the largest contaminant of CMB fluctuation maps. So far the number of known blazars is of the order of several hundreds, but the forthcoming AGILE, GLAST and Planck space observatories will detect several thousand of objects of this type.

Aims. In preparation for these missions it is necessary to identify new samples of blazars to study their multi-frequency characteristics and statistical properties.

Methods. We compiled a sample of objects with blazar-like properties via a cross-correlation between large radio (NVSS, ATCAPMN) and X-ray surveys (RASS) using the SDSS-DR4 and 2dF survey data to spectroscopically identify our candidates and test the validity of the selection method.

Results. We present the Radio - Optical - X-ray catalog built at ASDC (ROXA), a list of 816 objects among which 510 are confirmed blazars. Only 19% of the candidates turned out to be certainly non-blazars demonstrating the high efficiency of our selection method.

Conclusions. Our catalog includes 173 new blazar identifications, or about 10% of all presently known blazars. The relatively high flux threshold in the X-ray energy band (given by the RASS survey) preferentially selects objects with high f_x/f_r ratio leading to the discovery of new High Energy Peaked BL Lac (HBLs). Our catalog therefore includes many new potential targets for GeV-TeV observations.

Key words. galaxies: active – galaxies: Blazar: BL Lacertae surveys:

1. Introduction

Blazars are the rarest ($\sim 5\%$) and most extreme type of Active Galactic Nuclei (AGN) known. Historically, the classification of AGN has been largely based on observational characteristics leading to the proliferation of different classes of objects. All sources of this type, however, can be seen as part of a general paradigm in which AGN are divided into Thermal Emission Dominated (TED) AGN, where the emitted radiation is mostly generated through the accretion process onto a super-massive black hole, and Non-Thermal Emission Dominated (NTED) AGN, where the observed emission is mostly non-thermal and is generated in a jet of material moving away from the nucleus at relativistic speeds (e.g. Giommi & Colafrancesco 2006). Within this framework blazars are the small subset of NTED AGN in which the jet is closely aligned to the line of sight causing their emission to be strongly amplified by relativistic effects (as originally proposed by Blandford & Rees 1978).

We recognize a source as a blazar if it shows the properties usually associated to aligned beamed emission such as strong

and rapidly variable emission in all energy bands, from radio to GeV, sometimes TeV energies, core dominated radio emission with flat radio spectral index, superluminal motion of radio compact regions, the presence of one sided jets (a jet on the other side is thought to exist, but with emission that is de-amplified by relativistic effects) and high brightness temperatures ($T_b \sim 10^{11} - 10^{18} K$), close to or above the Compton limit ($T_b \approx 10^{12}$).

Sources that initially show only some of these properties, in later observations often also show the others, strengthening the hypothesis that these are basically equivalent and inseparable features related to the same underlying physical process.

Blazars include BL Lacertae objects (BL Lacs) where we observe a non-thermal optical continuum with no or very weak emission lines, and Flat Spectrum Radio Quasars (FSRQs) which exhibit both strong narrow and broad emission lines. Furthermore, BL Lacs can be distinguished by the peak of the synchrotron emission in their Spectral Energy Distributions (SEDs). Objects with synchrotron peak at low energy (typically in the Infra-Red) are generally found in radio surveys

and are called **LBLs** (Low Energy Peaked BL Lacs), whereas the rarer objects with synchrotron peak in the UV/X-ray band are called **HBLs** (High Energy Peaked BL Lacs) and are mainly selected in the X-ray band, where the maximum of their synchrotron power is emitted (e.g. Padovani & Giommi 1995).

In this paper we discuss a large sample of *candidate blazars* that we have assembled using a multi-frequency selection technique based on the NVSS (Condon et al. 1998), ATCAPMN (ATCA catalogue of compact PMN sources in Tasker (2000), RASS (Voges et al. 1999; Voges et al. 2000) and GSC2 (Lasker 1995; McLean et al. 2000) catalogs.

We have assessed the quality of the sample using a subsample of 816 objects for which data from Sloan Digital Sky Survey - Data Release 4 (SDSS-DR4; Adelman-McCarthy et al. 2006), 2dF Galaxy Redshift Survey (2dFGRS; Colless et al. 2001) and 2dF QSO Survey (2dFQSO; Shanks et al. 2000) are available.

We refer to our final list of 816 sources as the *ROXA* catalog, which stands for Radio Optical X-ray ASDC catalog.

We have built *ROXA* as a complement to the work of Sowards-Emmerd et al. (2003, 2004, 2005) as we share their goal of significantly enlarging the existing blazar catalogs in order to understand blazars statistical properties and to select interesting objects for upcoming high energy astronomy missions like *AGILE*, and *GLAST*. Sowards-Emmerd et al. (2005), with a single-band approach, selected flat-spectrum radio sources and then used optical telescopes for spectroscopic follow-up observations, whereas in this work we use a multi-frequency approach that requires no additional telescope time. Moreover, the selection of radio sources results mostly in the discovery of LBL sources whereas our flux limits, which are mostly driven by the relatively shallow X-ray sensitivity of the RASS survey, favor objects such as HBL since they emit the maximum of their synchrotron emission near or within the X-ray band. This bias towards HBL sources is strengthened by the Ultra-Violet excess requirement in the SDSS spectroscopical target selection (Richards et al. 2002). The presence of HBLs allows *ROXA* to contribute with new targets for GeV/TeV observations.

ROXA is also an augmentation of Collinge et al. (2005) who searched for extragalactic quasi-featureless objects in the Second Data Release of Sloan Digital Sky Survey (SDSS-DR2; Abazajian et al. 2004) with low proper motion in USNO-B Catalog (Monet et al. 2003) to build a BL Lac candidate sample. However, further information in other bands is required to confirm classifications therefore we used a multifrequency selection algorithm to build the candidate blazar sample and, although radio and X-ray selections could introduce biases, the high efficiency of the selection method allowed us to find many new blazars.

The blazar selection algorithm is described in Section 2. In section 3 we focus on optical counterpart investigation and source classification criteria. Finally, we discuss our results

and present our future projects in Section 4.

Throughout the paper we assume a cosmology with parameters in agreement with the results of Wilkinson Microwave Anisotropy Probe (WMAP; Bennett et al. 2003): $H_0=70 \text{ km s}^{-1} \text{ Mpc}^{-1}$, $\Omega_M=0.3$, $\Omega_\Lambda=0.7$ (Spergel et al. 2003).

2. The selection method

For the definition of our sample we relied on the availability of large catalogs of astronomical objects combined with on-line services offering simple access to finding charts and magnitude estimates.

The method is similar to that used for the DXRBS (Landt et al. 2001; Padovani et al. 2006) and the Sedentary Survey (Giommi et al. 1999, 2005) and consists in three steps:

1. a first cross-correlation between radio and X-ray surveys (the NRAO VLA Sky Survey (NVSS; Condon et al. 1998), ATCAPMN (ATCA catalogue of compact PMN sources in Tasker (2000)) and ROSAT All Sky Survey (RASS; Voges et al. 1999; Voges et al. 2000)).
2. For each radio/X-ray match, optical magnitudes were retrieved from the Guide Star Catalog (GSC2; Lasker 1995; McLean et al. 2000)
3. For all radio/optical/X-ray matches we calculated the X-ray to optical (α_{ox}) and radio to optical (α_{ro}) spectral slopes and took only sources with α_{ox} and α_{ro} values within the blazar area (for more detail see e.g. Perlman et al. 1998; Giommi et al. 1999; Landt et al. 2001; Padovani et al. 2006).

2.1. The X-ray - radio cross correlation

The NVSS catalog of radio sources includes nearly two million objects above a flux limit of 2.5 mJy at 1.4GHz (Condon et al. 1998), the ATCAPMN catalog includes 7178 objects and it is reasonably complete down to ~ 100 mJy (Tasker 2000) whereas the RASS X-ray catalog is a list of 124.735 objects detected during ROSAT All Sky Survey (Voges et al. 1999; Voges et al. 2000).

As for the case of the Sedentary Survey (Giommi et al. 1999) and the DXRBS (Padovani et al. 2006), we used the EXOSAT/BROWSE software to cross-correlate the NVSS and the RASS catalogs. The cross-correlation used a radius of 1 arcmin and resulted in 16.596 matches.

We then restricted our sample to sources with Galactic latitude $|b| > 20^\circ$ finding 12.988 candidates. We kept only those with $\Delta_{rx} < 2.5\sigma_{rx}$, where $\sigma_{rx} = \sqrt{\sigma_x^2 + \sigma_r^2}$ is the total (radio+X-ray) positional uncertainty and Δ_{rx} is the actual distance between the radio and X-ray positions. This resulted in 9663 entries.

We estimated the percentage of accidental spatial coincidences of unrelated objects by shifting the coordinates of all the sources in one of the catalogs by a fixed amount and re-running the cross-correlation with the same parameters.

This procedure led to the statistical estimation that only 1 - 2 % could be spurious associations.

2.2. Blazar candidate selection

For each RASS-NVSS match we obtained the magnitudes of the optical candidate counterparts from the GSC2 catalog. When no GSC2 source was present within the few arc-seconds positional uncertainty of the NVSS radio source, we assumed that the counterpart is fainter than $J_{\text{mag}}=19.5$, approximately the flux limit of GSC2 (McLean et al. 2000). In the very rare cases when more than one GSC2 object was present, the optically brightest object was initially assumed to be the counterpart.

We used EXOSAT/BROWSE software to get 5 GHz fluxes via a cross-correlation with several radio catalogs, such as NORTH6cm (Becker et al. 1991), GB6 (Gregory et al. 1996) and Parkes-MIT-NRAO (PMN; Griffith & Wright 1993). For sources with no 5 GHz flux information we estimated it as $F_{5\text{GHz}} = F_{1.4\text{GHz}} \times \left(\frac{20}{6}\right)^{-\alpha_{rm}}$, where α_{rm} is 0.25, the assumed average value for flat spectrum sources.

We corrected X-ray and optical fluxes for Galactic absorption and the redshift-dependent K-correction. For sources with no redshift information we assumed a typical redshift equal to the average value found in sources with the same X-ray to radio flux ratio (f_x/f_r).

To build our candidate blazar sample we have calculated the optical to X-ray (α_{ox}) and radio to optical (α_{ro}) spectral slopes and selected objects with $\alpha_{ro} > 0.2$ where most of the blazars are located in the $\alpha_{ox} - \alpha_{ro}$ diagram (see e.g. Giommi et al. 1999, for details).

We relaxed the radio-loudness condition $\alpha_{ro} > 0.2$ to $\alpha_{ro} > 0.1$ (where α_{ro} and α_{ox} are the usual effective spectral indices defined between the rest-frame frequencies of 5 GHz, 5000 Å and 1 keV) for objects which had no optical counterpart in the GSC2, since a lower limit on J_{mag} results in a lower limit on α_{ro} .

The selection process led to a sample of 7662 blazar candidates. Fig. 1 shows the $\alpha_{ro} - \alpha_{ox}$ diagram and Fig. 2 plots all 7662 sources in Galactic coordinates. The non-uniform space distribution in this last plot reflects the sensitivity of the RASS survey, which was higher around the ecliptic coordinates, and the higher radio flux limit (hence lower source density) of the ATCAPMN catalog at declinations south of -40° .

3. Classification of optical counterparts using SDSS and 2dF data

For all sources in our sample we used the SDSS on-line services (SkyServer-Radial search) to download SDSS measurements (right ascension, declination and $u' g' r' i' z'$ magnitudes) of each optical object lying within 6 arcseconds from each NVSS radio position.

We found that 2,353 RASS+NVSS sources have SDSS-DR4 optical counterparts (including some multiple optical




Fig. 1. The $\alpha_{ox} - \alpha_{ro}$ distribution for the whole sample of 7.662 blazar candidates




Fig. 2. The Galactic coordinates of the 7662 blazar candidates are plotted in Aitoff projection

counterparts, MOCs).

We then used the SkyServer DR4 Spectroscopic Query (proximity with radius 10 arcseconds) and the DAS online services to acquire spectra. We used previous downloaded SDSS positions to get spectral parameters and survey files for objects classified as galaxies, stars or "unknown" in the SDSS standard products. We found 669 spectra among the 2353 SDSS optical counterparts.

In a similar way we searched for optical counterparts also in the 2dFGRS and in the 2dFQSO databases. This resulted in spectra and B_j magnitude estimates for additional 199 objects from 2dFGRS and for 94 from 2dFQSO (including MOCs).

3.1. Sources Classification

All candidates that had MOCs were associated to a single optical object through a visual inspection procedure using the NVSS, ESO and NED online services. For each source we cross-checked the optical (ESO and SuperCOSMOS Surveys) finding chart with the RASS and NVSS positions and with the position in the FIRST catalog (R.L. et al. 1997) when available. In this way we were able to chose the best optical counterpart for each blazar candidate. Moreover, we excluded those objects with RASS source extent greater than 30 arcsec. We did not apply this condition to those detections with 20 or less photons since in these cases the uncertainty in the estimation of X-ray extent is too large.

We built SEDs and analyzed optical spectra, with CaH&K evaluation when needed, to classify each object (the equivalent width of emission lines in radio-loud AGN depends strongly on the contribution from non-thermal jet emission, and, therefore, on the Ca *H&K* break value (Marchã et al. 1996; Scarpa & Falomo 1997)). Sources with SDSS magnitude estimates, although not targeted for spectroscopy by SDSS pipelines, were kept in the sample only if already classified in the literature as reported in NED.

SDSS and 2dF automated redshift estimation and spectral classification proved to be unreliable for several BL Lac objects because of the lack of emission lines. When possible, we re-calculated redshifts using the IRAF analysis package (Tody 1986, 1993).

We also defined a *transition class* for those objects that show properties in between two *standard* classifications. Regarding Radio Galaxies and BL Lacs we defined sources to be :

- BL Lac if $L_x > 10^{44}$ erg s⁻¹ or CaH&K < 0.4 or both
- Radio Galaxy if CaH&K > 0.4 AND $L_x < 5 \times 10^{43}$ erg s⁻¹
- Radio Galaxy/BL Lac transition object if CaH&K > 0.4 AND L_x between 5×10^{43} and 10^{44} erg s⁻¹

Moreover we identified other *transition classes* for those objects showing optical properties which are borderline for their *standard* classification. These are BL Lac/FSRQ transition object and R.G./FSRQ transition object.

We re-calculated α_{r0} and α_{ox} parameters estimating Vmag as in the following:

- for SDSS objects: $V = g' - 0.55(g' - r') - 0.03$
- for 2dF objects: $V = B_j + 0.5$
- for object detected by both SDSS and 2dF we used SDSS magnitudes.

Our final catalog *ROXA* includes 816 objects, 510 of which are confirmed blazars (i.e. 62.5%). Of the remaining sources 110 (or 13% of the total) are confirmed QSOs (by the SDSS or 2dF optical spectra) but their radio spectral slope is currently not available and therefore they remain blazar candidates. Only 19% of the candidates turned out to be definitely non-blazars.

Table 1 summarizes the statistics of our source classification. The complete catalog is reported in Table 2. The first

column of Table 1 contains source classification, the second column gives the number of previously known objects (that is sources previously reported in the literature as blazars), the third column gives the number of new objects (classified in this work for the first time), the fourth column gives the total number of objects and the last column gives the percentage with respect to the entire sample .

The label **confirmed blazars** includes BL Lac, FSRQ, BL Lac/FSRQ transition object and BL Lac candidate.

The label “others“ is used to comprise several non-blazar sources, such as stars and variuos types of galaxies (Normal, Starburst and Seyfert).

We point out that we identified 173 new blazars.

Fig. 3 reports the multi-band indexes distribution of *ROXA* confirmed blazars.




Fig. 3. *ROXA* $\alpha_{r0} - \alpha_{ox}$ distribution of the confirmed blazars. Symbols are as follows: \star – BL Lac, Δ – FSRQ, \bullet – HFSRQ, \oplus – BL Lac/FSRQ, $+$ – BL Lac candidate, \times – HFSRQ candidate

4. Conclusions and future work

In this paper we presented the *ROXA* (Radio Optical X-ray ASDC) catalog, a list of of 816 objects including 510 confirmed blazars. This catalog has been extracted from a sample of 7662 objects selected, through the cross matching procedure between the NVSS, ATCAPMN, RASS and the GSC2 catalog, to have properties similar to those of previously known blazars in the $\alpha_{r0} - \alpha_{ox}$ diagram.

We tested the selection method, also used in the DXRBS and in the Sedentary surveys, via a cross-correlation of the candidate sample with the SDSS DR4 and 2dF surveys for which optical spectra are available. We analyzed SEDs and spectra to

Table 1. ROXA Catalog Statistic

	Known objects	new objects	Total	Sample %
BL LAC	182	60	242	29.7%
FSRQ	147	99	246	30.1%
BL Lac/FSRQ transition obj.	1	7	8	1.0%
BL LAC candidate	7	7	14	1.7%
confirmed blazars	337	173	510	62.5%
R.G./BL Lac transition obj.	0	24	24	3.0%
R.G./FSRQ transition obj.	0	2	2	0.2%
Radio Galaxies	24	8	32	3.9%
SSRQ	59	43	102	12.5%
QSO RL	60	50	110	13.5%
Galaxies NELG	12	2	14	1.7%
BLRG	2	0	2	0.2%
others	18	2	20	2.5%
Total	512	304	816	100%

classify the candidate blazars and we confirmed the validity of the selection algorithm.

Our final catalog consists of $\sim 62.5\%$ confirmed blazars, $\sim 13\%$ QSO with no radio spectral information and of $\sim 19\%$ of sources that are surely non blazars. Since the ratio between flat and steep spectrum QSO is 254/102 (see tab. 1) the majority of QSO with no radio spectral information is expected to be blazars. We can therefore conclude that our selection algorithm has an efficiency of ($\sim 70\%$). We also contributed several new blazar identifications finding 173 new blazars.

Our method for the construction of the ROXA catalog is complementary to the work of Sowards-Emmerd et al. (2005) and Collinge et al. (2005) as these authors used single-band approaches whereas we used a multi-frequency selection algorithm. Sowards-Emmerd et al. (2005) selected flat spectrum radio sources and then requested telescope time for follow-up spectroscopic observations whereas Collinge et al. (2005) searched for extragalactic quasi-featureless objects in SDSS-DR2 with low proper motion in USNO-B Catalog to built a BL Lac candidate sample. However further information in other bands are required to confirm the classifications. Moreover, the selection of radio sources results in finding mostly LBLs by Sowards-Emmerd et al. (2005) whereas our algorithm have greater chances of finding HBLs, because of our relatively high X-Ray flux limit that preferentially select objects in which the maximum of synchrotron power is emitted at high energy.

We share the goal with Sowards-Emmerd et al. (2005) to create as large as possible blazar catalogs to be used as targets for observations during the next planned new high energy missions (e.g. AGILE and GLAST).

We plan to request high frequency radio observations in order to measure the spectral slope of the 110 QSOs with radio measurements at a single frequency and to better evaluate the nuclear spectra of the 102 Steep Spectrum Radio Quasars (SSRQs) as their steep slopes could be due to extended radio components.

In principle, by applying this selection method to the entire sky and not just to limited regions, we could build a much larger sample suitable for the identification of foreground sources in CMB maps and in gamma-ray data. At present, the most suitable optical data available are from the SDSS project. For this reason we intend to update the ROXA catalog as new SDSS releases become available.

Acknowledgements. We are grateful to Silvia Piranomonte for her help in the analysis of part of the optical spectra. This work is partly based on data from the 2dF, SDSS, NVSS, ROSAT, GSC2, GB6, Parkes-MIT-NRAO (PMN), NORTH6cm catalogs and services. Additional data have been obtained from the NASA/IPAC Extragalactic Database (NED) and from the ASI Science Data Center (ASDC).

Funding for the creation and distribution of the SDSS Archive has been provided by the Alfred P. Sloan Foundation, the Participating Institutions, the National Aeronautics and Space Administration, the National Science Foundation, the U.S. Department of Energy, the Japanese Monbukagakusho, and the Max Planck Society. The SDSS is managed by the Astrophysical Research Consortium (ARC) for the Participating Institutions.

IRAF is distributed by the National Optical Astronomy Observatories, which are operated by the Association of Universities for Research in Astronomy, Inc., under cooperative agreement with the National Science Foundation

References

- Abazajian, K., Adelman-McCarthy, J. K., Agüeros, M. A., et al. 2004, AJ, 128, 502
- Adelman-McCarthy, J. K., Agüeros, M. A., Allam, S. S., et al. 2006, ApJS, 162, 38
- Becker, R. H., White, R. L., & Edwards, A. L. 1991, ApJS, 75, 1
- Bennett, C. L., Bay, M., Halpern, M., et al. 2003, ApJ, 583, 1
- Blandford, R. D. & Rees, M. J. 1978, in Pittsburgh Conference on BL Lac Objects, ed. A. M. Wolfe (University of Pittsburgh, Pittsburgh), 328

- Colless, M., Dalton, G., Maddox, S., et al. 2001, *MNRAS*, 328, 1039
- Collinge, M., Strauss, M., Hall, P., et al. 2005, *AJ*, aJ, in press
- Condon, J. J., Cotton, W. D., Greisen, E. W., et al. 1998, *AJ*, 115, 1693
- Giommi, P. & Colafrancesco, S. 2006, *ArXiv Astrophysics e-prints*
- Giommi, P., Menna, M. T., & Padovani, P. 1999, *MNRAS*, 310, 465
- Giommi, P., Piranomonte, S., Perri, M., & Padovani, P. 2005, *A&A*, 434, 385
- Gregory, P. C., Scott, W. K., Douglas, K., & Condon, J. J. 1996, *ApJS*, 103, 427
- Griffith, M. R. & Wright, A. E. 1993, *AJ*, 105, 1666
- Landt, H., Padovani, P., Perlman, E. S., et al. 2001, *MNRAS*, 323, 757
- Lasker, B. M., e. a. 1995, in in *ESA SP-379, Future Possibilities for Astrometry in Space.*, ed. v. L. F. . G. T.-D. Perryman M.A.C., 137
- Marchã, M. J. M., Browne, I. W. A., Impey, C. D., & Smith, P. S. 1996, *MNRAS*, 281, 425
- McLean, B., Greene, G. R., Lattanzi, M. G., & Pirenne, B. 2000, in in *ASP Conf. Ser., ADASS IX*, ed. V. C. . C. D. Manset N., Vol. 216, 145–148
- Monet, D. G., Levine, S. E., Canzian, B., et al. 2003, *AJ*, 125, 984
- Padovani, P. & Giommi, P. 1995, *ApJ*, 444, 567
- Padovani, P., Giommi, P., Landt, H., & Perlman, E. 2006, in preparation
- Perlman, E. S., Padovani, P., Giommi, P., et al. 1998, *AJ*, 115, 1253
- Richards, G. T., Fan, X., Newberg, H. J., et al. 2002, *AJ*, 123, 2945
- R.L., W., R.H., B., D.J., H., & M.D., G. 1997, *ApJ*, 475, 479
- Scarpa, R. & Falomo, R. 1997, *A&A*, 325, 109
- Shanks, T., Boyle, B. J., Croom, S., et al. 2000, in *ASP Conf. Ser. 200: Clustering at High Redshift*, ed. A. Mazure, O. Le Fèvre, & V. Le Brun, 57–+
- Sowards-Emmerd, D., Romani, R. W., & Michelson, P. F. 2003, *ApJ*, 590, 109
- Sowards-Emmerd, D., Romani, R. W., Michelson, P. F., Healey, S. E., & Nolan, P. L. 2005, *ApJ*, 626, 95
- Sowards-Emmerd, D., Romani, R. W., Michelson, P. F., & Ulvestad, J. S. 2004, *ApJ*, 609, 564
- Spergel, D. N., Verde, L., Peiris, H. V., et al. 2003, *ApJS*, 148, 175
- Tasker, N. 2000, *Identifications from the PMN Southern Survey* (Ph. D. Thesis)
- Tody, D. 1986, in *Instrumentation in astronomy VI; Proceedings of the Meeting, Tucson, AZ, Mar. 4-8, 1986. Part 2 (A87-36376 15-35)*. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1986, p. 733., ed. D. L. Crawford, 733–+
- Tody, D. 1993, in *ASP Conf. Ser. 52: Astronomical Data Analysis Software and Systems II*, ed. R. J. Hanisch, R. J. V. Brissenden, & J. Barnes, 173–+
- Voges, W., Aschenbach, B., Boller, T., et al. 2000, *VizieR Online Data Catalog*, 9029, 0
- Voges, W., Aschenbach, B., Boller, T., et al. 1999, *A&A*, 349, 389

Table 2: The ROXA - Radio Optical X-ray ASCD Blazar Sample

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_r/f_x $\text{erg cm}^{-2} \text{s}^{-1} \text{Jy}^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J000132.8+145608.0	0.40	0.0	19.1	315.4	156.0	9.90E-13	6.35E-12	5.55E+44	1.77E+33		SSRQ*
ROXA J000345.1-110818.4	1.57	0.0	20.0	354.1	118.0	3.70E-13	3.14E-12	5.90E+45	5.64E+34		SSRQ*
ROXA J000416.6-290235.0	0.55	18.2	0.0	16.1	0.0	1.20E-12	1.01E-10	1.47E+45	1.97E+32		QSO RL
ROXA J000558.4-275858.1	0.62	18.0	0.0	309.1	0.0	1.00E-12	4.37E-12	1.65E+45	5.09E+33		FSRQ
ROXA J000559.2+160948.9	0.45	0.0	15.4	805.3	0.0	8.70E-12	1.46E-11	6.49E+45	6.01E+33		SSRQ
ROXA J000622.6-000424.3	1.04	0.0	20.0	3898.2	0.0	6.20E-13	2.15E-13	3.54E+45	2.23E+35		SSRQ
ROXA J001130.4+005751.8	1.49	0.0	20.4	167.3	140.0	5.40E-13	3.86E-12	7.59E+45	2.35E+34		FSRQ
ROXA J001339.1-322443.8	0.26	18.5	0.0	155.7	0.0	4.70E-13	4.08E-12	9.76E+43	3.23E+32		R.G./BL Lac*
ROXA J002300.6+144656.6	0.39	0.0	20.5	7.5	0.0	8.30E-13	1.50E-10	4.31E+44	3.89E+31	0.43	BL Lac@
ROXA J002430.1-292855.3	0.41	17.5	0.0	2923.9	0.0	4.20E-12	1.94E-12	2.46E+45	1.71E+34		SSRQ*
ROXA J002435.8-123541.8	0.19	18.8	0.0	62.3	0.0	4.00E-13	8.68E-12	4.24E+43	6.61E+31		R.G./BL Lac*
ROXA J002824.1-292413.1	0.95	18.4	0.0	7.6	0.0	1.30E-12	2.31E-10	6.03E+45	3.52E+32		QSO RL*
ROXA J002903.7-283324.1	0.41	19.1	0.0	9.9	0.0	3.60E-13	4.91E-11	2.15E+44	5.92E+31		QSO RL
ROXA J003514.6+151504.1	0.00	0.0	16.9	18.8	0.0	7.30E-12	5.25E-10	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J003552.9-091150.1	1.00	0.0	19.9	93.8	0.0	5.00E-13	7.20E-12	2.64E+45	4.95E+33		QSO RL
ROXA J003555.4+155317.9	1.16	0.0	17.3	440.7	153.0	5.80E-13	3.79E-12	4.40E+45	3.34E+34		SSRQ*
ROXA J003626.8+001303.6	0.56	0.0	20.2	609.0	0.0	4.20E-13	9.32E-13	5.30E+44	7.68E+33		SSRQ
ROXA J004016.3-271912.5	0.00	18.0	0.0	160.6	0.0	5.00E-12	4.21E-11	0.00E+00	0.00E+00		BL Lac
ROXA J005041.2-092905.4	0.26	18.5	0.0	49.5	0.0	6.80E-13	1.86E-11	1.44E+44	1.05E+32		QSO RL
ROXA J004052.3-290215.6	0.26	18.5	0.0	17.5	0.0	7.00E-13	6.03E-12	5.18E+45	1.16E+34		FSRQ*
ROXA J004213.5+150915.2	1.15	0.0	21.1	156.8	116.0	7.00E-13	9.13E-12	1.22E+45	1.80E+33		FSRQ*
ROXA J004351.1-282740.8	0.84	18.9	0.0	53.3	0.0	3.60E-13	6.75E-13	2.09E+45	5.78E+34		FSRQ
ROXA J005041.2-092905.4	0.26	19.3	0.0	17.5	0.0	8.80E-13	6.79E-11	1.88E+44	3.73E+31	0	BL Lac candidate@
ROXA J005252.5-282554.9	1.64	18.5	0.0	224.8	0.0	4.90E-13	2.95E-12	8.73E+45	4.01E+34		FSRQ*
ROXA J005427.7-341949.8	0.11	18.2	0.0	52.6	0.0	7.10E-13	2.21E+43	2.21E+43	1.63E+31		R.G./FSRQ*
ROXA J005829.2-285907.4	0.22	19.1	0.0	30.4	0.0	6.00E-13	2.67E-11	8.53E+43	4.32E+31		R.G./BL Lac*
ROXA J005905.5+000651.5	0.72	0.0	17.5	2509.5	1348.0	9.10E-13	6.75E-13	2.09E+45	5.78E+34		FSRQ
ROXA J005917.3-091953.6	0.64	0.0	19.0	30.6	0.0	5.20E-13	2.30E-11	9.10E+44	5.36E+32		QSO RL
ROXA J010535.8+151300.9	1.02	0.0	19.5	291.9	84.0	7.30E-13	8.69E-12	4.05E+45	1.62E+34		SSRQ*
ROXA J010644.0-103410.4	0.47	0.0	17.9	276.8	188.0	1.80E-12	9.57E-12	1.48E+45	2.27E+33		FSRQ
ROXA J011207.3-291903.3	0.00	18.7	0.0	34.2	0.0	3.50E-13	1.38E-11	0.00E+00	0.00E+00		QSO RL
ROXA J011222.3-281628.8	0.65	17.9	0.0	25.7	0.0	1.40E-12	7.36E-11	2.55E+45	4.69E+32		QSO RL*
ROXA J011232.6-320142.3	0.00	20.8	0.0	4.6	0.0	1.60E-12	4.70E-10	0.00E+00	0.00E+00		BL Lac
ROXA J011306.4+252858.1	0.15	17.7	0.0	3.8	0.0	4.20E-13	1.49E-10	2.41E+43	2.18E+30		Radio Galaxy
ROXA J011354.4+132452.4	0.69	0.0	18.5	248.4	150.0	7.00E-13	4.67E-12	1.44E+45	5.11E+33		FSRQ*
ROXA J011508.3-304702.3	0.58	17.9	0.0	158.2	0.0	1.40E-12	1.20E-11	1.91E+45	2.15E+33		FSRQ*
ROXA J011721.3-310848.9	0.11	18.1	0.0	54.9	0.0	1.80E-12	4.43E-11	5.27E+43	1.61E+31		Radio Galaxy
ROXA J012100.7-001519.0	0.86	0.0	20.4	129.1	0.0	5.10E-13	5.34E-12	1.86E+45	4.70E+33		QSO RL
ROXA J012206.7-292012.9	0.64	19.6	0.0	24.6	0.0	1.00E-12	5.49E-11	1.74E+45	4.29E+32		QSO RL
ROXA J012247.9-093547.0	0.78	0.0	18.9	39.3	0.0	6.40E-13	2.20E-11	1.83E+45	1.13E+33		FSRQ*
ROXA J012517.0-001828.8	2.28	0.0	18.4	571.5	259.0	4.50E-13	1.74E-12	1.79E+46	2.27E+35		FSRQ*
ROXA J012528.8-000555.8	1.08	0.0	16.8	1540.8	1234.0	2.00E-12	1.62E-12	1.25E+46	9.67E+34		FSRQ
ROXA J012553.8-333050.4	0.18	18.0	0.0	143.5	0.0	5.40E-13	5.08E-12	4.91E+43	1.30E+32		SSRQ*
ROXA J012905.2-005450.5	0.71	0.0	18.7	16.6	0.0	4.40E-13	3.58E-11	9.78E+44	3.69E+32		QSO RL
ROXA J013008.8-101907.6	1.00	0.0	18.0	101.5	60.0	3.90E-13	6.50E-12	2.06E+45	5.35E+33		FSRQ*
ROXA J013606.1-095652.4	0.11	0.0	16.7	174.3	69.0	1.30E-12	1.88E-11	4.28E+43	5.74E+31		R.G./BL Lac*
ROXA J014125.8-092843.6	0.73	0.0	17.6	657.5	940.0	7.00E-13	7.45E-13	1.70E+45	1.60E+34	0	BL Lac
ROXA J014310.0-320056.9	0.38	19.4	0.0	76.2	0.0	1.20E-12	2.13E-11	5.82E+44	3.69E+32		FSRQ*
ROXA J014310.9+125840.0	0.20	0.0	18.7	31.2	30.0	1.00E-12	3.33E-11	1.14E+44	3.54E+31	0.46	BL Lac*
ROXA J015325.9-285609.3	0.61	17.5	0.0	52.4	0.0	5.60E-13	1.44E-11	8.69E+44	8.13E+32	0.05	QSO RL*
ROXA J020106.1+003400.0	0.30	0.0	18.4	13.4	0.0	6.80E-12	6.86E-10	1.95E+45	3.83E+31		BL Lac
ROXA J020212.1-251921.7	0.10	17.5	0.0	181.7	0.0	6.00E-13	4.46E-12	1.46E+43	4.41E+31		Radio Galaxy*
ROXA J020431.5-082854.9	0.75	0.0	18.6	3.2	0.0	5.60E-13	2.36E-10	1.44E+45	8.20E+31		QSO RL
ROXA J020703.3-085442.5	1.07	0.0	19.9	203.4	0.0	3.60E-13	2.39E-12	2.23E+45	1.26E+34		QSO RL
ROXA J020731.9-272911.6	0.23	18.8	0.0	11.0	0.0	4.20E-13	5.16E-11	1.65E+44	1.73E+31		QSO RL*
ROXA J021546.6-294858.1	0.25	19.4	0.0	283.0	0.0	8.30E-13	3.96E-12	1.65E+44	5.62E+32		BL Lac candidate*
ROXA J021548.0-330121.9	0.23	19.0	0.0	14.7	0.0	6.70E-13	6.16E-11	1.10E+44	2.40E+31		R.G./BL Lac*
ROXA J022048.4-084250.4	0.52	0.0	18.6	66.2	66.0	1.70E-12	2.58E-11	1.84E+45	7.14E+32	0	BL Lac

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} J_y^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J022740.3-302604.4	0.30	19.3	0.0	294.1	0.0	3.40E-13	1.56E-12	1.00E+44	8.68E+32		FSRQ*
ROXA J022803.7-291623.4	1.05	17.8	0.0	60.4	0.0	5.10E-13	1.14E-11	3.02E+45	3.58E+33		QSO RL*
ROXA J023049.3-330611.9	0.08	15.9	0.0	107.8	0.0	5.30E-13	6.64E-12	8.15E+42	1.66E+31		Radio Galaxy*
ROXA J023427.7-334119.2	0.22	18.9	0.0	90.8	0.0	8.10E-13	1.10E-11	1.14E+44	1.41E+32		R.G./BL Lac*
ROXA J024402.6-283938.4	0.75	17.8	0.0	60.4	0.0	5.50E-13	1.23E-11	1.42E+45	1.56E+33		QSO RL*
ROXA J025046.4-344848.8	0.04	15.7	0.0	8.9	0.0	1.10E-12	1.67E-10	3.49E+42	2.83E+29		Radio Galaxy*
ROXA J025805.8-314628.3	1.83	19.8	0.0	247.3	0.0	5.60E-13	3.06E-12	1.30E+46	5.74E+34		SSRQ*
ROXA J030313.0-001457.4	0.70	0.0	18.4	1099.6	489.0	1.60E-12	3.27E-12	3.47E+45	2.39E+34		SSRQ*
ROXA J030416.3-283217.9	0.00	19.5	0.0	8.3	0.0	5.00E-12	8.14E-10	0.00E+00	0.00E+00		BL Lac candidate
ROXA J030433.9-005404.6	0.51	0.0	19.1	29.4	0.0	1.70E-12	7.81E-11	1.72E+45	2.07E+32	0	BL Lac
ROXA J030708.0-303728.4	1.11	18.6	0.0	353.2	0.0	8.70E-13	3.33E-12	5.82E+45	2.36E+34		SSRQ*
ROXA J031255.0-302409.6	0.77	19.3	0.0	57.6	0.0	4.30E-13	1.01E-11	1.19E+45	1.59E+33		SSRQ*
ROXA J041524.0-232223.0	0.62	18.5	0.0	22.4	0.0	1.10E-12	6.64E-11	1.75E+45	3.56E+32		QSO RL*
ROXA J072659.5+373423.0	0.79	0.0	19.4	10.9	0.0	5.20E-13	6.45E-11	1.52E+45	3.19E+32		BL Lac*
ROXA J073152.1+280421.3	0.25	0.0	18.5	72.2	0.0	5.50E-12	1.03E-10	1.05E+45	1.37E+32		BL Lac
ROXA J073259.8+392452.8	0.17	0.0	16.9	104.7	0.0	2.40E-12	3.10E-11	1.87E+44	8.17E+31	0.48	BL Lac*
ROXA J073321.4+390458.2	0.66	0.0	18.2	148.7	0.0	1.10E-12	1.00E-11	2.10E+45	2.84E+33		FSRQ*
ROXA J073701.7+284645.9	0.27	0.0	19.0	17.8	0.0	1.50E-12	1.14E-10	3.45E+44	4.10E+31	0	BL Lac
ROXA J074237.3+394435.7	2.20	0.0	20.4	125.2	123.0	5.70E-13	4.63E-12	2.08E+46	4.57E+34		FSRQ*
ROXA J074344.8+232838.8	0.78	0.0	17.9	336.9	196.0	6.80E-13	3.47E-12	1.90E+45	9.41E+33		FSRQ*
ROXA J074505.7+331245.6	0.22	0.0	18.8	223.3	82.0	9.60E-13	1.17E-11	1.37E+44	3.18E+32	0.46	BL Lac*
ROXA J074242.1+374402.0	0.61	0.0	18.6	128.4	119.0	1.10E-12	9.24E-12	1.71E+44	1.99E+33		FSRQ*
ROXA J074559.2+331334.1	0.16	0.0	18.6	128.4	119.0	1.10E-12	9.24E-12	1.71E+44	1.99E+33		FSRQ*
ROXA J074625.7+254902.1	2.98	0.0	19.7	427.1	476.0	8.30E-13	1.74E-12	6.31E+46	3.25E+35		FSRQ
ROXA J074738.2+245626.0	0.13	0.0	19.3	4.8	0.0	8.00E-13	2.25E-10	3.62E+43	2.17E+30	0.23	BL Lac/FSRQ*
ROXA J074836.1+240024.0	0.41	0.0	19.2	958.1	1263.0	3.00E-12	2.38E-12	1.78E+45	5.70E+33		NELG
ROXA J074843.3+211545.1	0.26	0.0	18.9	11.5	0.0	7.90E-13	9.28E-11	1.68E+44	2.45E+31	0.44	BL Lac*
ROXA J074905.5+451040.6	0.19	0.0	16.8	147.9	0.0	3.40E-12	3.11E-11	3.57E+44	1.55E+32		FSRQ
ROXA J075019.5+481502.0	1.96	0.0	18.5	716.2	0.0	5.10E-13	9.62E-13	1.39E+46	1.96E+35		FSRQ
ROXA J075109.4+291335.5	0.19	0.0	19.0	11.8	0.0	4.60E-13	5.27E-11	4.94E+43	1.27E+31	0.34	BL Lac*
ROXA J075124.5+173043.8	0.17	0.0	18.0	10.5	0.0	3.80E-12	4.89E-10	3.67E+44	1.01E+31		BL Lac
ROXA J075076.4+60439.3	0.47	0.0	19.3	28.9	0.0	6.30E-13	2.95E-11	5.16E+44	2.37E+32		QSO RL
ROXA J075407.9+431610.5	0.35	0.0	17.3	16.3	0.0	3.80E-12	3.15E-10	1.55E+45	6.63E+31		QSO RL
ROXA J075435.8+454645.0	0.46	0.0	21.0	80.8	0.0	4.40E-13	7.36E-12	3.39E+44	6.22E+32	0.46	BL Lac@
ROXA J075445.5+482350.7	0.00	0.0	17.5	265.1	0.0	1.20E-12	6.12E-12	0.00E+00	0.00E+00	0.03	BL Lac*
ROXA J075448.7+303355.1	0.80	0.0	17.5	48.6	114.0	2.10E-12	1.84E-11	6.23E+45	1.44E+33		FSRQ
ROXA J075607.0+383401.0	0.22	0.0	18.4	65.1	0.0	1.50E-12	3.11E-11	2.03E+44	8.79E+31		BL Lac/FSRQ*
ROXA J080041.8+321727.5	0.19	0.0	17.8	95.8	32.0	5.70E-13	1.78E-11	5.64E+43	9.48E+31		R.G./BL Lac*
ROXA J080131.9+473615.9	0.16	0.0	16.1	77.4	65.0	9.80E-12	1.51E-10	6.59E+44	5.20E+31		FSRQ
ROXA J080322.3+433306.9	0.28	0.0	18.6	8.1	0.0	1.80E-12	3.00E-10	4.29E+44	1.93E+31	0.05	QSO RL
ROXA J080322.9+481618.5	0.50	0.0	19.5	12.7	0.0	3.30E-12	3.51E-10	3.17E+45	1.22E+32		BL Lac
ROXA J080557.7+394045.0	1.81	0.0	19.9	143.7	52.0	8.90E-13	1.71E-11	2.00E+46	3.23E+34		SSRQ
ROXA J080730.7+340041.6	0.21	0.0	17.7	13.1	0.0	2.30E-12	2.37E-10	2.89E+44	1.64E+31	0.37	BL Lac/FSRQ*
ROXA J080814.5+475244.6	0.55	0.0	17.9	70.3	27.0	1.00E-12	3.70E-11	1.18E+45	8.30E+32		FSRQ*
ROXA J080856.5+405244.9	1.42	0.0	19.5	584.6	690.0	1.10E-12	1.59E-12	1.36E+46	7.24E+34		FSRQ
ROXA J080938.8+345537.1	0.08	0.0	16.6	157.0	157.0	9.90E-12	6.31E-11	1.69E+44	3.81E+31	0.23	BL Lac
ROXA J080949.0+521858.2	0.00	0.0	15.7	182.9	0.0	1.80E-11	1.33E-10	0.00E+00	0.00E+00		BL Lac
ROXA J081002.5+502538.7	1.21	0.0	17.1	38.5	0.0	7.90E-13	2.77E-11	6.56E+45	3.20E+33		QSO RL
ROXA J081009.9+384757.0	3.95	0.0	20.9	32.3	22.0	1.40E-12	6.36E-11	2.08E+47	4.81E+34		FSRQ*
ROXA J081058.9+413402.7	0.51	0.0	18.5	220.3	182.0	8.10E-13	4.45E-12	8.04E+44	2.19E+33		FSRQ
ROXA J081137.2+483133.7	0.70	0.0	18.2	160.4	76.0	1.10E-12	1.45E-11	2.41E+45	3.52E+33		FSRQ*
ROXA J081318.7+501235.3	0.57	0.0	18.6	568.4	191.0	8.70E-13	4.55E-12	1.15E+45	7.51E+33		SSRQ*
ROXA J081409.1+323731.9	0.84	0.0	18.8	257.3	194.0	7.10E-13	3.66E-12	2.44E+45	8.84E+33		FSRQ
ROXA J081432.3+561017.0	0.51	0.0	18.1	60.8	0.0	1.40E-12	3.11E-11	1.42E+45	6.15E+32		FSRQ
ROXA J081732.2+223652.4	0.98	0.0	17.9	1277.1	0.0	1.59E-12	1.59E-12	1.59E+45	6.34E+34		SSRQ
ROXA J081737.8+242335.9	0.28	0.0	16.8	7.3	0.0	1.90E-12	3.52E-10	4.79E+44	1.84E+31		Seyfert
ROXA J081751.7+324331.0	0.00	0.0	18.9	7.5	0.0	1.10E-12	1.98E-10	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J081815.8+422245.4	0.53	0.0	18.6	1091.3	1866.0	7.80E-13	4.18E-13	8.57E+44	1.20E+34	0	BL Lac
ROXA J081915.5+264150.6	0.53	0.0	18.7	255.2	117.0	7.10E-13	6.07E-12	7.70E+44	2.77E+33		SSRQ*

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} \text{Jy}^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} \text{Hz}^{-1}$	CaH&K	Classification ^a
ROXA J082028.0+485347.2	0.13	0.0	16.8	193.0	6.10E-13	7.09E-12	7.09E-12	2.81E+43	8.89E+31	0.49	Radio Galaxy
ROXA J082133.6+470237.2	0.13	0.0	17.9	1787.9	5.20E-13	8.44E-13	8.44E-13	2.24E+43	7.70E+32		BLRG
ROXA J082455.3+391641.9	1.22	0.0	18.2	1481.4	3.00E-12	2.74E-12	2.74E-12	2.54E+46	1.26E+35		FSRQ
ROXA J082547.2+270421.8	0.69	0.0	19.7	108.5	8.20E-13	1.02E-11	1.02E-11	1.74E+45	2.30E+33		FSRQ
ROXA J082549.9+030921.3	0.51	0.0	17.2	1400.7	3.40E-12	3.28E-12	3.28E-12	3.36E+45	1.38E+34		BL Lac
ROXA J082705.3+374841.1	0.21	0.0	18.6	385.9	9.80E-13	1.85E-11	1.85E-11	1.20E+44	4.74E+32		Radio Galaxy
ROXA J082814.2+415351.9	0.23	0.0	18.3	91.1	2.30E-12	4.89E-11	4.89E-11	3.48E+44	1.38E+32	0.24	BL Lac
ROXA J083052.0+241059.8	0.94	0.0	17.4	739.2	2.90E-12	5.30E-12	5.30E-12	1.30E+46	3.32E+34		FSRQ
ROXA J083125.9+432513.1	1.23	0.0	20.2	149.2	6.60E-13	1.37E-11	1.37E-11	5.76E+45	1.30E+34	0	SSRQ*
ROXA J083148.7+042939.0	0.18	0.0	15.8	1241.9	1.30E-12	6.80E-13	6.80E-13	1.18E+44	1.13E+33		BL Lac
ROXA J083251.4+330010.9	0.67	0.0	20.9	4.5	3.30E-12	9.91E-10	9.91E-10	6.46E+45	8.81E+31		BL Lac
ROXA J083353.8+422401.8	0.25	0.0	17.3	249.3	2.00E-12	5.13E-12	5.13E-12	3.76E+44	4.69E+32		FSRQ
ROXA J083357.0+472652.9	0.49	0.0	19.1	11.7	2.40E-12	2.77E-10	2.77E-10	2.24E+45	1.09E+32		BL Lac
ROXA J083453.8+553414.4	0.24	0.0	18.1	8283.7	2.60E-12	4.24E-13	4.24E-13	1.45E+44	1.45E+34		Radio Galaxy
ROXA J083636.7+412554.6	1.30	0.0	17.5	488.5	1.40E-12	3.64E-12	3.64E-12	1.40E+46	4.89E+34		FSRQ
ROXA J083906.4+575416.9	1.53	0.0	17.7	2258.6	5.60E-13	3.35E-13	3.35E-13	8.43E+45	3.40E+35		SSRQ
ROXA J084203.7+401831.2	0.15	0.0	16.9	22.8	1.10E-11	2.62E-10	2.62E-10	6.89E+44	1.43E+31		HFSRQ*
ROXA J084225.4+025252.7	0.43	0.0	23.2	17.4	8.30E-12	6.45E-10	6.45E-10	3.95E+44	8.28E+30	0.05	Seyfert 1.5
ROXA J084205.5+075925.5	0.13	0.0	19.4	16.9	8.00E-13	6.40E-11	6.40E-11	5.21E+44	1.10E+32		BL Lac
ROXA J084225.4+025252.7	0.43	0.0	20.2	5.8	1.50E-12	3.49E-10	3.49E-10	3.14E+44	3.14E+31	0.34	BL Lac*
ROXA J084600.3+070424.6	0.34	0.0	17.0	308.1	4.90E-12	2.15E-11	2.15E-11	1.91E+45	1.20E+33		Seyfert 1
ROXA J084649.9+064148.9	0.62	0.0	17.2	89.6	1.90E-12	1.84E-11	1.84E-11	3.02E+45	1.42E+33		FSRQ*
ROXA J085102.8+054905.9	0.49	0.0	19.4	7.4	1.40E-12	2.56E-10	2.56E-10	1.26E+45	6.64E+31	0.04	BL Lac*
ROXA J085205.1+283359.6	1.28	0.0	19.3	232.7	5.30E-13	3.08E-12	3.08E-12	5.12E+45	2.25E+34		FSRQ
ROXA J085220.4+473458.4	2.42	0.0	20.4	67.7	4.0E-12	3.50E-11	3.50E-11	6.44E+46	3.11E+34		FSRQ*
ROXA J085409.7+440830.1	0.00	0.0	17.1	79.9	3.50E-12	4.55E-11	4.55E-11	2.58E+44	9.09E+31	0	BL Lac ^z
ROXA J085442.0+575729.9	1.32	0.0	18.1	1102.2	5.60E-13	4.73E-13	4.73E-13	5.78E+45	1.14E+35	0.49	Radio Galaxy
ROXA J085456.5+481211.0	0.19	0.0	17.8	5.7	6.20E-13	1.47E-10	1.47E-10	6.06E+43	5.57E+30		R.G./BL Lac*
ROXA J085500.1+302052.2	0.29	0.0	19.3	35.2	1.00E-12	3.84E-11	3.84E-11	2.58E+44	9.09E+31		QSO RL
ROXA J085516.1+561656.7	0.44	0.0	18.1	5.6	6.40E-13	1.54E-10	1.54E-10	4.58E+44	4.00E+31		Star
ROXA J085548.4+423712.7	0.52	0.0	20.9	4.0	9.50E-13	3.21E-10	3.21E-10	9.88E+44	4.16E+31		Star
ROXA J085556.0+371342.3	0.00	0.0	17.9	74.2	9.20E-13	2.36E-11	2.36E-11	0.00E+00	0.00E+00		QSO RL
ROXA J085602.5+060400.8	0.34	0.0	18.9	15.6	8.40E-13	7.28E-11	7.28E-11	3.24E+44	6.01E+31	0.45	BL Lac*
ROXA J085608.5+541854.7	0.26	0.0	18.0	58.7	2.40E-12	9.23E-11	9.23E-11	4.94E+44	1.21E+32	0.08	BL Lac
ROXA J085749.8+013530.3	0.28	0.0	18.1	89.1	1.60E-12	2.05E-11	2.05E-11	2.97E+44	2.21E+32		BL Lac ^z
ROXA J085920.5+004712.0	0.00	0.0	19.1	39.1	5.60E-12	1.94E-10	1.94E-10	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J090304.0+465104.2	1.46	0.0	19.3	1755.4	4.40E-13	3.48E-13	3.48E-13	5.88E+45	2.35E+35		FSRQ
ROXA J090314.6+405559.8	0.19	0.0	18.1	38.3	8.20E-13	2.93E-10	2.93E-10	8.21E+44	3.83E+31	0.23	BL Lac
ROXA J090731.9+441613.1	0.70	0.0	19.5	19.1	4.00E-13	2.83E-11	2.83E-11	8.71E+44	4.16E+32		QSO RL
ROXA J090835.8+415046.2	0.73	0.0	18.8	229.8	1.00E-12	4.50E-12	4.50E-12	2.44E+45	5.60E+33		FSRQ
ROXA J090910.0+012135.6	1.02	0.0	17.2	760.3	1.50E-12	1.67E-12	1.67E-12	8.19E+45	4.15E+34		FSRQ
ROXA J090912.1+083540.9	1.75	0.0	18.1	132.6	5.10E-13	5.20E-12	5.20E-12	1.07E+46	2.78E+34		FSRQ*
ROXA J090924.5+521632.5	0.41	0.0	18.0	87.6	9.80E-13	2.04E-11	2.04E-11	5.86E+44	5.24E+32		FSRQ*
ROXA J091037.0+332924.3	0.00	0.0	15.9	105.7	2.30E-12	2.94E-11	2.94E-11	0.00E+00	0.00E+00		BL Lac
ROXA J091133.7+442250.0	0.30	0.0	18.4	447.0	1.70E-12	1.08E-11	1.08E-11	4.83E+44	1.27E+33		BLRG
ROXA J091153.5+372413.2	0.10	0.0	16.9	670.4	2.90E-13	9.66E-13	9.66E-13	7.40E+42	1.77E+32	0.42	Radio Galaxy
ROXA J091201.6+532036.7	0.10	0.0	15.9	170.4	3.90E-13	4.19E-12	4.19E-12	1.03E+43	4.51E+31	0.44	BL Lac/FSRQ*
ROXA J091205.1+543141.3	0.45	0.0	19.0	25.3	4.00E-13	2.14E-11	2.14E-11	2.95E+44	1.87E+32		QSO RL
ROXA J091227.1+423545.0	0.27	0.0	19.3	30.0	7.80E-13	2.73E-11	2.73E-11	1.79E+44	1.91E+32	0.43	BL Lac*
ROXA J091437.9+024559.1	0.43	0.0	19.6	442.8	8.00E-13	8.73E-13	8.73E-13	5.14E+44	2.92E+33		FSRQ
ROXA J091552.3+293324.0	0.00	0.0	16.1	342.1	1.20E-11	4.74E-11	4.74E-11	0.00E+00	0.00E+00		BL Lac@
ROXA J091552.9+473828.3	0.41	0.0	20.9	7.1	3.90E-13	7.42E-11	7.42E-11	1.55E+44	4.50E+31	0.35	BL Lac
ROXA J091635.4+541426.9	0.28	0.0	18.7	17.0	6.10E-13	4.66E-11	4.66E-11	1.55E+44	4.50E+31		QSO RL
ROXA J091648.9+385428.1	1.27	0.0	19.4	1005.5	3.40E-13	6.18E-13	6.18E-13	3.19E+45	9.43E+34		FSRQ
ROXA J091650.8+523833.7	0.19	0.0	17.6	139.0	2.60E-12	6.61E-11	6.61E-11	6.97E+44	1.42E+32		BL Lac
ROXA J091925.6+110659.4	0.43	0.0	19.9	35.4	2.60E-12	9.92E-11	9.92E-11	1.69E+45	2.31E+32	0.17	BL Lac
ROXA J092015.6+391014.0	0.61	0.0	21.0	8.9	9.40E-13	1.43E-10	1.43E-10	1.44E+45	1.36E+32	0.04	BL Lac*
ROXA J092058.3+444153.9	2.19	0.0	18.1	1017.8	1.80E-12	1.66E-12	1.66E-12	6.49E+46	3.67E+35		FSRQ
ROXA J092133.2+602824.8	0.26	0.0	20.2	21.2	1.00E-12	6.37E-11	6.37E-11	2.15E+44	4.56E+31	0.46	BL Lac*

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} J_y^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J092401.0+053345.3	0.00	0.0	18.5	7.6	0.0	5.10E-12	9.07E-10	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J092414.7+030900.7	0.13	0.0	17.0	26.4	46.0	2.00E-12	4.35E-11	8.62E+43	1.14E+31	0	FSRQ*
ROXA J092542.9+595816.4	0.00	0.0	19.4	10.1	0.0	1.10E-12	1.47E-10	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J092554.7+400414.0	0.47	0.0	17.6	13.2	21.0	2.80E-12	1.33E-10	2.33E+45	1.10E+32	0	R.G. FR II
ROXA J092702.9+390220.7	0.70	0.0	16.8	2885.2	6913.0	3.80E-12	5.50E-13	6.22E+45	6.24E+34	0	FSRQ
ROXA J092710.6+532731.6	0.20	0.0	18.2	5.4	0.0	1.90E-12	4.75E-10	2.21E+44	6.27E+30	0.42	BL Lac*
ROXA J092740.6+554547.9	0.22	0.0	18.6	78.9	39.0	3.50E-13	8.97E-12	5.03E+43	1.13E+32	0.31	BL Lac*
ROXA J092837.3+404845.2	0.00	0.0	18.5	7.1	0.0	5.30E-13	1.01E-10	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J092837.9+602520.9	0.30	0.0	17.2	295.1	118.0	1.80E-12	1.53E-11	5.03E+44	8.25E+32	0	FSRQ*
ROXA J092915.4+501336.0	0.00	0.0	16.9	522.6	544.0	9.40E-13	1.73E-12	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J093034.9+464408.4	2.03	0.0	18.9	356.9	202.0	8.30E-13	4.11E-12	2.49E+46	1.07E+35	0	FSRQ
ROXA J093037.4+495025.5	0.19	0.0	18.2	21.6	0.0	2.70E-11	1.69E-09	2.67E+45	2.14E+31	0.05	BL Lac
ROXA J093056.8+393335.6	0.64	0.0	21.0	13.1	0.0	2.10E-12	2.17E-10	3.66E+45	2.28E+32	0.19	BL Lac
ROXA J093239.2+104235.0	0.36	0.0	18.7	33.0	0.0	1.20E-12	4.91E-11	5.32E+44	1.46E+32	0.09	BL Lac
ROXA J093309.2+461535.3	0.78	0.0	18.5	29.5	19.0	2.90E-13	1.53E-11	8.15E+44	8.30E+32	0	FSRQ*
ROXA J093311.5+351627.9	1.12	0.0	17.0	3.9	0.0	3.40E-13	1.18E-10	2.35E+45	2.69E+32	0.45	QSO RL
ROXA J093349.7+451957.7	0.13	0.0	17.1	316.7	114.0	2.20E-13	1.93E-12	1.05E+43	1.51E+32	0	Radio Galaxy
ROXA J093513.6+091507.8	1.48	0.0	19.6	200.1	0.0	6.70E-13	4.52E-12	9.29E+45	2.77E+34	0	FSRQ*
ROXA J093528.0+073038.5	0.22	0.0	18.1	3.6	0.0	1.00E-12	3.75E-10	1.35E+44	4.86E+30	0	R.G./BL Lac*
ROXA J093640.9+101415.7	0.06	0.0	16.0	11.7	0.0	2.30E-12	2.66E-10	1.99E+43	1.01E+30	0	QSO RQ
ROXA J093712.3+500852.1	0.28	0.0	19.1	167.2	315.0	1.30E-12	4.13E-12	3.10E+44	3.98E+32	0	FSRQ
ROXA J093857.7+424833.8	2.05	0.0	19.0	5.9	0.0	1.80E-13	4.12E-11	5.52E+45	1.81E+33	0	QSO RL
ROXA J094022.3+614826.2	0.21	0.0	18.6	12.9	0.0	2.50E-12	2.62E-10	3.24E+44	1.67E+31	0.19	BL Lac
ROXA J094128.8+444742.7	0.80	0.0	18.6	68.2	26.0	2.60E-13	1.00E-11	7.85E+44	2.06E+33	0	SSRQ*
ROXA J094139.3+085051.3	0.94	0.0	20.2	90.2	0.0	7.70E-13	1.15E-11	3.44E+45	4.03E+33	0	FSRQ*
ROXA J094525.9+352103.5	0.21	0.0	18.3	156.4	0.0	4.00E-13	3.46E-12	5.02E+43	1.96E+32	0	NELG
ROXA J094538.0+353455.0	1.13	0.0	18.3	329.9	0.0	2.60E-13	1.06E-12	1.82E+45	2.32E+34	0	FSRQ*
ROXA J094620.2+010451.9	0.58	0.0	20.3	15.1	0.0	4.30E-12	3.85E-10	5.83E+45	2.22E+32	0.11	BL Lac
ROXA J094734.9+583046.2	0.94	0.0	17.8	173.5	82.0	5.00E-13	6.10E-12	2.22E+45	7.69E+33	0	FSRQ*
ROXA J094855.3+403944.6	1.25	0.0	17.8	1600.1	1801.0	4.00E-13	2.22E-13	3.62E+45	1.45E+35	0	FSRQ
ROXA J094857.3+002225.5	0.58	0.0	18.6	70.2	295.0	1.30E-12	4.41E-12	1.82E+45	9.84E+32	0	FSRQ
ROXA J095127.7+010210.2	0.50	0.0	19.6	22.3	0.0	8.30E-13	5.03E-11	8.04E+44	2.16E+32	0.08	BL Lac
ROXA J095241.2+014202.3	0.10	0.0	15.8	10.2	0.0	2.90E-12	1.44E-12	9.72E+44	5.62E+33	0	FSRQ
ROXA J095409.7+491459.4	0.00	0.0	19.0	2.9	0.0	2.90E-12	3.84E-10	0.00E+00	0.00E+00	0.48	Radio Galaxy
ROXA J095414.7+610455.2	2.62	0.0	19.7	81.0	30.0	2.20E-13	7.33E-12	1.22E+46	4.51E+34	0	SSRQ*
ROXA J095455.4+571952.7	0.98	0.0	19.1	199.5	65.0	2.60E-13	4.00E-12	1.29E+45	9.94E+33	0	SSRQ*
ROXA J095456.0+624102.3	0.23	0.0	18.6	89.0	34.0	2.10E-13	6.18E-12	3.27E+43	1.39E+32	0.46	R.G./BL Lac*
ROXA J095456.8+092955.7	0.30	0.0	18.0	457.8	0.0	1.70E-12	5.02E-12	4.83E+44	1.30E+33	0.13	SSRQ
ROXA J095507.8+355100.7	0.56	0.0	20.3	7.9	0.0	1.30E-12	2.22E-10	1.62E+45	9.84E+31	0	BL Lac*
ROXA J095539.7+453217.0	0.26	0.0	16.9	57.5	29.0	1.70E-12	5.86E-11	3.50E+44	1.18E+32	0	FSRQ*
ROXA J095738.1+552257.6	0.90	0.0	17.9	3079.8	2015.0	7.70E-13	3.82E-13	3.07E+45	1.23E+35	0	FSRQ
ROXA J095819.6+472507.7	1.88	0.0	18.5	604.3	1005.0	6.80E-13	3.77E-12	1.69E+46	3.78E+34	0	SSRQ
ROXA J100017.5+000523.6	0.90	0.0	18.7	925.0	345.0	1.30E-12	6.77E-12	5.30E+45	3.78E+34	0	SSRQ
ROXA J100037.0+591856.7	0.59	0.0	18.4	26.4	0.0	4.70E-13	2.41E-11	6.81E+44	3.82E+32	0	QSO RL*
ROXA J100120.5+555355.4	1.41	0.0	16.8	552.0	0.0	1.40E-12	3.43E-12	1.72E+46	6.78E+34	0	SSRQ
ROXA J100412.7+462622.5	2.08	0.0	19.1	39.9	24.0	1.60E-13	6.67E-12	5.06E+45	1.26E+34	0	FSRQ*
ROXA J100515.8+480533.2	2.37	0.0	17.5	208.6	81.0	3.30E-13	4.07E-12	1.44E+46	9.14E+34	0	SSRQ*
ROXA J100612.1+644011.4	0.68	0.0	19.1	44.1	20.0	2.10E-12	6.00E-11	2.45E+45	9.01E+32	0	BL Lac
ROXA J100656.4+345445.1	0.61	0.0	19.1	6.7	0.0	2.10E-12	4.24E-10	3.28E+45	1.05E+32	0	BL Lac
ROXA J100718.7+040808.0	1.02	0.0	20.6	57.1	0.0	7.60E-13	1.80E-11	4.21E+45	3.16E+33	0.08	QSO RL*
ROXA J100811.4+003000.0	0.10	17.1	16.7	485.6	0.0	1.00E-12	2.78E-12	4.33E+45	1.18E+32	0	Radio Galaxy
ROXA J100811.4+470521.4	0.34	0.0	19.5	4.9	0.0	1.10E-11	3.03E-09	4.33E+45	1.93E+31	0	BL Lac
ROXA J100813.0+041639.6	2.06	0.0	19.8	21.1	33.0	4.50E-13	1.36E-11	1.39E+46	6.51E+33	0	FSRQ*
ROXA J100821.4+440016.4	1.19	0.0	17.0	47.5	26.0	2.00E-13	7.69E-12	1.60E+45	3.79E+33	0	FSRQ*
ROXA J100958.8+470943.8	0.11	0.0	17.0	7.5	0.0	7.50E-13	1.35E-10	2.15E+43	2.15E+30	0	Seyfert*
ROXA J101027.4+413239.0	0.61	0.0	16.3	499.1	854.0	3.20E-12	3.75E-12	5.00E+45	7.81E+33	0	FSRQ
ROXA J101122.4+470042.1	2.93	0.0	19.4	27.3	30.0	2.70E-13	9.00E-12	1.97E+46	1.99E+34	0	FSRQ*
ROXA J101237.0+524217.7	0.13	0.0	18.7	8.2	0.0	8.50E-13	1.40E-10	3.72E+43	3.59E+30	0	QSO RL

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} J_y^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J101244.2+422957.0	0.37	0.0	18.6	79.6	46.0	8.30E-12	1.80E-10	3.78E+44	3.62E+32	0.02	BL Lac
ROXA J101258.3+393238.7	0.17	0.0	18.3	19.9	0.0	1.30E-12	8.83E-11	1.06E+44	1.62E+31		BL Lac*
ROXA J101447.6+442133.3	0.80	0.0	18.9	68.8	22.0	3.60E-13	1.64E-11	1.07E+45	2.05E+33		SSRQ*
ROXA J101502.2+023128.0	0.22	0.0	18.4	27.3	0.0	5.40E-13	2.67E-11	7.53E+43	3.80E+31		QSO RL*
ROXA J101504.0+492600.6	0.00	0.0	15.4	378.2	299.0	2.00E-11	6.69E-11	0.00E+00	0.00E+00		BL Lac
ROXA J101557.0+010913.7	0.78	0.0	16.6	129.5	174.0	2.10E-12	1.21E-11	5.94E+45	3.67E+33		FSRQ
ROXA J101616.6+410812.5	0.27	0.0	18.5	15.0	0.0	7.60E-12	6.85E-10	1.72E+45	3.40E+31		BL Lac
ROXA J101643.6+45051.2	0.00	0.0	20.5	13.7	20.0	5.40E-13	2.70E-11	0.00E+00	0.00E+00		BL Lac@
ROXA J102013.6+625009.9	0.25	0.0	18.9	30.1	24.0	6.90E-13	2.87E-11	1.31E+44	5.72E+31	0.16	BL Lac
ROXA J102030.8+072001.7	1.29	0.0	17.5	11.8	0.0	4.50E-13	5.15E-11	4.40E+45	1.15E+33		QSO RL*
ROXA J102105.9+452331.8	0.36	0.0	18.2	131.2	82.0	8.60E-13	1.05E-11	3.89E+44	5.93E+32		FSRQ*
ROXA J102128.8+380643.2	0.47	0.0	20.2	4.5	0.0	4.30E-13	1.29E-10	3.50E+44	3.67E+31		BL Lac*
ROXA J102212.6+512400.2	0.14	0.0	18.6	5.3	0.0	5.20E-12	1.33E-09	2.81E+44	2.86E+30	0.31	BL Lac
ROXA J102237.3+393150.0	0.60	0.0	17.4	92.2	0.0	8.20E-13	1.20E-11	1.24E+45	1.40E+33		FSRQ*
ROXA J102310.4+475145.5	0.58	0.0	18.8	488.4	177.0	1.90E-13	1.07E-12	2.62E+44	6.73E+33		SSRQ*
ROXA J102311.5+394815.4	1.25	0.0	18.4	1123.2	0.0	1.90E-12	2.29E-12	1.74E+46	1.03E+35		FSRQ
ROXA J102501.6+040202.2	0.21	0.0	18.0	107.1	34.0	3.30E-13	9.71E-12	4.27E+43	1.39E+32	0.49	R.G./BL Lac*
ROXA J102504.2+414332.5	0.68	0.0	18.5	10.0	0.0	1.90E-12	2.57E-10	3.87E+45	2.04E+32		FSRQ*
ROXA J102522.9+040229.0	0.21	0.0	18.8	49.9	61.0	1.40E-12	2.29E-11	1.76E+44	6.26E+31		BL Lac
ROXA J102713.0+480313.5	1.29	0.0	19.2	241.9	242.0	2.10E-13	8.68E-13	2.04E+45	2.35E+34		FSRQ
ROXA J102724.8+631753.0	0.00	0.0	18.9	25.8	17.0	1.20E-12	7.06E-11	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J102815.8+013006.5	1.06	0.0	18.3	67.8	0.0	8.50E-13	1.69E-11	5.08E+45	4.05E+33		QSO RL
ROXA J103025.3+551629.4	0.00	0.0	17.0	156.9	0.0	2.10E-12	1.81E-11	0.00E+00	0.00E+00		SSRQ
ROXA J103033.2+141538.4	0.32	0.0	18.5	8.0	0.0	1.50E-12	2.53E-10	4.91E+44	2.62E+31	0.46	BL Lac*
ROXA J103050.7+024316.3	0.13	15.8	0.0	4.1	0.0	1.00E-12	3.30E-10	2.07E+42	8.47E+28		QSO RL
ROXA J103058.9+310255.7	0.08	0.0	16.7	231.4	0.0	7.10E-12	4.15E-11	6.22E+44	2.03E+32		FSRQ
ROXA J103118.4+505335.8	0.36	0.0	16.9	38.1	34.0	5.60E-11	1.65E-09	2.48E+46	1.69E+32	0	BL Lac
ROXA J103143.5+522535.1	0.17	0.0	18.5	922.8	377.0	2.90E-13	7.69E-13	2.20E+43	7.01E+32		SSRQ
ROXA J103144.7+602030.4	1.23	0.0	18.2	321.4	253.0	5.60E-13	2.21E-12	4.88E+45	2.80E+34		FSRQ
ROXA J103234.8+650227.8	0.01	0.0	13.5	9.0	0.0	2.90E-13	4.35E-11	2.31E+40	7.17E+27		Seyfert 2
ROXA J103317.8+422236.3	0.21	0.0	18.4	45.6	0.0	4.40E-13	1.30E-11	5.70E+43	5.91E+31	0.25	BL Lac
ROXA J103744.2+571155.6	0.00	0.0	16.7	71.8	126.0	2.00E-12	1.59E-11	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J104149.2+390134.2	0.21	0.0	18.3	34.0	0.0	1.50E-12	4.22E-11	1.05E+46	3.36E+33		QSO RL*
ROXA J104303.3+005420.4	0.73	19.6	19.8	33.3	0.0	4.00E-13	2.88E-11	7.06E+46	3.31E+32		QSO RL
ROXA J104410.6+532220.4	1.90	0.0	16.6	697.8	701.0	5.10E-13	1.87E-12	3.88E+44	5.10E+33		FSRQ
ROXA J104146.9+523335.8	2.30	0.0	19.1	16.6	0.0	1.50E-12	5.96E-11	1.90E+44	4.31E+31	0.42	BL Lac
ROXA J104542.1+525112.5	1.06	0.0	18.5	225.2	105.0	7.80E-13	7.43E-12	4.68E+45	1.35E+34		FSRQ*
ROXA J104548.9+534759.7	0.66	0.0	19.7	26.3	0.0	2.00E-13	1.11E-11	3.79E+44	4.62E+32	0.47	Radio Galaxy
ROXA J104732.2+483530.9	0.87	0.0	18.6	66.3	46.0	3.20E-13	6.96E-12	1.17E+45	2.43E+33		FSRQ*
ROXA J104732.5+472532.0	0.80	0.0	19.0	789.1	404.0	2.70E-13	6.68E-13	8.08E+44	2.36E+34		FSRQ
ROXA J104857.6+500945.2	0.40	0.0	20.0	11.9	0.0	1.00E-12	1.71E-10	5.74E+44	4.54E+31	0.28	BL Lac*
ROXA J105125.3+394325.7	0.50	0.0	18.9	11.0	0.0	4.50E-12	5.53E-10	4.26E+45	1.04E+32	0.04	BL Lac
ROXA J105232.7+612520.8	0.42	0.0	16.8	989.0	363.0	3.30E-12	9.09E-12	2.10E+45	6.30E+33		SSRQ
ROXA J105342.1-001420.1	0.68	18.9	18.9	46.7	52.0	4.10E-13	7.88E-12	1.78E+44	9.31E+32		FSRQ*
ROXA J105344.0+492955.8	0.14	0.0	17.0	64.7	59.0	1.00E-12	2.20E-11	6.80E+43	3.39E+31	0.15	BL Lac
ROXA J105534.3-012617.3	0.00	19.0	0.0	12.2	0.0	1.50E-12	1.66E-10	0.00E+00	0.00E+00		BL Lac candidate
ROXA J105610.4+653947.4	1.71	0.0	19.1	87.8	21.0	1.10E-13	5.24E-12	1.18E+45	1.74E+34		SSRQ*
ROXA J105837.6+562811.0	0.00	0.0	16.5	228.6	247.0	4.70E-12	1.90E-11	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J105951.8+405114.1	1.75	0.0	17.4	267.1	0.0	3.90E-13	1.97E-12	8.12E+45	5.56E+34		FSRQ*
ROXA J110011.4+044401.4	0.89	0.0	19.4	575.2	255.0	7.40E-13	8.81E-10	1.80E+45	2.75E+31		SSRQ
ROXA J110021.0+401927.9	0.22	0.0	17.3	18.4	0.0	1.20E-11	8.81E-10	1.80E+45	2.75E+31		BL Lac
ROXA J110047.8+104613.1	0.42	0.0	18.5	720.7	0.0	1.50E-12	2.81E-12	9.61E+44	4.62E+33		SSRQ
ROXA J110124.7+410847.4	0.39	0.0	19.1	23.6	0.0	6.70E-13	3.84E-11	3.50E+44	1.23E+32		BL Lac@
ROXA J110140.4+400422.9	0.46	0.0	19.9	32.3	0.0	1.90E-13	7.95E-12	1.46E+44	2.49E+32		NELG

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} J_\nu^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J110313.3+301442.6	0.39	0.0	18.3	166.4	0.0	9.90E-13	8.04E-12	5.26E+44	8.85E+32		FSRQ
ROXA J110427.1+381231.2	0.03	0.0	13.8	768.6	0.0	6.80E-10	1.20E-09	1.50E+45	1.70E+31		BL Lac
ROXA J110538.8+020257.2	0.10	17.7	16.3	255.3	295.0	1.40E-12	4.75E-12	3.94E+43	7.18E+31		FSRQ
ROXA J110716.3+080454.5	0.20	0.0	16.7	24.3	0.0	1.80E-12	1.00E-10	2.09E+44	2.82E+31		QSO RL*
ROXA J110726.8+361612.2	0.39	0.0	19.1	610.2	0.0	1.70E-12	3.76E-12	9.20E+44	3.30E+33		SSRQ
ROXA J110747.8+150218.4	0.00	0.0	18.3	43.6	0.0	7.20E-12	2.23E-10	0.00E+00	0.00E+00		BL Lac
ROXA J110757.4+663255.2	0.96	0.0	19.6	208.5	74.0	2.30E-13	3.11E-12	1.08E+45	9.77E+33		SSRQ*
ROXA J110844.5+594140.8	0.75	0.0	18.4	5.5	0.0	6.88E-11	6.88E-11	7.15E+44	1.40E+32		QSO RL
ROXA J110858.3+014932.9	0.11	17.7	0.0	81.8	0.0	3.90E-12	6.44E-11	1.12E+44	2.35E+31		BL Lac
ROXA J11052.9+071402.0	0.22	0.0	18.0	56.8	0.0	4.70E-13	1.12E-11	6.75E+43	8.16E+31	0.49	R.G./BL Lac*
ROXA J11105.8+522748.9	1.28	0.0	18.0	115.8	74.0	1.70E-13	2.30E-12	1.63E+45	1.11E+34		FSRQ
ROXA J111131.2+345212.3	0.21	0.0	19.6	8.6	0.0	7.00E-12	1.10E-09	9.16E+44	1.13E+31		BL Lac
ROXA J111221.7+003028.5	0.52	18.8	19.4	7.3	0.0	4.90E-13	9.07E-11	5.24E+44	7.81E+31		QSO RL
ROXA J111358.2+144221.7	0.87	0.0	17.6	642.4	0.0	1.70E-12	3.58E-12	6.28E+45	2.37E+34		FSRQ
ROXA J111439.7+403735.1	0.74	0.0	17.2	3128.8	0.0	1.20E-12	5.18E-13	2.95E+45	7.68E+34		SSRQ
ROXA J111457.9+593531.9	1.58	0.0	18.2	6.0	0.0	4.30E-13	9.68E-11	6.96E+45	9.71E+32		QSO RL*
ROXA J111523.2+495641.2	0.31	0.0	19.3	239.1	105.0	2.70E-13	2.57E-12	8.52E+43	7.55E+32		R.G./BL Lac*
ROXA J111717.5+000633.5	0.45	19.1	19.5	14.3	0.0	3.40E-12	3.21E-10	2.55E+45	1.07E+32	0.30	BL Lac
ROXA J111733.7+023600.9	0.00	20.4	0.0	997.3	0.0	1.00E-12	1.35E-12	0.00E+00	0.00E+00		SSRQ
ROXA J111757.1+535554.9	0.00	0.0	17.7	12.6	0.0	6.70E-13	7.18E-11	0.00E+00	0.00E+00	0	BL Lac@ ^z
ROXA J111807.9+592843.7	0.39	0.0	19.4	6.4	0.0	8.60E-13	1.82E-10	4.68E+44	3.48E+31		HFSRQ candidate@
ROXA J111857.3+123441.7	2.13	0.0	18.5	1112.7	0.0	8.80E-13	1.07E-12	2.96E+46	3.74E+35		FSRQ
ROXA J111908.8+090022.7	0.33	0.0	19.3	23.7	0.0	1.40E-12	7.98E-11	5.07E+44	8.58E+31	0.44	BL Lac@
ROXA J111914.2+600457.2	2.65	0.0	17.2	218.8	170.0	2.50E-13	1.47E-12	1.43E+46	1.25E+35		FSRQ
ROXA J112023.2+540427.0	0.92	0.0	19.3	269.4	190.0	1.40E-11	1.37E-12	1.11E+45	1.15E+34		FSRQ
ROXA J112047.9+421212.3	0.12	0.0	17.2	24.2	0.0	2.60E-13	1.78E-12	5.63E+44	9.73E+30		BL Lac
ROXA J112059.7+014456.6	0.37	0.0	19.6	25.0	0.0	1.20E-12	6.49E-11	5.57E+44	1.16E+32	0.19	BL Lac*
ROXA J112131.3+123557.4	0.68	0.0	18.1	336.7	0.0	7.90E-13	3.17E-12	1.62E+45	6.91E+33		QSO RL
ROXA J112325.9+031548.6	1.77	0.0	17.6	19.1	0.0	7.90E-13	5.59E-11	1.69E+46	4.09E+33		QSO RL*
ROXA J112439.4+113117.1	0.14	0.0	17.9	16.8	0.0	1.80E-12	1.45E-10	9.86E+43	9.21E+30		Seyfert*
ROXA J112453.8+493409.6	0.00	0.0	18.8	21.1	18.0	2.70E-12	1.50E-10	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J112657.6+451606.3	1.81	0.0	17.2	404.5	0.0	6.50E-13	2.17E-12	1.47E+46	9.16E+34		FSRQ
ROXA J113108.8+311410.4	0.29	0.0	16.0	370.6	0.0	8.90E-12	3.24E-11	2.35E+45	9.81E+32		FSRQ
ROXA J113118.5+580858.8	0.36	0.0	17.1	44.6	0.0	2.90E-13	8.79E-12	1.28E+44	1.97E+32		BL Lac*
ROXA J113120.8+333447.0	0.22	0.0	18.7	6.5	0.0	1.80E-12	3.74E-10	2.56E+44	9.25E+30		BL Lac candidate
ROXA J113221.8+651813.4	1.13	0.0	18.6	10.4	0.0	6.10E-13	7.93E-11	4.30E+45	7.33E+32		HF-SRQ*
ROXA J113245.5+003427.6	0.00	0.0	18.0	469.6	340.0	3.90E-13	1.15E-12	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J113259.4+102342.2	0.54	0.0	17.0	879.7	375.0	1.90E-12	5.07E-12	2.20E+45	1.02E+34		FSRQ
ROXA J113518.7+125311.1	0.20	0.0	17.6	141.1	0.0	9.00E-13	8.62E-12	1.08E+44	1.69E+32		Radio Galaxy
ROXA J113614.9+002314.3	0.38	0.0	19.8	19.1	0.0	1.10E-12	7.78E-11	5.67E+44	9.85E+31		QSO RL*
ROXA J113629.9+673704.2	0.13	0.0	17.1	45.9	47.0	2.40E-11	5.11E-10	1.14E+45	2.18E+31	0.08	BL Lac
ROXA J113821.1+474515.4	0.77	0.0	19.4	306.0	0.0	5.10E-13	2.25E-12	1.40E+45	8.39E+33		FSRQ
ROXA J114023.4+152809.6	0.24	0.0	17.4	70.1	0.0	8.70E-12	1.68E-10	1.51E+45	1.21E+32		BL Lac candidate
ROXA J114312.0+612210.8	0.00	0.0	18.4	84.0	94.0	2.90E-13	3.09E-12	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J114357.6+510237.1	0.00	0.0	21.2	38.2	0.0	5.00E-13	1.77E-11	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J114510.3+011056.2	0.63	19.9	22.1	43.1	0.0	5.30E-13	1.66E-11	8.76E+44	7.12E+32		QSO RL
ROXA J114521.3+045526.6	1.34	0.0	19.4	667.0	486.0	4.70E-13	9.67E-13	5.08E+45	7.21E+34		FSRQ
ROXA J114529.2+572141.6	0.72	0.0	20.4	5.3	0.0	6.60E-13	1.22E-10	1.11E+45	1.22E+32		QSO RL@
ROXA J114530.8+022710.0	0.13	17.2	0.0	147.0	0.0	6.00E-13	6.07E-12	2.99E+43	6.66E+31		Radio Galaxy*
ROXA J114555.1+034001.5	0.17	18.5	18.1	19.7	0.0	8.00E-12	5.49E-10	6.24E+44	1.54E+31	0.26	BL Lac
ROXA J114735.2+050403.2	1.25	0.0	20.0	13.7	0.0	6.10E-13	6.02E-11	5.48E+45	1.23E+33		QSO RL*
ROXA J114803.1+565411.4	0.45	0.0	17.7	67.0	51.0	9.90E-13	1.94E-11	7.43E+44	5.03E+32		FSRQ
ROXA J114818.7+021326.7	0.55	0.0	17.2	94.0	0.0	1.20E-12	1.72E-11	1.44E+45	1.13E+33		SSRQ
ROXA J114818.7+315410.1	0.79	18.8	18.1	11.4	0.0	7.60E-13	9.01E-11	2.18E+45	3.28E+32		QSO RL
ROXA J114856.5+525425.1	1.63	0.0	16.9	93.5	288.0	2.40E-13	8.33E-13	4.21E+45	1.64E+34		FSRQ
ROXA J114905.2+513455.7	0.13	0.0	17.1	8.5	0.0	9.70E-13	1.54E-10	4.32E+43	3.79E+30		R.G./BL Lac*
ROXA J115024.7+015620.2	0.71	0.0	20.2	154.2	95.0	3.20E-13	3.37E-12	3.37E+44	3.43E+33		FSRQ
ROXA J115034.6+415439.9	1.02	0.0	17.2	26.5	0.0	3.70E-12	1.89E-10	2.02E+46	1.45E+33		BL Lac

Table 2.: continued

Source name	z	B _j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux erg cm ⁻² s ⁻¹	f _x /f _r erg cm ⁻² s ⁻¹ Jy ⁻¹	L _x erg s ⁻¹	L _r erg s ⁻¹ Hz ⁻¹	CaH&K	Classification ^a
ROXA J115043.7-002354.0	1.98	0.0	17.1	2774.9	1756.0	1.10E-12	6.20E-13	3.09E+46	7.78E+35		FSRQ
ROXA J115109.3+472855.7	0.86	0.0	17.2	700.0	0.0	8.80E-13	1.70E-12	3.19E+45	2.54E+34		SSRQ
ROXA J115123.2+084215.9	1.09	0.0	18.8	40.5	0.0	3.40E-13	1.13E-11	2.17E+45	2.59E+33		QSO RL*
ROXA J115124.5+585917.7	0.00	0.0	16.2	184.9	131.0	1.30E-12	9.92E-12	0.00E+00	0.00E+00	0	BL Lac ^z
ROXA J115226.7+320952.3	0.37	0.0	19.0	41.0	0.0	4.30E-12	1.42E-10	2.07E+45	1.98E+32		FSRQ
ROXA J115232.8+493938.7	1.09	0.0	17.2	111.1	0.0	4.90E-13	5.96E-12	3.19E+45	7.23E+33		FSRQ*
ROXA J115242.4+033305.6	1.15	0.0	19.7	27.8	0.0	3.40E-13	1.65E-11	2.51E+45	2.06E+33		QSO RL*
ROXA J115312.4+091402.2	0.70	0.0	17.8	809.8	432.0	5.40E-13	1.25E-12	1.73E+45	1.73E+34		FSRQ
ROXA J115323.8+583138.3	0.20	0.0	18.8	54.0	53.0	1.70E-12	3.21E-11	2.00E+44	6.34E+31		FSRQ
ROXA J115324.4+493108.6	0.33	0.0	17.4	1572.8	0.0	5.80E-12	4.98E-12	2.14E+45	5.82E+33		FSRQ
ROXA J115338.5+643750.8	0.44	0.0	19.5	6.7	0.0	2.60E-13	5.24E-11	1.88E+44	4.84E+31		QSO RL
ROXA J115404.5-001009.8	0.25	0.0	18.7	10.7	0.0	4.80E-12	6.06E-10	9.45E+44	2.11E+31	0.03	BL Lac
ROXA J115409.1+023815.1	0.21	0.0	19.0	116.4	87.0	7.80E-13	8.97E-12	1.01E+44	1.51E+32		BL Lac/FSRQ
ROXA J115518.1+092641.2	0.67	0.0	19.6	20.5	0.0	3.40E-13	2.24E-11	6.56E+44	3.95E+32		BL Lac*
ROXA J115542.4+021411.0	0.87	0.0	18.4	110.8	109.0	4.40E-13	4.04E-12	1.64E+45	4.14E+33		FSRQ*
ROXA J115805.7-020712.2	0.00	14.8	13.5	2.9	0.0	5.00E-13	2.33E-10	0.00E+00	0.00E+00		Galaxy
ROXA J120013.9-004638.7	0.18	0.0	17.8	40.3	0.0	3.10E-12	1.04E-10	2.78E+44	3.62E+31		HFSRQ candidate*
ROXA J120046.6+475842.5	0.26	0.0	20.8	44.0	0.0	3.90E-13	1.20E-11	8.46E+43	9.54E+31	0.44	R.G./BL Lac*
ROXA J120106.1-000701.5	0.17	18.4	17.9	70.7	56.0	2.00E-12	3.57E-11	1.50E+44	5.30E+31	0.30	BL Lac
ROXA J120122.9+564112.0	0.60	0.0	19.7	40.2	0.0	2.80E-13	9.41E-12	4.09E+44	5.87E+32		QSO RL*
ROXA J120143.6-001113.8	0.16	17.0	19.1	29.1	0.0	1.10E-12	5.11E-11	8.14E+43	2.15E+31	0.44	R.G./BL Lac*
ROXA J120309.4+603119.0	0.06	0.0	16.0	190.9	182.0	1.30E-12	7.14E-12	1.33E+43	1.95E+31	0.04	Liner
ROXA J120329.8+480313.6	0.82	0.0	16.2	63.5	0.0	1.80E-12	8.83E-11	5.71E+45	2.01E+33		FSRQ
ROXA J120335.2+451049.5	1.08	0.0	17.7	39.0	0.0	6.40E-13	2.22E-11	4.02E+45	2.45E+33		FSRQ
ROXA J120424.7+114555.2	0.30	0.0	18.1	15.2	0.0	2.30E-12	2.04E-10	6.43E+44	4.25E+31	0.01	BL Lac
ROXA J120436.1+485653.9	0.45	0.0	17.7	257.1	111.0	1.30E-12	1.17E-11	9.75E+44	1.93E+33	0.44	R.G./BL Lac*
ROXA J120543.3+5829333.6	1.08	0.0	20.1	8.6	0.0	6.30E-13	9.90E-11	4.01E+45	5.47E+32		QSO RL
ROXA J120922.6+411941.3	0.00	0.0	18.0	274.3	0.0	1.20E-12	5.91E-12	0.00E+00	0.00E+00		BL Lac
ROXA J121017.6+022343.5	0.38	0.0	20.0	78.9	0.0	8.40E-13	1.44E-11	4.28E+44	4.02E+32	0.49	BL Lac*
ROXA J121300.7+512935.5	0.45	0.0	18.8	36.3	0.0	1.70E-12	6.33E-11	1.27E+45	2.72E+32		BL Lac
ROXA J121347.4+000136.6	0.96	0.0	18.1	110.1	103.0	6.20E-13	6.02E-12	2.94E+45	5.23E+33		FSRQ*
ROXA J121410.7+543145.5	0.01	0.0	16.2	101.2	40.0	4.60E-13	1.15E-11	6.54E+40	1.44E+29		NELG
ROXA J121500.7+050051.2	0.08	0.0	17.2	172.3	0.0	3.80E-12	2.97E-10	5.69E+43	2.59E+30		Seyfert
ROXA J121509.4+462719.1	0.72	0.0	17.4	27.3	0.0	1.10E-12	5.46E-12	2.58E+44	6.14E+31		BL Lac
ROXA J121510.9+073204.5	0.13	0.0	17.2	137.8	0.0	5.80E-12	5.69E-11	2.58E+44	6.14E+31		BL Lac
ROXA J121548.9+642228.4	3.23	0.0	18.9	65.4	79.0	3.80E-13	4.81E-12	3.51E+46	6.05E+34		FSRQ*
ROXA J121603.1-024304.5	0.17	0.0	17.5	11.1	0.0	2.20E-12	2.68E-10	1.74E+44	8.78E+30		BL Lac
ROXA J121604.6+584333.2	1.45	0.0	18.2	437.9	173.0	2.40E-13	1.39E-12	3.16E+45	5.76E+34		FSRQ
ROXA J121606.1+092909.4	0.09	0.0	16.2	143.6	0.0	1.80E-12	1.69E-11	4.00E+43	3.19E+31		BL Lac
ROXA J121616.6+565144.3	0.00	0.0	20.1	4.8	0.0	2.80E-13	7.88E-11	0.00E+00	0.00E+00		BL Lac candidate*
ROXA J121740.7+640707.3	1.30	0.0	18.3	765.8	300.0	2.20E-13	7.33E-13	2.20E+45	7.65E+34		SSRQ*
ROXA J121945.7-031423.8	0.30	0.0	18.1	29.1	0.0	3.30E-12	1.53E-10	9.44E+44	8.33E+31	0	BL Lac
ROXA J122012.1-0003306.8	0.00	19.4	19.5	9.5	0.0	8.30E-13	1.18E-10	0.00E+00	0.00E+00		BL Lac
ROXA J122027.9+092827.2	1.08	0.0	18.6	1065.3	265.0	7.00E-13	2.64E-12	4.44E+45	6.76E+34		SSRQ*
ROXA J122033.2+334322.5	1.52	0.0	18.8	2846.5	0.0	7.20E-13	3.42E-13	1.06E+46	4.18E+35		SSRQ
ROXA J122107.6+474228.5	0.21	0.0	18.5	42.5	0.0	1.60E-12	5.09E-11	2.05E+44	5.45E+31	0.29	BL Lac
ROXA J122131.9+082144.2	0.13	0.0	17.9	177.0	0.0	2.00E-12	1.53E-11	9.21E+43	8.15E+31		BL Lac candidate
ROXA J122311.4+370655.9	0.49	0.0	18.4	478.5	0.0	9.80E-13	2.27E-12	8.92E+44	4.36E+33		SSRQ*
ROXA J122313.2+540906.5	0.16	0.0	17.0	388.2	140.0	3.10E-12	2.21E-11	2.06E+44	2.57E+32		FSRQ
ROXA J122339.1+461123.3	1.01	0.0	17.8	361.1	314.0	4.00E-13	1.27E-12	2.16E+45	1.95E+34	0.24	BL Lac*
ROXA J122452.9+033050.1	0.96	0.0	18.7	1280.9	1221.0	1.00E-12	6.04E-11	4.67E+44	5.98E+34		FSRQ
ROXA J122506.4+483435.1	0.65	0.0	19.3	76.9	0.0	3.00E-13	5.27E-12	5.37E+44	1.38E+33		FSRQ*
ROXA J122513.0+321401.6	1.06	0.0	15.0	49.9	0.0	2.60E-12	7.58E-11	2.33E+43	4.16E+30		Seyfert 2
ROXA J122607.7+473635.2	1.06	0.0	18.8	161.2	0.0	2.80E-13	1.18E-12	1.55E+45	9.63E+33		SSRQ*
ROXA J122906.5+020308.4	0.16	0.0	13.0	54992.2	0.0	1.10E-10	2.70E-12	7.50E+45	3.75E+34		FSRQ
ROXA J122916.3+042321.0	1.03	0.0	18.7	256.8	175.0	3.90E-13	2.23E-12	2.17E+45	1.43E+34		FSRQ
ROXA J123106.7+475907.8	1.83	0.0	20.5	145.7	0.0	2.40E-13	2.23E-12	5.55E+45	3.37E+34		SSRQ

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} J_y^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J123131.3+641418.3	0.16	0.0	17.3	58.9	36.0	4.40E-12	1.22E-10	3.21E+44	4.30E+31		BL Lac
ROXA J123157.0+542028.7	0.52	0.0	19.1	61.9	26.0	4.60E-13	1.77E-11	4.76E+44	6.41E+32		SSRQ*
ROXA J123159.9+022404.7	1.04	0.0	17.1	1647.8	1020.0	6.20E-13	6.08E-13	3.59E+45	9.55E+34		FSRQ
ROXA J123304.0+003140.5	0.47	16.9	17.7	92.1	88.0	4.10E-13	4.66E-12	3.41E+44	7.66E+32		FSRQ*
ROXA J123349.2+502622.7	0.21	0.0	18.3	283.4	175.0	2.00E-13	1.14E-12	2.48E+43	3.52E+32	0.14	BL Lac
ROXA J123413.3+475351.2	0.37	0.0	17.1	356.5	0.0	5.80E-13	2.20E-12	2.78E+44	1.71E+33		FSRQ
ROXA J123709.2+663518.3	0.85	0.0	18.3	335.3	141.0	3.00E-13	2.13E-12	1.06E+45	1.18E+34		SSRQ*
ROXA J123738.9+625842.8	0.30	0.0	18.4	12.6	0.0	4.00E-12	4.29E-10	1.13E+45	3.55E+31	0.14	BL Lac
ROXA J123807.6+532555.9	0.35	0.0	17.3	116.8	56.0	3.30E-12	5.89E-11	1.33E+45	4.72E+32		FSRQ
ROXA J123825.9+443137.0	0.31	0.0	20.2	12.9	0.0	3.20E-13	3.35E-11	1.01E+44	4.07E+31	0.14	BL Lac*
ROXA J123859.1+360921.4	0.00	0.0	19.4	16.7	0.0	1.40E-12	1.13E-10	0.00E+00	0.00E+00		QSO RL
ROXA J123922.6+413251.5	0.00	0.0	19.9	9.2	0.0	2.70E-12	3.97E-10	0.00E+00	0.00E+00		BL Lac
ROXA J123932.6+044305.3	1.76	0.0	20.5	354.5	319.0	4.20E-13	1.32E-12	8.89E+45	7.50E+34		FSRQ
ROXA J124140.9+344038.4	0.00	0.0	19.8	10.4	0.0	2.20E-12	2.86E-10	0.00E+00	0.00E+00		BL Lac
ROXA J124148.1+063601.1	0.15	0.0	18.7	16.6	0.0	1.80E-12	1.47E-10	1.10E+44	1.01E+31		BL Lac
ROXA J124308.8+521244.9	0.20	0.0	18.4	38.9	20.0	2.40E-13	1.20E-11	2.76E+43	4.47E+31	0.36	BL Lac*
ROXA J124312.7+362743.9	0.00	0.0	16.1	148.0	0.0	1.60E-11	1.46E-10	0.00E+00	0.00E+00		BL Lac
ROXA J124323.8+051446.2	0.16	0.0	17.3	12.5	0.0	1.10E-12	1.19E-10	8.14E+43	9.25E+30		QSO RL*
ROXA J124510.0+570954.2	0.00	0.0	17.8	83.9	100.0	5.30E-13	5.30E-12	0.00E+00	0.00E+00		BL Lac
ROXA J124538.2+551132.6	1.55	0.0	19.0	279.5	95.0	2.90E-13	3.05E-12	4.51E+45	4.35E+34		SSRQ*
ROXA J124559.8+434626.9	1.15	0.0	17.8	76.5	0.0	3.20E-13	5.65E-12	2.36E+45	5.64E+33		FSRQ*
ROXA J124700.7+442318.7	0.65	0.0	17.9	10.7	0.0	3.60E-12	4.55E-10	5.28E+45	1.57E+32		BL Lac
ROXA J124720.7+320900.6	0.90	0.0	18.9	477.6	0.0	1.00E-12	2.83E-12	4.59E+45	2.19E+34		SSRQ
ROXA J124818.7+582028.8	0.00	0.0	15.6	245.4	356.0	6.40E-12	1.80E-11	0.00E+00	0.00E+00	0.10	BL Lac
ROXA J124834.3+512807.7	0.35	0.0	18.2	114.9	88.0	5.20E-13	5.91E-12	2.16E+44	4.77E+32		BL Lac
ROXA J124944.2+655753.7	0.72	0.0	18.1	199.1	93.0	6.02E-13	1.29E-12	1.29E+45	4.58E+33		SSRQ*
ROXA J125224.7+645135.9	0.31	0.0	18.1	43.3	25.0	1.80E-12	7.20E-11	5.68E+44	1.37E+32		FSRQ
ROXA J125226.2+563419.7	0.32	0.0	17.9	2288.9	819.0	2.80E-12	3.42E-12	9.37E+44	7.66E+33		SSRQ
ROXA J125248.1+474043.7	0.92	0.0	19.1	130.2	0.0	3.00E-13	3.11E-12	1.28E+45	5.55E+33		SSRQ*
ROXA J125300.8+382625.6	0.37	0.0	19.6	4.9	0.0	6.50E-12	1.79E-09	3.09E+45	5.55E+33		SSRQ*
ROXA J125311.8+530111.6	0.00	0.0	17.7	488.3	363.0	4.80E-13	1.32E-12	0.00E+00	0.00E+00		BL Lac
ROXA J125346.9+032630.2	0.07	0.0	15.6	107.1	69.0	2.90E-12	4.20E-11	3.05E+43	1.13E+31	0.24	BL Lac
ROXA J125359.2+624257.6	0.32	0.0	19.3	12.1	0.0	5.70E-13	6.37E-11	1.83E+44	3.94E+31		BL Lac
ROXA J125436.8+421644.1	0.90	0.0	19.3	3.8	0.0	2.90E-13	1.03E-10	1.17E+45	1.54E+32		QSO RL*
ROXA J125438.2+114105.7	0.87	0.0	16.8	793.3	0.0	1.30E-12	2.21E-12	4.83E+45	2.95E+34		FSRQ
ROXA J125500.4+034042.9	0.44	0.0	17.9	117.9	77.0	1.30E-12	1.69E-11	9.05E+44	8.21E+32		FSRQ*
ROXA J125544.8+612450.7	2.06	0.0	19.9	98.9	97.0	3.20E-13	3.30E-12	9.89E+45	3.06E+34		FSRQ*
ROXA J125638.9+060906.5	0.42	0.0	19.4	64.9	38.0	1.40E-12	3.68E-11	9.02E+44	4.18E+32	0.21	BL Lac
ROXA J125716.0+364719.2	0.28	0.0	18.0	72.7	0.0	7.10E-13	1.32E-11	1.73E+44	1.79E+32		R.G./FSRQ*
ROXA J125945.1+031726.1	1.53	0.0	19.4	55.0	0.0	4.00E-13	9.83E-12	5.96E+45	8.20E+33		QSO RL
ROXA J130123.3+501832.0	0.39	0.0	18.9	56.4	28.0	4.40E-13	1.57E-11	2.28E+44	2.93E+32		FSRQ*
ROXA J130145.6+405624.6	0.00	0.0	18.4	29.1	218.0	5.60E-13	2.57E-12	0.00E+00	0.00E+00		BL Lac
ROXA J130217.2+481917.6	0.87	0.0	18.1	129.5	0.0	1.50E-12	5.61E-11	1.02E+45	2.46E+32		FSRQ*
ROXA J130252.3+574837.5	0.00	0.0	20.0	321.1	601.0	3.10E-13	5.16E-13	0.00E+00	0.00E+00		BL Lac
ROXA J130349.9+484846.8	0.60	0.0	18.7	79.1	34.0	6.60E-13	1.94E-11	9.96E+44	1.19E+33		FSRQ*
ROXA J130412.1+044016.7	0.43	0.0	23.7	36.1	0.0	1.50E-12	5.61E-11	1.02E+45	2.46E+32		QSO RL*
ROXA J130603.2+552943.7	1.60	0.0	18.3	133.2	249.0	3.10E-13	1.24E-12	5.18E+45	2.23E+34		FSRQ
ROXA J130629.8+064213.7	2.52	0.0	18.5	54.1	0.0	3.00E-13	7.49E-12	1.53E+46	2.75E+34		SSRQ
ROXA J130753.8+064213.7	0.60	0.0	16.9	1123.2	0.0	1.30E-12	1.56E-12	1.93E+45	1.67E+34		SSRQ
ROXA J130851.3+472954.8	0.88	0.0	19.0	77.7	0.0	5.30E-13	9.22E-12	2.04E+45	2.99E+33		FSRQ*
ROXA J130925.4+430505.4	0.00	0.0	17.3	60.1	0.0	7.10E-13	1.60E-11	0.00E+00	0.00E+00		BL Lac
ROXA J131027.7+322034.1	1.00	0.0	18.0	1687.2	0.0	8.50E-13	6.81E-13	4.41E+45	8.75E+34		BL Lac
ROXA J131059.6+635410.9	0.13	0.0	16.3	493.4	190.0	3.60E-13	1.89E-12	1.68E+43	2.31E+32	0.47	Radio Galaxy
ROXA J131103.1+551354.4	0.92	0.0	19.5	425.3	487.0	3.20E-13	6.57E-13	1.38E+45	1.83E+34		FSRQ
ROXA J131106.4+003509.9	0.00	18.1	18.2	17.8	0.0	1.70E-12	1.29E-10	0.00E+00	0.00E+00		BL Lac
ROXA J131155.6+085340.8	0.47	0.0	20.0	5.5	0.0	4.70E-12	1.15E-09	3.87E+45	4.53E+31		BL Lac
ROXA J131211.0+480925.3	0.71	0.0	17.2	161.5	85.0	9.30E-13	1.09E-11	2.13E+45	3.69E+33		FSRQ
ROXA J131330.1+020105.8	0.36	18.6	21.5	61.3	45.0	6.90E-13	1.53E-11	2.96E+44	2.63E+32	0.12	BL Lac

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} \text{Jy}^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} \text{Hz}^{-1}$	CaH&K	Classification ^a
ROXA J131548.4+420150.4	0.00	0.0	19.5	265.3	0.0	7.60E-13	3.87E-12	6.69E+39	2.34E+28		Starburst Galaxy
ROXA J131614.5+023938.9	0.85	0.0	19.1	167.1	60.0	4.90E-13	8.17E-12	5.88E+33	5.88E+33		SSRQ*
ROXA J131706.0+465034.9	1.03	0.0	20.6	3.3	0.0	1.60E-13	6.55E-11	8.90E+44	1.84E+32		OSO RL*
ROXA J131931.9+140518.2	0.57	0.0	18.0	77.1	0.0	9.70E-12	1.70E-10	1.29E+46	1.03E+33		BL Lac
ROXA J131946.0+514805.6	1.06	0.0	17.0	1093.4	0.0	6.30E-13	7.79E-13	3.80E+45	6.59E+34		FSRQ
ROXA J132010.1+452208.2	0.60	0.0	19.8	16.5	0.0	3.90E-13	3.19E-11	5.72E+44	2.42E+32		OSO RL*
ROXA J132103.4+123748.2	0.69	0.0	18.6	53.8	0.0	4.30E-13	1.08E-11	8.91E+44	1.11E+33		OSO RL*
ROXA J132139.4+002357.5	1.62	0.0	17.8	163.2	101.0	3.96E-12	3.96E-12	8.86E+45	2.80E+34		FSRQ
ROXA J132301.0+043951.3	0.22	0.0	19.0	37.1	0.0	4.50E-12	1.64E-10	6.67E+44	5.50E+31	0.23	BL Lac
ROXA J132400.8+573916.4	0.12	0.0	16.8	44.3	0.0	2.30E-12	7.02E-11	7.86E+43	1.51E+31		BL Lac
ROXA J132419.6+041906.9	0.26	0.0	18.2	158.8	46.0	2.40E-12	5.22E-11	5.12E+44	3.39E+32		SSRQ*
ROXA J132437.0+115329.5	0.56	0.0	21.9	2.6	0.0	5.40E-13	2.81E-10	6.93E+44	3.34E+31		BL Lac*
ROXA J132541.8-022810.0	0.81	20.0	20.1	9.1	0.0	2.80E-12	4.16E-10	8.62E+45	2.80E+32	0.02	BL Lac
ROXA J132558.9+411506.0	0.31	0.0	19.4	147.1	0.0	2.80E-13	2.57E-12	8.71E+43	4.58E+32		BL Lac*
ROXA J132614.8+293330.8	0.43	0.0	18.4	5.7	0.0	3.90E-12	9.24E-10	2.63E+45	3.84E+31		BL Lac
ROXA J132626.5+032627.7	1.00	0.0	17.5	426.8	188.0	4.60E-13	2.45E-12	2.43E+45	2.26E+34		SSRQ
ROXA J132722.9+033724.9	0.22	0.0	19.7	7.3	0.0	1.20E-12	2.22E-10	1.80E+44	1.09E+31	0.46	BL Lac*
ROXA J132731.6+455228.5	0.79	0.0	18.9	80.8	0.0	5.60E-13	9.36E-12	1.64E+45	2.37E+33		SSRQ*
ROXA J132830.4+113132.8	0.93	0.0	21.1	75.3	0.0	4.20E-13	7.54E-12	0.00E+00	0.00E+00		BL Lac candidate*
ROXA J132909.1+480109.5	0.00	0.0	16.5	50.4	0.0	1.29E-13	1.29E-11	2.08E+45	2.19E+33		OSO RL
ROXA J133005.2+541451.5	0.84	0.0	18.4	89.7	47.0	2.20E-13	4.68E-12	7.45E+44	3.04E+33		SSRQ*
ROXA J133021.4+444120.2	0.24	0.0	18.8	21.2	0.0	1.30E-12	8.29E-11	0.00E+00	0.00E+00		BL Lac@
ROXA J133105.5-002221.2	0.24	18.3	19.4	10.1	0.0	5.20E-13	6.96E-11	9.26E+43	1.80E+31	0.26	BL Lac
ROXA J133107.3+303016.2	0.85	0.0	17.3	14903.3	0.0	3.40E-13	3.08E-14	1.18E+45	5.15E+35	0.49	Radio Galaxy*
ROXA J133235.8+541900.9	0.11	0.0	16.2	12.9	0.0	1.10E-12	1.15E-10	3.22E+43	3.78E+30		SSRQ
ROXA J133245.1+472222.5	0.67	0.0	17.7	233.0	0.0	4.50E-13	1.35E-12	8.74E+44	4.54E+33		FSRQ
ROXA J133248.4+533120.6	1.56	0.0	19.1	26.5	0.0	4.20E-13	2.14E-11	6.58E+45	4.15E+33		OSO RL*
ROXA J133301.6+394909.0	0.81	0.0	20.0	67.2	0.0	2.00E-13	4.02E-12	6.14E+44	2.06E+33		SSRQ*
ROXA J133325.9+623541.7	0.62	0.0	20.1	8.3	0.0	2.40E-13	3.91E-11	3.95E+44	1.37E+32		BL Lac
ROXA J133437.3+563147.8	0.34	0.0	18.4	181.3	107.0	6.30E-13	5.89E-12	2.48E+44	7.13E+32		FSRQ
ROXA J133655.4+654116.1	0.40	0.0	18.4	208.1	69.0	8.30E-13	1.20E-11	5.78E+44	1.45E+33		SSRQ
ROXA J133731.3+003528.7	0.30	0.0	19.2	134.7	122.0	4.20E-13	3.44E-12	1.20E+44	3.85E+32		BL Lac
ROXA J133749.6+550102.2	1.10	0.0	18.1	707.5	753.0	3.10E-13	4.12E-13	2.05E+45	4.67E+34		FSRQ
ROXA J133849.3+385112.5	0.25	0.0	22.0	3359.5	0.0	5.60E-13	2.25E-13	1.02E+44	6.15E+33		Radio Galaxy
ROXA J134029.6+441003.8	0.55	0.0	19.1	57.3	33.0	3.70E-12	1.12E-10	1.49E+44	6.80E+32	0.09	BL Lac
ROXA J134104.5+395939.4	0.17	0.0	17.7	88.9	0.0	7.70E-12	1.17E-10	6.25E+44	7.21E+31	0.16	BL Lac
ROXA J134136.1+551437.8	0.21	0.0	18.3	38.0	34.0	1.20E-12	3.53E-11	1.49E+44	4.71E+31	0.13	BL Lac
ROXA J134213.2+602142.8	0.96	0.0	17.8	1493.9	439.0	2.40E-13	5.47E-13	1.15E+45	7.14E+34		SSRQ
ROXA J134243.6+050432.1	0.14	0.0	17.4	1601.5	1090.0	8.00E-13	7.34E-13	3.93E+43	7.87E+32		FSRQ
ROXA J134300.1+284407.5	0.91	0.0	17.2	25.2	0.0	1.10E-12	5.89E-12	4.53E+45	1.04E+34		SSRQ
ROXA J134357.6+575442.4	0.93	0.0	19.2	116.6	142.0	2.30E-13	1.62E-12	1.01E+45	5.13E+33		FSRQ*
ROXA J134523.8+412541.5	0.92	0.0	18.8	58.3	0.0	3.40E-13	7.88E-12	1.43E+45	2.45E+33		FSRQ*
ROXA J134545.3+533252.1	0.14	0.0	17.5	421.8	223.0	3.00E-12	1.35E-11	1.45E+44	2.04E+32		FSRQ
ROXA J134617.5+622045.3	0.12	0.0	16.9	161.8	68.0	1.30E-12	1.91E-11	4.53E+44	5.64E+31		SSRQ*
ROXA J134740.9+581242.1	2.05	0.0	18.4	642.8	212.0	2.00E-13	9.43E-13	6.14E+45	1.97E+35		SSRQ
ROXA J134855.9+395906.6	0.01	0.0	13.1	83.5	0.0	1.30E-13	2.10E-12	2.34E+40	1.50E+29	0.46	Radio Galaxy
ROXA J134934.6+534117.0	0.98	0.0	17.6	1097.0	644.0	5.70E-13	8.85E-13	2.82E+45	5.44E+34		FSRQ
ROXA J135120.8+11453.0	0.38	0.0	22.4	42.9	0.0	1.90E-12	5.98E-11	9.62E+44	2.17E+32		BL Lac
ROXA J135305.5+044338.6	0.52	0.0	17.8	151.3	95.0	4.50E-13	4.74E-12	4.81E+44	1.62E+33		FSRQ*
ROXA J135326.7+401659.4	0.01	0.0	11.9	41.1	0.0	4.90E-13	1.61E-11	5.32E+40	4.47E+28		Galaxy
ROXA J135328.0+560056.9	0.40	0.0	18.8	15.0	0.0	3.30E-12	2.97E-10	1.91E+45	8.67E+31		BL Lac
ROXA J135335.8+263147.4	0.31	0.0	16.8	58.2	0.0	2.80E-12	6.50E-11	8.71E+44	1.81E+32		SSRQ
ROXA J135341.7+431052.4	1.11	0.0	17.3	19.9	0.0	7.20E-13	4.89E-11	4.91E+45	1.36E+33		OSO RL
ROXA J135351.4+015153.7	1.61	18.4	18.4	351.4	227.0	4.50E-13	1.98E-12	7.61E+45	5.94E+34		FSRQ
ROXA J135406.7-020603.2	3.72	0.0	20.2	734.5	0.0	1.00E-12	1.84E-12	1.29E+47	9.48E+35		FSRQ
ROXA J135425.2-001358.0	1.51	0.0	16.8	28.3	0.0	7.90E-13	3.77E-11	1.15E+46	4.11E+33		OSO RL
ROXA J135527.9+015527.5	1.73	19.2	0.0	13.0	0.0	4.30E-13	4.47E-11	8.69E+45	2.63E+33		OSO RL
ROXA J135701.9+415107.0	0.01	0.0	12.9	30.8	0.0	1.10E-13	4.83E-12	1.19E+40	3.35E+28		Galaxy
ROXA J135712.9-014600.5	0.55	0.0	20.2	15.1	0.0	1.20E-12	1.07E-10	1.43E+45	1.80E+32	0.06	BL Lac*

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} J_y^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J135738.6+012813.5	0.00	0.0	18.2	61.4	79.0	3.00E-12	3.80E-11	0.00E+00	0.00E+00		BL Lac
ROXA J135922.6-020010.5	0.00	20.7	20.9	20.5	0.0	1.50E-12	9.89E-11	0.00E+00	0.00E+00		BL Lac candidate*
ROXA J135927.1+015954.5	1.33	0.0	17.5	808.5	858.0	9.10E-13	1.06E-12	9.62E+45	8.55E+34		FSRQ
ROXA J135953.7+591102.9	0.69	0.0	17.8	30.7	0.0	1.10E-12	4.84E-11	2.30E+45	6.41E+32		QSO RL
ROXA J140002.9+391055.2	0.80	0.0	18.7	143.1	0.0	1.98E-12	1.98E-12	6.38E+44	4.35E+33		QSO RL
ROXA J140036.9+025100.5	0.03	14.6	13.8	8.3	0.0	4.80E-13	7.81E-11	6.84E+41	1.18E+29		R.G./BL Lac*
ROXA J140136.4+135006.5	0.21	0.0	17.9	8.6	0.0	8.70E-13	1.37E-10	1.14E+44	1.13E+31	0.49	BL Lac*
ROXA J140410.4+093745.3	0.43	0.0	17.5	20.2	0.0	1.00E-12	6.69E-11	6.85E+44	1.38E+32		Seyfert 1
ROXA J140449.5+655431.6	0.36	0.0	19.0	15.5	0.0	2.90E-12	2.53E-10	1.30E+45	6.96E+31		BL Lac
ROXA J140450.8+040202.1	0.00	0.0	16.5	42.4	0.0	4.50E-12	1.43E-10	0.00E+00	0.00E+00	0.08	BL Lac ^z
ROXA J140410.4+093745.3	0.43	0.0	17.5	20.2	0.0	1.00E-12	6.69E-11	6.85E+44	1.38E+32		Radio Galaxy*
ROXA J140642.7+530833.7	0.46	0.0	20.1	11.4	0.0	3.40E-13	4.03E-11	2.65E+44	8.87E+31	0.15	BL Lac*
ROXA J140919.0+135240.0	0.58	0.0	20.7	7.3	0.0	2.90E-12	5.37E-10	3.98E+45	1.00E+32	0.10	BL Lac
ROXA J140923.3+593940.7	0.50	0.0	19.2	36.6	18.0	1.90E-12	1.06E-10	1.79E+45	3.45E+32		BL Lac
ROXA J141010.7+615803.9	1.11	0.0	18.6	20.2	0.0	1.70E-13	1.14E-11	1.15E+45	1.37E+33		QSO RL*
ROXA J141149.3+524900.0	0.08	0.0	15.6	847.6	354.0	8.30E-13	2.34E-12	1.18E+43	1.20E+32	0.37	BL Lac*
ROXA J141159.7+423950.2	0.89	0.0	17.0	92.1	50.0	8.50E-13	1.70E-11	3.30E+45	3.58E+33		FSRQ
ROXA J141238.1+391836.5	0.03	0.0	13.8	29.4	0.0	3.50E-13	1.61E-11	5.40E+41	4.54E+29	0.36	BL Lac/FSRQ*
ROXA J141314.8-031227.2	0.01	0.0	13.0	339.5	0.0	2.70E-12	1.07E-11	2.93E+41	3.69E+29		NELG
ROXA J141318.2+450519.7	3.11	0.0	20.2	110.7	0.0	1.60E-13	1.40E-12	1.35E+46	1.30E+35		FSRQ*
ROXA J141324.1+530526.9	0.46	0.0	20.2	140.4	141.0	2.80E-13	1.99E-12	2.16E+44	1.08E+33		FSRQ*
ROXA J141446.6+392818.5	0.66	0.0	19.5	18.8	0.0	5.30E-13	3.81E-11	9.85E+44	3.49E+32		FSRQ*
ROXA J141628.6+124213.4	0.34	0.0	17.5	110.7	0.0	2.50E-12	3.05E-11	9.31E+44	4.12E+32		FSRQ*
ROXA J141708.0+460705.4	1.56	0.0	17.7	1028.9	797.0	3.10E-13	3.89E-13	4.85E+45	1.61E+35		FSRQ
ROXA J141740.3+381821.0	0.45	0.0	18.3	111.9	0.0	3.30E-13	3.98E-12	2.45E+44	8.31E+32		FSRQ*
ROXA J141756.5+254326.1	0.24	0.0	22.7	89.7	0.0	2.70E-11	4.07E-10	4.54E+45	1.51E+32		BL Lac
ROXA J141758.6+405159.6	0.38	0.0	21.2	253.2	89.0	2.10E-13	2.36E-12	1.06E+44	1.28E+33		SSRQ
ROXA J141858.8+394638.7	0.47	0.0	20.2	260.4	0.0	3.00E-13	1.56E-12	2.53E+44	2.20E+33		NELG
ROXA J141908.0+062834.7	1.44	0.0	17.2	6100.9	0.0	6.70E-12	1.48E-12	8.61E+46	7.84E+35		SSRQ
ROXA J141946.3+463424.3	0.55	0.0	20.3	215.3	80.0	3.00E-13	3.75E-12	3.56E+44	2.55E+33		SSRQ
ROXA J141946.5+542314.7	1.83	0.0	19.4	612.2	0.0	3.00E-13	6.62E-13	6.98E+45	1.42E+35		FSRQ
ROXA J141946.6+382148.3	0.15	0.0	15.8	788.8	1350.0	1.30E-12	9.63E-13	8.26E+43	5.01E+32		BL Lac
ROXA J142020.5+462440.7	1.25	0.0	19.8	46.8	34.0	2.00E-13	5.88E-12	1.80E+45	4.20E+33		FSRQ*
ROXA J142105.9+385522.6	0.49	0.0	18.6	86.3	0.0	4.60E-13	7.20E-12	4.19E+44	7.34E+32		FSRQ
ROXA J142155.3+372329.1	1.65	0.0	19.7	4.1	0.0	1.40E-13	4.61E-11	2.51E+45	7.85E+32		QSO RL
ROXA J142230.2+322310.3	0.69	0.0	19.1	405.3	0.0	8.70E-13	2.90E-12	1.79E+45	8.34E+33		FSRQ
ROXA J142235.8-015211.2	0.67	0.0	19.0	114.2	0.0	7.60E-13	8.99E-12	1.46E+45	2.19E+33		QSO RL*
ROXA J142345.2+465057.2	0.55	0.0	18.2	13.3	0.0	2.50E-11	2.54E-09	0.00E+00	0.00E+00		BL Lac
ROXA J142314.0+505537.3	0.28	0.0	17.8	178.4	232.0	5.90E-12	2.54E-11	1.41E+45	4.25E+32		FSRQ
ROXA J142339.7+043634.8	1.65	0.0	20.4	20.9	0.0	3.50E-13	2.26E-11	6.29E+45	3.76E+33		QSO RL
ROXA J142345.2+465057.2	0.55	0.0	19.0	20.5	0.0	3.40E-13	2.24E-11	4.16E+44	2.51E+32		FSRQ*
ROXA J142351.4+401531.7	0.08	0.0	15.7	12.6	0.0	2.10E-12	2.25E-10	3.49E+43	2.09E+30	0.47	Radio Galaxy
ROXA J142421.1+370552.7	0.29	0.0	18.7	79.2	0.0	7.20E-13	1.23E-11	1.92E+44	2.11E+32	0.49	BL Lac
ROXA J142422.9+343356.7	0.58	0.0	19.8	10.1	0.0	1.90E-12	2.54E-10	2.56E+45	1.36E+32	0.08	BL Lac
ROXA J142447.3+023951.9	0.05	0.0	15.0	11.7	0.0	1.10E-12	1.27E-10	7.63E+42	8.11E+29	0.49	Radio Galaxy
ROXA J142455.4+361535.9	0.00	0.0	18.0	91.2	0.0	3.40E-13	5.04E-12	0.00E+00	0.00E+00		BL Lac
ROXA J142545.8+002242.7	0.33	18.6	18.9	70.9	0.0	7.90E-13	1.51E-11	2.76E+44	2.48E+32		QSO RL
ROXA J142550.6+240403.3	0.65	0.0	17.3	1559.5	0.0	1.50E-12	4.69E-11	2.60E+44	7.47E+31		QSO RL*
ROXA J142651.4+363853.0	0.50	0.0	18.8	3.6	0.0	4.80E-13	1.80E-10	4.65E+44	2.81E+34		SSRQ
ROXA J142700.3+234800.0	0.00	0.0	14.9	430.2	0.0	6.90E-12	2.17E-11	0.00E+00	0.00E+00		BL Lac
ROXA J142745.7+390832.0	0.17	0.0	16.1	7.4	0.0	2.30E-13	4.20E-11	1.72E+43	5.55E+30	0.29	BL Lac*
ROXA J142832.6+424024.7	0.13	0.0	16.8	58.9	0.0	5.30E-11	1.22E-09	2.32E+45	2.58E+31	0.05	BL Lac
ROXA J142921.7+540611.1	3.01	0.0	20.2	1028.9	0.0	2.50E-13	3.28E-13	1.95E+46	8.04E+35		FSRQ
ROXA J143110.3+511832.5	0.46	0.0	20.5	17.5	0.0	2.00E-13	1.54E-11	4.06E+44	1.36E+32	0.42	BL Lac*
ROXA J143244.4+005915.1	1.03	0.0	17.5	132.6	0.0	7.30E-13	7.44E-12	4.06E+45	7.38E+33		QSO RL
ROXA J143528.3+550751.9	0.14	0.0	16.6	7.4	0.0	1.70E-12	3.10E-10	8.90E+43	3.87E+30	0.47	R.G./BL Lac*
ROXA J143550.1+363235.5	0.01	0.0	13.5	4.0	0.0	2.50E-13	8.45E-11	1.10E+41	1.76E+28		BL Lac candidate*
ROXA J143554.1+395744.4	0.00	0.0	17.6	28.3	0.0	2.80E-13	1.34E-11	0.00E+00	0.00E+00		Star

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} J_y^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J143641.8+022940.4	0.77	0.0	17.9	31.7	0.0	7.60E-13	3.24E-11	2.10E+45	8.75E+32		QSO RL
ROXA J143657.7+563924.8	0.00	0.0	18.6	21.4	0.0	2.70E-12	1.70E-10	0.00E+00	0.00E+00		BL Lac
ROXA J143718.1+361858.8	1.11	0.0	19.7	42.5	0.0	2.10E-13	6.68E-12	1.42E+45	2.87E+33		QSO RL
ROXA J143727.0+504538.9	0.78	0.0	17.6	58.0	23.0	7.30E-13	3.17E-11	2.08E+45	1.66E+33		FSRQ*
ROXA J143748.1-014710.7	1.31	0.0	15.8	52.8	0.0	1.70E-12	4.35E-11	1.73E+46	5.36E+33		QSO RL
ROXA J143756.4+351936.9	0.54	0.0	18.3	98.0	0.0	3.10E-13	4.27E-12	3.53E+44	1.12E+33		SSRQ*
ROXA J143917.3+393242.7	0.00	0.0	16.9	42.9	62.0	1.80E-11	2.90E-10	0.00E+00	0.00E+00		BL Lac
ROXA J143942.7+582759.1	0.43	0.0	17.9	46.9	45.0	1.33E-11	1.33E-11	3.91E+44	3.06E+32		FSRQ*
ROXA J143946.9+495805.4	0.17	0.0	18.1	111.7	198.0	3.00E-13	1.52E-12	2.53E+43	9.42E+31		BL Lac candidate
ROXA J144003.4+370727.4	0.10	0.0	16.4	15.5	0.0	9.90E-13	8.63E-11	2.40E+43	3.76E+30	0.47	Radio Galaxy
ROXA J144131.9+601852.2	0.54	0.0	18.3	92.4	42.0	4.50E-13	1.07E-11	5.08E+44	1.04E+33		SSRQ*
ROXA J144205.8-024803.0	0.32	19.9	20.0	3.9	0.0	8.40E-13	2.91E-10	2.81E+44	1.31E+31		QSO RL
ROXA J144248.1+120040.2	0.16	0.0	17.4	69.3	0.0	1.40E-11	2.73E-10	1.01E+45	4.95E+31		BL Lac
ROXA J144516.8+003934.2	0.31	0.0	22.7	8.4	0.0	1.40E-12	2.25E-10	4.23E+44	2.54E+31	0.42	BL Lac/FSRQ*
ROXA J144632.5+412729.9	0.64	0.0	20.5	44.1	0.0	3.10E-13	9.50E-12	5.36E+44	7.63E+32	0.09	BL Lac*
ROXA J144800.4+360830.9	0.00	0.0	17.0	36.3	0.0	7.50E-12	2.79E-10	0.00E+00	0.00E+00		BL Lac
ROXA J144819.3+443232.7	0.08	0.0	16.2	6.0	0.0	1.30E-12	2.93E-10	2.00E+43	9.22E+29		QSO RL
ROXA J144837.5+501448.8	1.07	0.0	19.5	717.4	271.0	2.20E-13	8.12E-13	1.37E+45	4.47E+34		SSRQ
ROXA J144850.2+040219.8	0.87	0.0	20.1	421.3	381.0	4.70E-13	1.23E-12	1.74E+45	1.56E+34		BL Lac*
ROXA J144921.4+631613.9	0.04	0.0	14.3	3006.6	1053.0	1.70E-13	1.61E-13	7.01E+41	1.24E+32		NELG
ROXA J144931.9+274627.5	0.22	0.0	18.2	90.8	0.0	6.60E-12	9.82E-11	9.88E+44	1.36E+32		BL Lac
ROXA J145002.3+001629.3	0.96	18.7	19.1	11.0	48.0	7.40E-13	1.54E-11	3.47E+45	5.15E+32		BL Lac
ROXA J145201.9+553052.7	1.41	0.0	19.3	274.5	115.0	2.30E-13	2.00E-12	2.82E+45	3.37E+34		SSRQ*
ROXA J145223.5+452230.2	0.47	0.0	17.5	381.9	0.0	2.50E-12	8.85E-12	2.06E+45	3.14E+33		Star
ROXA J145427.1+512433.6	0.58	0.0	18.2	178.1	133.0	6.70E-13	5.04E-12	0.00E+00	0.00E+00		BL Lac
ROXA J145432.2+295558.0	0.00	0.0	20.4	731.3	0.0	8.10E-13	1.50E-12	1.11E+45	1.00E+34		FSRQ
ROXA J145826.4+483238.2	0.54	0.0	20.5	3.4	0.0	5.60E-12	2.23E-09	6.51E+45	3.95E+31		BL Lac
ROXA J145940.0+411758.3	0.18	0.0	17.6	149.6	55.0	2.00E-13	3.64E-12	1.75E+45	1.31E+32		BL Lac*
ROXA J145948.5+314112.5	0.64	0.0	21.6	6.4	0.0	2.40E-13	5.07E-11	1.11E+44	1.10E+32		BL Lac*
ROXA J145958.3+333701.8	0.64	0.0	16.7	15.7	0.0	1.50E-12	1.29E-10	2.66E+45	2.78E+32		HFSRQ candidate
ROXA J150027.1+450858.9	1.20	0.0	18.1	142.0	0.0	4.90E-13	4.66E-12	4.04E+45	1.17E+34		SSRQ
ROXA J150117.8+545518.1	0.34	0.0	19.1	197.7	74.0	6.70E-13	9.05E-12	2.57E+44	7.57E+32		SSRQ*
ROXA J150124.0+344346.4	1.36	0.0	18.5	19.0	0.0	3.90E-13	2.77E-11	4.39E+45	2.14E+33		QSO RL
ROXA J150226.7+394731.7	0.56	0.0	19.2	434.8	0.0	3.90E-13	1.21E-12	4.92E+44	5.48E+33		Radio Galaxy
ROXA J150653.8+021904.0	0.22	0.0	21.2	8.8	0.0	6.50E-13	9.98E-11	9.25E+43	1.25E+31	0.40	BL Lac*
ROXA J150759.7+041512.0	1.70	0.0	18.9	167.3	240.0	1.30E-11	5.42E-11	2.52E+47	3.25E+34		FSRQ*
ROXA J150824.5+560423.0	0.98	0.0	19.5	22.7	30.0	4.20E-13	1.40E-11	2.08E+45	1.12E+33		FSRQ*
ROXA J150842.0+270918.3	0.00	0.0	19.0	40.1	0.0	8.50E-12	2.86E-10	0.00E+00	0.00E+00		BL Lac
ROXA J150947.8+555617.1	0.00	0.0	18.1	31.5	44.0	8.80E-13	2.00E-11	0.00E+00	0.00E+00		BL Lac
ROXA J151017.8+422155.0	0.49	0.0	21.1	259.8	0.0	2.70E-13	1.40E-12	2.43E+44	2.34E+33		NELG
ROXA J151142.7+443043.4	0.96	0.0	19.6	451.6	0.0	2.20E-13	6.58E-13	1.05E+45	2.16E+34		SSRQ
ROXA J151436.6+445003.9	0.57	0.0	19.2	40.5	31.0	3.00E-13	9.68E-12	3.95E+44	5.33E+32		FSRQ*
ROXA J151443.0+365050.3	0.37	0.0	16.6	989.8	0.0	3.20E-12	4.37E-12	1.51E+45	4.68E+33		SSRQ
ROXA J151512.0+475508.9	0.91	0.0	18.5	218.6	74.0	4.30E-13	5.81E-12	1.79E+45	9.12E+33		SSRQ
ROXA J151526.5+593452.8	0.62	0.0	20.3	122.8	79.0	2.80E-13	3.54E-12	4.55E+44	2.00E+33		FSRQ*
ROXA J151640.1+001501.9	0.05	0.0	15.7	923.4	1585.0	2.40E-12	1.51E-12	1.54E+43	5.92E+31		Radio Galaxy
ROXA J151641.5+291809.2	0.13	0.0	17.2	135.4	0.0	2.50E-12	2.49E-11	1.11E+44	6.03E+31		BL Lac
ROXA J152025.6+593955.4	1.28	0.0	20.0	163.2	39.0	2.10E-13	5.38E-12	2.02E+45	1.57E+34		SSRQ*
ROXA J152321.7+460648.8	0.00	0.0	19.4	8.4	0.0	6.20E-13	9.97E-11	0.00E+00	0.00E+00		BL Lac*
ROXA J152502.8+110744.1	0.33	0.0	20.6	408.3	0.0	3.20E-12	1.06E-11	1.16E+45	1.48E+33		FSRQ
ROXA J152544.6+354446.8	1.10	0.0	19.2	17.1	27.0	3.50E-13	1.30E-11	2.32E+45	1.13E+33		FSRQ*
ROXA J152942.1+350851.2	0.29	0.0	18.5	105.6	44.0	4.20E-13	9.55E-12	1.09E+44	0.00E+00		BL Lac
ROXA J153102.3+435637.6	0.45	0.0	17.2	46.0	27.0	9.10E-13	3.37E-11	6.86E+44	3.47E+32		FSRQ
ROXA J153149.3+465913.7	0.32	0.0	19.1	27.8	22.0	6.30E-13	2.86E-12	2.05E+44	9.04E+31		BL Lac
ROXA J153232.2+513002.1	1.88	0.0	18.3	62.0	43.0	1.30E-13	3.02E-12	3.21E+45	1.53E+34		FSRQ*
ROXA J153253.6+302059.3	0.36	0.0	18.2	23.4	0.0	4.70E-12	2.71E-10	2.10E+45	1.04E+32		NELG
ROXA J153311.2+185429.0	0.00	0.0	18.6	23.0	0.0	1.40E-11	8.22E-10	0.00E+00	0.00E+00		BL Lac
ROXA J153324.1+341640.2	0.00	0.0	18.1	30.1	22.0	5.20E-12	2.36E-10	0.00E+00	0.00E+00		BL Lac

Table 2: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} J_y^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J153404.8+482340.9	0.54	0.0	18.6	313.1	204.0	3.40E-13	1.67E-12	3.98E+44	3.67E+33		FSRQ
ROXA J153432.5+492049.0	1.29	0.0	18.9	85.4	84.0	3.90E-13	4.64E-12	3.85E+45	8.44E+33		FSRQ*
ROXA J153447.2+371554.5	0.14	0.0	17.7	22.5	24.0	3.70E-13	1.54E-11	2.03E+43	1.23E+31	0.04	BL Lac
ROXA J153457.1+583923.4	1.90	0.0	18.3	126.8	119.0	2.70E-13	2.27E-12	6.89E+45	3.23E+34		FSRQ
ROXA J153500.7+532037.2	0.00	0.0	18.9	18.4	0.0	1.80E-11	1.32E-09	0.00E+00	0.00E+00		BL Lac
ROXA J153528.9+392246.7	0.26	0.0	18.5	19.8	0.0	2.60E-12	1.77E-10	5.26E+44	4.00E+31		BL Lac
ROXA J153547.0+432244.9	0.64	0.0	19.0	10.9	0.0	2.20E-12	2.73E-10	3.82E+45	1.89E+32		QSO RL
ROXA J153559.5+583430.8	2.18	0.0	18.6	4.6	0.0	9.50E-14	2.79E-11	3.39E+45	1.64E+33		QSO RL*
ROXA J153627.9+374207.0	0.68	0.0	21.4	46.4	41.0	3.30E-13	8.05E-12	6.62E+44	9.31E+32	0.14	BL Lac*
ROXA J153817.5+410534.9	0.48	0.0	18.5	61.3	0.0	6.40E-13	1.41E-11	5.60E+44	5.36E+32		FSRQ*
ROXA J153934.6+473531.3	0.77	0.0	16.1	94.3	0.0	1.30E-12	1.86E-11	3.59E+45	2.60E+33		SSRQ
ROXA J15423.1+493842.5	0.59	0.0	19.1	54.6	34.0	3.50E-13	1.03E-11	5.01E+44	7.81E+32		FSRQ*
ROXA J154418.7+045821.8	0.00	0.0	19.1	39.5	0.0	2.30E-12	7.87E-11	0.00E+00	0.00E+00		BL Lac
ROXA J154442.9+501711.5	0.49	0.0	21.0	29.7	27.0	1.30E-13	4.81E-12	1.21E+44	2.77E+32	0.17	BL Lac*
ROXA J154445.0+371308.6	0.98	0.0	18.5	645.5	0.0	4.20E-13	8.79E-13	2.06E+45	3.17E+34		SSRQ
ROXA J154502.8+513500.8	1.93	0.0	17.5	605.4	588.0	4.40E-13	7.48E-13	1.17E+46	1.60E+35		FSRQ
ROXA J154510.9+345246.8	0.52	0.0	17.0	20.0	0.0	1.30E-12	8.78E-11	1.35E+45	2.07E+32		FSRQ
ROXA J154609.4+002624.6	0.56	0.0	21.9	1830.9	0.0	4.70E-13	3.47E-13	5.83E+44	2.27E+34		FSRQ
ROXA J154817.8+351127.9	0.48	0.0	18.0	142.0	0.0	8.70E-13	5.81E-12	3.10E+43	7.21E+31		QSO RL*
ROXA J154917.3+503805.7	2.17	0.0	18.5	630.4	731.0	7.40E-13	1.01E-12	2.62E+46	2.23E+35		FSRQ
ROXA J154929.4+023701.0	0.41	0.0	17.2	836.2	1111.0	2.90E-12	2.61E-12	1.76E+45	5.06E+33		FSRQ
ROXA J155021.4+295027.8	0.18	0.0	18.5	23.5	0.0	4.30E-13	2.47E-11	3.76E+43	2.06E+31		NELG
ROXA J155210.1+315908.9	0.58	0.0	21.6	2.9	0.0	1.20E-12	5.59E-10	1.67E+45	4.05E+31	0.14	BL Lac*
ROXA J155423.5+201117.3	0.22	0.0	18.1	79.5	0.0	7.20E-12	1.22E-10	1.05E+45	1.15E+32		BL Lac
ROXA J155439.1+194717.9	1.34	0.0	19.8	1095.1	0.0	5.70E-13	7.03E-13	6.14E+45	1.18E+35		FSRQ
ROXA J155719.0+452221.5	0.50	0.0	20.6	621.1	316.0	5.30E-13	1.68E-12	4.97E+44	5.82E+33		FSRQ
ROXA J155729.8+330446.8	0.95	0.0	18.4	168.2	85.0	5.40E-13	6.35E-12	2.50E+45	7.80E+33		FSRQ
ROXA J155855.0+332318.6	1.65	0.0	17.7	142.7	1.65	5.00E-13	4.73E-12	9.06E+45	2.59E+34		FSRQ
ROXA J155900.5+451657.2	0.00	0.0	20.3	12.2	0.0	5.80E-13	6.42E-11	0.00E+00	0.00E+00		BL Lac@
ROXA J160218.0+305109.3	0.00	0.0	18.2	61.8	24.0	1.40E-12	5.83E-11	0.00E+00	0.00E+00		BL Lac
ROXA J160446.4+34521.7	0.18	0.0	18.4	7.5	0.0	1.40E-12	2.52E-10	1.23E+44	6.57E+30	0.36	BL Lac*
ROXA J160519.0+542100.0	0.21	0.0	19.2	7.8	0.0	6.30E-12	1.09E-09	8.25E+44	1.02E+31	0.17	BL Lac
ROXA J160623.5+540555.7	0.88	0.0	17.7	168.0	89.0	3.30E-13	3.71E-12	1.24E+45	6.33E+33		FSRQ
ROXA J160630.4+371339.5	0.68	0.0	19.9	3.7	0.0	2.50E-13	9.13E-11	5.00E+44	7.40E+31		QSO RL*
ROXA J160719.1+355013.3	0.91	0.0	19.6	11.8	0.0	2.20E-13	2.52E-11	9.15E+44	4.91E+32		QSO RL*
ROXA J160740.5+254115.6	0.53	0.0	19.9	39.6	0.0	6.90E-12	2.35E-10	7.76E+45	4.45E+32		BL Lac
ROXA J160822.0+401217.8	0.63	0.0	20.5	201.5	240.0	4.20E-13	1.75E-12	6.99E+44	3.36E+33		FSRQ
ROXA J160911.2+374635.6	2.41	0.0	19.4	27.6	0.0	3.20E-13	1.57E-11	1.46E+46	1.26E+34		QSO RL*
ROXA J160913.0+535429.5	0.99	0.0	18.3	45.6	65.0	2.50E-13	3.85E-12	1.28E+45	2.34E+33		FSRQ*
ROXA J161003.2+451641.6	0.60	0.0	20.3	3.8	0.0	4.80E-13	1.71E-10	7.04E+44	5.57E+31		BL Lac*
ROXA J161022.3+323824.1	1.52	0.0	18.2	376.0	0.0	5.60E-13	2.01E-12	8.20E+45	5.50E+34		SSRQ
ROXA J161340.9+341247.8	1.40	0.0	17.6	4024.7	0.0	7.10E-13	2.38E-13	8.54E+45	4.84E+35		FSRQ
ROXA J161351.2+374258.7	0.81	0.0	18.8	291.8	82.0	3.0E-13	4.27E-12	1.08E+45	9.01E+33		SSRQ
ROXA J161446.9+374607.1	1.53	0.0	17.0	50.0	36.0	3.20E-13	8.89E-12	4.80E+45	7.50E+33		FSRQ
ROXA J161602.5+302339.8	2.45	0.0	18.0	250.6	0.0	3.20E-13	1.73E-12	7.04E+45	1.19E+35		FSRQ
ROXA J161655.4+362134.4	2.27	0.0	19.4	331.0	286.0	1.80E-13	6.29E-13	7.04E+45	1.30E+35		FSRQ
ROXA J161706.4+410635.9	0.27	0.0	18.3	95.9	124.0	2.40E-12	1.94E-11	5.30E+44	2.12E+32	0.08	BL Lac
ROXA J161902.4+303051.5	1.29	0.0	16.9	55.7	0.0	6.00E-13	1.46E-11	5.86E+45	5.44E+33		FSRQ*
ROXA J162111.2+374604.9	1.27	0.0	19.9	631.6	201.0	1.70E-12	8.46E-12	1.61E+46	5.99E+34		SSRQ
ROXA J162229.2+400643.4	0.69	0.0	18.5	37.4	58.0	4.80E-13	8.28E-12	9.99E+44	7.78E+32		FSRQ*
ROXA J162259.2+440142.8	0.00	0.0	19.3	8.0	0.0	1.00E-12	1.69E-10	0.00E+00	0.00E+00		BL Lac
ROXA J162307.6+390932.3	1.98	0.0	16.9	179.8	244.0	5.30E-13	2.17E-12	1.48E+46	5.04E+34		FSRQ
ROXA J162318.7+402258.6	0.91	0.0	17.8	8.8	0.0	2.60E-13	3.99E-11	1.07E+45	3.63E+32		QSO RL
ROXA J162330.4+355933.2	0.87	0.0	18.4	264.9	144.0	1.67E-12	1.67E-12	8.79E+44	9.70E+33		SSRQ
ROXA J162332.6+284127.4	0.00	0.0	19.4	4.9	0.0	4.70E-13	1.30E-10	0.00E+00	0.00E+00		BL Lac
ROXA J162340.3+454519.5	0.00	0.0	20.6	65.2	22.0	2.30E-13	1.05E-11	0.00E+00	0.00E+00		BL Lac*
ROXA J162421.9+392440.7	1.12	0.0	18.0	254.3	128.0	1.80E-13	1.41E-12	1.23E+45	1.74E+34		FSRQ
ROXA J162439.4+234517.9	0.93	0.0	18.4	2613.5	0.0	5.30E-13	2.74E-13	2.29E+45	1.13E+35		SSRQ

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} J_y^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J162443.3+372642.3	0.20	0.0	18.7	60.2	31.0	4.50E-13	1.45E-11	5.11E+43	6.84E+31	0.31	BL Lac
ROXA J162514.0+265026.4	0.78	0.0	18.4	785.3	233.0	8.30E-13	3.56E-12	2.36E+45	2.23E+34		SSRQ
ROXA J162530.5+270546.2	0.52	0.0	18.4	532.0	210.0	1.80E-12	8.57E-12	1.94E+45	5.74E+33		SSRQ
ROXA J162553.2+434652.1	1.05	0.0	18.6	125.8	123.0	1.10E-12	8.94E-12	6.45E+45	7.38E+33		FSRQ*
ROXA J162557.5+413440.4	0.00	0.0	19.3	1678.0	19.0	1.60E-13	1.29E-13	0.00E+00	0.00E+00		Star
ROXA J162625.8+351341.4	0.50	0.0	18.7	24.9	19.0	1.40E-12	7.37E-11	1.32E+45	2.36E+32	0.02	BL Lac
ROXA J162901.3+400759.9	0.27	0.0	17.8	9.5	20.0	8.00E-12	4.00E-10	1.84E+45	2.19E+31		HFSRQ
ROXA J162944.8+404841.9	0.03	0.0	13.2	8.1	0.0	3.90E-13	6.51E-11	7.52E+41	1.56E+29		Radio Galaxy
ROXA J163020.6+375656.3	0.39	0.0	17.9	23.5	0.0	5.80E-13	3.33E-11	3.16E+44	1.28E+32		QSO RL
ROXA J163124.7+421702.2	0.47	0.0	19.4	7.5	0.0	6.60E-12	1.19E-09	5.35E+45	6.08E+31	0	BL Lac
ROXA J163302.0+392427.3	1.02	0.0	16.8	79.1	35.0	3.50E-13	1.00E-11	1.94E+45	4.38E+33		SSRQ*
ROXA J163323.2+471843.7	0.12	0.0	17.3	69.8	35.0	2.90E-12	8.29E-11	1.01E+44	2.43E+31		NEIG
ROXA J163623.5+471539.3	0.82	0.0	18.9	20.0	25.0	1.80E-13	7.20E-12	5.81E+44	6.46E+32		FSRQ
ROXA J163709.4+432600.3	0.34	0.0	18.5	49.6	19.0	2.20E-13	1.16E-11	8.66E+43	1.95E+32	0.04	BL Lac
ROXA J163856.5+433512.5	0.34	0.0	18.4	193.3	50.0	8.90E-13	1.78E-11	3.41E+44	7.40E+32		SSRQ
ROXA J163955.9+470523.4	0.86	0.0	18.3	227.9	136.0	1.10E-13	8.09E-13	3.96E+44	8.20E+33		FSRQ
ROXA J164108.6+433612.3	1.07	0.0	18.0	9.6	0.0	2.50E-13	3.52E-11	1.54E+45	5.90E+32		QSO RL*
ROXA J164125.1+225703.9	2.06	0.0	19.0	304.9	0.0	3.40E-13	1.51E-12	1.06E+46	9.50E+34		FSRQ*
ROXA J164220.2+221143.4	0.59	0.0	19.0	15.5	0.0	3.10E-12	2.70E-10	4.45E+45	2.23E+32	0	BL Lac
ROXA J164240.3+252307.5	1.73	0.0	18.4	499.0	0.0	4.10E-13	1.11E-12	8.24E+45	1.00E+35		FSRQ
ROXA J164258.8+394837.0	0.59	0.0	16.6	7099.2	8719.0	4.10E-12	4.70E-13	5.96E+45	1.03E+35		FSRQ
ROXA J164319.2+213105.9	0.15	0.0	17.0	11.6	0.0	1.30E-12	1.51E-10	8.38E+44	7.47E+30	0.44	R.G./BL Lac*
ROXA J164419.9+454644.2	0.22	0.0	18.2	183.6	109.0	2.80E-12	2.57E-11	4.19E+44	2.75E+32	0.16	BL Lac
ROXA J164442.4+261913.1	0.14	0.0	18.1	129.0	0.0	2.70E-12	2.83E-11	1.50E+44	7.18E+31		FSRQ*
ROXA J164545.4+375513.5	0.60	0.0	18.3	123.2	48.0	2.40E-13	5.00E-12	3.55E+44	1.82E+33		SSRQ*
ROXA J164829.2+410405.4	0.85	0.0	18.9	243.6	197.0	1.70E-13	8.63E-13	5.98E+44	8.57E+33		SSRQ
ROXA J165005.3+414032.4	0.58	0.0	17.6	233.0	136.0	1.00E-12	7.35E-12	1.40E+45	3.27E+33		FSRQ
ROXA J165201.5+623208.9	1.63	0.0	19.2	44.8	85.0	1.40E-12	1.65E-11	2.46E+46	7.86E+33		FSRQ
ROXA J165249.9+402310.1	0.00	0.0	18.6	19.1	24.0	4.80E-13	2.00E-11	0.00E+00	0.00E+00		BL Lac
ROXA J165329.8+310756.8	1.30	0.0	17.8	190.8	158.0	4.70E-13	2.97E-12	4.68E+45	1.90E+34		FSRQ
ROXA J165352.2+394536.6	0.03	0.0	13.9	1558.6	0.0	6.50E-11	5.63E-11	1.63E+44	3.91E+31		BL Lac
ROXA J165758.9+643641.5	0.45	0.0	22.3	5.6	0.0	2.90E-13	7.00E-11	2.15E+44	4.16E+31	0.47	BL Lac*
ROXA J165802.5+360504.0	2.12	0.0	18.2	74.0	52.0	2.90E-13	5.58E-12	9.62E+45	2.45E+34		FSRQ*
ROXA J165819.5+623821.2	0.28	0.0	19.4	35.6	0.0	3.50E-13	1.33E-11	8.61E+43	8.76E+31		FSRQ*
ROXA J165931.9+373528.7	0.77	0.0	17.6	20.4	25.0	3.80E-13	1.52E-11	1.05E+45	5.61E+32		FSRQ*
ROXA J170112.3+353353.3	0.50	0.0	18.4	71.7	50.0	8.60E-13	1.72E-11	8.29E+44	6.92E+32		FSRQ
ROXA J170123.8+385136.9	1.11	0.0	19.0	199.7	61.0	4.60E-13	7.54E-12	3.12E+45	1.36E+34		SSRQ
ROXA J170232.5+315752.3	1.95	0.0	17.7	35.4	37.0	4.00E-13	1.08E-11	1.09E+46	9.62E+33		SSRQ
ROXA J170238.5+311543.5	0.00	0.0	19.1	6.8	0.0	9.40E-13	1.87E-10	0.00E+00	0.00E+00		BL Lac
ROXA J170306.1+615244.2	1.92	0.0	17.7	156.0	63.0	1.90E-13	3.02E-12	4.96E+45	4.07E+34		SSRQ
ROXA J170647.9+321422.8	1.07	0.0	16.6	134.5	62.0	5.90E-13	9.52E-12	3.64E+45	8.30E+33		SSRQ
ROXA J171248.7+293116.7	0.00	0.0	18.1	17.0	0.0	7.90E-13	6.28E-11	0.00E+00	0.00E+00	0.20	BL Lac
ROXA J171427.4+560155.9	0.40	0.0	20.4	6.5	0.0	6.50E-13	1.35E-10	3.69E+44	3.69E+31		BL Lac
ROXA J171430.0+615746.5	0.90	0.0	19.5	686.3	199.0	3.40E-13	1.71E-12	1.38E+45	2.79E+34		SSRQ
ROXA J17155.8+632355.9	2.18	0.0	18.6	37.6	37.0	1.20E-13	3.24E-12	4.30E+45	1.35E+34		FSRQ*
ROXA J171706.7+293116.2	0.28	0.0	21.6	3.4	0.0	7.10E-12	2.82E-09	1.68E+45	8.03E+30		BL Lac*
ROXA J171715.5+262149.6	1.93	0.0	18.6	84.5	50.0	7.40E-12	7.40E-12	9.84E+45	2.25E+34		FSRQ*
ROXA J171936.7+604748.0	1.08	0.0	18.8	11.7	0.0	2.80E-13	3.23E-11	1.75E+45	7.32E+32		QSO RL*
ROXA J172205.9+565451.5	0.43	0.0	18.5	43.0	23.0	1.60E-12	5.02E-11	1.04E+45	2.81E+32		QSO RL
ROXA J172236.7+585622.2	1.98	0.0	19.2	229.0	314.0	2.00E-13	6.37E-13	5.63E+45	6.45E+34		FSRQ
ROXA J17242.1+281500.0	0.94	0.0	18.2	238.4	224.0	8.60E-13	3.84E-12	3.90E+45	1.08E+34		FSRQ
ROXA J172314.0+654746.1	1.44	0.0	17.3	239.5	182.0	1.60E-13	8.79E-13	2.07E+45	3.09E+34		FSRQ
ROXA J172918.7+525559.3	0.35	0.0	18.9	16.2	55.0	1.60E-12	2.91E-11	6.56E+44	6.64E+31	0.16	BL Lac
ROXA J173100.4+572212.2	2.80	0.0	18.3	10.6	0.0	2.10E-13	2.68E-11	1.37E+46	6.94E+33		QSO RL*
ROXA J203952.0-002447.0	0.62	0.0	18.1	73.0	0.0	9.80E-13	1.81E-11	1.56E+45	1.16E+33		QSO RL*
ROXA J205456.8+001537.6	0.15	0.0	18.0	57.1	65.0	4.00E-12	6.15E-11	2.47E+44	3.52E+31	0.18	BL Lac
ROXA J205523.1-063436.1	0.42	0.0	18.9	149.5	0.0	5.60E-13	5.06E-12	3.47E+44	9.26E+32		QSO RL*
ROXA J205528.2-002117.1	0.00	0.0	18.2	41.0	0.0	1.20E-11	3.95E-10	0.00E+00	0.00E+00		BL Lac
ROXA J205938.5-003755.8	0.34	0.0	19.6	15.2	0.0	1.70E-12	1.51E-10	6.33E+44	5.66E+31	0.16	BL Lac

Table 2.: continued

Source name	z	B_j mag	g' mag	Radio flux 1.4 GHz mJy	Radio flux 5 GHz mJy	X-ray flux $\text{erg cm}^{-2} \text{s}^{-1}$	f_x/f_r $\text{erg cm}^{-2} \text{s}^{-1} J_y^{-1}$	L_x erg s^{-1}	L_r $\text{erg s}^{-1} H_z^{-1}$	CaH&K	Classification ^a
ROXA J211643.8+103736.9	0.67	0.0	18.2	9.6	0.0	6.10E-13	8.59E-11	1.19E+45	1.86E+32		QSO RL*
ROXA J211843.2+063618.0	0.33	0.0	17.6	89.4	176.0	3.40E-12	1.93E-11	1.21E+45	3.17E+32		FSRQ*
ROXA J213638.5+004154.0	1.94	0.0	17.0	3473.1	10938.0	1.90E-12	1.74E-13	5.07E+46	9.26E+35		FSRQ
ROXA J214324.1+284557.8	0.17	18.0	0.0	61.6	0.0	8.40E-13	1.84E-11	6.90E+43	5.06E+31		R.G./BL Lac*
ROXA J214518.7+111527.2	0.55	0.0	18.1	387.1	414.0	1.80E-12	4.35E-12	2.15E+45	4.63E+33		FSRQ
ROXA J214752.6+160843.5	0.10	17.3	0.0	5.3	0.0	1.10E-12	2.80E-10	3.03E+43	1.46E+30		Radio Galaxy*
ROXA J214905.1+303833.6	0.65	19.5	0.0	36.9	0.0	7.20E-13	2.64E-11	1.29E+45	6.61E+32		FSRQ*
ROXA J214937.3+065312.9	1.57	0.0	19.3	30.3	0.0	9.40E-13	4.19E-11	1.49E+46	4.80E+33		QSO RL
ROXA J215155.4+302754.2	2.34	18.1	0.0	1243.7	0.0	9.30E-12	1.01E-11	3.94E+47	5.26E+35		FSRQ
ROXA J215305.2+004228.9	0.00	0.0	18.7	24.8	0.0	7.40E-12	4.03E-10	0.00E+00	0.00E+00		BL Lac
ROXA J215355.6+295445.6	0.00	20.4	0.0	8.7	0.0	1.00E-12	1.55E-10	0.00E+00	0.00E+00		Star
ROXA J215500.0+314254.2	0.35	18.6	0.0	90.9	0.0	1.10E-12	1.64E-11	4.69E+44	3.88E+32		FSRQ*
ROXA J215910.9+284117.3	0.27	19.0	0.0	20.3	0.0	5.90E-13	3.93E-11	1.35E+44	4.63E+31		R.G./BL Lac*
ROXA J221105.1+284933.0	0.00	18.6	0.0	80.0	0.0	5.80E-13	9.80E-12	0.00E+00	0.00E+00		BL Lac candidate
ROXA J221108.2+000302.4	0.36	0.0	19.1	25.6	0.0	3.90E-12	2.06E-10	1.74E+45	1.14E+32	0.01	BL Lac
ROXA J221549.1+301949.2	0.80	20.7	0.0	32.0	0.0	5.00E-13	2.11E-11	1.49E+45	9.52E+32		QSO RL*
ROXA J221728.3+106211.7	0.00	19.8	0.0	27.8	0.0	2.43E-10	2.43E-10	0.00E+00	0.00E+00		BL Lac
ROXA J221832.8+294728.6	0.68	19.0	0.0	3.8	0.0	5.70E-13	2.03E-10	1.15E+45	7.68E+31		Radio Galaxy*
ROXA J222113.4+280421.8	0.33	19.7	0.0	73.0	0.0	7.50E-13	1.39E-11	2.73E+44	2.68E+32		BL Lac
ROXA J222852.6+075346.6	0.64	0.0	18.5	172.8	273.0	1.20E-12	4.40E-12	2.08E+45	2.99E+33		FSRQ*
ROXA J223301.0+133601.9	0.21	0.0	18.8	25.2	29.0	3.80E-12	1.31E-10	5.08E+44	3.37E+31	0.12	BL Lac
ROXA J223312.5+141742.7	1.09	0.0	19.3	18.9	0.0	8.20E-13	5.86E-11	5.24E+45	1.21E+33		QSO RL*
ROXA J223423.2+261321.1	0.27	19.2	0.0	51.8	0.0	5.00E-13	1.30E-11	1.10E+44	1.14E+32		R.G./BL Lac*
ROXA J223844.9+245836.9	0.22	18.5	0.0	5.6	0.0	1.20E-12	2.90E-10	1.67E+44	7.80E+30		NELG*
ROXA J224634.0+285350.4	0.16	18.3	0.0	25.2	0.0	1.30E-12	6.97E-11	8.50E+43	1.65E+31		QSO RL*
ROXA J224046.7+132602.6	0.00	0.0	19.1	14.1	0.0	3.10E-12	2.97E-10	0.00E+00	0.00E+00		BL Lac*
ROXA J224409.1+295446.0	1.20	19.4	0.0	42.4	0.0	5.00E-13	1.59E-11	4.07E+45	3.45E+33		FSRQ*
ROXA J224919.0+303913.3	1.31	18.1	0.0	431.6	0.0	2.30E-12	3.53E-10	3.11E+44	1.19E+31		NELG*
ROXA J225354.1+140436.8	0.33	0.0	18.9	11.8	0.0	6.20E-13	7.10E-11	2.18E+44	4.15E+31	0.08	BL Lac
ROXA J225420.9+134148.5	0.68	0.0	20.0	1423.8	0.0	8.60E-13	8.16E-13	1.72E+45	2.85E+34		FSRQ
ROXA J225434.5+320927.9	0.19	18.8	0.0	655.8	0.0	8.60E-13	1.77E-12	8.71E+43	6.64E+32		FSRQ*
ROXA J225614.2+330353.0	0.06	17.3	0.0	21.5	0.0	2.50E-12	1.57E-10	1.87E+43	1.61E+30		BL Lac
ROXA J230903.3+304315.2	0.00	19.4	0.0	35.3	0.0	9.70E-13	3.71E-11	0.00E+00	0.00E+00		QSO RL*
ROXA J231118.7+094622.2	0.49	0.0	21.7	3.8	0.0	1.00E-12	3.56E-10	1.15E+45	3.47E+31		BL Lac*
ROXA J231253.8+144438.0	1.52	0.0	17.8	28.5	26.0	8.30E-13	3.19E-11	1.22E+46	4.20E+33		FSRQ*
ROXA J231357.2+144423.2	0.16	0.0	17.7	41.1	0.0	3.50E-12	1.15E-10	2.54E+44	2.98E+31		FSRQ
ROXA J231428.6+135907.1	1.64	0.0	20.6	201.8	110.0	6.50E-13	5.91E-12	1.16E+46	3.61E+34		Radio Galaxy
ROXA J232613.9+240637.7	0.11	16.1	0.0	46.1	0.0	1.30E-12	3.81E-11	4.20E+43	1.49E+31		NELG
ROXA J234106.8+001833.2	0.28	0.0	22.5	434.7	313.0	2.90E-12	9.27E-12	6.96E+44	1.04E+33		SSRQ*
ROXA J234455.6+304103.9	0.68	20.1	0.0	600.0	0.0	5.50E-13	1.24E-12	1.10E+45	1.20E+34		QSO RL
ROXA J235029.3+262045.7	0.22	18.1	0.0	11.2	0.0	8.80E-13	1.06E-10	1.21E+44	1.54E+31		R.G./BL Lac*
ROXA J235034.1+300605.0	0.23	18.9	0.0	38.1	0.0	9.80E-13	3.48E-11	1.59E+44	6.17E+31		SSRQ
ROXA J235156.1+010913.2	0.17	0.0	15.7	1596.9	689.0	1.40E-11	2.03E-11	1.16E+45	1.33E+33		FSRQ*
ROXA J235311.4+274325.7	0.89	19.0	0.0	169.7	0.0	6.00E-13	4.78E-12	2.34E+45	6.63E+33		Radio Galaxy
ROXA J235330.7+331825.5	0.06	17.4	0.0	41.5	0.0	5.20E-13	1.69E-11	4.49E+42	3.58E+30		FSRQ*
ROXA J235551.9+335308.9	0.11	19.0	0.0	13.7	0.0	4.40E-13	4.34E-11	1.45E+43	4.51E+30		QSO RL*
ROXA J235633.9+321249.7	1.09	19.1	0.0	32.4	0.0	2.70E-13	1.13E-11	1.76E+45	2.11E+33		BL Lac
ROXA J235907.8+303741.3	0.17	18.5	0.0	65.0	0.0	6.50E-11	1.35E-09	4.87E+45	4.87E+31		FSRQ
ROXA J235935.3+313344.3	0.99	19.0	0.0	347.9	0.0	4.40E-13	1.71E-12	2.24E+45	1.77E+34		FSRQ

^a *: new classification for those objects differently classified in literature; @: new object (never identified before this work); †: objects with newly estimated redshifts