

MINING OF COASTAL SAND: A CRITICAL ENVIRONMENTAL AND ECONOMIC PROBLEM FOR MOROCCO

Summary

In Morocco, the extraction of beach and dune sand for use in the construction industry is destroying significant portions of the nation's natural heritage. The authors of this report have significant experience in evaluating coastal mining worldwide. We believe that the coastal sand mining operations that we witnessed in Morocco are the world's largest. In addition, the environmental impacts of the sand extraction are likewise enormous. Beach mining, mainly near Morocco's major coastal cities, has created lunar-like landscapes on the coast, destroyed the littoral marine ecosystem, is endangering adjacent wetlands, and has significantly increased the vulnerability of coastal infrastructure to storms and rising sea level. Once beautiful coastal dunes have been entirely removed along long reaches of shoreline. This is a potential economic disaster for coastal tourism in Morocco. Many beaches have been so heavily impacted by mining that they have been rendered unusable for touristic development. For the sake of its future generations, Morocco should halt the mining of coastal sand now and find new sources of aggregate.

The authors base the following report on fieldwork conducted in Summer 2007 and on interviews with local, coastal residents.

Introduction to the Issue

Most open-ocean shorelines have sand deposits that exist in equilibrium with wave, current and wind processes. This sand exists in several connected environments. Onshore there are beaches, with sand deposited by waves and currents, and sand dunes deposited by the wind. Offshore, there is sand stored on the shoreface (reaching from the beach out to a depth of 10 m or so) and in deltas (tidal and river). These deposits are linked to one another such that addition or removal of sand from one area affects all of the other environments. For this paper, we refer to all sand deposits that are connected to (i.e. are currently shrinking or growing) the present marine environment as the *coastal sand body*. Some coasts have sand bodies that are somewhat disconnected from the modern coastal sand deposits. This sand may occur well below or above present sea level representing deposits formed in the past when the level of the ocean was higher or lower than today.

Beaches can provide a cheap source of sand for use in concrete and for a variety of other construction purposes. Beach sand is inexpensive because it is already unconsolidated and is easy to remove with front-end loaders or even by hand loading of trucks. The continuous activity of surf zone waves provides a well-sorted sand that is free of mud. Perhaps most significantly, beaches are often not privately owned, they are public, and represent a "free" source of aggregate to those willing to take it.

Most beach sand is derived locally from sea cliff erosion or from rivers that drain the upland (Figures 1 and 2).



Figure 1 - sea cliff erosion in Morocco.



Figure 2 - Loukos River, Larache, Morocco.

The sand grains travel along a particular beach either by shore-parallel or shore-perpendicular transport in surf zone currents formed by waves. Speaking in general terms, the Moroccan coast has a very large coastal sand body resupplied by regular erosion of cliffs and episodic injections from rivers in flood. The Moroccan coastal sand body is much larger than the coastal sand bodies of the East and Gulf coasts of North America. We can only assume that those engaged in sand mining in Morocco believe that they will do little harm because the original sand deposits were so large. Sadly, this is not the case.

Mining of beach and dune sand is a global phenomenon. In recognition of the damage that such mining does and of the need to preserve beaches for future generations, mining has effectively been halted in many countries. Yet, it remains an important global problem. We have recently documented environmentally damaging beach mining in more than 30 countries worldwide.

Mining of coastal sand bodies has gone on for as long as humans have lived near the shore. Initially it occurred on a bucketful scale and at a local level. Now it occurs on the scale of long lines of large dump trucks containing more than 10 cubic meters of sand each. As humans have devised more efficient ways to remove large volumes of sand and as shorefront development has simultaneously increased, coastal sand mining has become a major global problem.

We believe that at the present time, the most extensive mining of onshore coastal sand in the world occurs in Morocco. In July, 2007, we observed an operation that likely involved the removal of hundreds of dump trucks of coastal sand in a single day (Figure 3). Many coastal environments have been removed completely over hundreds of hectares. The damage is stunning and saddening.



Figure 3 - Sand trucks at a mine south of Larache, Morocco.

The problems created by sand mining are numerous. Below is a brief summary focusing on the problems recently documented in Morocco.

- Potential tourism site destruction

Many mining sites on the coast of Morocco are remote, but fabulously beautiful (Figure 4). While maintaining a healthy ecosystem, hotel complexes could readily be constructed within the still-extensive coastal sand dunes of Morocco



Figure 4 - Stunning coastal scenery with intact sand dune south of Asilah, Morocco.

The seasonal dry, sunny weather, warm coastal ocean with excellent surfing and swimming opportunities and proximity to existing international airports in Casablanca, Rabat and Tangiers represent an extraordinary combination of conditions conducive to tourism. Sand mining has turned these sites into ugly moonscapes that no tourist would want to visit. With the sand gone, the beaches are too hard for lounging on. They are even difficult to walk on.

- Coastal ecosystem loss

Sand mining has resulted in the total destruction of the coastal ecosystems in many areas of northern Morocco. This includes the beach (impacting nesting shorebirds and sea turtles), the dunes (impacting rare endemic vegetation), and coastal wetlands (impacting migratory waterfowl among other organisms).

- Destruction of the nearshore marine ecosystem

Removal of beach sand can also impact the nearshore distribution of sand on the shoreface (in shallow water). Anytime the nature of the nearshore bottom sediment is changed, there is a corollary ecosystem change. Many organisms are adapted to a particular substrate.

- Aesthetics/Lunar landscape end result

It is hard to imagine how ugly some of the mined sites in Morocco are.

- No sand reserve for natural beach storm response

Large beaches and large coastal dunes can provide excellent protection from storms, tsunamis, and other large wave events. Beach mining increases the vulnerability of all coastal infrastructure and ecosystems that were once protected.

- Increased shoreline erosion rates

Removing sand from the beach and from adjacent dunes will increase the shoreline erosion rate for the impacted shoreline (even as rising sea level increases the threat of long-term coastal erosion). In addition, neighboring, unmined shorelines may also see an increase in erosion as the shoreline reaches a new equilibrium.

- Destruction of archaeological sites

Removal of coastal sand can directly and indirectly threaten coastal archaeological resources.

Types of coastal sand mining in Morocco

We observed several types of coastal sand mining south of Tangiers in Morocco in July, 2007. The following examples are listed in order of the degree of economic and environmental damage. The first approach, bluff top mining is the least damaging and direct mining of the intertidal zone is the most damaging.

- *Bluff top mining* – This approach is currently active in the extensive operations south of Larache (Figure 5).



Figure 5 - Bluff top sand mining south of Larache, Morocco.

The sand being removed here, in spite of its location well above the local beach and dune, may still be a part of the active coastal sand system. That is, the sand here may still occasionally supply new sand to the beach in processes such as storm recovery. More important, however, is the loss of a beautiful and rare dune system with a rare ecosystem adjusted to much wind and salt spray. The lost dune would have been an asset for a future touristic development because of its safe location with commanding views high above the sea. In addition, these areas represent potential archaeological sites. They should be surveyed before they are mined. National treasures are at risk. Nevertheless, mining these perched dunes is less destructive to the coastal ecosystem than the mining listed below.

- *Back dune mining* – Large reaches of Morocco’s massive coastal dune complex have been entirely removed by sand mining creating a landscape with deep pits and steep slopes hazardous to passersby (Figure 6).




Figure 6 - Inactive mine with unnatural and hazardous slopes north of Kenitra.

It seems obvious that these areas will continue to be mined and in future decades the sand pits will extend to the beach. This is the general pattern of coastal sand mining in Morocco; mine the dune first and when it no longer exists, mine the beach itself. Even though many of these sand pits are not visible from the beach, the hazards to dune hikers they afford and their aesthetic limitations effectively preclude future touristic development along long stretches of the coast.

- *Beach Mining 1: Long, flat beach on coastal plain*– This abandoned mining site represents the impacts of mining on a relatively flat plain immediately adjacent to the beach. The beach is flat and wide at low tide and relatively narrow at high tide (Figure 7).



Figure 7 – Beach reduced to gravel at Hawara, Morocco.

The rocky layers that once were buried in sand replace dunes. The dune ecosystem is completely gone. Back-dune vegetation is dying because it is no longer protected from salt spray and wind by dunes. Wetlands are at risk because of sand and salt intrusion. The coastal road to Tangier will occasionally be flooded and perhaps even eroded in places in future storms due to the lack of protective dunes. The beach will not experience normal storm recovery because of the lack of dune sand and erosion (shoreline retreat) rates can be expected to increase significantly in future years. Present and future buildings constructed to get a sea view will be endangered in future storms.

- *Beach Mining 2: narrow beach backed by “lunar landscape”*– This abandoned mining site is the endpoint of mining coastal sand on a beach backed by relatively steep inland slopes (Figure 8).



Figure 8 - Lunar landscape left from sand mining operations south of Asilah, Morocco.

In this undeveloped area no buildings or infrastructure are threatened. A beautiful potential touristic development site is completely eliminated and because of the ugliness of the mined site adjacent to the beach and the “attractive nuisance” hazard to hikers. It is fair to say that no future tourism site is feasible as such for miles in either direction. The loss of overall sand volumes at this site is likely to increase overall shoreline retreat rates on adjacent shorelines in both directions.

The Solutions

Future mining of the modern coastal sand body should be avoided. There are numerous alternative sources of sand available, most of which will be at least slightly more expensive than the presently used coastal sand.

On all coasts with low inland slopes, “fossil” coastal sand bodies exist that were deposited in the geologic past when the level of the ocean was higher or lower than today. These older sand bodies are often no longer directly connected to modern coastal ecosystems. Such sand bodies, where they are present, offer promise as sand mining sites that would be much less damaging than the mining of the current coastal sand body that is in equilibrium with the sea.

In Europe and North America, where population density is very high near that coast, offshore mining of sand is a common occurrence. Morocco possesses extensive higher-than-present coastal sand deposits (Figure 9), and likely harbors substantial offshore reserves. Finally, crushing rock is an alternative that many Caribbean Island nations have turned to.



Figure 9 - The large vegetated “fossil” dune on the right is an alternative to mining the active dune on the left. Located near Kenitra, Morocco.

If mining continues on some limited basis, reclamation (reshaping) of the impacted landscapes must be required. In some areas reclamation of existing, abandoned mining sites should be considered.

Future regulations and decisions concerning sand mining in Morocco should consider the need to provide future generations of Moroccans with high quality, healthy beaches. The long term economic potential of healthy, beautiful beaches is huge and is worthy of extensive efforts to preserve them.

Orrin H. Pilkey, opilkey@duke.edu
James B Duke Professor of Earth Sciences Emeritus
Nicholas School of the Environment
Duke University
Durham, NC, USA

Robert S. Young, ryoung@wcu.edu
Director, Program for the Study of Developed Shorelines
Western Carolina University
Cullowhee, NC, USA

Joseph Kelley, jtkelley@Maine.edu
Chairman, Department of Earth Sciences
University of Maine at Orono
Orono, ME, USA

Adam D. Griffith, adamdgriffith@gmail.com
Program for the Study of Developed Shorelines
Western Carolina University
Cullowhee, NC, USA