

# Anonymity, Unlinkability, Unobservability, Pseudonymity, and Identity Management – A Consolidated Proposal for Terminology

(Version v0.23 Aug. 25, 2005)

Andreas Pfitzmann  
TU Dresden  
[pfitz@inf.tu-dresden.de](mailto:pfitz@inf.tu-dresden.de)

Marit Hansen  
ULD Kiel  
[marit.hansen@datenschutzzentrum.de](mailto:marit.hansen@datenschutzzentrum.de)

## Archive of this Document

[http://dud.inf.tu-dresden.de/Literatur\\_V1.shtml](http://dud.inf.tu-dresden.de/Literatur_V1.shtml) (v0.5 and all succeeding versions)

## Abstract

Based on the nomenclature of the early papers in the field, we propose a terminology which is both expressive and precise. More particularly, we define *anonymity*, *unlinkability*, *unobservability*, *pseudonymity* (*pseudonyms* and *digital pseudonyms*, and their attributes), and *identity management*. In addition, we describe the relationships between these terms, give a rational why we define them as we do, and sketch the main mechanisms to provide for the properties defined.

## Table of contents

1 Introduction .....	4
2 Setting .....	4
3 Anonymity .....	5
4 Unlinkability .....	7
5 Anonymity in terms of unlinkability .....	8
6 Unobservability .....	9
7 Relationships between terms .....	10
8 Known mechanisms for anonymity and unobservability .....	11
9 Pseudonymity .....	12
10 Pseudonymity with respect to accountability and authorization .....	14
10.1 Digital pseudonyms to authenticate messages .....	14
10.2 Authentication of digital pseudonyms .....	14
10.3 Transferring authenticated attributes and authorizations between pseudonyms .....	15
11 Pseudonymity with respect to linkability .....	15
11.1 Knowledge of the linking between the pseudonym and its holder .....	15
11.2 Linkability due to the use of a pseudonym in different contexts .....	16
12 Known mechanisms and other properties of pseudonyms .....	18
13 Identity management .....	19
13.1 Setting .....	19
13.2 Identity and identifiability .....	19
13.3 Identity-related terms .....	20
Role .....	20
Partial identity .....	20
Digital identity .....	21
Virtual identity .....	21
13.4 Identity management-related terms .....	22

Identity management.....	22
Privacy-enhancing identity management.....	22
Privacy-enhancing identity management enabling application design .....	22
Identity management system (IMS).....	22
Privacy-enhancing identity management system (PE-IMS) .....	23
14 Concluding remarks .....	23
References .....	23
Index.....	25
Translation of essential terms .....	27
To German .....	27
To <your mother tongue> .....	31

### List of abbreviations

DC-net	Dining Cryptographers network
ID	IDentifier of a subject
iff	if and only if
IHW	Information Hiding Workshop
IMS	Identity Management System
IOI	Item Of Interest
ISO	International Standardization Organization
MMORPG	Massively Multiplayer Online Role Playing Games
MUD	Multi User Dungeon
PE-IMS	Privacy-Enhancing Identity Management System
PETs	Privacy-Enhancing Technologies
PGP	Pretty Good Privacy

### Change History

v0.1	July 28, 2000	Andreas Pfitzmann, pfitza@inf.tu-dresden.de
v0.2	Aug. 25, 2000	Marit Köhntopp, marit@koehntopp.de
v0.3	Sep. 01, 2000	Andreas Pfitzmann, Marit Köhntopp
v0.4	Sep. 13, 2000	Andreas Pfitzmann, Marit Köhntopp: Changes in sections Anonymity, Unobservability, Pseudonymity
v0.5	Oct. 03, 2000	Adam Shostack, adam@zeroknowledge.com, Andreas Pfitzmann, Marit Köhntopp: Changed definitions, unlinkable pseudonym
v0.6	Nov. 26, 2000	Andreas Pfitzmann, Marit Köhntopp: Changed order, role-relationship pseudonym, references
v0.7	Dec. 07, 2000	Marit Köhntopp, Andreas Pfitzmann
v0.8	Dec. 10, 2000	Andreas Pfitzmann, Marit Köhntopp: Relationship to Information Hiding Terminology
v0.9	April 01, 2001	Andreas Pfitzmann, Marit Köhntopp: IHW review comments
v0.10	April 09, 2001	Andreas Pfitzmann, Marit Köhntopp: Clarifying remarks
v0.11	May 18, 2001	Marit Köhntopp, Andreas Pfitzmann
v0.12	June 17, 2001	Marit Köhntopp, Andreas Pfitzmann: Annotations from IHW discussion
v0.13	Oct. 21, 2002	Andreas Pfitzmann: Some footnotes added in response to comments by David-Olivier Jaquet-Chiffelle, jld@hta-bi.bfh.ch
v0.14	May 27, 2003	Marit Hansen, marit.hansen@t-online.de, Andreas Pfitzmann: Minor corrections and clarifying remarks
v0.15	June 03, 2004	Andreas Pfitzmann, Marit Hansen: Incorporation of comments by Claudia Diaz; Extension of title and addition of identity management terminology
v0.16	June 23, 2004	Andreas Pfitzmann, Marit Hansen: Incorporation of lots of comments by Giles Hogben, Thomas Kriegelstein, David-Olivier Jaquet-Chiffelle, and Wim Schreurs; relation between anonymity sets and identifiability sets

- clarified
- v0.17 July 15, 2004 Andreas Pfitzmann, Marit Hansen: Triggered by questions of Giles Hogben, some footnotes added concerning quantification of terms; Sandra Steinbrecher caused a clarification in defining pseudonymity
- v0.18 July 22, 2004 Andreas Pfitzmann, Marit Hansen: Incorporation of comments by Mike Bergmann, Katrin Borcea, Simone Fischer-Hübner, Giles Hogben, Stefan Köpsell, Martin Rost, Sandra Steinbrecher, and Marc Wilikens
- v0.19 Aug. 19, 2004 Andreas Pfitzmann, Marit Hansen: Incorporation of comments by Adolf Flüeli; footnotes added explaining pseudonym = nym and identity of individual generalized to identity of entity
- v0.20 Sep. 02, 2004 Andreas Pfitzmann, Marit Hansen: Incorporation of comments by Jozef Vyskoc; figures added to ease reading
- v0.21 Sep. 03, 2004 Andreas Pfitzmann, Marit Hansen: Incorporation of comments at the PRIME meeting and by Thomas Kriegelstein; two figures added
- v0.22 July 28, 2005 Andreas Pfitzmann, Marit Hansen: Extension of title, adding a footnote suggested by Jozef Vyskoc, some clarifying remarks by Jan Camenisch (on pseudonyms and credentials), by Giles Hogben (on identities), by Vashek Matyas (on the definition of unobservability, on pseudonym, and on authentication), by Daniel Cvrcek (on knowledge and attackers), by Wassim Haddad (to avoid ambiguity of wording in two cases), by Alf Zugenmair (on subjects), by Claudia Diaz (on robustness of anonymity), and by Katrin Borcea-Pfitzmann and Elke Franz (on evolvement of (partial) identities over time)
- v0.23 Aug. 25, 2005 Andreas Pfitzmann, Marit Hansen: New first page; adding list of abbreviations and index, translation of essential terms into German, definitions of misinformation and disinformation, clarification of liability broker vs. value broker; some clarifying remarks suggested by Thomas Kriegelstein on credentials, identity, complete identity, system, subject, digital pseudonyms, and by Sebastian Clauß on unlinkability

## 1 Introduction

Early papers from the 1980ies already deal with anonymity, unlinkability, unobservability, and pseudonymity and introduce these terms within the respective context of proposed measures. We show relationships between these terms and thereby develop a consistent terminology. Then we contrast these definitions with newer approaches, e.g., from ISO IS 15408. Finally, we extend this terminology to identity management.

We hope that the adoption of this terminology might help to achieve better progress in the field by avoiding that each researcher invents a language of his/her own from scratch. Of course, each paper will need additional vocabulary, which might be added consistently to the terms defined here.


This document is organized as follows: First the setting used is described. Then definitions of anonymity, unlinkability, and unobservability are given and the relationships between the respective terms are outlined. Afterwards, known mechanisms to achieve anonymity and unobservability are listed. The next sections deal with pseudonymity, i.e., pseudonyms, their properties, and the corresponding mechanisms. Thereafter, this is applied to privacy-enhancing identity management. Finally, concluding remarks are given. To make the document readable to as large an audience as possible, we did put information which can be skipped in a first reading or which is only useful to part of our readership, e.g. those knowing information theory, in footnotes.

## 2 Setting


We develop this terminology in the usual setting that *senders* send *messages* to *recipients* using a communication network. For other settings, e.g., users querying a database, customers shopping in an e-commerce shop, the same terminology can be derived by abstracting away the special names “sender”, “recipient”, and “message”. But for ease of explanation, we use the specific setting here.

If we make our setting more concrete, we may call it a *system*. For our purposes, a system has the following relevant properties:

1. The system has a surrounding, i.e. parts of the world are “outside” the system. Together, the system and its surrounding form the universe.
2. The state of the system may change by actions within the system.



All statements are made from the perspective of an *attacker*<sup>1</sup> who may be interested in monitoring what communication is occurring, what patterns of communication exist, or even in manipulating the communication. We not only assume that the attacker may be an outsider<sup>2</sup> tapping communication lines, but also an insider<sup>3</sup> able to participate in normal communications and controlling at least some stations. We assume that the attacker uses all facts available to him to infer (probabilities of) his *items of interest* (IOIs), e.g. who did send or receive which messages.



Throughout the Sections 3 to 12 we assume that the attacker is not able to get information on the sender or recipient from the message content.<sup>4</sup> Therefore, we do not mention the message content in these sections. For most applications it is unreasonable to assume that the attacker forgets something. Thus, normally the knowledge<sup>5</sup> of the attacker only increases.

### 3 Anonymity

To enable anonymity of a subject<sup>6</sup>, there always has to be an appropriate set of subjects with potentially the same attributes<sup>7</sup>.

<sup>1</sup> In the sequel, this leads to a wording like “<Property x> is the state of ...” which is clearly no “state” in an absolute, self-contained sense, but a state depending on the attacker’s perspective, i.e., the information the attacker has available.

<sup>2</sup> An outsider is a non-empty set of entities being part of the surrounding of the system considered.

<sup>3</sup> An insider is a non-empty set of entities being part of the system considered.

<sup>4</sup> Of course, encryption of messages provides protection of the content against attackers observing the communication lines and end-to-end encryption even provides protection of the content against all stations passed, e.g. for the purpose of forwarding and/or routing. But message content can neither be hidden from the sender nor from the recipient(s) of the message.


<sup>5</sup> As usual in the field of security and privacy, “knowledge” can be described by probabilities of IOIs. More knowledge then means more accurate probabilities, i.e. the probabilities the attacker assumes to be true are closer to the “true” probabilities.

<sup>6</sup> A *subject* is a possibly acting entity such as, e.g., a human being (i.e. a natural person), a legal person, or a computer.

<sup>7</sup> Since sending and receiving of particular messages are special cases of “attributes” of senders and recipients, this is slightly more general than the setting in Section 2. This generality is very fortunate to stay close to the everyday meaning of “anonymity” which is not only used w.r.t. subjects active in a particular context, e.g. senders and recipients of messages, but to subjects passive in a particular context as well, e.g. subjects the records within a database relate to.

**Anonymity is the state of being not identifiable<sup>8</sup> within a set of subjects, the *anonymity set*.<sup>9</sup>**

The *anonymity set* is the set of all possible subjects<sup>10</sup>. With respect to acting entities, the anonymity set consists of the subjects who might cause an action. With respect to addressees<sup>11</sup>, the anonymity set consists of the subjects who might be addressed. Therefore, a sender may be anonymous only within a set of potential senders, his/her *sender anonymity set*, which itself may be a subset of all subjects worldwide who may send messages from time to time. The same is true for the recipient, who may be anonymous within a set of potential recipients, which form his/her *recipient anonymity set*. Both anonymity sets may be disjoint, be the same, or they may overlap. The anonymity sets may vary over time.<sup>12</sup>



All other things being equal, anonymity is the stronger, the larger the respective anonymity set is and the more evenly distributed the sending or receiving, respectively, of the subjects within that set is.<sup>13,14</sup>

<sup>8</sup> “not identifiable within” means “not uniquely characterized within”.

<sup>9</sup> From [ISO99]: “[Anonymity] ensures that a user may use a resource or service without disclosing the user’s identity. The requirements for anonymity provide protection of the user identity. Anonymity is not intended to protect the subject identity. [...] Anonymity requires that other users or subjects are unable to determine the identity of a user bound to a subject or operation.” Compared with this explanation, our definition is more general as it is not restricted to identifying users, but any subjects.


<sup>10</sup> I.e., the “usual suspects” :-). The set of possible subjects depends on the knowledge of the attacker. Thus, anonymity is relative with respect to the attacker.

<sup>11</sup> Addressees are subjects being addressed.

<sup>12</sup> Since we assume that the attacker does not forget anything he knows, the anonymity set cannot increase w.r.t. a particular action. Especially subjects joining the system in a later stage, do not belong to the anonymity set from the point of view of an attacker observing the system in an earlier stage. (Please note that if the attacker cannot decide whether the joining subjects were present earlier, the anonymity set does not increase either: It just stays the same.) Due to linkability, cf. below, the anonymity set normally can only decrease.

<sup>13</sup> The entropy of a message source as defined by Claude E. Shannon [Shan48] might be an appropriate measure to quantify anonymity – just take who is the sender/recipient as the “message” in Shannon’s definition. For readers interested in formalizing what we informally say: “No change of probabilities” means “no change of knowledge” and vice versa. “No change of probabilities” (or what is equivalent: “no change of knowledge”) implies “no change of entropy”, whereas “no change of entropy” neither implies “no change of probabilities” nor “no change of

From the above discussion follows that anonymity in general as well as the anonymity of each particular subject is a concept which is very much context dependent (on, e.g., subjects population, attributes, time frame, etc). In order to quantify anonymity within concrete situations, one would have to describe the system in sufficient detail which is practically not (always) possible for large open systems (but maybe for some small data bases for instance). Besides the *quantity of anonymity* provided within a particular setting, there is another aspect of anonymity: its robustness. *Robustness of anonymity* characterizes how stable the quantity of anonymity is against changes in the particular setting, e.g. a stronger attacker or different probability distributions. We might use *quality of anonymity* as a term comprising both quantity and robustness of anonymity. To keep this text as simple as possible, we will mainly discuss the quantity of anonymity in the sequel, using the wording “strength of anonymity”.



#### 4 Unlinkability

Unlinkability only has a meaning after the system in which we want to describe anonymity, unobservability, or pseudonymity properties has been defined and the entities interested in linking (the attacker) have been characterized. Then:

**Unlinkability of two or more items of interest (IOIs, e.g., subjects, messages, events, actions, ...) means that within the system (comprising these and possibly other items), from the attacker’s perspective, these items of interest are no more and no less related after his observation than they are related concerning his a-priori knowledge.**<sup>15,16</sup>

---

knowledge”. In an easy to remember notation: No change of probabilities = no change of knowledge  $\Rightarrow$  no change of entropy.

<sup>14</sup> One might differentiate between the term anonymity and the term indistinguishability, which is the state of being indistinguishable from other elements of a set. Indistinguishability is stronger than anonymity as defined in this text. Even against outside attackers, indistinguishability does not seem to be achievable without dummy traffic. Against recipients of messages, it does not seem to be achievable at all. Therefore, the authors see a greater practical relevance in defining anonymity independent of indistinguishability. The definition of anonymity is an analog to the definition of “perfect secrecy” by Claude E. Shannon [Shan49], whose definition takes into account that no security mechanism whatsoever can take away knowledge from the attacker which he already has.

<sup>15</sup> From [ISO99]: “[Unlinkability] ensures that a user may make multiple uses of resources or services without others being able to link these uses together. [...] Unlinkability requires that users and/or subjects are unable to determine whether the same user caused certain specific

This means that the probability of those items being related from the attacker's perspective stays the same before (a-priori knowledge) and after the attacker's observation (a-posteriori knowledge of the attacker).<sup>17,18</sup>

E.g., two messages are unlinkable for an attacker if the a-posteriori probability describing his a-posteriori knowledge that these two messages are sent by the same sender and/or received by the same recipient is the same as the probability imposed by his a-priori knowledge.<sup>19</sup>

Roughly speaking, unlinkability of items means that the ability of the attacker to relate these items does not increase by observing the system.

## 5 Anonymity in terms of unlinkability

If we consider sending and receiving of messages as the items of interest (IOIs)<sup>20</sup>, *anonymity* may be defined as unlinkability of an IOI and any identifier of a subject (ID). More specifically, we

---

operations in the system." In contrast to this definition, the meaning of unlinkability in this text is less focused on the user, but deals with unlinkability of "items" and therefore is a general approach. Note that we chose a relative definition of unlinkability, referring to a-priori knowledge and its possible change. We may differentiate between "absolute unlinkability" (as in [ISO99]; i.e., "no determination of a link between uses") and "relative unlinkability" (i.e., "no change of knowledge about a link between uses").

<sup>16</sup> As the entropy of a message source might be an appropriate measure to quantify anonymity (and thereafter "anonymity" might be used as a quantity), we may use definitions to quantify unlinkability (and thereafter "unlinkability" might be used as a quantity as well). Quantifications of unlinkability can be either probabilities or entropies, or whatever is useful in a particular context.

<sup>17</sup> Normally, the attacker's knowledge cannot decrease (analogously to Shannon's definition of "perfect secrecy", see above). An exception of this rule is the scenario where the use of *misinformation* (inaccurate or erroneous information, provided usually without conscious effort at misleading, deceiving, or persuading one way or another [Wils93]) or *disinformation* (deliberately false or distorted information given out in order to mislead or deceive [Wils93]) leads to a growing uncertainty of the attacker which information is correct. In the special case where it is known before that some items are related, of course the probability of these items being related stays the same. Even in this "degenerated" case it makes sense to use the term unlinkability because there is no *additional* information. A related, but different aspect is that information may become wrong (i.e., outdated) simply because the state of the world changes over time. Since data protection is not only about to protect the current state, but the past and history of a data subject as well, we will not make use of this different aspect in the rest of this paper.

<sup>18</sup> In some publications, the a-priori knowledge of the attacker is called "background knowledge" and the a-posteriori knowledge of the attacker is called "new knowledge".

<sup>19</sup> Please note that unlinkability of two (or more) messages of course may depend on whether their content is protected against the attacker considered. In particular, messages may be unlinkable if we assume that the attacker is not able to get information on the sender or recipient from the message content, cf. Section 2. Yet with access to their content even without deep semantical analysis the attacker can notice certain characteristics which link them together – e.g. similarities in structure, style, use of some words or phrases, consistent appearance of some grammatical errors, etc. In a sense, content of messages may play a role as "side channel" in a similar way as in cryptanalysis – i.e. content of messages may leak some information on their linkability.

<sup>20</sup> The general term IOI is chosen in order to be able to more easily extend the meaning in later sections, e.g., including communication relationships.

can describe the anonymity of an IOI such that it is not linkable to any ID, and the anonymity of an ID as not being linkable to any IOI.<sup>21</sup>

So we have *sender anonymity* as the properties that a particular message is not linkable to any sender and that to a particular sender, no message is linkable.

The same is true concerning *recipient anonymity*, which signifies that a particular message cannot be linked to any recipient and that to a particular recipient, no message is linkable.

*Relationship anonymity* means that it is untraceable who communicates with whom. In other words, sender and recipient (or recipients in case of multicast) are unlinkable. Thus, relationship anonymity is a weaker property than each of sender anonymity and recipient anonymity: It may be traceable who sends which messages and it may also be possible to trace who receives which messages, as long as there is no linkability between any message sent and any message received and therefore the relationship between sender and recipient is not known.

## 6 Unobservability

In contrast to anonymity and unlinkability, where not the IOI, but only its relationship to IDs or other IOIs is protected, for unobservability, the IOIs are protected as such.<sup>22</sup>

***Unobservability is the state of items of interest (IOIs) being indistinguishable from any IOI (of the same type) at all.***<sup>23,24</sup>

This means that messages are not discernible from e.g. “random noise”.

As we had anonymity sets of subjects with respect to anonymity, we have *unobservability sets* of subjects with respect to unobservability.<sup>25</sup>

---

<sup>21</sup> Unlinkability is a sufficient condition of anonymity (since we defined anonymity in absolute terms, i.e., not relative to the a-priori knowledge of an attacker, but unlinkability only relative to the a-priori knowledge of the attacker, this is not exactly true, but it would be if we either made the definition of unlinkability stronger or the definition of anonymity weaker), but it is not a necessary condition. Thus, failing unlinkability does not necessarily eliminate anonymity as defined in Section 3; in specific cases even the strength of anonymity may not be affected.

<sup>22</sup> Unobservability can be regarded as a possible and desirable property of steganographic systems (see Section 8 “Known mechanisms for anonymity and unobservability”). Therefore it matches the information hiding terminology [Pfit96, ZFKP98]. In contrast, anonymity, describing the relationship to *IDs*, does not directly fit into that terminology, but independently represents a different dimension of properties.

<sup>23</sup> From [ISO99]: “[Unobservability] ensures that a user may use a resource or service without others, especially third parties, being able to observe that the resource or service is being used. [...] Unobservability requires that users and/or subjects cannot determine whether an operation is being performed.” As seen before, our approach is less user-focused and insofar more general. With the communication setting and the attacker model chosen in this text, our definition of unobservability shows the method how to achieve it: preventing distinguishability of IOIs. Thus, the ISO definition might be applied to a different setting where attackers are prevented from observation by other means, e.g., by encapsulating the area of interest against third parties.


<sup>24</sup> In some applications (e.g. steganography), it might be useful to quantify unobservability to have some measure how much uncertainty about an IOI remains after the attacker’s observations. Again, we may use probabilities or entropy, or whatever is useful in a particular context.

<sup>25</sup> Actually, unobservability deals with events instead of subjects. Though, like anonymity sets, unobservability sets consist of the subjects who might possibly send and/or receive.

*Sender unobservability* then means that it is not noticeable whether any sender within the unobservability set sends.

*Recipient unobservability* then means that it is not noticeable whether any recipient within the unobservability set receives.

*Relationship unobservability* then means that it is not noticeable whether anything is sent out of a set of could-be senders to a set of could-be recipients. In other words, it is not noticeable whether within the relationship unobservability set of all possible sender-recipient-pairs, a message is exchanged in any relationship.



## 7 Relationships between terms

With respect to the same attacker, unobservability reveals always only a true subset of the information anonymity reveals.<sup>26</sup> We might use the shorthand notation

$$\text{unobservability} \Rightarrow \text{anonymity}$$

for that ( $\Rightarrow$  reads “implies”). Using the same argument and notation, we have

$$\begin{aligned} \text{sender unobservability} &\Rightarrow \text{sender anonymity} \\ \text{recipient unobservability} &\Rightarrow \text{recipient anonymity} \\ \text{relationship unobservability} &\Rightarrow \text{relationship anonymity} \end{aligned}$$

<sup>26</sup> [ReRu98] propose a continuum for describing the strength of anonymity with the following states named: “absolute privacy” (the attacker cannot perceive the presence of communication, i.e., unobservability) – “beyond suspicion” – “probable innocence” – “possible innocence” – “exposed” – “provably exposed” (the attacker can prove the sender, recipient, or their relationship to others). Although we think that the terms “privacy” and “innocence” are misleading, the spectrum is quite useful.

As noted above, we have

sender anonymity  $\Rightarrow$  relationship anonymity  
recipient anonymity  $\Rightarrow$  relationship anonymity

sender unobservability  $\Rightarrow$  relationship unobservability  
recipient unobservability  $\Rightarrow$  relationship unobservability

## 8 Known mechanisms for anonymity and unobservability

Before it makes sense to speak about any particular mechanisms for anonymity and unobservability in communications, let us first remark that all of them assume that stations of users do not emit signals the attacker considered is able to use for identification of stations or their behavior or even for identification of users or their behavior. So if you travel around taking with you a mobile phone sending more or less continuously signals to update its location information within a cellular network, don't be surprised if you are tracked using its signals. If you use a computer emitting lots of radiation due to a lack of shielding, don't be surprised if observers using high-tech equipment know quite a bit about what's happening within your machine. If you use a computer, PDA or smartphone without sophisticated access control, don't be surprised if Trojan horses send your secrets to anybody interested whenever you are online – or via electromagnetic emanations even if you think you are completely offline.

DC-net [Chau85, Chau88] and MIX-net [Chau81] are mechanisms to achieve sender anonymity and relationship anonymity, respectively, both against strong attackers. If we add dummy traffic, both provide for the corresponding unobservability [PfPW91].<sup>27</sup>

Broadcast [Chau85, PfWa86, Waid90] and private information retrieval [CoBi95] are mechanisms to achieve recipient anonymity against strong attackers. If we add dummy traffic, both provide for recipient unobservability.

This may be summarized: A mechanism to achieve some kind of anonymity appropriately combined with dummy traffic yields the corresponding kind of unobservability.

Of course, dummy traffic<sup>28</sup> alone can be used to make the number and/or length of sent messages unobservable by everybody except for the recipients; respectively, dummy traffic can be used to make the number and/or length of received messages unobservable by everybody except for the senders. As a side remark, we mention steganography and spread spectrum as two other well-known unobservability mechanisms.

---

<sup>27</sup> If dummy traffic is used to pad sending and/or receiving on the sender's and/or recipient's line to a constant rate traffic, MIX-nets can even provide sender and/or recipient anonymity and unobservability.

<sup>28</sup> Misinformation and disinformation may be regarded as semantic dummy traffic, i.e., communication from which an attacker cannot decide which are real requests with real data or which are fake ones. Assuming the authenticity of misinformation or disinformation may lead to privacy problems for (innocent) bystanders.

## 9 Pseudonymity

*Pseudonyms* are identifiers<sup>29</sup> of subjects<sup>30,31</sup>, in our setting of sender and recipient. (We can generalize pseudonyms to be identifiers of sets of subjects – see below –, but we do not need this in our setting.) The subject which the pseudonym refers to is the *holder* of the pseudonym<sup>32</sup>.

**Being *pseudonymous* is the state of using a pseudonym as ID.**<sup>33</sup>

In our usual setting we assume that each pseudonym refers to exactly one holder, invariant over time, being not transferred to other subjects. Specific kinds of pseudonyms may extend this setting: A *group pseudonym* refers to a set of holders, i.e. it may refer to multiple holders; a *transferable pseudonym* can be transferred from one holder to another subject becoming its holder.

Such a *group pseudonym* may induce an anonymity set: Using the information provided by the pseudonym only, an attacker cannot decide whether an action was performed by a specific person within the set.<sup>34</sup>

---

<sup>29</sup> Names or other bit strings.

<sup>30</sup> “Pseudonym” comes from Greek “pseudonumon” meaning “falsely named” (pseudo: false; onuma: name). Thus, it means a name other than the “real name”. As the “real name” (written in ID papers issued by the State) is somewhat arbitrary (it even can be changed during one’s lifetime), we will extend the term “pseudonym” to all identifiers, including all names or other bit strings. You may think of a mapping of the identifier “real name” into another name which is the pseudonym. The “real name” may be understood as a pseudonym resulted from the neutral mapping. To avoid the connotation of “pseudo” = false, some authors call pseudonyms as defined in this paper simply *nyms*. This is nice and short, but we stick with the usual wording, i.e. pseudonym, pseudonymity, etc. However the reader should not be surprised to read nym, nymity, etc. in other texts.

<sup>31</sup> On a fundamental level, pseudonyms are nothing else than another kind of attributes. But whereas in building IT systems, its designer can keep pseudonyms under his and/or the user’s control, this is surely impossible w.r.t. attributes in general. Therefore, it is useful to give this kind of system-controlled attribute a distinct name: pseudonym.

<sup>32</sup> We prefer the term “holder” over “owner” of a pseudonym because it seems to make no sense to “own” IDs, e.g., bit strings. Furthermore, the term “holder” sounds more neutral than the term “owner”, which is associated with an assumed autonomy of the subject’s will. The holder may be a natural person (in this case we have the usual meaning and all data protection regulations apply), a legal person, or even only a computer.

<sup>33</sup> Please note that despite the terms “anonymous” and “pseudonymous” are sharing most of their letters, their semantics is quite different: Anonymous says something about the state of a subject with respect to identifiability, pseudonymous only says something about employing a mechanism, i.e., using pseudonyms. Whether this mechanism helps in a particular setting to achieve something close to anonymity, is a completely different question. On the level of states of subjects, “anonymous” should be contrasted with “(privacy enhancingly) identity managed”, cf. Section 13.4. But since “anonymous” can be defined precisely whereas “(privacy enhancingly) identity managed” is at least at present hard to define equally precise, we prefer to follow the historical path of research dealing with the more precise mechanism (pseudonym, pseudonymity) first.

<sup>34</sup> Please note that the mere fact that a pseudonym has several holders does not yield a group pseudonym: For instance, creating the same pseudonym may happen by chance and even without the holders being aware of this fact, particularly if they choose the pseudonyms and prefer pseudonyms which are easy to remember. But the context of each use of the pseudonym (e.g. used by which subject – usually denoted by another pseudonym – in which kind of transaction) then usually will denote a single holder of this pseudonym.

*Transferable pseudonyms* can, if the attacker cannot completely monitor all transfers of holdership, serve the same purpose, without decreasing accountability as seen by an authority monitoring all transfers of holdership.

An interesting combination might be transferable group pseudonyms – but this is left for further study.

Defining the process of preparing for the use of pseudonyms e.g. by establishing certain rules how to identify holders of pseudonyms by so-called *identity brokers*<sup>35</sup> or to prevent uncovered claims by so-called *liability brokers* (cf. Section 11), leads to the more general notion of pseudonymity<sup>36</sup>:

***Pseudonymity is the use of pseudonyms as IDs.***<sup>37,38</sup>

So *sender pseudonymity* is defined by the sender's use of pseudonyms, *recipient pseudonymity* is defined by the recipient's use of pseudonyms.


---

<sup>35</sup> Identity brokers can be implemented as a special kind of certification authorities.

<sup>36</sup> Concerning the natural use of the English language, one might use “pseudonymization” instead of “pseudonymity”. But at least in Germany, the data protection officers gave “pseudonymization” the meaning that you have first person-related data having some kinds of identifier for the civil identity (cf. the footnote in Section 10.2 for some clarification of “civil identity”): “replacing a person’s name and other identifying characteristics with a label, in order to preclude identification of the data subject or to render such identification substantially difficult” (§ 6a German Federal Data Protection Act). Therefore, we use a different term (coined by David Chaum: “pseudonymity”) to describe the process where from the very beginning, only the holder is able to link to his/her civil identity.

<sup>37</sup> From [ISO99]: “[Pseudonymity] ensures that a user may use a resource or service without disclosing its user identity, but can still be accountable for that use. [...] Pseudonymity requires that a set of users and/or subjects are unable to determine the identity of a user bound to a subject or operation, but that this user is still accountable for its actions.” This view on pseudonymity covers only the use of digital pseudonyms. Therefore, our definition of pseudonymity is much broader as it does not necessarily require disclosure of the user’s identity and accountability. Pseudonymity alone – as it is used in the real world and in technological contexts – does not tell anything about the strengths of anonymity, authentication or accountability; these strengths depend on several properties, cf. below.

<sup>38</sup> Quantifying pseudonymity would primarily mean quantifying the state of using a pseudonym according to its different dimensions (cf. the next two Sections 10 and 11), i.e., quantifying the authentication and accountability gained and quantifying the anonymity left over (e.g. using entropy as the measure). Roughly speaking, well-employed pseudonymity would mean appropriately fine-grained authentication and accountability to counter identity theft or to prevent uncovered claims in e-commerce using e.g. the techniques described in [BüPf90], combined with much anonymity retained. Poorly employed pseudonymity would mean giving away anonymity without preventing uncovered claims.



## 10 Pseudonymity with respect to accountability and authorization

### 10.1 Digital pseudonyms to authenticate messages

A *digital pseudonym* is a bit string which, to be meaningful in a certain context, is

- unique as ID (at least with very high probability) and
- suitable to be used to authenticate the holder's IOIs relatively to his/her digital pseudonym, e.g., to authenticate his/her messages sent.

Using digital pseudonyms, accountability can be realized with pseudonyms – or more precisely: with respect to pseudonyms.

### 10.2 Authentication of digital pseudonyms

To authenticate IOIs relative to pseudonyms usually is not enough to achieve accountability for IOIs.

Therefore, in many situations, it might make sense to either

- attach funds to digital pseudonyms to cover claims or to
- let identity brokers authenticate digital pseudonyms (i.e. check the civil identity of the holder<sup>39</sup> of the pseudonym and then issue a digitally signed statement that this particular identity broker has proof of the identity of the holder of this digital pseudonym and is willing to divulge that proof under well-defined circumstances) or
- both.

If sufficient funds attached to a digital pseudonym are reserved and/or the digitally signed statement of a trusted identity broker is checked before entering into a transaction with the holder of that pseudonym, accountability can be realized in spite of anonymity.

<sup>39</sup> If the holder of the pseudonym is a natural person or a legal person, civil identity has the usual meaning, i.e. the identity attributed to an individual by a state (e.g. name, date of birth, social security number etc.). If the holder is, e.g., a computer, it remains to be defined what "civil identity" should mean. It could mean, for example, exact type and serial number of the computer (or essential components of it) or even include the natural person or legal person responsible for its operation.

### 10.3 Transferring authenticated attributes and authorizations between pseudonyms

To transfer *attributes including their authentication by third parties* (called “credentials” by David Chaum [Chau85]) – all kinds of *authorizations* are special cases – between digital pseudonyms of one and the same holder, it is always possible to prove that these pseudonyms have the same holder.

But as David Chaum pointed out, it is much more anonymity-preserving to maintain the unlinkability of the digital pseudonyms involved as much as possible by transferring the credential from one pseudonym to the other without proving the sameness of the holder. How this can be done is described in [Chau90, CaLy04].

We will come back to the just described property “convertibility” of digital pseudonyms in Section 12.

## 11 Pseudonymity with respect to linkability<sup>40</sup>

Whereas anonymity and accountability are the extremes with respect to linkability to subjects, pseudonymity is the entire field between and including these extremes. Thus, pseudonymity comprises all degrees of linkability to a subject. Ongoing use of the same pseudonym allows the holder to establish or consolidate a reputation<sup>41</sup>. Some kinds of pseudonyms enable dealing with claims in case of abuse of unlinkability to holders: Firstly, third parties (identity brokers, cf. Section 10.2) may have the possibility to reveal the civil identity of the holder in order to provide means for investigation or prosecution. To improve the robustness of anonymity, chains of identity brokers may be used [Chau81]. Secondly, third parties may act as liability brokers of the holder to clear a debt or settle a claim. [BüPf90] presents the particular case of value brokers.

There are many properties of pseudonyms which may be of importance in specific application contexts. In order to describe the properties of pseudonyms with respect to anonymity, we limit our view to two aspects and give some typical examples:

### 11.1 Knowledge of the linking between the pseudonym and its holder

The knowledge of the linking may not be a constant but change over time for some or even all people. Normally, for non-transferable pseudonyms the knowledge of the linking cannot decrease.<sup>42</sup> Typical kinds of such pseudonyms are:

a) *public pseudonym*:

The linking between a public pseudonym and its holder may be publicly known even from the very beginning. E.g., the linking could be listed in public directories such as the entry of a phone number in combination with its owner.

b) *initially non-public pseudonym*:

The linking between an initially non-public pseudonym and its holder may be known by certain parties, but is not public at least initially. E.g., a bank account where the bank can look up the linking may serve as a non-public pseudonym. For some specific non-public

---

<sup>40</sup> Linkability is the negation of unlinkability, i.e., items are either more or are either less related than they are related concerning the a-priori knowledge.

<sup>41</sup> Establishing and/or consolidating a reputation under a pseudonym is, of course, insecure if the pseudonym does not enable to authenticate messages, i.e., if the pseudonym is not a digital pseudonym, cf. Section 10.1. Then, at any moment, another subject might use this pseudonym possibly invalidating the reputation, both for the holder of the pseudonym and all others having to do with this pseudonym.

<sup>42</sup> With the exception of misinformation or disinformation which may blur the attacker’s knowledge (see above).

pseudonyms, certification authorities acting as identity brokers could reveal the civil identity of the holder in case of abuse.

c) *initially unlinked pseudonym*:

The linking between an initially unlinked pseudonym and its holder is – at least initially – not known to anybody with the possible exception of the holder himself/herself. Examples for unlinked pseudonyms are (non-public) biometrics like DNA information unless stored in databases including the linking to the holders.

Public pseudonyms and initially unlinked pseudonyms can be seen as extremes of the described pseudonym aspect whereas initially non-public pseudonyms characterize the continuum in between.

Anonymity is the stronger, the less is known about the linking to a subject. The strength of anonymity decreases with increasing knowledge of the pseudonym linking. In particular, under the assumption that no gained knowledge on the linking of a pseudonym will be forgotten and that the pseudonym cannot be transferred to other subjects, a public pseudonym never can become an unlinked pseudonym. In each specific case, the strength of anonymity depends on the knowledge of certain parties about the linking relative to the chosen attacker model.

If the pseudonym is transferable, the linking to its holder can change. Considering an unobserved transfer of a pseudonym to another subject, a formerly public pseudonym can become non-public again.

## 11.2 Linkability due to the use of a pseudonym in different contexts

With respect to the degree of linkability, various kinds of pseudonyms may be distinguished according to the kind of context for their usage:

a) *person pseudonym*:

A person pseudonym is a substitute for the holder's name which is regarded as representation for the holder's civil identity. It may be used in all contexts, e.g., a number of an identity card, the social security number, DNA, a nickname, the pseudonym of an actor, or a mobile phone number.

b) *role pseudonym*:

The use of role pseudonyms is limited to specific roles<sup>43</sup>, e.g., a customer pseudonym or an Internet account used for many instantiations of the same role "Internet user". The same role pseudonym may be used with different communication partners. Roles might be assigned by other parties, e.g., a company, but they might be chosen by the subject himself/herself as well.

c) *relationship pseudonym*:

For each communication partner, a different relationship pseudonym is used. The same relationship pseudonym may be used in different roles for communicating with the same partner. Examples are distinct nicknames for each communication partner.<sup>44</sup>

d) *role-relationship pseudonym*:

For each role and for each communication partner, a different role-relationship pseudonym is used. This means that the communication partner does not necessarily know, whether two pseudonyms used in different roles belong to the same holder. On the other hand, two different communication partners who interact with a user in the same role, do not know from the pseudonym alone whether it is the same user.<sup>45</sup>

---

<sup>43</sup> Cf. Section 13.3 for a more precise characterization of "role".


<sup>44</sup> In case of group communication, the relationship pseudonyms may be used between more than two partners.

<sup>45</sup> As with relationship pseudonyms, in case of group communication, the role-relationship pseudonyms may be used between more than two partners.

e) *transaction pseudonym*<sup>46</sup>:

For each transaction, a transaction pseudonym unlinkable to any other transaction pseudonyms and at least initially unlinkable to any other IOI is used, e.g., randomly generated transaction numbers for online-banking. Therefore, transaction pseudonyms can be used to realize as strong anonymity as possible.<sup>47</sup>

The strength of the anonymity of these pseudonyms can be represented as the lattice that is illustrated in the following diagram. The arrows point in direction of increasing anonymity, i.e.,  $A \rightarrow B$  stands for “B enables stronger anonymity than A”.<sup>48</sup>



In general, anonymity of both role pseudonyms and relationship pseudonyms is stronger than anonymity of person pseudonyms. The strength of anonymity increases with the application of role-relationship pseudonyms, the use of which is restricted to both the same role and the same relationship.<sup>49</sup> Ultimate strength of anonymity is obtained with transaction pseudonyms, provided that no other linkability information, e.g., from the context, is available.

<sup>46</sup> Apart from “transaction pseudonym” some employ the term “one-time-use pseudonym”, taking the naming from “one-time pad”.

<sup>47</sup> In fact, the strongest anonymity is given when there is no identifying information at all, i.e., information that would allow linking of anonymous entities, thus transforming the anonymous transaction into a pseudonymous one. If the transaction pseudonym is used exactly once, we have the same strength of anonymity as if no pseudonym is used at all. Another possibility to achieve strong anonymity is to prove the holdership of the pseudonym or specific properties (e.g., with zero-knowledge proofs) without revealing the information about the pseudonym or properties itself. Then, no identifiable or linkable information is disclosed.

<sup>48</sup> “ $\rightarrow$ ” is not the same as “ $\Rightarrow$ ” of Section 7, which stands for the implication concerning anonymity and unobservability.

<sup>49</sup> If a role-relationship pseudonym is used for roles comprising many kinds of activities, the danger arises that after a while, it becomes a person pseudonym in the sense of: “A person pseudonym is a substitute for the holder’s name which is regarded as representation for the holder’s civil identity.” This is even more true both for role pseudonyms and relationship pseudonyms.

Anonymity is the stronger, ...

- ... the less personal data of the pseudonym holder can be linked to the pseudonym;
- ... the less often and the less context-spanning pseudonyms are used and therefore the less data about the holder can be linked;
- ... the more often independently chosen, i.e., from an observer's perspective unlinkable, pseudonyms are used for new actions.

The amount of information of linked data can be reduced by different subjects using the same pseudonym (e.g. one after the other when pseudonyms are transferred or simultaneously with specifically created group pseudonyms<sup>50</sup>) or by misinformation or disinformation, cf. footnote in Section 4.

## 12 Known mechanisms and other properties of pseudonyms

A digital pseudonym could be realized as a public key to test digital signatures where the holder of the pseudonym can prove holdership by forming a digital signature which is created using the corresponding private key [Chau81]. The most prominent example for digital pseudonyms are public keys generated by the user himself/herself, e.g., using PGP<sup>51</sup>.

A *public key certificate* bears a digital signature of a so-called *certification authority* and provides some assurance to the binding of a public key to another pseudonym, usually held by the same subject. In case that pseudonym is the civil identity (the real name) of a subject, such a certificate is called an *identity certificate*. An *attribute certificate* is a digital certificate which contains further information (*attributes*) and clearly refers to a specific public key certificate. Independent of certificates, attributes may be used as identifiers of sets of subjects as well. Normally, attributes refer to sets of subjects (i.e., the anonymity set), not to one specific subject.

There are several other properties of pseudonyms related to their use which shall only be briefly mentioned but not discussed in detail in this text. They comprise different degrees of, e.g.,

- limitation to a fixed number of pseudonyms per subject<sup>52</sup> [Chau81, Chau85, Chau90],
- guaranteed uniqueness<sup>53</sup> [Chau81, StSy00],
- transferability to other subjects,
- authenticity of the linking between a pseudonym and its holder (possibilities of verification/falsification or indication/repudiation),
- provability that two or more pseudonyms have the same holder<sup>54</sup>,
- convertibility, i.e., transferability of attributes of one pseudonym to another<sup>55</sup> [Chau85, Chau90],
- possibility and frequency of pseudonym changeover,
- re-usability and, possibly, a limitation in number of uses,
- validity (e.g., guaranteed durability and/or expiry date, restriction to a specific application),

---

<sup>50</sup> The group of pseudonym holders acts as an inner anonymity set within a, depending on context information, potentially even larger outer anonymity set.

<sup>51</sup> In using PGP, each user may create an unlimited number of key pairs by himself/herself (at this moment, such a key pair is an initially unlinked pseudonym), bind each of them to an e-mail address, self-certify each public key by using his/her digital signature or asking another introducer to do so, and circulate it.

<sup>52</sup> For pseudonyms issued by an agency that guarantees the limitation of at most one pseudonym per individual, the term "is-a-person pseudonym" is used.

<sup>53</sup> E.g., "globally unique pseudonyms".

<sup>54</sup> For digital pseudonyms having only one holder each and assuming that no holders cooperate to provide wrong "proofs", this can be proved trivially by signing e.g. the statement "<Pseudonym1> and <Pseudonym2> have the same holder." digitally with respect to both these pseudonyms. Putting it the other way round: Proving that pseudonyms have the same holder is all but trivial.

<sup>55</sup> This is a property of convertible credentials.

- possibility of revocation or blocking, or
- participation of users or other parties in forming the pseudonyms.

In addition, there may be some properties for specific applications (e.g., addressable pseudonyms serve as a communication address) or due to the participation of third parties (e.g., in order to circulate the pseudonyms, to reveal civil identities in case of abuse, or to cover claims).

Some of the properties can easily be realized by extending a digital pseudonym by attributes of some kind, e.g., a communication address, and specifying the appropriate semantics. The binding of attributes to a pseudonym can be documented in an attribute certificate produced either by the holder himself/herself or by a certification authority. The non-transferability of the attribute certificate can be somewhat enforced e.g. by biometrical means, by combining it with individual hardware (e.g., chipcards), or by confronting the holder with legal consequences.

## 13 Identity management

### 13.1 Setting

To adequately address privacy-enhancing identity management, we have to extend our setting:

- It is not realistic to assume that an attacker might not get information on the sender or recipient of messages from the message content and/or the sending or receiving context (time, location information, etc.) of the message. We have to consider that the attacker is able to use these properties for linking messages and, correspondingly, the pseudonyms used with them.
- In addition, it is not just human beings, legal persons, or simply computers sending messages and using pseudonyms at their discretion as they like at the moment, but they use application programs, which strongly influence the sending and receiving of messages and may even strongly determine the usage of pseudonyms.

### 13.2 Identity and identifiability

Identity can be explained as an exclusive perception of life, integration into a social group, and continuity, which is bound to a body and shaped by society. This concept of identity<sup>56</sup> distinguishes between “I” and “Me” [Mead34]: “I” is the instance that is accessible only by the individual self, perceived as an instance of liberty and initiative. “Me” is supposed to stand for the social attributes, defining a human identity that is accessible by communications and that is an inner instance of control and consistency.<sup>57</sup>

Corresponding to the anonymity set introduced in the beginning of this text, we can work with an “identifiability set”<sup>58</sup> [Hild03] to define “identifiability” and “identity”<sup>59</sup>:

---


<sup>56</sup> Here (and in Section 13 throughout), we have human beings in mind, which is the main motivation for privacy. From a structural point of view, *identity* can be attached to any *subject*, be it a human being, a legal person, or even a computer. This makes the terminology more general, but may lose some motivation at first sight. Therefore, we start in our explanation with identity of human beings, but implicitly generalize to subjects thereafter. This means: In a second reading of this paper, you may replace “individual” by “subject” (introduced as “possibly acting entity” at the beginning of Section 3) throughout as it was used in the definitions of the Sections 2 through 12. It may be discussed whether the definitions can be further generalized and apply for any “entity”, regardless of subject or not.

<sup>57</sup> For more information see [ICPP03].

<sup>58</sup> The *identifiability set* is a set of possible subjects.

<sup>59</sup> This definition is compatible with the definitions given in: Giles Hogben, Marc Wilikens, Ioannis Vakalis: On the Ontology of Digital Identification, in: Robert Meersman, Zahir Tari (Eds.): On the

**Identifiability** is the state of being identifiable within a set of subjects, the *identifiability set*.



All other things being equal, identifiability is the stronger, the larger the respective identifiability set is. Conversely, the remaining anonymity is the stronger, the smaller the respective identifiability set is.

**An *identity* is any subset of attributes of an individual which identifies this individual within any set of individuals.<sup>60</sup> So usually there is no such thing as “the identity”, but several of them.**

Of course, attribute values or even attributes themselves may change over time. Therefore, if the attacker has no access to the change history of each particular attribute, the fact whether a particular subset of attributes of an individual is an identity or not may change over time as well. If the attacker has access to the change history of each particular attribute, any subset forming an identity will form an identity from his perspective irrespective how attribute values change.

### 13.3 Identity-related terms

#### *Role*

In sociology, a “role” or “social role” is a set of connected actions, as conceptualized by actors in a social situation (i.e., situation-dependent identity attributes and properties). It is mostly defined as an expected behavior (i.e., sequences of actions) in a given individual social context.

#### *Partial identity*

Each identity of a person comprises many partial identities of which each represents the person in a specific context or role. A partial identity is a subset of attributes of a complete identity, where a *complete identity* is the union of all attributes of all identities of this person<sup>61</sup>. On a technical

---

Move to Meaningful Internet Systems 2003: OTM 2003 Workshops, LNCS 2889, Springer, Berlin 2003, 579-593; and it is very close to that given by David-Olivier Jaquet-Chiffelle in [http://www.calt.insead.edu/fidis/workshop/workshop-wp2-december2003/presentation/VIP/vip\\_id\\_def2\\_files/frame.htm](http://www.calt.insead.edu/fidis/workshop/workshop-wp2-december2003/presentation/VIP/vip_id_def2_files/frame.htm): “An identity is any subset of attributes of a person which uniquely characterizes this person within a community.”

<sup>60</sup> An equivalent, but slightly longer definition of identity would be: An *identity* is any subset of attributes of an individual which distinguishes this individual from all other individuals within any set of individuals.


<sup>61</sup> We have to admit that usually nobody, including the person concerned, will know “all” attributes nor “all” identities. Nevertheless we hope that the notion “complete identity” will ease the understanding of “identity” and “partial identity”.

level, these attributes are data. Of course, attribute values or even attributes themselves of a partial identity may change over time.

A *pseudonym* might be an identifier for a partial identity.<sup>62</sup>

Whereas we assume that an “identity” uniquely characterizes an individual (without limitation to particular identifiability sets), a partial identity may not do, thereby enabling different quantities of anonymity. But we may find for each partial identity appropriately small identifiability sets<sup>63</sup>, where the partial identity uniquely characterizes an individual.<sup>64</sup>

As with identities, depending on whether the attacker has access to the change history of each particular attribute or not, the identifiability set of a partial identity may change over time if the values of its attributes change.



**anonymity set** of a partial identity given that the set of all possible subjects (the a-priori anonymity set, cf. footnote, case 1.) can be partitioned into the **three disjoint identifiability sets** of the partial identity shown

### *Digital identity*

Digital identity denotes attribution of properties to a person, which are immediately operationally accessible by technical means. More to the point, the identifier of a digital partial identity<sup>65</sup> can be a simple e-mail address in a news group or a mailing list. Its owner will attain a certain reputation. More generally we might consider the whole identity as a combination from “I” and “Me” where the “Me” can be divided into an implicit and an explicit part: Digital identity is the digital part from the explicated “Me”. Digital identity should denote all those personally related data that can be stored and automatically interlinked by a computer-based application.

### *Virtual identity*

Virtual identity is sometimes used in the same meaning as digital identity or digital partial identity, but because of the connotation with “unreal, non-existent, seeming” the term is mainly applied to

---

<sup>62</sup> If it is possible to transfer attributes of one pseudonym to another (as convertibility of credentials provides for, cf. Section 12), this means transferring a partial identity to this other pseudonym.

<sup>63</sup> For identifiability sets of cardinality 1, this is trivial, but it may hold for “interesting” identifiability sets of larger cardinality as well.

<sup>64</sup> The relation between *anonymity set* and *identifiability set* can be seen in two ways:

1. Within an a-priori anonymity set, we can consider a-posteriori identifiability sets as subsets of the anonymity set. Then the largest identifiability sets allowing identification characterize the a-posteriori anonymity, which is zero iff the largest identifiability set allowing identification equals the a-priori anonymity set.
2. Within an a-priori identifiability set, its subsets which are the a-posteriori anonymity sets characterize the a-posteriori anonymity. It is zero iff all a-posteriori anonymity sets have cardinality 1.

<sup>65</sup> A *digital partial identity* is the same as a *partial digital identity*. In the sequel, we skip “partial” if the meaning is clear from the context.

characters in a MUD (Multi User Dungeon), MMORPG (Massively Multiplayer Online Role Playing Games) or to avatars.

### 13.4 Identity management-related terms

#### *Identity management*

*Identity management* means managing various partial identities (usually denoted by pseudonyms) of the individual, i.e. administration and design of identity attributes as well as choice of the partial identity and pseudonym to be (re-)used in a specific context or role. Establishment of *reputation* is possible when the individual re-uses partial identities. A prerequisite to choose the appropriate partial identity is to recognize the situation the person is acting in.

#### *Privacy-enhancing identity management*

Given the restrictions of an application, identity management is called *perfectly privacy-enhancing* if by choosing the pseudonyms and their authorizations (cf. Section 10.3) carefully, it does not provide more linkability between partial identities to an attacker than giving the attacker the data with all pseudonyms omitted.

The identity management is called *privacy enhancing* if it does not provide essentially<sup>66</sup> more linkability between the partial identities.<sup>67</sup>

#### *Privacy-enhancing identity management enabling application design*

An application is designed in a privacy-enhancing identity management enabling way if neither the pattern of sending/receiving messages nor the attributes given to entities (i.e., humans, organizations, computers) imply more linkability than is strictly necessary to achieve the purposes of the application.

#### *Identity management system (IMS)*<sup>68</sup>

Technology-based identity management in its broadest sense refers to administration and design of identity attributes.

We can distinguish between identity management system<sup>69</sup> and identity management application: The term “identity management system” is seen as an infrastructure, in which “identity management applications” as components are co-ordinated. Identity management applications are tools for individuals to manage their socially relevant communications, which can be installed, configured and operated at the user’s and/or a server’s side.

A technically supported identity management has to empower the user to recognize different kinds of communication or social situations and to assess them with regards to their relevance, functionality and their security and privacy risk in order to make and take an roles adequately.

---

<sup>66</sup> “Essentially” is just a term used because we have not precisely defined a measure. If we define a measure, “essentially” would mean “too much”.

<sup>67</sup> Note that due to our setting, this definition focuses on the main property of Privacy-Enhancing Technologies (PETs), namely data minimization: This property means to limit as much as possible the release of personal data and for that released, ensure as much unlinkability as possible. We are aware of the limitation of this definition: In the real world it is not always desired to achieve utmost unlinkability. We believe that the user as the data subject should be empowered to decide on the release of data and on the degree of linkage of his or her personal data within the boundaries of legal regulations, i.e., in an advanced setting the privacy-enhancing application design should also take into account the support of “user-controlled release” as well as “user-controlled linkage”.

<sup>68</sup> Some publications use the abbreviations IdMS or IDMS instead.

<sup>69</sup> There are several different examples which are called Identity Management Systems, e.g. managing person-related data of employees/ customers within organizations or Single Sign-On systems. We are interested in the more general case of user-controlled IMS, i.e., involving users in IMS directly.

In general the identity management application should help the user in managing one's partial identities, meaning that different pseudonyms with associated data sets can be used according to different roles the user is acting in and according to different communication partners.

#### *Privacy-enhancing identity management system (PE-IMS)*

A Privacy-Enhancing IMS makes the flow of personal data explicit and gives its user a larger degree of control [CPHH02]. The guiding principle is "notice and choice", based on a high level of data minimization: This means user-controlled linkage of personal data.<sup>70</sup>

According to respective situation and context, such a system supports the user in making an informed choice of pseudonyms, representing his or her partial identities. A PE-IMS supports the user in managing his or her partial identities, i.e., in particular the processes of role taking and role making. It acts as a central gateway for all communication between different applications, like browsing the web, buying in Internet shops, or carrying out administrative tasks with governmental authorities [HBCC04].

## **14 Concluding remarks**

This text is a consolidated proposal for terminology in the field "anonymity, (un)linkability, (un)observability, pseudonymity, and identity management". The authors hope to get further feedback to improve this text and to come to a more precise and comprehensive terminology. Everybody is invited to participate in the process of defining an essential set of terms.

## **References**

- BüPf90 Holger Bürk, Andreas Pfitzmann: Value Exchange Systems Enabling Security and Unobservability; *Computers & Security* 9/8 (1990) 715-721.
- CaLy04 Jan Camenisch and Anna Lysyanskaya: Signature Schemes and Anonymous Credentials from Bilinear Maps; *Crypto 2004*, LNCS 3152, Springer, Berlin 2004, 56-72.
- Chau81 David Chaum: Untraceable Electronic Mail, Return Addresses, and Digital Pseudonyms; *Communications of the ACM* 24/2 (1981) 84-88.
- Chau85 David Chaum: Security without Identification: Transaction Systems to make Big Brother Obsolete; *Communications of the ACM* 28/10 (1985) 1030-1044.
- Chau88 David Chaum: The Dining Cryptographers Problem: Unconditional Sender and Recipient Untraceability; *Journal of Cryptology* 1/1 (1988) 65-75.
- Chau90 David Chaum: Showing credentials without identification: Transferring signatures between unconditionally unlinkable pseudonyms; *Auscrypt '90*, LNCS 453, Springer, Berlin 1990, 246-264.
- CoBi95 David A. Cooper, Kenneth P. Birman: Preserving Privacy in a Network of Mobile Computers; *1995 IEEE Symposium on Research in Security and Privacy*, IEEE Computer Society Press, Los Alamitos 1995, 26-38.
- CPHH02 Sebastian Clauß, Andreas Pfitzmann, Marit Hansen, Els Van Herreweghen: Privacy-Enhancing Identity Management; *The IPTS Report 67* (September 2002) 8-16.

---

<sup>70</sup> And by default unlinkability of different user actions so that communication partners involved in different actions by the same user cannot combine the personal data disseminated during these actions.

- HBCC04 Marit Hansen, Peter Berlich, Jan Camenisch, Sebastian Clauß, Andreas Pfitzmann, Michael Waidner: Privacy-Enhancing Identity Management; Information Security Technical Report (ISTR) Volume 9, Issue 1 (2004), Elsevier, UK, 35-44, [http://dx.doi.org/10.1016/S1363-4127\(04\)00014-7](http://dx.doi.org/10.1016/S1363-4127(04)00014-7).
- Hild03 Mireille Hildebrandt (Vrije Universiteit Brussels): presentation at the FIDIS workshop 2nd December, 2003; slides: [http://www.calt.insead.edu/fidis/workshop/workshop-wp2-december2003/presentation/VUB/VUB\\_fidis\\_wp2\\_workshop\\_dec2003.ppt](http://www.calt.insead.edu/fidis/workshop/workshop-wp2-december2003/presentation/VUB/VUB_fidis_wp2_workshop_dec2003.ppt).
- ICPP03 Independent Centre for Privacy Protection & Studio Notarile Genghini: Identity Management Systems (IMS): Identification and Comparison Study; commissioned by the Joint Research Centre Seville, Spain, September 2003, <http://www.datenschutzzentrum.de/projekte/idmanage/study.htm>.
- ISO99 ISO IS 15408, 1999, <http://www.commoncriteria.org/>.
- Mead34 George H. Mead: Mind, Self and Society, Chicago Press 1934.
- Pfit96 Birgit Pfitzmann (collected by): Information Hiding Terminology -- Results of an informal plenary meeting and additional proposals; Information Hiding, LNCS 1174, Springer, Berlin 1996, 347-350.
- PfPW91 Andreas Pfitzmann, Birgit Pfitzmann, Michael Waidner: ISDN-MIXes -- Untraceable Communication with Very Small Bandwidth Overhead; 7th IFIP International Conference on Information Security (IFIP/Sec '91), Elsevier, Amsterdam 1991, 245-258.
- PfWa86 Andreas Pfitzmann, Michael Waidner: Networks without user observability -- design options; Eurocrypt '85, LNCS 219, Springer, Berlin 1986, 245-253; revised and extended version in: Computers & Security 6/2 (1987) 158-166.
- ReRu98 Michael K. Reiter, Aviel D. Rubin: Crowds: Anonymity for Web Transactions, ACM Transactions on Information and System Security 1(1), November 1998, 66-92.
- Shan48 Claude E. Shannon: A Mathematical Theory of Communication; The Bell System Technical Journal 27 (1948) 379-423, 623-656.
- Shan49 Claude E. Shannon: Communication Theory of Secrecy Systems; The Bell System Technical Journal 28/4 (1949) 656-715.
- StSy00 Stuart Stubblebine, Paul Syverson: Authentic Attributes with Fine-Grained Anonymity Protection; Financial Cryptography 2000, LNCS Series, Springer, Berlin 2000.
- Waid90 Michael Waidner: Unconditional Sender and Recipient Untraceability in spite of Active Attacks; Eurocrypt '89, LNCS 434, Springer, Berlin 1990, 302-319.
- Wils93 Kenneth G. Wilson: The Columbia Guide to Standard American English; Columbia University Press, New York 1993.
- ZFKP98 J. Zöllner, H. Federrath, H. Klimant, A. Pfitzmann, R. Piotraschke, A. Westfeld, G. Wicke, G. Wolf: Modeling the security of steganographic systems; 2nd Workshop on Information Hiding, LNCS 1525, Springer, Berlin 1998, 345-355.

## Index

- absolute unlinkability, 8
- abuse, 19
- accountability, 13, 14, 15
  - in spite of anonymity, 14
  - with respect to a pseudonym, 14
- acting entity, 6
- action, 4
- addressable pseudonym, 19
- anonymity, 5, 6, 7, 8, 10, 12, 13, 15, 20
  - absolute, 9
  - quality of, 7
  - quantify, 7
  - quantity of, 6, 7
  - relationship, 11
  - robustness of, 7, 15
  - sender, 11
  - strength of, 7, 10, 16, 17, 18
- anonymity set, 6, 9, 12, 18, 19, 20, 21
  - largest possible, 6, 7
- anonymous, 12
- a-posteriori knowledge, 8
- application design, 22
  - privacy-enhancing, 22
- application program, 19
- a-priori knowledge, 7, 8, 15
- attacker, 5, 6, 7, 11, 19, 20
- attacker model, 16
- attribute, 5, 12
  - authentication by third parties, 15
  - system-controlled, 12
- attribute certificate, 18, 19
- attribute values, 20
- authentication, 13, 14
- avatar, 22
- background knowledge, 8
- biometrics, 19
- blocking, 19
- broadcast, 11
- certification authority, 13, 16, 18, 19
- chains of identity brokers, 15
- change history, 20, 21
- civil identity, 13, 14, 15, 16, 18
- communication network, 4, 6
- communication relationships, 8
- complete identity, 20
- computer, 5, 12, 19
- context, 20
- convertibility, 15, 18, 21
  - of digital pseudonyms, 15
- cover claims, 19
- credential, 15, 21
- customer pseudonym, 16
- data minimization, 22, 23
- data protection regulations, 12
- data subject, 22
- DC-net, 11
- digital identity, 21
- digital partial identity, 21
- digital pseudonym, 14, 15, 18, 19
- digital signature, 18
- disinformation, 8, 11, 15, 18
- distinguish, 20
- dummy traffic, 11
  - semantic, 11
- encryption, 5
- end-to-end encryption, 5
- entity, 5, 19
  - acting, 6
- entropy, 6, 7, 8, 9, 13
- forget, 5, 6
- globally unique pseudonym, 18
- group communication, 16
- group pseudonym, 12, 18
- holder, 12
  - of the pseudonym, 14
- holder of the pseudonym, 12
- holdership, 14
- human being, 5, 19
- human identity, 19
- I, 19, 21
- ID, 8, 12, 13, 14
- identifiability, 19, 20
  - strength of, 20
- identifiability set, 19, 20, 21
- identifiable, 6, 20
- identifier, 12
- identifier of a subject (ID), 8
- identity, 19, 20, 21
  - complete, 20
  - digital, 21
  - human, 19
  - partial, 21
  - virtual, 21
- identity broker, 13, 14, 15, 16
- identity brokers
  - chains of, 15
- identity card, 16
- identity certificate, 18
- identity management, 19, 22
  - perfectly privacy-enhancing, 22
  - privacy-enhancing, 22
  - technically supported, 22
- identity management application, 22, 23
- identity management system, 22
- identity theft, 13
- imply, 10
- IMS
  - user-controlled, 22

- indistinguishability, 7
- indistinguishable, 9
- individual, 19, 20
- initially non-public pseudonym, 15
- initially unlinked pseudonym, 16, 18
- insider, 5
- introducer, 18
- IOI, 5, 8, 9
- is-a-person pseudonym, 18
- items of interest (IOIs), 5, 8
- key
  - private, 18
  - public, 18
- knowledge, 5, 6, 7, 8, 16
  - a-posteriori, 8
  - a-priori, 8
  - background, 8
  - new, 8
- lattice, 17
- legal person, 5, 12, 14, 19
- liability broker, 13, 15
- linkability, 6, 15, 22
- linking
  - between the pseudonym and its holder, 15
- Me, 19, 21
- mechanisms
  - for anonymity, 11
  - for unobservability, 11
- message, 4
- message content, 5, 19
- misinformation, 8, 11, 15, 18
- MIX-net, 11
- mobile phone number, 16
- name
  - real, 12
- natural person, 5, 12, 14
- new knowledge, 8
- non-public pseudonym, 16
- notice and choice, 23
- nym, 12
- nymity, 12
- observation, 7, 8, 9
- one-time pad, 17
- one-time-use pseudonym, 17
- outsider, 5
- owner, 12
- partial digital identity, 21
- partial identity, 20, 21, 22, 23
  - digital, 21
- PE-IMS, 23
- perfect secrecy, 7, 8
- person pseudonym, 16, 17
- perspective, 5, 7
- PET, 22
- PGP, 18
- precise, 12
- privacy, 19
- privacy-enhancing application design, 22
- privacy-enhancing identity management system, 23
- Privacy-Enhancing Technologies, 22
- private information retrieval, 11
- private key, 18
- probabilities, 5, 6, 7, 8, 9
- property, 5
- pseudonym, 12, 13, 14, 18, 21, 22, 23
  - addressable, 19
  - attach funds, 14
  - customer, 16
  - digital, 14, 18, 19
  - globally unique, 18
  - group, 12, 18
  - in different contexts, 16
  - initially non-public, 15
  - initially unlinked, 16, 18
  - is-a-person, 18
  - non-public, 16
  - one-time-use, 17
  - person, 16, 17
  - public, 15, 16
  - relationship, 16, 17
  - role, 17
  - role-relationship, 16, 17
  - transaction, 17
  - transferable, 12, 16
- pseudonymity, 13, 15
  - quantify, 13
  - recipient, 13, 14
  - sender, 13, 14
- pseudonymization, 13
- pseudonymous, 12
- pseudonyms, 14
  - role, 16
- public key, 18
- public key certificate, 18
- public pseudonym, 15, 16
- quality of anonymity, 7
- quantify pseudonymity, 13
- quantify unlinkability, 8
- quantify unobservability, 9
- quantity of anonymity, 7, 21
- real name, 12, 18
- recipient, 4, 6
- recipient anonymity, 9, 10, 11
- recipient anonymity set, 6
- recipient pseudonymity, 13, 14
- recipient unobservability, 10, 11
- recipient unobservability set, 10
- relationship anonymity, 9, 10, 11
- relationship pseudonym, 16, 17
- relationship unobservability, 10, 11

relative unlinkability, 8  
reputation, 15, 21, 22  
revocation, 19  
robustness of anonymity, 7, 15  
role, 16, 20, 23  
role pseudonym, 16, 17  
role-relationship pseudonym, 16, 17  
semantic dummy traffic, 11  
sender, 4, 6  
sender anonymity, 9, 10, 11  
sender anonymity set, 6  
sender pseudonymity, 13, 14  
sender unobservability, 10, 11  
sender unobservability set, 10  
sender-recipient-pairs, 10  
set  
    anonymity, 6  
    unobservability, 9, 10  
set of subjects, 5, 6  
setting, 4  
side channel, 8  
Single Sign-On systems, 22  
social role, 20  
social security number, 16  
spread spectrum, 11  
state, 4, 5  
steganographic systems, 9  
steganography, 9, 11  
strength of anonymity, 7, 10, 16, 17, 18  
strength of identifiability, 20  
subject, 5, 6, 12, 18, 19  
    active, 5  
    passive, 5  
surrounding, 4, 5  
system, 4, 5  
system-controlled attribute, 12  
transaction pseudonym, 17  
transfer of holdership, 13  
transferability, 18  
transferable group pseudonym, 13  
transferable pseudonym, 12, 13  
uniqueness, 18  
universe, 4  
unlinkability, 7, 8, 15, 23  
    absolute, 8  
    quantity of, 8  
    relative, 8, 9  
unobservability, 9, 10  
    quantify, 9  
    recipient, 10  
    relationship, 10, 11  
    sender, 10, 11  
unobservability mechanisms, 11  
unobservability set, 9, 10  
user-controlled linkage, 22  
user-controlled release, 22  
usual suspects, 6  
value broker, 15  
virtual identity, 21  
zero-knowledge proof, 17

## Translation of essential terms

### To German

absolute anonymity	absolute Anonymität
absolute unlinkability	absolute Unverkettbarkeit
abuse	Missbrauch
accountability	Zurechenbarkeit
accountability in spite of anonymity	Zurechenbarkeit trotz Anonymität
accountability with respect to a pseudonym	Zurechenbarkeit zu einem Pseudonym
acting entity	handelnde Entität
action	Handlung
addressable pseudonym	adressierbares Pseudonym
anonymity	Anonymität
anonymity set	Anonymitätsmenge
anonymous	anonym
a-posteriori knowledge	A-Posteriori-Wissen
application design	Anwendungsentwurf
a-priori knowledge	A-Priori-Wissen
attacker	Angreifer
attacker model	Angreifermodell
attribute	Attribut
attribute authentication by third parties	Attributauthentisierung durch Dritte
attribute certificate	Attributzertifikat

attribute values	Attributwerte
authentication	Authentisierung
avatar	Avatar
background knowledge	Hintergrundwissen
biometrics	Biometrie
blocking	Sperrern
broadcast	Verteilung
certification authority	Zertifizierungsinstanz
chains of identity brokers	Ketten von Identitätstreuhändern
change history	Änderungshistorie
civil identity	zivile Identität
communication network	Kommunikationsnetz
communication relationships	Kommunikationsbeziehungen
complete identity	vollständige Identität
computer	Rechner
context	Kontext
convertibility	Umrechenbarkeit
convertibility of digital pseudonyms	Umrechenbarkeit digitaler Pseudonyme
cover claims	Forderungen abdecken
credential	Credential
customer pseudonym	Kundenpseudonym
data minimization	Datenminimierung
data protection regulations	Datenschutzregelungen
data subject	Betroffener
DC-net	DC-Netz
digital identity	digitale Identität
digital partial identity	digitale partielle Identität
digital pseudonym	digitales Pseudonym
digital signature	digitale Signatur
disinformation	Desinformation
distinguish	unterscheiden
dummy traffic	bedeutungsloser Verkehr
encryption	Verschlüsselung
end-to-end encryption	Ende-zu-Ende-Verschlüsselung
entity	Entität
entropy	Entropie
forget	vergessen
globally unique pseudonym	global eindeutiges Pseudonym
group communication	Gruppenkommunikation
group pseudonym	Gruppenpseudonym
holder	Inhaber
holder of the pseudonym	Inhaber des Pseudonyms
human being	Mensch
I	"I"
ID	ID
identifiability	Identifizierbarkeit
identifiability set	Identifizierbarkeitsmenge
identifiable	identifizierbar
identifier	Identifikator
identifier of a subject	Identifikator eines Subjektes
identity	Identität
identity broker	Identitätstreuhänder
identity card	Ausweis
identity certificate	Identitätszertifikat
identity management	Identitätsmanagement
identity management application	Identitätsmanagementanwendung

identity management system	Identitätsmanagementsystem
identity theft	Identitätsdiebstahl
imply	implizieren
IMS	IMS
indistinguishability	Ununterscheidbarkeit
indistinguishable	ununterscheidbar
individual	Individuum
initially non-public pseudonym	initial nicht-öffentliches Pseudonym
initially unlinked pseudonym	initial unverkettetes Pseudonym
insider	Insider
introducer	Introducer, Bekanntmacher
is-a-person pseudonym	Ist-eine-Person-Pseudonym
items of interest	interessierende Dinge
key	Schlüssel
knowledge	Wissen
largest possible anonymity set	größtmögliche Anonymitätsmenge
lattice	Verband
legal person	juristische Person
liability broker	Treuhänder für Verbindlichkeiten
linkability	Verkettbarkeit
linkability between the pseudonym and its holder	Verkettbarkeit zwischen dem Pseudonym und seinem Inhaber
Me	“Me”
mechanisms	Mechanismen
mechanisms for anonymity	Mechanismen für Anonymität
mechanisms for unobservability	Mechanismen für Unbeobachtbarkeit
message	Nachricht
message content	Nachrichteninhalt
misinformation	Missinformation
MIX-net	MIX-Netz
mobile phone number	Mobiltelefonnummer
name	Name
natural person	natürliche Person
new knowledge	neues Wissen
non-public pseudonym	nicht-öffentliches Pseudonym
notice and choice	“Notice and Choice” (d.h. Information des Betroffenen und Gelegenheit zur eigenen Entscheidung über die Verarbeitung der Daten)
nym	Nym
nymity	Nymity
observation	Beobachtung
one-time pad	One-Time-Pad
one-time-use pseudonym	einmal zu benutzendes Pseudonym
outsider	Außenstehender
owner	Eigentümer
partial digital identity	digitale Teilidentität
partial identity	Teilidentität
perfect secrecy	perfekte Geheimhaltung
person pseudonym	Personenpseudonym
perspective	Sicht
precise	präzise
privacy	Privatheit
privacy-enhancing application design	Privatheit fördernder Anwendungsentwurf
privacy-enhancing identity management system	Privatheit förderndes Identitätsmanagementsystem

Privacy-Enhancing Technologies	Privatheit fördernde Technik
private information retrieval	Abfragen und Überlagern
private key	privater Schlüssel
probabilities	Wahrscheinlichkeiten
property	Eigenschaft
pseudonym	Pseudonym
pseudonymity	Pseudonymität
pseudonymization	Pseudonymisierung
pseudonymous	pseudonym
public key	öffentlicher Schlüssel
public key certificate	Zertifikat für den öffentlichen Schlüssel
public pseudonym	öffentliches Pseudonym
quality of anonymity	Anonymitätsqualität
quantify pseudonymity	Pseudonymität quantifizieren
quantify unlinkability	Unverkettbarkeit quantifizieren
quantify unobservability	Unbeobachtbarkeit quantifizieren
quantity of anonymity	Anonymitätsquantität
real name	wirklicher Name
recipient	Empfänger
recipient anonymity	Empfängeranonymität
recipient anonymity set	Empfängeranonymitätsmenge
recipient pseudonymity	Empfängerpseudonymität
recipient unobservability	Empfängerunbeobachtbarkeit
recipient unobservability set	Empfängerunbeobachtbarkeitsmenge
relationship anonymity	Beziehungsanonymität
relationship pseudonym	Beziehungspseudonym
relationship unobservability	Beziehungsunbeobachtbarkeit
relative unlinkability	keine Verkettbarkeitsänderung
reputation	Reputation
revocation	Widerruf
robustness of anonymity	Anonymitätsrobustheit
role	Rolle
role pseudonym	Rollenpseudonym
role-relationship pseudonym	Rollenbeziehungspseudonym
semantic dummy traffic	(den Angreifer) irreführender Verkehr
sender	Sender
sender anonymity	Senderanonymität
sender anonymity set	Senderanonymitätsmenge
sender pseudonymity	Senderpseudonymität
sender unobservability	Senderunbeobachtbarkeit
sender unobservability set	Senderunbeobachtbarkeitsmenge
sender-recipient-pairs	Sender-Empfänger-Paare
set	Menge
set of subjects	Subjektmenge
setting	Szenario
side channel	Seitenkanal
social role	soziale Rolle
social security number	Sozialversicherungsnummer
spread spectrum	Spreizband
state	Zustand
steganographic systems	Stegosysteme
steganography	Steganographie
strength of anonymity	Anonymitätsstärke
subject	Subjekt
surrounding	Umgebung
system	System

system-controlled attribute	Attribut unter Systemkontrolle
transaction pseudonym	Transaktionspseudonym
transfer of holdership	Transfer der Inhaberschaft
transferability	Transferierbarkeit
transferable group pseudonym	transferierbares Gruppenpseudonym
transferable pseudonym	transferierbares Pseudonym
uniqueness	Eindeutigkeit
universe	Universum
unlinkability	Unverkettbarkeit
unobservability	Unbeobachtbarkeit
unobservability set	Unbeobachtbarkeitsmenge
user-controlled linkage	benutzerkontrollierte Verkettung
user-controlled release	benutzerkontrollierte Freigabe
usual suspects	die üblichen Verdächtigen
value broker	Wertetrehänder
virtual identity	virtuelle Identität
zero-knowledge proof	Zero-Knowledge-Beweis

**To <your mother tongue>**

<your name and e-mail address>

absolute anonymity	<Your input needed>
absolute unlinkability	<Your input needed>
abuse	<Your input needed>
accountability	<Your input needed>
accountability in spite of anonymity	<Your input needed>
accountability with respect to a pseudonym	<Your input needed>
acting entity	<Your input needed>
action	<Your input needed>
addressable pseudonym	<Your input needed>
anonymity	<Your input needed>
anonymity set	<Your input needed>
anonymous	<Your input needed>
a-posteriori knowledge	<Your input needed>
application design	<Your input needed>
a-priori knowledge	<Your input needed>
attacker	<Your input needed>
attacker model	<Your input needed>
attribute	<Your input needed>
attribute authentication by third parties	<Your input needed>
attribute certificate	<Your input needed>
attribute values	<Your input needed>
authentication	<Your input needed>
avatar	<Your input needed>
background knowledge	<Your input needed>
biometrics	<Your input needed>
blocking	<Your input needed>
broadcast	<Your input needed>
certification authority	<Your input needed>
chains of identity brokers	<Your input needed>
change history	<Your input needed>
civil identity	<Your input needed>
communication network	<Your input needed>
communication relationships	<Your input needed>
complete identity	<Your input needed>

computer	<Your input needed>
context	<Your input needed>
convertibility	<Your input needed>
convertibility of digital pseudonyms	<Your input needed>
cover claims	<Your input needed>
credential	<Your input needed>
customer pseudonym	<Your input needed>
data minimization	<Your input needed>
data protection regulations	<Your input needed>
data subject	<Your input needed>
DC-net	<Your input needed>
digital identity	<Your input needed>
digital partial identity	<Your input needed>
digital pseudonym	<Your input needed>
digital signature	<Your input needed>
disinformation	<Your input needed>
distinguish	<Your input needed>
dummy traffic	<Your input needed>
encryption	<Your input needed>
end-to-end encryption	<Your input needed>
entity	<Your input needed>
entropy	<Your input needed>
forget	<Your input needed>
globally unique pseudonym	<Your input needed>
group communication	<Your input needed>
group pseudonym	<Your input needed>
holder	<Your input needed>
holder of the pseudonym	<Your input needed>
human being	<Your input needed>
I	<Your input needed>
ID	<Your input needed>
identifiability	<Your input needed>
identifiability set	<Your input needed>
identifiable	<Your input needed>
identifier	<Your input needed>
identifier of a subject	<Your input needed>
identity	<Your input needed>
identity broker	<Your input needed>
identity card	<Your input needed>
identity certificate	<Your input needed>
identity management	<Your input needed>
identity management application	<Your input needed>
identity management system	<Your input needed>
identity theft	<Your input needed>
imply	<Your input needed>
IMS	<Your input needed>
indistinguishability	<Your input needed>
indistinguishable	<Your input needed>
individual	<Your input needed>
initially non-public pseudonym	<Your input needed>
initially unlinked pseudonym	<Your input needed>
insider	<Your input needed>
introducer	<Your input needed>
is-a-person pseudonym	<Your input needed>
items of interest	<Your input needed>
key	<Your input needed>

knowledge	<Your input needed>
largest possible anonymity set	<Your input needed>
lattice	<Your input needed>
legal person	<Your input needed>
liability broker	<Your input needed>
linkability	<Your input needed>
linkability between the pseudonym and its holder	<Your input needed>
Me	<Your input needed>
mechanisms	<Your input needed>
mechanisms for anonymity	<Your input needed>
mechanisms for unobservability	<Your input needed>
message	<Your input needed>
message content	<Your input needed>
misinformation	<Your input needed>
MIX-net	<Your input needed>
mobile phone number	<Your input needed>
name	<Your input needed>
natural person	<Your input needed>
new knowledge	<Your input needed>
non-public pseudonym	<Your input needed>
notice and choice	<Your input needed>
nym	<Your input needed>
nymity	<Your input needed>
observation	<Your input needed>
one-time pad	<Your input needed>
one-time-use pseudonym	<Your input needed>
outsider	<Your input needed>
owner	<Your input needed>
partial digital identity	<Your input needed>
partial identity	<Your input needed>
perfect secrecy	<Your input needed>
person pseudonym	<Your input needed>
perspective	<Your input needed>
precise	<Your input needed>
privacy	<Your input needed>
privacy-enhancing application design	<Your input needed>
privacy-enhancing identity management system	<Your input needed>
Privacy-Enhancing Technologies	<Your input needed>
private information retrieval	<Your input needed>
private key	<Your input needed>
probabilities	<Your input needed>
property	<Your input needed>
pseudonym	<Your input needed>
pseudonymity	<Your input needed>
pseudonymization	<Your input needed>
pseudonymous	<Your input needed>
public key	<Your input needed>
public key certificate	<Your input needed>
public pseudonym	<Your input needed>
quality of anonymity	<Your input needed>
quantify pseudonymity	<Your input needed>
quantify unlinkability	<Your input needed>
quantify unobservability	<Your input needed>
quantity of anonymity	<Your input needed>
real name	<Your input needed>
recipient	<Your input needed>

recipient anonymity	<Your input needed>
recipient anonymity set	<Your input needed>
recipient pseudonymity	<Your input needed>
recipient unobservability	<Your input needed>
recipient unobservability set	<Your input needed>
relationship anonymity	<Your input needed>
relationship pseudonym	<Your input needed>
relationship unobservability	<Your input needed>
relative unlinkability	<Your input needed>
reputation	<Your input needed>
revocation	<Your input needed>
robustness of anonymity	<Your input needed>
role	<Your input needed>
role pseudonym	<Your input needed>
role-relationship pseudonym	<Your input needed>
semantic dummy traffic	<Your input needed>
sender	<Your input needed>
sender anonymity	<Your input needed>
sender anonymity set	<Your input needed>
sender pseudonymity	<Your input needed>
sender unobservability	<Your input needed>
sender unobservability set	<Your input needed>
sender-recipient-pairs	<Your input needed>
set	<Your input needed>
set of subjects	<Your input needed>
setting	<Your input needed>
side channel	<Your input needed>
social role	<Your input needed>
social security number	<Your input needed>
spread spectrum	<Your input needed>
state	<Your input needed>
steganographic systems	<Your input needed>
steganography	<Your input needed>
strength of anonymity	<Your input needed>
subject	<Your input needed>
surrounding	<Your input needed>
system	<Your input needed>
system-controlled attribute	<Your input needed>
transaction pseudonym	<Your input needed>
transfer of holdership	<Your input needed>
transferability	<Your input needed>
transferable group pseudonym	<Your input needed>
transferable pseudonym	<Your input needed>
uniqueness	<Your input needed>
universe	<Your input needed>
unlinkability	<Your input needed>
unobservability	<Your input needed>
unobservability set	<Your input needed>
user-controlled linkage	<Your input needed>
user-controlled release	<Your input needed>
usual suspects	<Your input needed>
value broker	<Your input needed>
virtual identity	<Your input needed>
zero-knowledge proof	<Your input needed>