

# ACTA ENTOMOLOGICA MUSEI NATIONALIS PRAGAE

Published 31.xii.2017

Volume 57(supplementum), pp. 1–39

ISSN 0374-1036

<http://zoobank.org/urn:lsid:zoobank.org:pub:B6B4F6EA-D596-4480-B4AE-24810EAB8C3C>

<https://doi.org/10.1515/aemnp-2017-0105>

## Insect biodiversity of the Socotra Archipelago – underlined and counted

Jan BEZDĚK<sup>1)</sup> & Jiří HÁJEK<sup>2)</sup>

<sup>1)</sup> Mendel University in Brno, Department of Zoology, Fisheries, Hydrobiology and Apiculture, Zemědělská 1,  
CZ-613 00 Brno, Czech Republic; e-mail: bezdek@mendelu.cz

<sup>2)</sup> Department of Entomology, National Museum, Cirkusová 1740, CZ-193 00 Praha 9 – Horní Počernice,  
Czech Republic; e-mail: jiri\_hajek@nm.cz

**Abstract.** Altogether, 1,564 species taxa (identified at least to the genus level) from 25 orders of Hexapoda have been recorded from the Socotra Archipelago to date. In addition, members of Diplura and Ephemeroptera are known from the archipelago as well, but they have not been identified so far. The most speciose order in Socotra are beetles (Coleoptera) with 540 species. The total number of endemic taxa described from the archipelago is 662 species, which represents 42% of all known species. The vast majority of species is known from the main Socotra Island (1,520 species, 635 endemic taxa). The diversity of insects in Socotra is briefly commented on and compared with the nearest archipelago – the Seychelles.

**Key words.** Hexapoda, biodiversity, endemism, insect survey, Socotra, Yemen

### Introduction

An extensive research of invertebrate diversity of the Socotra Archipelago in the last 20 years resulted in numerous publications containing descriptions of new taxa as well as new faunistic records from Socotra. The majority of these outputs were based on research of Czech naturalists realised between 1999–2012 and published in HÁJEK & BEZDĚK (2012, 2014). Due to that, the numbers of known species occurring in the archipelago were doubled for some groups (e.g. Neuroptera, Diptera, Hymenoptera), or even multiplied (e.g. Psylloidea, Coleoptera), since the last published summation (WRANIK 2000).

With the present third ‘Supplementum’, we virtually close our research of insect biodiversity of the Socotra Archipelago – with the exception of Hemiptera, the vast majority of material collected during the Czech expedition has been processed and the results have been published – therefore we take advantage of this occasion to summarise our knowledge

about insects living in Socotra. Rather than an exhaustive checklist of all taxa, we focus on total numbers of species and the portions of endemic taxa, and a brief summary of what was achieved in different insect orders based on the excerptation of available literature – thus the specialists can easily find all relevant information for the groups of their interest. Moreover, the work is supplemented with a brief summary of the history of entomological research of the archipelago.

## Material and methods

For this publication, we treat insects in the broad sense as the whole Hexapoda. The numbers of recorded species were compiled based exclusively on published sources. For each group, we mention: 1) all references containing information about the occurrence of insect species (identified at least to the genus level) in the Socotra Archipelago; 2) information about the total numbers of species recorded from Socotra; 3) information about numbers, eventually also a list of endemic taxa. For the evaluation purpose, the fauna of insects of the Socotra Archipelago is compared with the nearest archipelago of continental origin in the Indian Ocean – the Seychelles (see also BATELKA 2012a).

## The history of biological exploration of the Socotra Archipelago

In this section we provide a brief summary of the entomological (biological) research on the Socotra Archipelago. Due to problematic accessibility as well as frequent political instability of the region, the biological research of the archipelago can be divided to several more or less distinct periods.

**Period pre-1850.** Pioneer biological visits of Socotra. The biological exploration of Socotra began in 1834, when lieutenants Charles J. Cruttenden, Stafford B. Haines, and James R. Wellsted landed at Socotra Island on the survey ship *Palinurus*, made some notes about the fauna and flora, collected some plants and published the first modern map of Socotra Island (WELLSTED 1835, BOXHALL 1966).

Crew of the ship *La Prévoyante* with the French officer Georges Charles Cloué and the botanist Auguste Pervillé from the Paris museum visited Socotra on December 1–8, 1841 (JACKSON 1892a,b). From the material collected by Cloué and Pervillé, the first three Socotran beetles were described: *Julodis clouei* Buquet, 1843 (Buprestidae), *Mallodon arabicum* Buquet, 1843 (Cerambycidae), and *Histeromorphus plicatus* Kraatz, 1865 (Tenebrionidae) (BUQUET 1843a,b; KRAATZ 1865).

**Period 1880–1899.** An era of the first, more or less specialized, biological expeditions. The team of Isaac Bayley Balfour spent 48 days on the island in 1880, making zoological, geological and above all botanical collections (BALFOUR 1888, WRANIK 2003). Only one year later, two German naturalists, Georg August Schweinfurth and Emil Riebeck, spent six weeks on Socotra in April and May 1881 (NEUMANN & GEDEON 2009).

When Socotra became a British Protectorate in 1886, the number of visits of the island remarkably increased. The archaeologists Mabel Virginia Anna Bent and her husband James

Theodore Bent accompanied Ernest N. Bennett, stayed two months in turn of years 1896/1897 in Socotra and collected one hundred specimens of insects (WRANIK 2003).

Until 1898, no purely zoological expedition was made on Socotra. The first dedicated zoological research trip was led by William Robert Ogilvie-Grant from the British Museum and Henry Ogg Forbes from Liverpool Museum. They reached the archipelago on December 3, 1898 and spent about three months not only in Socotra but visited also Abd el Kuri and Samha (FORBES 1903a).

In 1899, an Austrian expedition, under the lead of the linguist David Heinrich Müller landed on the west coast of Socotra. The members of team were also the entomologist Oskar Simony and Stefan Paulay, the ship's surgeon with a special interest in botany. Among the recorded animals brought to Vienna were about 4,000 insects (of about 500 species) (MÜLLER 1907, WRANIK 2003). After this Austrian expedition in 1899, there was about a half-century gap in biological research of the archipelago.

**Period 1953–1967.** After the World War Two, a new stage of Socotra exploration began in January 1953 when the British entomologist George Popov visited Socotra and studied the locusts for the Desert Locust Survey in Nairobi. Popov himself published a review of the desert locusts of Socotra (POPOV 1959), a revision of saltatorian fauna (UVAROV & POPOV 1957) and systematically described the Socotran vegetation (POPOV 1957).

The University of Oxford Expedition in 1956, led by Douglas Botting, aimed to carry a general scientific reconnaissance. The party of six experts conducted ethnographic, archeological and medical research, collected flora and fauna, and did vegetation surveys of parts of the island visited (BOTTING 1958).

The major multidisciplinary Middle East Command Expedition in spring 1967 was the most important in this period. Zoological observations were carried out by Kenneth M. Guichard and G. Frazer Jenkins. Guichard himself collected large amounts of material of various invertebrates, which became an important resource of specimens for subsequent entomological publications (WRANIK 2003).

The British withdrew from Yemen in 1967 and Socotra became closed to further biological exploration.

**Period 1982–2014.** Modern biological exploration is closely connected with activities of the German zoologist Wolfgang Wranik from the University of Rostock. In 1982, experts from the Geographical and Biological Departments of the University of Aden accompanied by Wranik visited Socotra. After that, Wranik himself visited Socotra Island many times between 1982 and 2005 under various projects and collaborated with many specialists in various zoological fields. In 1998 and 1999, experts visited Socotra (e.g. Hans Pohl, Kay Van Damme) under the UNDP/GEF project ‘Conservation and Sustainable Use of the Biodiversity of Socotra Archipelago’.

During the years 2007 and 2010, six scientific expeditions were organized by the University of Pavia to collect data under the framework of the ‘Socotra Conservation and Development Project’, funded by the Italian Cooperation – Ministry of Foreign Affairs, and under the auspice of the United Nations Development Programme. Important material of invertebrates was collected also by Antonius van Harten during his three visits in 1993, 1999, and 2000.

In this period we include also the short trips conducted by various enthusiastic collectors whose visited the archipelago either as tourists or associated with some project. We can mention for example Petr Zabransky (1993), Jean-Guy Canu (1993, 1997), Pietro Lo Cascio and Flavia Grita (2009), Aidas Saldaitis (2008–2010), Attilio Carapezza (2006, 2008, 2014), Ron & Rob Felix (2009, 2010), and Mostafa R. Sharaf (2014).

**Czech biological research 1999–2012.** The Czech expeditions are listed separately as the material collected by the Czech specialists became the basis for modern quantification of Socotran insects. Special collecting methods like sifting, beating, collecting at light during the whole night, suction sampling, were used to collect the insects. Czech specialists visited Socotra under various projects and grants, here we are listing the projects, their participants and years of visit:

The first zoological trips to Socotra were realised under the framework of the ‘Czech development aid provided for the Yemen Republic’, organised by the Czech University of Life Sciences Prague. The participants collecting insects were Vladimír Bejček and Karel Šťastný (1999–2004), Jan Farkač, Petr Kabátek, and David Král (2003), and Antonín Reiter (2004).

Three trips were organised under the project of the European Union structural funds ‘Management of natural resources in tropics and subtropics – innovation of study programmes at Faculty of Forestry and Wood technology, Mendel University in Brno’. Vladimír Hula (2009), Luboš Purchart, and Jan Vybíral (2009, 2010) participated in this project.

Finally, the three latest, and the most focused on arthropod biodiversity, expeditions were organised under the project of Vladimír Hula ‘Participation of young scientists of MZLU Brno to the research activities of IUFRO – the global network for forest science cooperation’. The following specialists took part in the trips: Vladimír Hula and Jana Niedobová (2010); Jan Batelka, Jan Bezděk, Jiří Hájek, Peter Hlaváč, and Luboš Purchart (2010); and Jan Bezděk, Jiří Hájek, Vladimír Hula, Petr Kment, Igor Malenovský, Jana Niedobová, and Luboš Purchart (2012).

**Post-2014 situation.** Deterioration of the political situation since 2012 and beginning of the civil war in 2015 froze most of research activities in Socotra. Although the island is not directly involved in the conflict, Socotra is currently almost inaccessible for foreign specialists and we are not aware of any entomological trip after 2014.

## Systematic account of insects of the Socotra Archipelago

The list of orders with total numbers of species and numbers of endemic taxa recorded from the Socotra Archipelago is summarised in Table 1.

### Diplura

**Literature sources.** WRANIK (2000, 2003).

**Comments.** WRANIK (2000, 2003) recorded unidentified specimens of the family Japygidae.

## Collembola

**Literature sources.** BRETFELD (2000, 2005), WRANIK (2000, 2003), BARRA (2004, 2006), WEINER et al. (2012).

**Comments.** Altogether 29 species (21 of them endemic) from the families Bourletiellidae, Dicyrtomidae, Entomobryidae, Hypogastruridae, Isotomidae, Katiannidae, Neanuridae, Paronellidae, and Sminthuridae were recorded from Socotra Island. Not recorded from Abd el Kuri, Darsa, and Samha.

## Zygentoma

**Literature sources.** WRANIK (1998, 2003), MENDES (2004).

**Comments.** Fauna of Zygentoma was revised in detail by MENDES (2004) who recorded 12 species (nine of them endemic to Socotra) in the families Lepismatidae and Nicoletiidae.

## Archaeognatha

**Literature sources.** WRANIK (1998, 2003), STURM (2002).

**Comments.** Only one species, *Afrochilis insularis* Sturm, 2002 (Machilidae), described from Socotra by STURM (2002), is recorded from the archipelago.

## Ephemeroptera

**Literature sources.** WRANIK (1998, 2003).

**Comments.** Unidentified Ephemeroptera were recorded from Socotra.

## Odonata

**Literature sources.** McLACHLAN et al. (1898), McLACHLAN (1903), KIMMINS (1960), ST. QUENTIN (1968), PINHEY (1970), GUICHARD (1992), SCHNEIDER & DUMONT (1998), WRANIK (1998, 2003), MAY (2002), NASHER & AL JUMAILY (2003), SUHLING et al. (2003), CHEUNG & DEVANTIER (2006), RISERVATO et al. (2010), BATELKA (2012a), SCHNEIDER & NASHER (2013).

**Comments.** One of the best known insect groups in the Socotra Archipelago. Data were recently summarized e.g. by RISERVATO et al. (2010) or SCHNEIDER & NASHER (2013). Up till now, five species of Zygoptera (family Coenagrionidae) and 16 species of Anisoptera (families Aeshnidae – 2 species, Gomphidae – 1 species, Libellulidae – 13 species) have been recorded. *Azuragrion granti* (McLachlan, 1903) is the only species endemic to Socotra.

## Orthoptera

**Literature sources.** TASCHENBERG (1883), KARSCH (1886), BURR (1898, 1899a,b, 1903), KRAUSS (1900, 1902, 1907), KIRBY (1910), UVAROV (1921, 1950), MISTSHENKO (1936), DIRSH (1951), DIRSH & UVAROV (1953), RAGGE (1956, 1968, 1980), UVAROV & POPOV (1957), POPOV (1959, 1981, 1984, 1997), WALKER (1966), JAGO (1967, 1977, 1996), HOLLIS (1968), POPOV & RATCLIFFE (1968), DESCAMPS (1970, 1977), KEVAN (1973), HSUANG & KEVAN (1975), RITCHIE (1981), GUICHARD (1992), GOROCHOV (1993), WRANIK (1998, 1999, 2000, 2003), CHEUNG & DEVANTIER (2006), MASSA (2009, 2017), HUSEMANN et al. (2011), BATELKA (2012a), DESUTTER-GRANDCOLAS & FELIX (2012).

**Comments.** Altogether 59 species (30 of them endemic) in 10 families are recorded from the Socotra Archipelago. Most of them occur in Socotra, while only one species in Samha, one in Darsa, and three in Abd el Kuri. A comprehensive taxonomic and faunistic study on the Orthoptera fauna of the Socotra Archipelago is in preparation (Rob Felix, pers. comm. 2017).

### Mantodea

**Literature sources.** BURR (1899a, 1903), KRAUSS (1902, 1907), MARSHALL (1975), KALTENBACH (1982), WRANIK (1998, 1999, 2003), ROY (2010).

**Comments.** Four species in two families (Empusidae and Mantidae) are recorded from the Socotra Archipelago. Three of them are considered endemic to Socotra: *Empusa simonyi* Krauss, 1902, *Teddia dioscoris* Burr, 1899, and *Sphodromantis socotrana* Roy, 2010.

### Blattodea

**Literature sources.** BURR (1898, 1899a, 1903), WRANIK (1998, 1999, 2000, 2003).

**Comments.** Seven species from the families Blaberidae, Blattidae, and Ectobiidae were recorded from Socotra. Only *Loboptera peculiaris* Burr, 1899 is treated as endemic to the island (WRANIK 2003).

### Blattodea: Isoptera

**Literature sources.** FORBES (1903b), HARRIS (1954), SANDS (1992), WRANIK (1998, 1999, 2003), BATELKA (2012a), SCHEFFRAHN & KŘEČEK (2017).

**Comments.** HARRIS (1954) described two endemic species from Socotra Island: *Amitermes socotrensis* Harris, 1954 and *Procryptotermes dioscurae* Harris, 1954. Additional three species identified only to the genus level (*Angulitermes* sp., *Heterotermes* sp., *Microcerotermes* sp.) were mentioned by WRANIK (2003).

### Dermoptera

**Literature sources.** BURR (1898, 1903, 1905), KRAUSS (1907), WRANIK (1998, 1999, 2003), HAAS et al. (2004), KOČÁREK (2014).

**Comments.** Socotran species were the object of two recent revisions by HAAS et al. (2004) and KOČÁREK (2014). Currently, 13 species from the families Anisolabidae, Labiduridae, Forficulidae, and Spongiphoridae are recorded from the archipelago. Seven species, i.e. 54% of the fauna, are considered endemic to Socotra.

### Embioptera

**Literature sources.** WRANIK (1999, 2003).

**Comments.** Two widely distributed species, *Oligotoma humbertiana* (Saussure, 1896) and *O. saundersii* (Westwood, 1837), are known from Socotra (WRANIK 2003).

## Psocoptera

**Literature sources.** LIENHARD (1995), WRANIK (2000, 2003).

**Comments.** Only two species, both endemic, were described directly from Socotra Island by LIENHARD (1995): *Cerobasis socotrae* Lienhard, 1995 and *Asiopsocus vanharteni* Lienhard, 1995.

## Phthiraptera

**Literature sources.** WRANIK (1999, 2000, 2003), REED et al. (2004), RAOULT et al. (2008).

**Comments.** Two worldwide distributed species attacking humans, *Pediculus humanus* Linnaeus, 1758 and *P. capitis* De Geer, 1778, are known from Abd el Kuri, Samha, and Socotra.

*Pectinopygus socotranus* Timmermann, 1964, an ectoparasite on *Phalacrocorax nigrogularis* (Aves), was described from mainland Yemen (Aden). Although its species name refers to Socotra, we did not find any reference mentioning its occurrence in Socotra. This species is not included in the species account.

## Hemiptera: Auchenorrhyncha

**Literature sources.** TASCHENBERG (1883), KIRKALDY (1899, 1903), MELICHAR (1902, 1923), DISTANT (1903, 1905), GUICHARD (1992), WRANIK (1998, 1999, 2000, 2003), CHEUNG & DEVANTIER (2006), ŚWIERNICZEWSKI et al. (2014, 2017), STROIŃSKI et al. (2016, in press a, in press b).

**Comments.** To date only 18 species have been recorded from Socotra, of them 13 taxa are identified to the species level. Seven genera and ten species are treated as endemic. Auchenorrhyncha is under an intensive ongoing study and it is expected that the number of species will significantly increase.

## Hemiptera: Sternorrhyncha: Psylloidea

**Literature sources.** BURCKHARDT & MIFSUD (1998), MALENOVSKÝ & BURCKHARDT (2014, 2015).

**Comments.** The fauna of Psylloidea was recently revised by MALENOVSKÝ & BURCKHARDT (2014). They recognized eight species in five families; five species are treated as endemic to Socotra.

## Hemiptera: Sternorrhyncha: Aphidomorpha

**Literature sources.** HARTEN et al. (1994), WRANIK (1998, 1999, 2000, 2003).

**Comments.** To date five species in two families have been recorded from Socotra. No endemic species in Socotra.

## Hemiptera: Sternorrhyncha: Coccoidea

**Literature sources.** COOLEY (1899), LINDINGER (1913), MILLER et al. (1998), WRANIK (2000, 2003).

**Comments.** Three species are recorded from Socotra: *Affirmaspis socotrana* (Lindinger, 1913) and *Pinnaspis dracaenae* (Cooley, 1899) from the family Diaspididae, and *Maconellicoccus hirsutus* (Green, 1908) from the family Pseudococcidae. *Affirmaspis socotrana* is treated as a species endemic to Socotra.

### Hemiptera: Heteroptera

**Literature sources.** TASCHENBERG (1883), KIRKALDY (1899, 1903), DISTANT (1901, 1903), BROWN (1956), LANSBURY (1964), USINGER (1966), SCUDDER (1967), EYLES (1973), ANDERSEN (1980), GÖLLNER-SCHEIDING (1980), LINNAVUORI (1989, 1994, 1997), RIBES & SCHMITZ (1992), WRANIK (1998, 1999, 2000, 2003), LINNAVUORI & HARTEN (2000, 2002), LIS (2000), MOULET (2001, 2004), CHEUNG & DEVANTIER (2006), CARAPEZZA (2011), DECKERT (2012), KMÉNT et al. (2015a,b, 2017).

**Comments.** At present days the fauna of Heteroptera is intensively studied. To date 60 species from 51 genera and 22 families have been published from Socotra. Of them one genus (*Socantestia* Ribes & Schmitz, 1992) and 18 species (30%) are treated as endemic. Only one species, *Chroantha ornatula* (Herrich-Schäffer, 1842), is recorded from Abd el Kuri. Based on the preliminary information published by KMÉNT et al. (2015a,b), the number of species will rapidly increase in the near future, as currently 196 species from 153 genera and 31 families are recorded and waiting to be published. Heteroptera shows high level of endemism (ca. 57 species and 10 genera, i.e. 29%), however, in some phytophagous families (Miridae, Tingidae) the endemism reaches even 52%.

### Thysanoptera

**Literature sources.** WRANIK (2003), STRASSEN (2004).

**Comments.** Socotran Thysanoptera were revised by STRASSEN (2004) who recognized 13 species in two families, Thripidae (ten species) and Phlaeothripidae (three species). No endemic taxa in Socotra.

### Neuroptera

**Literature sources.** TASCHENBERG (1883), KIRBY (1903b), KIMMINS (1960), TJEDER (1974, 1975), GUICHARD (1992), WRANIK (1998, 1999, 2000, 2003), WHITTINGTON (2002), ÁBRAHÁM (2010, 2011).

**Comments.** Altogether 21 species are recorded from Socotra, 17 of them identified to the species level, eight species (38%) are considered to be endemic to the archipelago. The most diverse family of Neuroptera is Myrmeleontidae with 13 identified species and at least two additional taxa identified only to the genus level (WHITTINGTON 2002; ÁBRAHÁM 2010, 2011). The family Nemopteridae contains three species and Ascalaphidae one species (TJEDER 1974, 1975; ÁBRAHÁM 2010). Species of Chrysopidae and Mantispidae have been recorded but not yet identified (e.g. KIMMINS 1960, WRANIK 2003).

### Mecoptera

**Literature sources.** RUST & BYERS (1976), PENNY & BYERS (1979), LONDТ (2001).

**Comments.** One species, the widely distributed Afro-tropical *Bittacus chevalierii* (Navás, 1908), is recorded from Socotra (LOND'T 2001).

## Coleoptera

**Literature sources.** BUQUET (1843a,b,c), KRAATZ (1865), WATERHOUSE (1881), TASCHENBERG (1883), GAHAN (1900, 1903), LAMEERE (1902), LESNE (1906, 1915), SCHMIDT (1911), ARROW (1915), AURIVILLIUS (1922), CSIKI (1931), LOTTE (1938), KOCH (1943, 1970), BRITTON (1948), BREUNING (1949), PETROVITZ (1962), DELLACASA (1979), PENRITH (1983a,b), BILÝ (1984, 2005, 2012), ŠVIHLA (1986, 1987, 2004, 2008, 2012), VIGNA TAGLIANTI & BRUSCHI (1990), GUICHARD (1992), ANTOINE (1993), ANONYMOUS (1994), LACROIX (1994, 1999, 2002), LEVEY & VOLKOVITSH (1996), BOLOGNA & PINTO (1998), CAMBEFORT (1998), CASSOLA & WRANIK (1998), SABATINELLI & PONTUALE (1998), WRANIK (1998, 1999, 2000, 2003), PERRIN (2000), RAIMUNDO & HARTEN (2000), ADLBAUER (2002, 2004, 2005), KEJVAL (2002, 2012), GEISTHARDT (2003), HEYDERICK (2003), NASHER & AL JUMAILY (2003), CASSOLA & POHL (2004), JIROUX et al. (2004), NEUMANN et al. (2004), SCHAWALLER (2004, 2006), TOSKINA (2004), WEWALKA (2004), ZABRANSKY (2004), BELLÉS (2005, 2009, 2012), CHEUNG & DEVANTIER (2006), RAIMUNDO et al. (2006), BOLOGNA & TURCO (2007), HÁVA (2007a,b, 2011, 2013, 2014, 2017), LACKNER & KAPLER (2007), NOVÁK (2007), TÉOCCHI et al. (2007), HOLZSCHUH (2008), KIRSCHENHOFER (2008, 2010), KOPECKÝ (2009), LO CASCIO & GRITA (2009, 2011), PURCHART (2009, 2012, 2013, 2014a,b), THÉRY et al. (2009), BRUSCHI (2010), KNÍZEK (2010, 2012a,b), OBYDOV & SALDAITIS (2010), SANTOS-SILVA et al. (2010), SCHÖLLER et al. (2010), HALSTEAD (2011, 2012), HROMÁDKA (2011), ASSING (2012, 2013, 2015), AUDISIO (2012), BATELKA (2012a,b), BEZDÉK J. (2012a,b, 2013), DELOBEL (2012), DÓBERL (2012), FARKAČ & HÄCKEL (2012), FELIX et al. (2012), FIKAČEK et al. (2012), GILDENKOV (2012), GIMMEL (2012), HÁJEK & KABÁTEK (2012), HLAVÁČ (2012), HORÁK et al. (2012), JÁCH & DELGADO (2012), KRÁL & KUBÁŇ (2012), KRÁL et al. (2012), KUNDRA (2012), LÖBL (2012), MEDVEDEV (2012), NOVAK & PURCHART (2012), PLATIA (2012, 2014), PURCHART & NABOZHENKO (2012), PURCHART & SCHAWALLER (2012), RÜCKER (2012), SCHAWALLER & PURCHART (2012), SCHUH (2012), ŠÍPEK et al. (2012), ŚWIĘTOJAŃSKA & BOROWIEC (2012), VOLKOVITSH (2012), ZOIA (2012), BEZDÉK A. et al. (2013, 2017), HÁVA et al. (2013a,b), ANLAS & FRISCH (2014), BATELKA & BOLOGNA (2014), BOLZ & WAGNER (2014), COLONNELLI (2014), FELIX (2014, 2017), GUÉORGUIEV et al. (2014), HÁJEK & REITER (2014), HERNANDO & RIBERA (2014), HLAVÁČ & BAÑAŘ (2014), KOLIBÁČ (2014), KRÁL (2014), SCHÖLLER (2014), SEHNAL et al. (2014, 2017), SKALICKÝ (2014), SKUHROVEC & KRESL (2014), FRISCH (2015), GEIS (2015), MICHAŁ et al. (2015), ZAHRADNÍK (2015), PRATHAPAN (2016), BIONDI & D'ALESSANDRO (2017), BOROWSKI & ŚLAWSKI (2017), FRIEDMAN (2017), GEISER (2017), GERSTMEIER (2017), HÁJEK & JELÍNEK (2017), LACKNER & VIENNA (2017), LORENC (2017), NABOZHENKO & PURCHART (2017), PLONSKI (2017), PURCHART & KAMIŃSKI (2017), STRAKA et al. (2017), FOQUÉ (in press).

**Comments.** Coleoptera have been intensively studied during the last 15 years, which has resulted in many publications with new descriptions and records. Actually, Coleoptera is the most species-rich insect order in the Socotra Archipelago with 537 recorded species (307 of them endemic). Most families were recently revised. A comprehensive catalogue of beetles is in preparation (Hájek & J. Bezděk, in prep.).

## Strepsiptera

**Literature sources.** WRANIK (2003), POHL & BEUTEL (2005), BENDA (2016).

**Comments.** Only one species, *Xenos zavattarii* (Pierce, 1911) (Xenidae), is recorded from Socotra (POHL & BEUTEL 2005).

## Diptera

**Literature sources.** TASCHENBERG (1883), McLACHLAN et al. (1898), THEOBALD (1901), RICARDO & THEOBALD (1903), HENDEL (1907), AUSTEN (1909), BECKER (1910), ALEXANDER (1920), BEZZI (1924), ENDERLEIN (1928), HE-

RING (1939), EDWARDS (1941), MEILLON (1947), LEESON & THEODOR (1948), HULL (1949, 1962), MATTINGLY (1953), STUCKENBERG (1954), MATTINGLY & KNIGHT (1956), OLDROYD (1964), BEYER (1965), GREATHEAD (1969, 2003, 2004), LEHRER (1970, 2003, 2005, 2006), PONT (1972), LYNEBORG (1976, 1989), CROSSKEY (1977, 1980), HUANG (1977), BAEZ (1980), TOWNSEND (1990), GUICHARD (1992), MATHIS (1993), TSACAS & ARTIGAS (1994), WRANIK (1998, 1999, 2000, 2003), GREATHEAD & EVENHUIS (2001), CROSSKEY et al. (2002), GELLER-GRIMM (2002), HAUSER (2002), MERZ (2002), SCARBRIDGE (2002, 2010), NASHER & AL JUMAILY (2003), VERVES (2003), LOND'T (2005, 2006, 2008), CHEUNG & DEVANTIER (2006), COURI et al. (2006), GRICHANOV (2006), BRAKE (2009, 2011), HANCOCK (2010), AL-KUBATI et al. (2011), MARSHALL et al. (2011), JEŽEK & TKOČ (2012), TOMASOVIC (2012), VIKHREV (2012), TKOČ & ROZKOŠNÝ (2014), SMIT et al. (2017).

**Comments.** Actually, 165 species are recorded from the Socotra Archipelago, 38 of them (= 23%) are treated as endemic. However, only some families have been well studied: Asilidae (e.g. GELLER-GRIMM 2002, LOND'T 2008), Bombyliidae (GREATHEAD 1969, 2004; GREATHEAD & EVENHUIS 2001), Culicidae (e.g. LEESON & THEODOR 1948, MATTINGLY & KNIGHT 1956), Limoniidae (HANCOCK 2010), Psychodidae (JEŽEK & TKOČ 2012), or Stratiomyidae (HAUSER 2002, TKOČ & ROZKOŠNÝ 2014). Most other families are still awaiting a comprehensive revision.

## Siphonaptera

**Literature sources.** BAKER (1895), WRANIK (1999, 2000, 2003).

**Comments.** Three widely distributed species from the family Pulicidae are reported from Socotra: *Ctenocephalides felis strongylus* (Jordan, 1927), *Synosternus pallidus* (Taschenberg, 1880), and *Xenopsylla cheopis* (Rothschild, 1903).

## Trichoptera

**Literature sources.** WRANIK (1998, 1999, 2000, 2003), MALICKY (1999).

**Comments.** Altogether four species are recorded from Socotra. Two of them, *Ecnomus homhilensis* Malicky, 1999 and *Chimarra deksamensis* Malicky, 1999, are treated as endemic.

## Lepidoptera

**Literature sources.** BUTLER (1881, 1897), TASCHENBERG (1883), DIXEY (1898), HAMPSON (1899, 1900, 1901a,b, 1902, 1903, 1905, 1908, 1909, 1910, 1912, 1913a,b, 1926, 1930), OGILVIE-GRANT (1899, 1903), REBEL (1899, 1907), WALSINGHAM (1900, 1903), ROTHSCHILD & JORDAN (1903), FLETCHER (1910), STRAND (1916), TAMS (1924), MEYRICK (1933), JORDAN (1939), GHESEQUIÈRE (1942), BERIO (1950), STORACE (1955), FLETCHER (1961, 1967), WHALLEY (1963), SATTLER (1967, 1976), CARCASSON (1968), ROESLER (1973), ARENBERGER (1977, 2009), POPESCU-GORJ & CONSTANTINESCU (1977), SPEIDEL (1984), WILTSHIRE (1988), GUICHARD (1992), HERBULOT (1993, 1994, 1999), LÖDL (1994, 1995), HREBLAY (1996), WRANIK (1998, 1999, 2000, 2003), HACKER (1999, 2011, 2016), HEYNDERICKX (2004), CHEUNG & DEVANTIER (2006), HACKER & FIRIGER (2006), HAUSMANN (2006, 2009), IVINSKIS & SALDAITIS (2008), BEHOUNEK et al. (2010), HACKER & SALDAITIS (2010, 2011), SALDAITIS & IVINSKIS (2010), YAKOVLEV & SALDAITIS (2010), BORTH et al. (2011), HAXAIRE & MELICHAR (2011), YAKOVLEV (2011), BATELKA (2012a), HACKER et al. (2012), FRIC & HULA (2013), NUPPONEN & SALDAITIS (2013), BENGTSSON (2014), FRIC et al. (2017).

**Comments.** With 286 species, Lepidoptera is the second most species-rich order of insects in the Socotra Archipelago. 105 species (36%) are endemic to the archipelago. Some groups were recently revised in detail, for example: Cossidae (BORTH et al. 2011), Geometridae (HAUSMANN 2006, 2009), Pterophoridae (ARENBERGER 2009), or Noctuoidea (HACKER 2016;

HACKER & SALDAITIS 2010, 2011). An actual list of 27 Socotran butterflies was published by FRIC & HULA (2013) and FRIC et al. (2017). However, other families like Pyralidae or Tortricidae are awaiting a comprehensive revision.

## Hymenoptera

**Literature sources.** KIRBY (1881, 1900, 1903a), TASCHENBERG (1883), MAYR (1886), McLACHLAN et al. (1898), FRIESE (1903, 1909, 1915), KOHL (1906, 1918), COCKERELL (1907, 1937), TURNER (1912), BEQUAERT (1918), BLÜTHGEN (1925), RICHARDS (1928, 1982), SCHULTHESS (1928), SOIKA (1934, 1940, 1941, 1960, 1974), NOSKIEWICZ (1936), BEAUMONT (1961), LIEFTINCK (1968), EMEY (1973), BOUČEK (1974), PESENKO (1983), PAULY (1984, 1990, 2017), COLLINGWOOD (1985), EBMER (1985, 2000), PASTEELS (1985), LINSENMAIER (1987), HENSEN (1988), WOLF (1988), ACHTERBERG (1990), GUICHARD (1992), COLLINGWOOD & HARTEN (1994), PULAWSKI (1995, 2007), ARGAMAN (1996), COLLINGWOOD & AGOSTI (1996), KUHLMANN (1998, 2003, 2007), WRANIK (1998, 1999, 2000, 2003), BAKER (1999), OHL (1999), PAGLIANO (2002), SEIFERT (2003), COLLINGWOOD et al. (2004), PESENKO & PAULY (2005, 2009), CHEUNG & DEVANTIER (2006), LELEJ & HARTEN (2006), NOORT & HARTEN (2006), WAHIS (2006), ENGEL (2007), BONI BARTALUCCI (2010, 2016), JANŠTA (2012), LO CASCIO et al. (2012), LO CASCIO & PAGLIANO (2014), BENDA (2016), SHARAF et al. (2017), STRAKA et al. (2017).

**Comments.** Altogether 143 species are recorded from the Socotra Archipelago, 52 species (36%) of them are endemic. Some groups were studied in detail recently, for example Formicidae (COLLINGWOOD et al. 2004, SHARAF et al. 2017), Chalcidoidea (JANŠTA 2012), bees (STRAKA et al. 2017), or Mutillidae (LO CASCIO et al. 2012).

## Discussion

The total number of insect species known from the Socotra Archipelago has significantly increased since the first account by WRANIK (1998). Currently, 1,564 species of insects are known to occur in the Archipelago. The most species-rich orders are holometabolous Coleoptera (540 species), Lepidoptera (286), Diptera (165), and Hymenoptera (143); the only exception is hemimetabolous Heteroptera with an expected number of 196 species (KMENET et al. 2015a,b).

The overwhelming majority of species diversity is known from the main island of Socotra, which is certainly caused by a larger surface area and much more variable habitats in Socotra, but also by collecting bias in problematically accessible smaller islands. The distribution of insect orders in the particular islands is summarised in Table 2.

Although the number of insect species in Socotra nearly twice exceeded the number of plants known from the archipelago (MILLER & MORRIS (2004) mentioned 828 species of vascular plants in Socotra), the total number of insects is still quite low for the archipelago with a surface area of about 3,800 km<sup>2</sup>. The only possible place for comparison are the granitic Seychelles, which are however much smaller (surface area of about 455 km<sup>2</sup>, coral atolls included) and much older than Socotra (see also BATELKA 2012a). In almost all species-rich orders, the number of species is bigger by at least half in the Seychelles than in Socotra. The highest difference is in Diptera (630 species in the Seychelles, but only 165 species in Socotra) and Lepidoptera (552 species in the Seychelles, 286 species in Socotra); on the other hand similar numbers of species on both archipelagos are in Collembola, Odonata, or Orthoptera (GERLACH & MATYOT 2006; GERLACH & HAAS 2007; GERLACH 2008, 2009, 2013).

Table 1. The list of recorded orders with total numbers of species and numbers of taxa endemic to the Socotra Archipelago (in parentheses) in comparison with the fauna of the Seychelles.

	Socotra based on WRANIK (1998, 2000, 2003)	Socotra current status	Seychelles based on GERLACH (2008, 2009, 2013), GERLACH & HAAS (2007), GERLACH & MATYOT (2006)
Collembola	recorded	29 (21)	28 (18)
Diplura	recorded	recorded	2 (2)
Zygentoma	recorded	12 (9)	9 (3)
Archaeognatha	recorded	1 (1)	4 (4)
Ephemeroptera	recorded	recorded	3 (2)
Odonata	20 (1)	21 (1)	23 (6)
Orthoptera	54 (34)	59 (30)	71 (37)
Mantodea	3 (2)	4 (3)	4 (1)
Blattodea	7 (1)	7 (1)	48 (36)
Blattodea: Isoptera	5 (2)	5 (2)	8 (4)
Dermoptera	10 (3)	13 (7)	23 (4)
Embioptera	2 (0)	2 (0)	2 (0)
Phasmatodea	–	–	6 (6)
Psocoptera	2 (2)	2 (2)	58 (33)
Phthiraptera	2 (0)	2 (0)	10 (4)
Hemiptera: Auchenorrhyncha	6 (5)	18 (10)	156 (109)
Hemiptera: Psylloformata	–	8 (5)	3 (0)
Hemiptera: Aphidomorpha	2 (0)	5 (0)	3 (0)
Hemiptera: Coccoformata	recorded	3 (1)	74 (6)
Hemiptera: Heteroptera	40	196 (57)	254 (85)
Thysanoptera	recorded	13 (0)	18 (8)
Neuroptera	20 (8)	21 (8)	16 (3)
Mecoptera	–	1 (0)	–
Coleoptera	106 (37)	540 (307)	860 (506)
Strepsiptera	recorded	1 (0)	–
Diptera	75 (at least 10)	165 (38)	630 (295)
Siphonaptera	3 (0)	3 (0)	1 (0)
Trichoptera	4 (2)	4 (2)	12 (12)
Lepidoptera	191 (61)	286 (105)	552 (275)
Hymenoptera	90 (59)	143 (52)	266 (142)
<b>total</b>	<b>642</b> (227, = 35%)	<b>1564</b> (662, = 42%)	<b>3144</b> (1601, = 51%)

We are rather sure that collecting efforts in the Socotra Archipelago have been quite insufficient so far, and we expect many additional species to be found in Socotra, however, still even for the best studied group – Coleoptera, only 540 species are known from Socotra, while 860 species are known from the Seychelles (GERLACH 2009), and some groups of beetles, speciose in the adjacent regions, are completely missing in Socotra (e.g. Eucnemidae, Lycidae, Lampyridae, Cryptophagidae, Endomychidae, etc.). Although no such study exists for Socotran insects, we believe that the current unbalanced and rather poor fauna of insects of Socotra may be caused by arid climate of the archipelago, and especially by extinctions due to several historical major aridifications of the archipelago, which were documented e.g. by SHAKUN et al. (2007).

Table 2. Distribution of insect orders in the Socotra Archipelago and the particular islands (number of endemic species in parentheses: \* – species endemic only to the respective island, \*\* – species endemic to the Socotra Archipelago; i.e. species occurring in more than one island).

	Socotra Archipelago	Abd el Kuri	Darsa	Samha	Socotra
Collembola	29 (21)	–	–	–	29 (21*)
Diplura	recorded	–	–	–	recorded
Zygentoma	12 (9)	1 (1*)	–	–	11 (8*)
Archaeognatha	1 (1)	–	–	–	1 (1*)
Ephemeroptera	recorded	–	–	–	recorded
Odonata	21 (1)	1 (0)	–	5 (0)	21 (1*)
Orthoptera	59 (30)	3 (2*)	1 (0)	1 (0)	58 (28*)
Mantodea	4 (3)	1 (0)	1 (1**)	1 (1**)	3 (2*, 1**)
Blattodea	7 (1)	–	–	–	7 (1*)
Dermaptera	13 (7)	–	–	1 (0)	13 (7*)
Isoptera	5 (2)	–	–	–	5 (2*)
Embioptera	2 (0)	–	–	–	2 (0)
Psocoptera	2 (2)	–	–	–	2 (2*)
Phthiraptera	2 (0)	2 (0)	–	2 (0)	2 (0)
Hemiptera: Auchenorrhyncha	18 (10)	–	–	–	14 (7*)
Hemiptera: Psyllomorphida	8 (5)	–	–	–	8 (5*)
Hemiptera: Aphidomorpha	5 (0)	–	–	–	5 (0)
Hemiptera: Coccomorpha	3 (1)	–	–	–	3 (1*)
Hemiptera: Heteroptera	196 (57)	1 (0)	–	–	195 (57*)
Thysanoptera	13 (0)	–	–	–	13 (0)
Neuroptera	21 (8)	–	–	–	21 (8*)
Mecoptera	1 (0)	–	–	–	1 (0)
Coleoptera	540 (307)	19 (6*, 6**)	7 (7**)	16 (10**)	531 (284*, 16**)
Strepsiptera	1 (0)	–	–	–	1 (0)
Diptera	165 (38)	20 (2*, 3**)	1 (1**)	4 (2**)	152 (31*, 4**)
Siphonaptera	3 (0)	–	–	–	3 (0)
Trichoptera	4 (2)	–	–	–	4 (2*)
Lepidoptera	286 (105)	31 (2*, 8**)	–	27 (13**)	276 (85*, 15**)
Hymenoptera	143 (52)	21 (4*, 3**)	1 (0)	12 (3**)	135 (40*, 6**)
<b>total</b>	<b>1564</b>	<b>100</b>	<b>11</b>	<b>69</b>	<b>1520</b>
	(662, = 42%)	(17*, = 17%; (0*, 9**, = 20**, = 20%)	82%)	(0*, 29**, = 42%)	(593*, = 39%; 42**, = 3%)

The preliminary list of endemic genus-level taxa was published by BATELKA (2012a) who mentioned 40 genera and subgenera. Since then, the tenebrionid genus *Apithesis* Waterhouse, 1881 has been synonymised with *Clitobius* Mulsant & Rey, 1859 (see PURCHART & KAMIŃSKI 2017), but many more endemic genera have been described, thus currently 67 genus-level taxa (62 genera and 5 subgenera) are considered endemic to the Socotra Archipelago (see Table 3). In addition, about nine yet undescribed genera of Heteroptera (KMENT et al. 2015a,b) are known to occur in Socotra, and will be described in the near future. The order with the highest number of endemic genus-level taxa is, mainly due to the extensive study in recent years, Coleoptera (34 genera and 4 subgenera).

662 insect species are currently considered endemic to the archipelago. That represents 42% of all species. Within the orders that have more than ten species in Socotra, the highest percentage of endemism have, naturally, flightless orders as Zygentoma – 75% (i.e. 9 of 12 species) and Collembola – 72% (21 of 29 species). Those are followed by Coleoptera – 57%

Table 3. List of insect genera/subgenera endemic to the Socotra Archipelago (modified from BATELKA (2012a)).

<b>Order: Family</b>	<b>Endemic genus / subgenus</b>	<b>Sp.</b>	<b>Reference(s)</b>
Collembola: Bourletiellidae	<i>Diksamella</i> Bretfeld, 2005	1	BRETFELD (2005)
Collembola: Sminthuridae	<i>Sogotrasminthurus</i> Bretfeld, 2005	2	BRETFELD (2005)
Archaeognatha: Machilidae	<i>Afrochilis</i> Sturm, 2002	1	STURM (2002)
Zygentoma: Lepismatidae	<i>Primacrotelsa</i> Mendes, 2004	1	MENDES (2004)
Neuroptera:	<i>Apocroce</i> Tjeder, 1974	1	TJEDER (1974, 1975)
Nemopteridae			
Neuroptera: Nemopteridae	<i>Parasicyoptera</i> Tjeder, 1974	1	TJEDER (1974)
Orthoptera: Acrididae	<i>Dioscoridus</i> Popov, 1957	1	UVAROV & POPOV (1957)
Orthoptera: Acrididae	<i>Physemophorus</i> Krauss, 1907	1	UVAROV & POPOV (1957)
Orthoptera: Acrididae	<i>Oxytruxalis</i> Dirsh, 1951	1	DIRSH (1951)
Orthoptera: Eumastacidae	<i>Phaulotypus</i> Burr, 1899	4	DESCAMPS (1970)
Orthoptera: Eumastacidae	<i>Socotrella</i> Popov, 1957	1	DESCAMPS (1970)
Orthoptera: Pyrgomorphidae	<i>Xenephias</i> Kevan, 1973	1	KEVAN (1973)
Orthoptera: Tettigoniidae	<i>Pachysmopoda</i> Karsch, 1886	1	UVAROV & POPOV (1957)
Orthoptera: Tettigoniidae	<i>Phaneroptila</i> Uvarov, 1957	1	UVAROV & POPOV (1957)
Orthoptera: Phalangopsidae	<i>Socotracris</i> Desutter-Grandcolas, 2012	1	DESUTTER-GRANDCOLAS & FELIX (2012)
Mantodea: Mantidae	<i>Teddia</i> Burr, 1899 (Darsa, Samha and Socotra)	1	BURR (1899)
Dermoptera: Anisolabidae	<i>Socotralabis</i> Kočárek, 2014	2	KOČÁREK (2014)
Hemiptera: Fulgoromorpha:	<i>Mosiona</i> Melichar, 1923	3	MELICHAR (1923)
Flatidae			
Hemiptera: Fulgoromorpha: Flatidae	<i>Dixamflata</i> Stroiński, Malenovský & Świerczewski, 2016	1	STROIŃSKI et al. (2016)
Hemiptera: Fulgoromorpha: Flatidae	<i>Haloflata</i> Świerczewski, Malenovský & Stroiński, 2017	1	ŚWIERCZEWSKI et al. (2017)
Hemiptera: Fulgoromorpha: Flatidae	<i>Kesaflata</i> Stroiński, Malenovský & Świerczewski, 2016	1	STROIŃSKI et al. (2016)
Hemiptera: Fulgoromorpha: Flatidae	<i>Kirkamflata</i> Świerczewski, Malenovský & Stroiński, 2014	1	ŚWIERCZEWSKI et al. (2014)
Hemiptera: Fulgoromorpha: Flatidae	<i>Medlleria</i> Stroiński, Malenovský & Świerczewski, in press b	1	STROIŃSKI et al. (in press b)
Hemiptera: Fulgoromorpha: Flatidae	<i>Socoflata</i> Stroiński, Malenovský & Świerczewski, in press a	2	STROIŃSKI et al. (in press a)
Hemiptera: Heteroptera: Pentatomidae	<i>Socantestia</i> Ribes & Schmitz, 1992	1	RIBES & SCHMITZ (1992)
Coleoptera: Cicindelidae	<i>Socotrana</i> Cassola & Wranik, 1998	1	CASSOLA & WRANIK (1998)
Coleoptera: Carabidae	<i>Odontopeza</i> Felix, 2014 (as subgenus of <i>Lebia</i> Latreille, 1802)	1	FELIX (2014)
Coleoptera: Carabidae	<i>Parorthomus</i> Guéorguiev, Wrase & Farkač, 2014	1	GUÉORGUIEV et al. (2014)
Coleoptera: Bolboceratidae	<i>Socotrabolbus</i> Cambefort, 1998	1	CAMBEOFORT (1998)
Coleoptera: Scarabaeidae	<i>Canudema</i> Lacroix, 1994	2	KRÁL et al. (2012)
Coleoptera: Scarabaeidae	<i>Canuschiza</i> Lacroix, 1999	10	SEHNAL et al. (2014, 2017)

Table 3. Continued.

<b>Order: Family</b>	<b>Endemic genus / subgenus</b>	<b>Sp.</b>	<b>Reference(s)</b>
Coleoptera: Scarabaeidae	<i>Socotraproctus</i> Král, Sehnal & Bezděk, 2012	1	KRÁL et al. (2012)
Coleoptera: Cantharidae	<i>Socotrasilis</i> Geiser, 2017	1	GEISER (2017)
Coleoptera: Elateridae	<i>Gahanus</i> Platia, 2012	1	PLATIA (2012)
Coleoptera: Elateridae	<i>Socotrelater</i> Platia, 2012	1	PLATIA (2012)
Coleoptera: Ptinidae	<i>Dermolasia</i> Zahradník, 2015	1	ZAHRADNÍK (2015)
Coleoptera: Ptinidae	<i>Metholbium</i> Zahradník, 2015	2	ZAHRADNÍK (2015)
Coleoptera: Dermestidae	<i>Socotracornis</i> Háva, 2013 (as subgenus of <i>Globicornis</i> Latreille, 1829)	1	HÁVA (2013)
Coleoptera: Tenebrionidae	<i>Deretus</i> Gahan, 1900	7	PURCHART (2012, 2014)
Coleoptera: Tenebrionidae	<i>Dioscoridemus</i> Koch, 1970	1	SCHAWALLER (2004)
Coleoptera: Tenebrionidae	<i>Eusyntelia</i> Waterhouse, 1881 (Darsa, Samha and Socotra)	6	SCHAWALLER (2004)
Coleoptera: Tenebrionidae	<i>Gahanosis</i> Penrith, 1983 (as subgenus of <i>Zophosis</i> Latreille, 1802) (Abd el Kuri)	1	PENRITH (1983b)
Coleoptera: Tenebrionidae	<i>Histeromorphus</i> Kraatz, 1865 (Abd el Kuri, Darsa, Samha and Socotra)	6	PURCHART (2014a)
Coleoptera: Tenebrionidae	<i>Nanocaecus</i> Schawaller & Purchart, 2012	1	SCHAWALLER & PURCHART (2012)
Coleoptera: Tenebrionidae	<i>Socotralia</i> Novák, 2007	7	NOVÁK & PURCHART (2012)
Coleoptera: Tenebrionidae	<i>Socotropatrum</i> Koch, 1970 (Samha and Socotra)	2	SCHAWALLER (2004)
Coleoptera: Cerambycidae	<i>Sokotheistes</i> Adlbauer, 2002 (as subgenus of <i>Chariesthes</i> Chevrolat, 1858)	1	ADLBAUER (2002)
Coleoptera: Chrysomelidae	<i>Beenenia</i> Bezděk, 2012	2	BEZDĚK (2012b)
Coleoptera: Chrysomelidae	<i>Bezdekaltica</i> Döberl, 2012	1	DOBERL (2012)
Coleoptera: Chrysomelidae	<i>Erythraella</i> Zoia, 2012	1	ZOIA (2012)
Coleoptera: Attelabidae	<i>Socotrarinus</i> Skuhroveč & Kresl, 2014	1	SKUHROVEC & KRESL (2014)
Coleoptera: Curculionidae	<i>Armifemur</i> Colonelli, 2014	1	COLONNELLI (2014)
Coleoptera: Curculionidae	<i>Bezdekiellus</i> Colonelli, 2014	1	COLONNELLI (2014)
Coleoptera: Curculionidae	<i>Dipnotyphlus</i> Colonelli, 2014	1	COLONNELLI (2014)
Coleoptera: Curculionidae	<i>Elwoodius</i> Colonelli, 2014	1	COLONNELLI (2014)
Coleoptera: Curculionidae	<i>Ericiates</i> Colonelli, 2014	1	COLONNELLI (2014)
Coleoptera: Curculionidae	<i>Hagherius</i> Colonelli, 2014	1	COLONNELLI (2014)
Coleoptera: Curculionidae	<i>Hajekia</i> Colonelli, 2014	7	COLONNELLI (2014)
Coleoptera: Curculionidae	<i>Nesotocerus</i> Colonelli, 2014	4	COLONNELLI (2014)
Coleoptera: Curculionidae	<i>Parvorhynchus</i> Colonelli, 2014	1	COLONNELLI (2014)
Coleoptera: Curculionidae	<i>Socotracerus</i> Colonelli, 2014	2	COLONNELLI (2014)
Coleoptera: Curculionidae	<i>Socotractus</i> Colonelli, 2014	3	COLONNELLI (2014)

Table 3. Continued.

<b>Order: Family</b>	<b>Endemic genus / subgenus</b>	<b>Sp.</b>	<b>Reference(s)</b>
Coleoptera: Curculionidae	<i>Tuberates</i> Colonnelli, 2014	1	COLONNELLI (2014)
Lepidoptera: Plutelliidae	<i>Genostele</i> Walsingham, 1900	1	ROBINSON & SATTLER (2001)
Lepidoptera: Geometridae	<i>Mimaplasta</i> Herbulot, 1993	1	HERBULOT (1993)
Hymenoptera: Halictidae	<i>Erythronomioides</i> Pesenko, 1983 (as subgenus of <i>Nomiooides</i> Schenck, 1866)	1	PESENKO & PAULY (2005)
Hymenoptera: Megachilidae	<i>Xenostelis</i> Baker, 1999	1	BAKER (1999)

(307 of 540 species), Dermaptera – 54% (7 of 13 species), or Orthoptera – 51% (30 of 59 species). On the other hand, there is only a single endemic Odonata species (21 species known from the archipelago). Similarly to the total quantity of species, most insects endemic to the archipelago occur in Socotra Island (635 species); only 37 endemic species are known from Abd el Kuri, 9 species from Darsa, and 29 species from Samha. When counting the species endemic only to the particular islands, there are 593 species endemic to Socotra, 17 species endemic to Abd el Kuri, and no single island-endemic species in Darsa and Samha.

When compared with the Seychelles, again, in most of the species-rich orders, the percentage of endemic species is usually bigger by half in the Seychelles than in Socotra, e.g., in Diptera (47% endemic species in the Seychelles, 23% in Socotra), Lepidoptera (50% in the Seychelles, 36% in Socotra), or Hymenoptera (53% in the Seychelles, 36% in Socotra); the highest difference between the Seychelles and Socotra can be seen in Blattodea: there are 48 species of Blattodea in the Seychelles of which 36 species (75%) are endemic, but only 7 species of Blattodea with a single endemic species is known from Socotra. On the other hand, similar percentages of endemic species in both archipelagos are in Coleoptera (59% in the Seychelles, 57% in Socotra) or Heteroptera (33% in the Seychelles, 29% in Socotra).

Endemic fauna is usually highlighted as the most important part of the islands life and represents a major issue for nature conservation. Unfortunately, despite extensive efforts in cataloguing of Socotran insects in recent years, our knowledge of most species is still insufficient. For numerous taxa, only a few specimens, without any information about habitat requirements and biology, have been known so far. The few exceptions might be represented by some aquatic or herbivorous insects. Therefore, we are not able to establish any ‘threat categories’ for endemic insects in the Socotra Archipelago. We suggest two main actions for current conservation of endemic insect fauna of Socotra: 1) continuation of extensive research and gathering information about insects, and 2) protection of the unique Socotran habitats from degradation, recently caused mostly by men (see also DAMME & BANFIELD 2011, BATELKA 2012a).

### Acknowledgements

We would like to thank Rob Felix (Nijmegen, The Netherlands), Petr Kment (National Museum, Prague, Czech Republic), and Igor Malenovský (Masaryk University, Brno, Czech

Republic) for valuable comments and providing important literature. We are obliged to Jan Batelka (Charles University, Prague, Czech Republic), Luboš Purchart (Mendel University, Brno, Czech Republic) and Wolfgang Wranik (Rostock, Germany) for the review of the manuscript.

The work of J. Hájek was partly supported by the Ministry of Culture of the Czech Republic (DKRVO 2017/14, National Museum, 00023272).

## References

- ÁBRAHÁM L. 2010: Short report on the fauna of ant-lion and owl-fly (Neuroptera) from Socotra Archipelago. *Natura Somoviensis* **17**: 177–192.
- ÁBRAHÁM L. 2011: Further data to the ant-lion fauna (Neuroptera) of Socotra Island (Yemen). *Natura Somoviensis* **19**: 101–108.
- ACHTERBERG C. VAN 1990: Revision of the Western Palaearctic Phanerotomini (Hymenoptera: Braconidae). *Zoologische Verhandelingen* **255**: 1–106.
- ADLBAUER K. 2002: A new Chariesthes species from the Socotra-islands and transfer of another Tragocephalini into the genus Kerochariesthes Teocchi, 1989 (Coleoptera, Cerambycidae, Lamiinae). *Entomologia Africana* **7(2)**: 19–22.
- ADLBAUER K. 2004: A new species of Iranobrium (Coleoptera: Cerambycidae: Obriini) from Socotra Island. *Fauna of Arabia* **20**: 431–434.
- ADLBAUER K. 2005: Neue Bockkäfer von Yemen (Coleoptera, Cerambycidae). *Linzer Biologische Beiträge* **37**: 1007–1011.
- AL-KUBATI A. S., AL QUBATI Y., ISMAIL W., LANEY S. J., EL-SETOUHY M., GADA M. & RAMZY R. M. R. 2011: Impact of polystyrene beads as a mosquito control measure to supplement lymphatic filariasis elimination activities in Socotra Island, Yemen. *Eastern Mediterranean Health Journal* **17**: 560–564.
- ALEXANDER C. P. 1920: Undescribed species of African crane-flies in the collection of the British Museum (Natural History): Tipulidae, Diptera. Part I. Subfamily Limnobiinae. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Ninth Series* **6**: 1–44.
- ANDERSEN N. M. 1980: Hygroscopic water striders of the genus Onychotrechus Kirkaldy with description of a related genus (Insecta, Hemiptera, Gerridae). *Steenstrupia* **6**: 113–146.
- ANLAŞ S. & FRISCH J. 2014: On the Scopaeina Mulsant & Rey of the Middle East: A new species from Turkey and new biogeographic data (Coleoptera, Staphylinidae: Paederinae). *Soil Organisms* **86**: 153–167.
- ANONYMOUS 1994: Batocera rufomaculata. [Distribution map]. *Distribution Maps of Plant Pests, CAB International 1994(June)*: Map 542.
- ANTOINE P. 1993: Mimétisme et ressemblance: le genre Homothyrea Kolbe (Coleoptera, Cetoniidae). *Bulletin de la Société Sciences Nat* **79**: 22–26.
- ARENBERGER E. 1977: Die palaearktischen Agdistis-Arten (Lepidoptera, Pterophoridae). *Beiträge zur Naturkundlichen Forschung in Südwestdeutschland* **36**: 185–226.
- ARENBERGER E. 2009: Faunistische Angaben über Pterophoridae vom Sokotra Archipel mit der Neubeschreibung von Agdistis haghieri sp. n. (Lepidoptera). *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* **61**: 95–100.
- ARGAMAN Q. 1996: Generic synopsis of Scoliidae (Hymenoptera, Scolioidea). *Annales Historico-Naturales Musei Nationalis Hungarici* **88**: 171–222.
- ARROW G. J. 1915: Notes on the coleopterous family Dermestidae, and descriptions of some new forms in the British Museum. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Eighth Series* **15**: 425–451.
- ASSING V. 2012: On the Staphylinidae of Socotra Island, Yemen (Insecta: Coleoptera). *Linzer Biologische Beiträge* **44**: 973–986.
- ASSING V. 2013: A revision of Pseudobium IV. Three new species, a new synonymy, and additional records (Coleoptera: Staphylinidae: Paederinae). *Linzer Biologische Beiträge* **45**: 229–245.

- ASSING V. 2015: A revision of the Lithocharis species of the Palaearctic, Oriental and Australian regions (Coleoptera: Staphylinidae: Paederinae: Medonina). *Linzer Biologische Beiträge* **47**: 1133–1178.
- AUDISIO P. 2012: A new species of Lamiogethes from Socotra Island (Coleoptera: Nitidulidae: Meligethinae). Pp. 241–248. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- AURIVILLIUS C. 1922: Pars 73. Cerambycidae: Lamiinae I. Pp. 1–322. In: SCHENKLING S. (ed.): *Coleopterorum Catalogus. Volumen XXIII. Cerambycidae II.* W. Junk, Berlin, 704 pp.
- AUSTEN E. E. 1909: New genera and species of blood-sucking Muscidae from the Ethiopian and Oriental Regions, in the British Museum (Natural History). *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Eighth Series* **3**: 285–299.
- BAEZ M. 1980: El genero Wohlfahrtia en las Islas Canarias. Taxonomía y distribución (Diptera, Sarcophagidae). *Nouvelle Revue d'Entomologie* **10**: 351–357.
- BAKER D. B. 1999: On new stelidine bees from S. W. Asia and N. W. Africa, with a list of the Old-World taxa assigned to the genus Stelis Panzer, 1806 (Hymenoptera, Apoidea, Megachilidae). *Mitteilungen aus dem Museum für Naturkunde in Berlin, Deutsche Entomologische Zeitschrift* **46**: 231–242.
- BAKER C. F. 1895: Preliminary studies in Siphonaptera. – II. *Canadian Entomologist* **27**: 63–67.
- BALFOUR I. B. 1888: Botany of Socotra. *Transactions of the Royal Society of Edinburg* **31**: 1–446.
- BARRA J.-A. 2004: Springtails of the genus Seira Lubbock, 1869 (Collembola: Entomobryidae) from Socotra Island. *Fauna of Arabia* **20**: 399–408.
- BARRA J.-A. 2006: Collemboles de l'île de Socotra, République du Yémen. *Zoosystema* **28**: 61–74.
- BATELKA J. 2012a: Socotra Archipelago – a lifeboat in the sea of changes: advancement in Socotran insect biodiversity survey. Pp. 1–26. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- BATELKA J. 2012b: Ptilophorus purcharti sp. nov., the first ripiphorid from Socotra Island, with an account of the biogeography of the Ptilophorini (Coleoptera: Ripiphoridae). Pp. 269–285. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- BATELKA J. & BOLOGNA M. 2014: A review of the Saharo-Sindian species of the genus Zonitoschema (Coleoptera: Meloidae), with description of new species from Tunisia, Yemen and Socotra Island. Pp. 241–268. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54 (Supplementum)**: i–vi + 1–440.
- BEAUMONT J. DE 1961: Les Liris F. du bassin méditerranéen (Hym. Sphecid.). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* **34**: 213–252.
- BECKER T. 1910: Dipteren aus Südarabien und von der Insel Sokótra. *Denkschriften der Kaiserlichen Akademie der Wissenschaften. Mathematisch-Naturwissenschaftliche Klasse* **71(2)**: 1–30 [published as reprint in 1910, re-published in journal in 1931 with pagination 131–160].
- BEHOUNEK G., HACKER H. H. & SPEIDEL W. 2010: Revision of the genus Oraesia Guenée, 1852 (Old World) and related genera (Lepidoptera, Noctuoidea, Noctuidae, Calpinae). *Esperiana Memoir* **5**: 243–293, pls. 16–19.
- BELLÉS X. 2005: A synopsis of the genus Silisoptimus Pic, 1917 (Coleoptera, Ptinidae), with the description of a new species from Socotra Island. *Elytron* **19**: 77–82.
- BELLÉS X. 2009: Spider beetles (Coleoptera, Ptinidae) from the Socotra Archipelago. *Fauna of Arabia* **24**: 145–154.
- BELLÉS X. 2012: Ptinus bertranpetti, a new species of spider beetle from Socotra Island (Coleoptera: Ptinidae). Pp. 219–222. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- BENDA D. 2016: *Evoluce hostitelské specializace a fylografie řasníků čeledi Xenidae (Strepsiptera). Evolution of host specificity and phylogeography of Strepsiptera parasites of the family Xenidae (Strepsiptera).* Diploma thesis, Charles University, Prague, 71 pp (in Czech, English title).
- BENGSSON B. Å. 2014: The Afrotropical Scythrididae. *Esperiana Memoir* **7**: 5–361.
- BEQUAERT J. 1918: A revision of the Vespidae of the Belgian Congo based on the collection of the American museum Congo expedition, with a list of Ethiopian dipterous wasps. *Bulletin of the American Museum of Natural History* **39**: 1–384, pls. I–VI.

- BERIO E. 1950: Terzo contributo alla conoscenza del gen. Ozarba Wlk. (Lep. Noctuidae). Sulla sistematica di alcune specie ascritte a questo genere. *Annali del Museo Civico di Storia Naturale Giacomo Doria* **64** [1949–1951]: 131–157.
- BEYER E. M. 1965: Phoridae (Diptera Brachycera). *Exploration du Parc National Albert. Mission G. F. de Witte (1933–1935)* **99**: 1–211.
- BEZDĚK A., KRÁL D. & LIMBOURG P. 2017: Stomanolama subcostata (Coleoptera: Scarabaeidae: Rutelinae), the first record of ruteline chafer from Socotra Archipelago, Yemen. *Acta Entomologica Musei Nationalis Pragae* **57 (Supplementum)**: 87–91.
- BEZDĚK A., SEHNAL R. & KRÁL D. 2013: Tanyproctus (Tanyproctus) arher (Coleoptera: Scarabaeidae: Melolonthinae: Tanyproctini), a new species from the Socotra Island, Yemen. *Zootaxa* **3737**: 191–196.
- BEZDĚK J. 2012a: Tituboea purcharti sp. nov., the first representative of Clytrini from Socotra Island (Coleoptera: Chrysomelidae: Cryptocephalinae). Pp. 395–401. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- BEZDĚK J. 2012b: Galerucinae (Coleoptera: Chrysomelidae) of Socotra Island, with a review of taxa recorded from Yemen. Pp. 403–428. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- BEZDĚK J. 2013: Taxonomical changes in West Palaearctic Clytrini (Coleoptera: Chrysomelidae, Cryptocephalinae). *Entomologische Zeitschrift* **123**: 247–250.
- BEZZI M. 1924: *The Bombyliidae of the Ethiopian Region*. British Museum (Natural History), London, 390 pp.
- BIONDI M. & D’ALESSANDRO P. 2017: Longitarsus doeberli, a wingless new species from Socotra Island (Coleoptera: Chrysomelidae). *Acta Entomologica Musei Nationalis Pragae* **57 (Supplementum)**: 165–172.
- BÍLÝ S. 1984: Taxonomic notes on Anthaxia, with descriptions of new taxa (Coleoptera, Buprestidae). *Acta Entomologica Bohemoslovaca* **81**: 212–222.
- BÍLÝ S. 2005: Two new species of Anthaxia from Yemen (Coleoptera: Buprestidae). *Acta Entomologica Musei Nationalis Pragae* **45**: 65–70.
- BÍLÝ S. 2012: A new species of the genus Chalcogenia from Socotra Island (Coleoptera: Buprestidae: Buprestinae: Anthaxiini). Pp. 209–212. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–553.
- BLÜTHGEN P. 1925: Die Bienengattung Nomioides Schenck. *Stettiner Entomologische Zeitung* **86**: 1–100.
- BOLOGNA M. A. & PINTO J. D. 1998: A review of the Afrotropical species of Meloe Linnaeus 1758 (Coleoptera Meloidae) with descriptions of first instar larvae, a key to species and an annotated catalogue. *Tropical Zoology* **11**: 19–59.
- BOLOGNA M. A. & TURCO F. 2007: The Meloidae (Coleoptera) of the United Arab Emirates with an updated Arabian checklist. *Zootaxa* **1625**: 1–33.
- BOLZ H. & WAGNER T. 2014: A new Afrotropical Neobarombiella species from Socotra Island (Coleoptera: Chrysomelidae: Galerucinae). Pp. 277–281. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54 (Supplementum)**: i–vi + 1–440.
- BONI BARTALUCCI M. 2010: A review of the genus Pseudotiphia Ashmead 1903 (Hymenoptera, Tiphiidae). *Linzer Biologische Beiträge* **42**: 1183–1236.
- BONI BARTALUCCI M. 2016: Merini from Western Palaearctic and northern Afrotropical Regions (Hymenoptera: Tiphiidae: Myzininae): new taxa and records. *Onychium* **12**: 47–81.
- BOROWSKI J. & SLAWSKI M. 2017: Bostrichidae (Coleoptera) of Socotra with description of two new subspecies. *Acta Entomologica Musei Nationalis Pragae* **57 (Supplementum)**: 101–111.
- BORTH R., IVINSKIS P., SALDAITIS A. & YAKOVLEV R. 2011: Cossidae of the Socotra Archipelago (Yemen). *ZooKeys* **122**: 45–69.
- BOTTING D. S. 1958: The Oxford University Expedition to Socotra. *Geographical Journal* **124**: 200–207.
- BOUČEK Z. 1974: A revision of the Leucospidae (Hymenoptera: Chalcidoidea) of the world. *Bulletin of the British Museum (Natural History), Entomology, Supplement* **23**: 1–241.
- BOXHALL P. G. 1966: Socotra: Island of bliss. *Geographical Journal* **132**: 213–222.
- BRAKE I. 2009: Revision of Milichiella Giglio-Tos (Diptera, Milichiidae). *Zootaxa* **2188**: 1–166.
- BRAKE I. 2011: *World Catalog of the Family Carnidae (Diptera, Schizophora)*. 158 pp. Available from: [http://diptera.myspecies.info/sites/diptera.myspecies.info/files/Carnidae\\_catalog\\_0.pdf](http://diptera.myspecies.info/sites/diptera.myspecies.info/files/Carnidae_catalog_0.pdf)

- BRETFELD G. 2000: Collembola Symphypleona (Insecta) from the Republic of Yemen. *Abhandlungen und Berichte des Naturkundemuseums Görlitz* **72**: 153–176.
- BRETFELD G. 2005: Collembola Symphypleona (Insecta) from the Republic of Yemen. Part 2: Samples from the Isle of Socotra. *Abhandlungen und Berichte des Naturkundemuseums Görlitz* **77**: 1–56.
- BREUNING S. 1949: Notes systématiques sur les lamiaires (Coleoptera Cerambycidae). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique* **25(38)**: 1–32.
- BRITTON E. B. 1948: Coleoptera: Cicindelidae and Carabidae from Southern Arabia. Pp. 87–125, pls. 4–9. In: *Expedition to South-west Arabia 1937–8. Vol. 1*. British Museum of Natural History, London, pp. 67–178, pls. 4–9.
- BROWN E. S. 1956: Aquatic Hemiptera from Socotra. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology. Twelfth Series* **9**: 140–144.
- BRUSCHI S. 2010: *Calosoma of the world. Calosoma (Caminara) imbricatum imbricatum Klug, 1832*. [http://www.calosomas.com/Caminara/cal\\_imbricatum.html](http://www.calosomas.com/Caminara/cal_imbricatum.html). (accessed 12.9.2017).
- BURCKHARDT D. & MIFSUD D. 1998: Psylloidea (Insecta: Hemiptera) of the Arabian Peninsula. *Fauna of Arabia* **17**: 7–49.
- BURR M. 1898: Orthoptera. Pp. 384–385. In: DIXEY F. A., BURR M. & PICKARD-CAMBRIDGE O. 1898: On a collection of insects and arachnids made by Mr. E. N. Bennett in Socotra, with descriptions of new species. *Proceedings of the Zoological Society of London* **1898**: 372–392, pls. XXX–XXXI.
- BURR M. 1899a: Descriptions of two new genera and six new species of Orthoptera. *Bulletin of the Liverpool Museums* **2**: 42–45.
- BURR M. 1899b: Essai sur les eustamacides tribu des Acridoidea. *Anales de la Sociedad Española de Historia Natural, Serie II* **28**: 75–112.
- BURR M. 1903: Insecta: Orthoptera. Pp. 409–426, pl. XXV. In: FORBES H. O. (ed.): The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. *Special Bulletin of the Liverpool Museums*, xlvi + 598 pp.
- BURR M. 1905: Notes on the Forficularia. – IX. On new species, with synonymic notes. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Seventh Series* **16**: 486–496.
- BUTLER A. G. 1881: On the Lepidoptera collected in Socotra by Prof. I. B. Balfour. *Proceedings of the Zoological Society of London* **1881**: 175–180, pl. xviii.
- BUTLER A. G. 1897: A revision of the species of butterflies belonging to the genus *Teracolus*, Swains. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Sixth Series* **20**: 451–473.
- BUQUET L. 1843a: Description d'une nouvelle espèce de buprestide du genre *Jalodis* [sic!] Esch. *Revue Zoologique* **6**: 22.
- BUQUET L. 1843b: Description d'une nouvelle espèce de longicorne de la tribu des prioniens, appartenant au genre *Mallodon* de Serville. *Revue Zoologique* **6**: 330–331.
- BUQUET L. 1843c: Sur une monstruosité observée dans l'antenne droite d'un buprestide (*Julodis clouei*). *Annales de la Société Entomologique de France* (2) **1**: 97–98, pl. iv.
- CAMBEOFORT Y. 1998: Un nouveau genre et une nouvelle espèce de Bolboceratidae de Socotra (Coleoptera, Scarabaeoidea). *Bulletin de la Société Entomologique de France* **103**: 443–446.
- CARAPEZZA A. 2011: *Stenozygum* (s. str.) *jordiribesi* sp. nov., a new species of Strachiini from the island of Socotra (Hemiptera: Heteroptera: Pentatomidae: Pentatominae). *Heteropterus Revista de Entomología* **11**: 201–207.
- CARCASSON R. H. 1968: Revised catalogue of the African Sphingidae (Lepidoptera) with descriptions of the East African species. *Journal of the East Africa Natural History and National Museum* **26(3)**: 1–148, pls. 1–17.
- CASSOLA F. & POHL H. 2004: The female of *Socotrania labroturrita* Cassola & Wranik, 1998 (Coleoptera: Cicindelidae). *Fauna of Arabia* **20**: 435–438.
- CASSOLA F. & WRANIK W. 1998: A remarkable new tiger beetle from Socotra Island, Republic of Yemen (Coleoptera, Cicindelidae). *Deutsche Entomologische Zeitschrift* **45**: 265–268.
- CHEUNG C. & DEVANTIER L. 2006: *Socotra. A natural history of the islands and their people*. Odyssey Books and Guides, Hong Kong, 408 pp.
- COCKERELL T. D. A. 1907: Descriptions and records of bees. – XVI. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Seventh Series* **20**: 122–132.
- COCKERELL T. D. A. 1937: *African bees of the genera Ceratina, Halictus and Megachile*. British Museum, London, 254 pp.

- COLLINGWOOD C. A. 1985: Hymenoptera: Fam. Formicidae of Saudi Arabia. *Fauna of Saudi Arabia* 7: 230–302.
- COLLINGWOOD C. A. & AGOSTI D. 1996: Formicidae (Insecta: Hymenoptera) of Saudi Arabia (Part 2). *Fauna of Saudi Arabia* 15: 300–385.
- COLLINGWOOD C. A. & HARTEN A. VAN 1994: *A general guide to the ants (Hymenoptera, Formicidae) of Yemen*. Yemeni-German Plant Protection Project, Sana'a, 39 pp.
- COLLINGWOOD C. A., POHL H., GÜSTEN R., WRANIK W. & HARTEN A. VAN 2004: The ants (Insecta: Hymenoptera: Formicidae) of the Socotra Archipelago. *Fauna of Arabia* 20: 473–495.
- COLONNELLI E. 2014: Apionidae, Nanophyidae, Brachyceridae and Curculionidae except Scolytinae (Coleoptera) from Socotra Island. Pp. 295–422. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* 54 (Supplementum): i–vi + 1–440.
- COOLEY R. A. 1899: The coccid genera Chionaspis and Hemichionaspis. *Special Bulletin of the Hatch Experiment Station of the Massachusetts Agricultural College* 1899: 1–58, 9 pls.
- COURI M. S., PONT A. C. & PENNY N. D. 2006: Muscidae (Diptera) from Madagascar: identification keys, descriptions of new species, and new records. *Proceedings of the California Academy of Sciences* 57: 799–923.
- CROSSKEY R. W. 1977: A review of the Rhinophoridae (Diptera) and a revision of the Afrotropical species. *Bulletin of the British Museum (Natural History), Entomology* 36: 1–66.
- CROSSKEY R. W., NASHER A. K., KRAUER-BÜTTIKER S. & BÜTTIKER W. 2002: First records of Simuliidae (Insecta: Diptera) from Socotra Island, Yemen. *Fauna of Arabia* 19: 419–425.
- CSIKI E. 1931: Pars 115: Carabidae: Harpalinae V. Pp. 739–1022. In: SCHENKLING S. (ed.): *Coleopterorum Catalogus. Volumen II. Carabidae II*. W. Junk, Berlin, 1022 pp.
- DAMME K. VAN & BANFIELD L. 2011: Past and present human impacts on the biodiversity of Socotra Island (Yemen): implications for future conservation. *Zoology in the Middle East, Supplementum* 3: 31–88.
- DECKERT J. 2012: An aposematic coloured Lygaeinae from Socotra (Heteroptera: Lygaeidae). *Entomologische Zeitschrift* 122: 99–100.
- DELLACASA G. 1979: Studi di sistematica sugli Aphodiinae (Coleoptera Scarabaeidae) VIII. Aphodius (Pharaphodius) vernalis A. Schm. e jodphurensis Petr. *Revue Suisse de Zoologie* 86: 255–258.
- DELOBEL A. 2012: Bruchinae (Coleoptera: Chrysomelidae) from Socotra Island. Pp. 373–380. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* 52 (Supplementum 2): i–vi + 1–557.
- DESCAMPS M. 1970: Les Eumastacidae de Socotra (Orth.). *Bulletin de la Société Entomologique de France* 75: 123–134.
- DESCAMPS M. 1977: Monographie des Thericleidae (Orthoptera Acridomorpha Eumastacoidea). *Annales Musée Royal de l'Afrique Centrale, Sciences Zoologiques* 216: 1–475.
- DESUTTER-GRANDCOLAS L. & FELIX R. P. W. H. 2012: Socotracris kleukersi n. gen. n. sp., a new troglobitic cricket from Socotra (Yemen) (Orthoptera: Grylloidea, Phalangopsidae). *Zootaxa* 3252: 57–65.
- DIRSH V. M. 1951: Revision of the group Truxales (Orthoptera, Acrididae). *EOS, Revista de Entomología Tomo extraordinario* 1950: 119–247.
- DIRSH V. M. & UVAROV B. P. 1953: Tree locusts of the genus Anacridium (Orthoptera, Acrididae). *EOS, Revista de Entomología* 29: 7–69.
- DISTANT W. L. 1901: Rhynchotal notes. – XI. Heteroptera: Fam. Lygaeidae. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Seventh Series* 8: 497–510.
- DISTANT W. L. 1903: Rhynchotal notes. – XIX. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Seventh Series* 12: 469–480.
- DISTANT W. L. 1905: Rhynchotal notes. – XXXIII. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Seventh Series* 16: 22–35.
- DIXEY F. A. 1898: Lepidoptera, with remarks on local and seasonal forms in the genus Byblia Hübn. Pp. 372–383. In: DIXEY F. A., BURR M. & PICKARD-CAMBRIDGE O. 1898: On a collection of insects and arachnids made by Mr. E. N. Bennett in Socotra, with descriptions of new species. *Proceedings of the Zoological Society of London* 1898: 372–392, pls. XXX–XXXI.
- DÖBERL M. 2012: Alticinae (Coleoptera: Chrysomelidae) of Socotra Island. Pp. 429–447. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* 52 (Supplementum 2): i–vi + 1–557.

- EBMER A. W. 1985: Neue westpaläarktische Halictidae V. (Hymenoptera, Apoidea) sowie Festlegung von Lectotypen von Morawitz beschriebener, bisher ungeklärter Halictus-Arten. *Linzer Biologische Beiträge* **17**: 197–221.
- EBMER A. W. 2000: Asiatische Halictidae - 9. Die Artengruppe des *Lasioglossum pauperatum* (Insecta: Hymenoptera: Apoidea: Halictidae: Halictinae). *Linzer Biologische Beiträge* **32**: 399–453.
- EDWARDS F. W. 1941: *Mosquitoes of the Ethiopian Region. III. – Culicine adults and pupae*. British Museum, London, viii + 499 pp, 4 pls.
- EMPEY H. N. 1973: Descriptions and records of new and little known species of *Cerceris* Latreille, 1802 from Socotra and southern Arabia (Hymenoptera: Sphecidae). *Journal of the Entomological Society of Southern Africa* **36**: 1–23.
- ENDERLEIN G. 1928: Über die Klassifikation der Stomoxinae (blutsaugende Musciden) und neue Arten aus Europa und Afrika. *Zeitschrift für Angewandte Entomologie* **14**: 356–368.
- ENGEL M. S. 2007: A new species of *Amegilla* from northeastern Egypt (Hymenoptera: Apidae). *Linzer Biologische Beiträge* **39**: 821–828.
- EYLES A. C. 1973: *Monograph of the genus Dieuches Dohrn (Heteroptera: Lygaeidae)*. A. C. Eyles, Dunedin (New Zealand), 465 pp.
- FALTÝNEK FRIC Z., RINDOŠ M. & HULA V. 2017: *Eurema brigitta* (Lepidoptera: Pieridae) - a new record of butterfly for Socotra. *Acta Entomologica Musei Nationalis Pragae* **57 (Supplementum)**: 221–225.
- FARKAČ J. & HÄCKEL M. 2012: *Calosoma chlorostictum ivinskisi*, a new synonym of *Calosoma chlorostictum chlorostictum* (Coleoptera: Carabidae: Carabini). Pp. 69–73. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–iv + 1–557.
- FELIX R. F. F. L. 2014: A new subgenus and species of *Lebia*, with additional records of Carabidae (Coleoptera) from Socotra Island. Pp. 101–114. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54 (Supplementum)**: i–vi + 1–440.
- FELIX R. F. F. L. 2017: New species and new distributional data on Carabidae (Coleoptera) from the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **57 (Supplementum)**: 41–54.
- FELIX R. F. F. L., FARKAČ J. & SULEIMAN A. S. 2012: Annotated checklist of the Carabidae of the Socotra Archipelago. Pp. 75–106. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–iv + 1–557.
- FIKÁČEK M., DELGADO J. A. & GENTILI E. 2012: The hydrophiloid beetles of Socotra Island (Coleoptera: Georissidae, Hydrophilidae). Pp. 107–130. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–iv + 1–557.
- FLETCHER D. S. 1961: Noctuidae. In: EVANS G. O. & FLETCHER D. S. (eds): *Ruwenzori Expedition 1952* **1(7)**: 177–323.
- FLETCHER D. S. 1967: A revision of the Ethiopian species and a check list of the world species of *Cleora* (Lepidoptera: Geometridae). *Bulletin of the British Museum (Natural History), Entomology, Supplement* **8**: 1–119, 14 pls, 9 maps.
- FLETCHER T. B. 1910: Lepidoptera exclusive of the Tortricidae and Tineidae, with some remarks on their distribution and means of dispersal among the islands of the Indian Ocean. (The Percy Sladen Trust Expedition to the Indian Ocean in 1905). *Transactions of the Linnean Society of London, Second Series, Zoology* **13**: 265–324, pl. 17.
- FORBES H. O. (ed.) 1903a: The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. *Special Bulletin of the Liverpool Museums*, xlvii + 598 pp.
- FORBES H. O. 1903b: Insecta: Neuroptera. Pseudo-neuroptera. P. 397. In: FORBES H. O. (ed.): The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. *Special Bulletin of the Liverpool Museums*, xlvii + 598 pp.
- FOUQUÉ R. in press: Revision of the genus *Mitotagenia* Reitter and description of a new genus *Capetagenia* (Coleoptera: Tenebrionidae: Stenosini). *Acta Entomologica Musei Nationalis Pragae*.
- FRIC Z. & HULA V. 2013: *Zizula hylax* (Fabricius, 1775) new butterfly species for Socotra (Lepidoptera: Lycaenidae). *SHILAP Revista de Lepidopterología* **41**: 571–575.
- FRIEDMANN A. L. L. 2017: A new species of *Brachycerus* (Coleoptera: Curculionoidea: Brachyceridae) from Socotra Island. *Acta Entomologica Musei Nationalis Pragae* **57 (Supplementum)**: 173–182.
- FRIESE H. 1903: Neue afrikanische Megachile-Arten II. *Zeitschrift für Systematische Hymenopterologie und Dipterologie* **3**: 273–290.

- FRIESE H. 1909: Die Bienen Afrikas nach dem Stande unserer heutigen Kenntnisse. Pp. 83–476, pls. IX–X. In: SCHULTZE L. (ed.): Zoologische und anthropologische Ergebnisse einer Forschungsreise im westlichen und zentralen Südafrika. *Denkschriften der Medicinisch-Naturwissenschaftlichen Gesellschaft zu Jena* **14**: 1–475, pls. I–X.
- FRIESE H. 1915: Zur Bienenfauna von Abessinien. (Hym.). *Deutsche Entomologische Zeitschrift* **1915**: 265–298.
- FRISCH J. 2015: A new species of *Scopaeus* Erichson, 1839 (Coleoptera, Staphylinidae, Paederinae) from Socotra Island, with distributional and phylogeographical notes on related species. *Soil Organisms* **87**: 61–70.
- GAHAN C. J. 1900: [The expedition to Sokotra] XI. Descriptions of the new genera and species of Coleoptera. *Bulletin of the Liverpool Museums* **3**: 8–13.
- GAHAN C. J. 1903: Insecta: Coleoptera. Pp. 261–292. In: FORBES H. O. (ed.): The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. *Special Bulletin of the Liverpool Museums*, xlvii + 598 pp.
- GEIS K.-U. 2015: Neue Beiträge zur Fauna der Bostrichidae (Coleoptera) der Arabischen Halbinsel und Sokotas. *Mitteilungen des Internationalen Entomologischen Vereins e.V.* **40**: 63–101.
- GEISER M. 2017: First record of the family Cantharidae on Socotra, with description of a new genus and two new species of the subfamily Silinae (Coleoptera: Elateroidea). *Acta Entomologica Musei Nationalis Pragae* **57 (Supplementum)**: 93–99.
- GEISTHARDT M. 2003: Zwei neue Arten der Gattung *Selasia* Castelnau, 1836 aus dem Jemen (Coleoptera: Drilidae). *Mitteilungen des Internationalen Entomologischen Vereins e.V.* **28**: 99–109.
- GELLER-GRIMM F. 2002: Robber flies (Diptera: Asilidae) of the Socotra Archipelago, Yemen. *Fauna of Arabia* **19**: 467–489.
- GERLACH J. (ed.) 2008: *The Diptera of the Seychelles Islands*. Pensoft, Sofia-Moscow, 431 pp.
- GERLACH J. (ed.) 2009: *The Coleoptera of the Seychelles Islands*. Pensoft, Sofia-Moscow, 260 pp, 4 pls.
- GERLACH J. (ed.) 2013: *Odonata, Hemiptera, Hymenoptera and other insects of the Seychelles Islands*. Siri Scientific Press, Manchester, 400 pp, 4 pls.
- GERLACH J. & HAAS F. 2007: *Orthopteroidea of the Seychelles Islands*. Backhuys Publishers, Leiden, 88 pp, 4 pls.
- GERLACH J. & MATYOT P. 2006: *Lepidoptera of the Seychelles Islands*. Backhuys Publishers, Leiden, 130 pp, 32 pls.
- GERSTMAYER R. 2017: Cleridae (Coleoptera) from Socotra Island with description of new species. *Acta Entomologica Musei Nationalis Pragae* **57 (Supplementum)**: 113–123.
- GHESQUIÈRE J. 1942: Catalogues raisonnés de la Faune Entomologique du Congo Belge. Lépidoptères, Microlépidoptères (deuxième partie). *Annales du Musée du Congo Belge, C – Zoologie, Série III* **7**: 121–240.
- GILDENKOV M. Yu. 2012: A preliminary review of the subgenus *Bucephalinus* Koch, 1934 from genus *Carpelimus* Leach, 1819 for tropical Africa (Coleoptera, Staphylinidae, Oxytelinae). *Izvestiya Smolenskogo Gosudarstvennogo Universiteta* **3(19)**: 245–256 (in Russian with English abstract).
- GIMMEL M. L. 2012: Phalacridae of Socotra Island (Coleoptera: Cucujoidea). Pp. 233–240. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- GÖLLNER-SCHEIDING U. 1980: Revision der afrikanischen Arten sowie Bemerkungen zu weiteren Arten der Gattungen *Leptocoris* Hahn, 1833, und *Boisea* Kirkaldy, 1910 (Het., Rhopalidae). *Deutsche Entomologische Zeitschrift, Neue Folge* **27**: 103–148.
- GOROCHOV A. V. 1993: Grylloidea (Orthoptera) of Saudi Arabia and adjacent countries. *Fauna of Saudi Arabia* **13**: 79–97.
- GREATHEAD D. J. 1969: Bombyliidae, and a first record of Nemestrinidae from Sokotra (Diptera). *Bulletin of the British Museum (Natural History), Entomology* **24**: 67–82.
- GREATHEAD D. J. 2003: Notes on *Anthrax dentata* (Becker, 1906), *A. trifasciatus* Meigen, 1804, and related species of Bombyliidae (Diptera) in Africa and Eurasia. *Mitteilungen aus dem Museum für Naturkunde in Berlin, Deutsche Entomologische Zeitschrift* **50**: 88–94.
- GREATHEAD D. J. 2004: Bombylioidea (Diptera) from the Socotra Archipelago: a new species of *Phthiria* Meigen, 1803, and a checklist of species. *Fauna of Arabia* **20**: 497–504.
- GREATHEAD D. J. & EVENHUIS N. L. 2001: Bombylioidea (Diptera: Bombyliidae; Mythicomyiidae) from the island of Sokotra. *Zootaxa* **14**: 1–11.

- GRICHANOV I. Ya. 2006: Systematic and faunistic notes on Afro tropical Chaetogonopteron De Meijere (Diptera: Dolichopodidae: Sympycninae). *Zoosystematica Rossica* **15**: 167–168.
- GUÉORGUIEV B., WRASE D. W. & FARKAČ J. 2014: Revision of the East Mediterranean Orthomus (Coleoptera: Carabidae: Pterostichini), with description of Parorthomus gen. nov. socotranus sp. nov. from Socotra Island and key to the Old World genera of subtribe Euchroina. *ZooKeys* **427**: 21–57.
- GUICHARD K. M. 1992: The insects of Socotra. Pp. 181–188. In: DOE B. (ed.): *Socotra. Island of tranquillity*. Immel Publishing, London, 237 pp.
- HAAS F., POHL H. & WRANIK W. 2004: Dermaptera of the Socotra Archipelago, with the description of a new species. *Fauna of Arabia* **20**: 409–419.
- HACKER H. H. 1999: Systematic list of the Lepidoptera of the Arabian Peninsula with a survey of the spread with special reference to the fauna of Yemen. *Esperiana* **7**: 15–237.
- HACKER H. H. 2011: Neue Metachrostis Hübner, [1829]-Arten aus dem Yemen und aus Afrika (Lepidoptera, Noctuidae, Eublemminae). *Esperiana* **16**: 213–231, pls. 28–30.
- HACKER H. H. 2016: Systematic and illustrated catalogue of the Macroheterocera and superfamilies Coccoidea Leach, (1815), Zyganoidea Latreille, 1809, Thyridoidea Herrich-Schäffer, 1846 and Hyblaeoidea Hampson, 1903 of the Arabian Peninsula, with a survey of their distribution (Lepidoptera). *Esperiana* **20**: 7–742.
- HACKER H. H. & FIBIGER M. 2006: Updated list of Micronoctuidae, Noctuidae (s.l.), and Hyblaeidae species of Yemen, collected during three expeditions in 1996, 1998 and 2000, with comments and descriptions of species. *Esperiana* **12**: 75–166, pls. 1–11.
- HACKER H. H. & SALDAITIS A. 2010: Noctuidae of the Socotra Archipelago (Yemen) with notes on the fauna of the southern Arabia Peninsula (Lepidoptera, Noctuoidea). *Esperiana Memoir* **5**: 172–241.
- HACKER H. H. & SALDAITIS A. 2011: Noctuidae of the Socotra Archipelago (Yemen). Contribution II (Lepidoptera, Noctuoidea). *Esperiana* **16**: 73–83, pls. 9–10.
- HACKER H. H., SCHREIER H.-P. & GOATER B. 2012: Revision of the tribe Nolini of Africa and the Western Palaearctic Region (Lepidoptera, Noctuoidea, Noctuidae, Nolinae). *Esperiana* **17**: 1–614.
- HÁJEK J. & BEZDĚK J. (eds) 2012: Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- HÁJEK J. & BEZDĚK J. (eds) 2014: Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54** (**Supplementum**): i–vi + 1–440.
- HÁJEK J. & JELÍNEK J. 2017: First record of the family Sphindidae (Coleoptera: Cucujoidea) from Socotra. *Acta Entomologica Musei Nationalis Pragae* **57** (**Supplementum**): 133–137.
- HÁJEK J. & KABÁTEK P. 2012: Synonymical notes on the genus Sybrinus from Socotra Island (Coleoptera: Cerambycidae: Lamiinae). Pp. 365–372. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- HÁJEK J. & REITER A. 2014: Adephagous water beetles (Coleoptera: Gyrinidae, Haliplidae, Noteridae, Dytiscidae) from Yemen and Dhofar region (Oman) with description of a new Hyphydrus from Socotra Island. Pp. 63–99. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54** (**Supplementum**): i–vi + 1–440.
- HALSTEAD D. G. H. 2011: Order Coleoptera, family Silvanidae. Pp. 233–245. In: HARTEN A. VAN (ed.): *Arthropod Fauna of the United Arab Emirates. Volume 4*. Multiply Marketing Consultancy Services, Abu Dhabi, 832 pp.
- HALSTEAD D. G. H. 2012: New species of Oryzaephilus and Silvanolomus from Socotra Island (Coleoptera: Silvanidae: Silvaninae). Pp. 223–231. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- HAMPSON G. F. 1899: Descriptions of one new genus and fourteen new species of moths. *Bulletin of the Liverpool Museums* **2**: 35–39.
- HAMPSON G. F. 1900: *Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum. Volume II. Catalogue of the Arctiadae (Nolinae, Lithosianae) in the collection of the British Museum*. London, Order of the Trustees, xx + 589 pp.
- HAMPSON G. F. 1901a: New species of Syntomidae and Arctiidae. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Seventh Series* **8**: 165–186.

- HAMPSON G. F. 1901b: *Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum. Volume III. Catalogue of the Arctiidae (Arctianae) and Agaristidae in the collection of the British Museum.* London, Order of the Trustees, xix + 690 pp.
- HAMPSON G. F. 1902: The moths of South Africa (Part II). *Annals of the South African Museum* 2 [1900–1902]: 255–446.
- HAMPSON G. F. 1903: Insecta: Lepidoptera. – II. Phalaenae. Pp. 321–340, pl. XX. In: FORBES H. O. (ed.): *The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. Special Bulletin of the Liverpool Museums*, xlvii + 598 pp.
- HAMPSON G. F. 1905: *Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum. Volume V. Catalogue of the Noctuidae in the collection of the British Museum.* Order of the Trustees, London, xvi + 634 pp.
- HAMPSON G. F. 1908: *Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum. Volume VII. Catalogue of the Noctuidae in the collection of the British Museum.* Order of the Trustees, London, xv + 709 pp.
- HAMPSON G. F. 1909: *Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum. Volume VIII. Catalogue of the Noctuidae in the collection of the British Museum.* Order of the Trustees, London, xiv + 583 pp.
- HAMPSON G. F. 1910: *Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum. Volume X. Catalogue of the Noctuidae in the collection of the British Museum.* Order of the Trustees, London, xix + 829 pp.
- HAMPSON G. F. 1912: *Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum. Volume XI. Catalogue of the Noctuidae in the collection of the British Museum.* Order of the Trustees, London, xvii + 689 pp.
- HAMPSON G. F. 1913a: *Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum. Volume XII. Catalogue of the Noctuidae in the collection of the British Museum.* Order of the Trustees, London, xiii + 626 pp.
- HAMPSON G. F. 1913b: *Catalogue of the Lepidoptera Phalaenae in the collection of the British Museum. Volume XIII. Catalogue of the Noctuidae in the collection of the British Museum.* Order of the Trustees, London, xiv + 609 pp.
- HAMPSON G. F. 1926: *Descriptions of new genera and species of Lepidoptera Phalaenae of the subfamily Noctuinae (Noctuidae) in the British Museum (Natural History).* Order of the Trustees of British Museum, London, 641 pp.
- HAMPSON G. F. 1930: New genera and species of Phycitinae (Lepidoptera, Pyralidae). *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Tenth Series* 5: 50–80.
- HANCOCK E. G. 2010: Some cranefly records from Socotra, Yemen (Diptera, Tipulidae; Limoniidae), including a new species of Idiocera. *Entomologist's Monthly Magazine* 146: 87–90.
- HARRIS W. V. 1954: Termites from Socotra (Isoptera). *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Twelfth Series* 7: 493–496.
- HARTEN A. VAN, ILHARCO F. A. & PRINSEN J. D. 1994: *A General Guide to the Aphids of Yemen.* Yemeni German Plant Protection Project, Sana'a, iii + 73 pp.
- HAUSER M. 2002: A new species of Adoxomyia Kertész, 1907 (Diptera: Stratiomyidae) from Socotra, Yemen. *Fauna of Arabia* 19: 463–466.
- HAUSMANN A. 2006: The geometrid moths of Yemen – with 50 new records for the country and description of 20 new taxa (Lepidoptera: Geometridae). *Esperiana* 12: 9–62.
- HAUSMANN A. 2009: New and interesting geometrid moths from Sokotra Islands (Lepidoptera, Geometridae). *Mitteilungen der Münchner Entomologischen Gesellschaft* 99: 95–104.
- HÁVA J. 2007a: New species and new records of Dermestidae (Insecta: Coleoptera) from the Arabian Peninsula including Socotra Island. *Fauna of Arabia* 23: 309–317.
- HÁVA J. 2007b: Orphinus (Orphinus) socotrensis n. sp. from the Yemen (Coleoptera: Dermestidae: Megatominae). *Mitteilungen des Internationalen Entomologischen Vereins e.V.* 32: 107–109.
- HÁVA J. 2011: Contribution to the Dermestidae (Coleoptera) from the Arabian Peninsula. 1. *Latvijas Entomologs* 50: 5–8.
- HÁVA J. 2013: Contribution to the knowledge of the Globicornis Latreille, 1829 species (Coleoptera: Dermestidae: Megatominae) from Socotra Island (Yemen). *Arquivos Entomológicos* 9: 73–76.
- HÁVA J. 2014: A new species of the genus Anthrenus from Socotra Island (Coleoptera: Dermestidae: Megatominae). Pp. 191–195. In: HÁJEK J. & BEZDÉK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* 54 (Supplementum): i–vi + 1–440.
- HÁVA J. 2017: A contribution to the knowledge of Anthrenus Geoffroy, 1762 from Yemen and Socotra Island (Coleoptera: Dermestidae: Anthrenini). *Studies and Reports, Taxonomical Series* 13: 63–69.

- HÁVA J., HERRMANN A. & KADEJ M. 2013a: New faunistic records of Dermestidae (Coleoptera) – Part 7. *Arquivos Entomológicos* **8**: 135–140.
- HÁVA J., HERRMANN A. & KADEJ M. 2013b: New faunistic records of Dermestidae (Coleoptera) – Part 8. *Arquivos Entomológicos* **8**: 309–314.
- HAXAIRE J. & MELICHAR T. 2009: Description d'une nouvelle sous-espèce de *Nephele xyloina* Rothschild & Jordan, 1910 de l'île de Socotra (Lepidoptera, Sphingidae). *European Entomologist* **3**: 197–200.
- HENDEL F. 1907: Neue und interessante Dipteren aus dem kaiserl. Museum in Wien. *Wiener Entomologische Zeitschrift* **26**: 223–245, 1 pl.
- HENSEN R. V. 1988: Revision of the nominate subgenus Chalybion Dahlbom (Hymenoptera, Sphecidae). *Tijdschrift voor Entomologie* **131**: 13–64.
- HERBULOT C. 1993: *Mimaplasta canui*, n. gen. et n. sp. de l'île de Socotra (Lepidoptera Geometridae Geometrinae). *Bulletin de la Société Entomologique de Mulhouse* **1993**: 49–50.
- HERBULOT C. 1994: Geometridae (Lepidoptera) récoltés à Sokotra par le Dr. J.-G. Canu. *Lambillionea* **94**: 389–393.
- HERBULOT C. 1999: Cinq nouveaux Cleora (Lepidoptera Geometridae). *Bulletin de la Société Entomologique de Mulhouse* **1999**: 37–41.
- HERING E. M. 1939: Neue Trypetiden der Erde. (25. Beitrag zur Kenntnis der Trypetiden). Pp. 165–190. In: JORDAN K. & HERING E. M. (eds): *Verhandlungen der VII Internationaler Kongress für Entomologie, Band I*. Internationaler Kongress für Entomologie, Weimar, 617 pp.
- HERNANDO C. & RIBERA I. 2014: The Limnichidae (Coleoptera) of the Arabian Peninsula and the island of Socotra. Pp. 173–189. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54 (Supplementum)**: i–vi + 1–440.
- HEYNDERICX J. 2003: Kevers van Socotra. [Beetles from Socotra]. *Atalanta* **2003(2)**: 1–2 (in Dutch).
- HEYNDERICX J. 2004: Lepidoptera Rhopalocera van Socotra. [Lepidoptera Rhopalocera from Socotra]. *Atalanta* **2004(2)**: 1–3 (in Dutch).
- HLAVÁČ P. 2012: New species of Euconnus, subgen. Euconophron (Coleoptera: Staphylinidae: Scydmaeninae) from Socotra Island. Pp. 135–139. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- HLAVÁČ P. & BAŇAŘ P. 2014: A review of the Pselaphinae (Coleoptera: Staphylinidae) from Socotra Island. Pp. 121–132. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54 (Supplementum)**: i–vi + 1–440.
- HOLLIS D. 1968: A revision of the genus *Aiolopus* Fieber (Orthoptera: Acridoidea). *Bulletin of the British Museum (Natural History), Entomology* **22**: 307–355.
- HOLZSCHUH C. 2008: Beschreibung von 60 neuen Bockkäfern und einer neuen Gattung aus der orientalischen Region, vorwiegend aus Laos und Borneo (Coleoptera, Cerambycidae). *Entomologica Basiliensis et Collectionis Frey* **30**: 149–241.
- HORÁK J., FARKAČ J. & NAKLÁDAL O. 2012: Mordellidae (Coleoptera) from Socotra Island. Pp. 253–268. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- HREBLAY M. 1996: Revision der *Mythimna consanguinea*-, *languida*-, *madensis*-, *natalensis*-Artengruppe (Morphopoliana subgen. n.) (Lepidoptera, Noctuidae). *Esperiana* **4**: 133–158.
- HROMÁDKA L. 2011: A new species of *Gabrius* from Yemen (Coleoptera: Staphylinidae: Philonthina). *Linzer Biologische Beiträge* **43**: 759–761.
- HSIUNG C.-C. & KEVAN D. K. McE 1975: Preliminary observations on the *conica*-*bispinosa*-*cognata* group of the genus Pyrgomorpha Audinet-Serville (Orthoptera: Pyrgomorphidae). *Acrida* **4**: 57–68.
- HUANG Y.-M. 1977: Medical entomology studies – VII. The subgenus *Stegomyia* of *Aedes* in Southeast Asia. II - The *Edwardsii* group of species. III – The *W-albus* group of species. (Diptera: Culicidae). *Contributions of the American Entomological Institute* **14(1)**: 1–132.
- HULL F. M. 1949: Studies upon Diptera in the British Museum. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Twelfth Series* **2**: 727–746.
- HULL F. M. 1962: Robber flies of the world. The genera of the family Asilidae. Parts 1 & 2. *Bulletin of the United States National Museum* **224**: 1–430 + 431–907.

- HUSEMANN M., RAY J. & HOCHKIRCH A. 2011: A revision of the subgenus *Paraspheginotus* Benediktov & Husemann, 2009 (Orthoptera: Oedipodinae: Sphingonotini). *Zootaxa* **2916**: 51–61.
- IVINSKIS P. & SALDAITIS A. 2008: New data on tiger moths of the genus *Siccia* (Lepidoptera, Arctiidae) with description of two new species. *Acta Zoologica Lituanica* **18**: 256–260.
- JÄCH M. A. & DELGADO J. A. 2012: *Limnebius dioscoridus* sp. nov. from Socotra Island (Coleoptera: Hydraenidae). Pp. 131–134. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- JÄCH M. A. & DELGADO J. A. 2014: *Ochthebius hajekii* sp. nov. from Socotra Island (Coleoptera: Hydraenidae). Pp. 115–119. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54 (Supplementum)**: i–vi + 1–440.
- JACKSON J. 1892a: Socotra. Notes bibliographiques. *Revue de Géographie* **30**: 138–142, 212–216, 282–286, 373–379, 459–463.
- JACKSON J. 1892b: Socotra. Notes bibliographiques. *Revue de Géographie* **31**: 43–48, 132–137.
- JAGO N. D. 1967: A key, check list and synonymy to the species formerly included in the genera *Caloptenopsis* I. Bolívar, 1889, and *Acorypha* Krauss, 1877 (Orth. Calliptaminae). *EOS, Revista de Entomología* **42** [1966]: 397–462.
- JAGO N. D. 1977: Revision of the genus *Ochrilidia* Stål, 1873, with comments on the genera *Sporobolius* Uvarov, 1941 and *Platypternodes* I. Bolívar, 1908 (Orthoptera, Acrididae, Gomphocerinae). *Acrida* **6**: 163–217.
- JAGO N. D. 1996: Review of Western and Eastern African genera of the *Dropherula* complex (Orthoptera, Acridoidea, Gomphocerinae) with description of new genera and species. *Journal of Orthoptera Research* **5**: 69–124.
- JANŠTA P. 2012: Description of male of *Leucospis insularis* (Hymenoptera: Chalcidoidea: Leucospidae) with new records and check-list of Chalcidoidea of Socotra Island. Pp. 517–523. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- JEŽEK J. & TKOČ M. 2012: A new species of the genus *Gondwanoscurus*, and two new records of non-biting moth flies (Diptera: Psychodidae: Psychodinae) from Socotra Island. Pp. 545–557. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- JIROUX E., SUDRE J. & TÉOCCHI P. 2004: Synonymies, diagnoses et bionomie de quelques Cerambycidae africains (10<sup>ème</sup> note) 2<sup>ème</sup> partie (Coleoptera, Cerambycidae). *Cahiers Magellanes* **39**: 1–32.
- JORDAN K. 1939: On the constancy and variability of the differences between the Old world species of *Utetheisa* (Lepid.; Arctiidae). *Novitates Zoologicae* **41** [1938–1939]: 251–291.
- KALTENBACH A. 1982: Insects of Saudi Arabia. Mantodea. *Fauna of Saudi Arabia* **4**: 29–72.
- KARSCH F. 1886: Orthopterologische Beiträge. I. Die Mekopodiden des Berliner zoologischen Museums. *Berliner Entomologische Zeitschrift* **30**: 107–118, pl. IV.
- KEJVAL Z. 2002: The species of *Anthelephila* (Coleoptera: Anthicidae) related to *A. angustiformis* and *A. walkeri*. *Folia Heyrovskyana* **10**: 83–114.
- KEJVAL Z. 2012: Studies on the genus *Anthelephila* (Coleoptera: Anthicidae). 12. Review of the species from Yemen, including Socotra Island. Pp. 347–363. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- KEVAN D. K. McE. 1973: A new genus of Pyrgomorphidae (Acridoidea: Orthoptera) from the Island of Socotra. *Canadian Entomologist* **105**: 1169–1173.
- KIMMINS D. E. 1960: The Odonata and Neuroptera of the island of Socotra. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Thirteenth Series* **3**: 385–392.
- KIRBY W. F. 1881: On the Hymenoptera collected by Prof. I. Bayley Balfour in Socotra. *Proceedings of the Zoological Society of London* **1881**: 649–650.
- KIRBY W. F. 1900: Descriptions of the new species of Hymenoptera. *Bulletin of the Liverpool Museums* **3**: 13–24.
- KIRBY W. F. 1903a: Insecta: Hymenoptera. Pp. 235–257, pl. XV, XVI. In: FORBES H. O. (ed.): The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. *Special Bulletin of the Liverpool Museums*, xlvii + 598 pp.
- KIRBY W. F. 1903b: Insecta: Neuroptera. Planipennia. Pp. 404–405. In: FORBES H. O. (ed.): The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. *Special Bulletin of the Liverpool Museums*, xlvii + 598 pp.

- KIRBY W. F. 1910: *A synomeric catalogue of Orthoptera. Vol. III. Orthoptera Saltatoria Part II. (Locustidae vel Acridoidea)*. British Museum, London, vii + 674 pp.
- KIRKALDY G. W. 1899: Descriptions of ten new species of Hemiptera. *Bulletin of the Liverpool Museums* **2**: 45–47.
- KIRKALDY G. W. 1903: Insecta: Hemiptera. Pp. 381–394, pl. XXIII. In: FORBES H. O. (ed.): The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. *Special Bulletin of the Liverpool Museums*, xlvii + 598 pp.
- KIRSCHENHOFER E. 2008: Neue und wenig bekannte Chlaenius-Arten der afrotropischen Region (Coleoptera, Carabidae). *Entomofauna, Zeitschrift für Entomologie* **29**: 9–60.
- KIRSCHENHOFER E. 2010: Faunistische Neumeldungen und Beschreibung neuer Arten der Gattungen Aristolebia Bates, 1892, und Lebia Latreille, 1802 aus Yemen, Laos, Malaysia, Thailand und Nepal (Coleoptera Carabidae). *Acta Coleopterologica* **26**: 49–64.
- KMENT P., CARAPEZZA A., JINDRA Z. & KONDOROSY E. 2017: Review of the genus Lanchnophorus (Hemiptera: Heteroptera: Rhyphochromidae) with description of three new species and other nomenclatural changes. *Zootaxa* **4226**: 47–74.
- KMENT P., CARAPEZZA A. & MOULET P. 2015a: Ploštice (Heteroptera) souostroví Sokota. [True bugs (Heteroptera) of the Socotra Archipelago]. P. 111. In: BRYJA J., ŘEHÁK Z. & ZUKAL J. (eds): *Zoologické dny Brno 2015. Sborník abstraktů z konference 12.–13. února 2015*. Ústav biologie obratlovců AV ČR, Brno, 299 pp. (in Czech).
- KMENT P., CARAPEZZA A. & MOULET P. 2015b: Heteroptera of the Socotra Archipelago. P. 54. In: *7th European Hemiptera Congress and 9th International Workshop on Leafhoppers and Planthoppers of Economic Importance. Seggau Castle / Graz (Austria), July 19th–24th, 2015*. ÖEG, ÖKOTEAM, Graz, 107 pp.
- KNÍŽEK M. 2010: Five new species of Triotemnus (Coleoptera, Curculionidae, Scolytinae) from Morocco and Yemen. *ZooKeys* **56**: 191–206.
- KNÍŽEK M. 2012a: Description of a new species of Aglycyderes (Coleoptera: Belidae: Oxycoryninae). Pp. 503–510. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- KNÍŽEK M. 2012b: A new species of Halystus from Socotra Island (Coleoptera: Curculionidae: Scolytinae: Polygraphini). Pp. 511–516. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- KOCH C. 1943: Revision der Tenebrionidengattungen Thalpophila und Rhytina (Col. Tenebr.). *Mitteilungen der Münchner Entomologischen Gesellschaft* **33**: 759–889.
- KOCH C. 1970. Die Tenebrioniden (Coleoptera) des Archipels von Socotra. *Monitore Zoologica Italiano, Nuova Serie, Supplemento* **3**: 69–132.
- KOČÁREK P. 2014: Earwigs (Dermaptera) of Socotra Island: checklist, distribution, and description of a new genus and four new species. Pp. 1–21. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54 (Supplementum)**: i–vi + 1–440.
- KOHL F. F. 1906: *Zoologische Ergebnisse der Expedition der Kaiserlichen Akademie der Wissenschaften nach Südarabien und Sokótra im Jahre 1898–1899. Hymenopteren*. Kaiserlichen Akademie der Wissenschaften, Wien, 133 pp., pls. I–XI. [published as reprint in 1906, re-published in journal in 1907: *Denkschriften der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse* **71**: 169–301, pls. I–XI].
- KOHL F. F. 1918: Die Hautflüglergruppe „Sphecinae“. IV. Teil. Die natürliche Gattung Sceliphron Klug (Pelopoeus Latr.). *Annalen des Naturhistorischen Museums in Wien* **32**: 1–171.
- KOLIBÁČ J. 2014: Two new species of Afrocyrona from Socotra Island (Coleoptera: Trogossitidae). Pp. 197–210. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54 (Supplementum)**: i–vi + 1–440.
- KOPECKÝ T. 2009: Contribution to the systematics and distribution of Tachyura (s. str.) ferrugata (Reitter, 1895). *Studies and Reports of District Museum Prague-East, Taxonomical Series* **5**: 191–196.
- KRAATZ G. 1865: *Revision der Tenebrioniden der alten Welt aus Lacordaire's Gruppen der Erodiides, Tentyriides, Akisides, Pimelioides, und der europäischen Zophosis-Arten*. Nicolaische Verlagsbuchhandlung, Berlin, 393 pp.
- KRÁL D. 2014: Delopleurus mencli sp. nov. from Socotra Island (Coleoptera: Scarabaeidae: Scarabaeinae). Pp. 133–138. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54 (Supplementum)**: i–vi + 1–440.

- KRÁL D. & KUBÁŇ V. 2012: Afromorgus reiterorum sp. nov. (Coleoptera: Trogidae) from Socotra Island. Pp. 147–152. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- KRÁL D., SEHNAL R. & BEZDĚK A. 2012: Tanyproctini (Coleoptera: Scarabaeidae: Melolonthinae) of Socotra Island. Pp. 153–182. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- KRAUSS H. A. 1900: Über ein eigentümliches Organ bei der Feldheuschrecke Poecilocerus socotranus Burr. *Zoologischer Anzeiger* **23**: 155–157.
- KRAUSS H. A. 1902: Diagnosen neuer Orthopteren aus Südarabien und von der Insel Sokotra. *Anzeiger der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse* **39**: 53–58.
- KRAUSS A. 1907: Orthopteren aus Südarabien und von der Insel Sokótra. *Denkschriften der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse* **71(2)**: 1–30 [published as reprint in 1907, re-published in journal in 1931].
- KUHLMANN M. 1998: Lectotype designation and new synonymy for Afrotropical and Oriental bees of the genus *Colletes* Latr. (Hymenoptera, Apidae, Colletinae). *Linzer Biologische Beiträge* **30**: 559–577.
- KUHLMANN M. 2003: Zur Kenntnis paläarktischer Bienen der Gattung *Colletes* Latr. mit Beschreibung neuer Arten (Hymenoptera: Apidae: Colletinae). *Linzer Biologische Beiträge* **35**: 723–746.
- KUHLMANN M. 2007: Neue *Colletes*-Arten aus China mit Anmerkungen zu weiteren Arten (Hymenoptera: Apoidea: Colletidae). *Linzer Biologische Beiträge* **39**: 463–474.
- KUNDRATA R. 2012: Description of *Selasia socotrina* sp. nov. (Elateridae: Agrypninae: Drilini) from Socotra Island, with notes on *S. homhilia*. Pp. 213–218. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- LACKNER T. & KAPLER O. 2007: Revision of the genus *Eutriptus* (Coleoptera: Histeridae). *Folia Heyrovskyana, Series A* **14**: 117–126.
- LACKNER T. & VIENNA P. 2017: Histeridae of Socotra (Coleoptera: Histeroidea). *Acta Entomologica Musei Nationalis Pragae* **57** (**Supplementum**): 55–76.
- LACROIX M. 1994: Pachydeminae des régions limitrophes du Golfe d'Aden et description de *Canudema socotrae* n. gen., n. sp. (Coleoptera, Scarabaeoidea, Melolonthidae). *Revue Française d'Entomologie, Nouvelle Série* **16**: 153–170.
- LACROIX M. 1999: Melolonthidae de Socotra (Coleoptera, Scarabaeoidea). *Revue Française d'Entomologie, Nouvelle Série* **21**: 87–96.
- LACROIX M. 2002: Melolonthidae (Coleoptera: Scarabaeoidea) of Socotra Island, Yemen. *Fauna of Arabia* **19**: 399–414.
- LAMEERE A. A. L. 1902: Révision des prionides. Quatrième mémoire – sténodontines. *Mémoires de la Société Entomologique de Belgique* **9**: 63–110.
- LANSBURY I. 1964: Notes on *Anisops debilis* Gerstaeker 1873 (Hem.-Heteroptera, Notonectidae) and its closely related forms. *Entomologist's Monthly Magazine* **99** [1963]: 97–108.
- LEESON H. S. & THEODOR O. 1948: Mosquitos of Socotra. *Bulletin of Entomological Research* **39**: 221–229.
- LEHRER A. Z. 1970: Considérations phylogénétiques et taxonomiques sur la famille Calliphoridae (Diptera). *Annotationes Zoologicae et Botanicae* **61**: 1–52.
- LEHRER A. Z. 2003: Sarcophaginae de l'Afrique (Insecta, Diptera, Sarcophagidae). *Entomologica* (Bari) **37**: 5–528.
- LEHRER A. Z. 2005: Nouveaux sarcophagides afrotropicaux et orientaux (Diptera, Sarcophagidae). *Entomologica* (Bari) **39**: 5–59.
- LEHRER A. Z. 2006: Contributions zoogéographiques sur les Sarcophaginae afrotropicaux (Diptera, Sarcophagidae). *Fragmenta Dipterologica* **2**: 19–23.
- LELEJ A. S. & HARTEN A. VAN 2006: A review of the Mutilidae (Hymenoptera) of Yemen. *Zootaxa* **1226**: 1–50.
- LESNE P. 1906: Bostrychides nouveaux ou peu connus. *Annales de la Société Entomologique de France* **75**: 393–428.
- LESNE P. 1915: Les érodiens de l'Afrique orientale (Coléoptères Ténébrionides). *Bulletin du Muséum National d'Histoire Naturelle* **29**: 225–240.
- LEVEY B. & VOLKOVITSH M. G. 1996: Five new species of sub-Saharan and Arabian Acmaeodera (Coleoptera: Buprestidae). *Zoosystematica Rossica* **5**: 139–148.

- LIEFTINCK M. A. 1968: A review of Old World species of Thyreus Panzer (= Crocisa Jurine) (Hym., Apoidea, Anthophoridae). Part 4. Palearctic species. *Zoologische Verhandelingen* **98**: 3–138.
- LIENHARD R. E. 1995: Psocoptères (Pscoptera) nouveaux ou peu connus d'Italie, de Chypre et du Yémen. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* **68**: 335–361.
- LINDINGER L. 1913: Afrikanische Schildläuse. V. Die Schildläuse Deutsch-Ostafrikas. *Jahrbuch der Hamburgischen Wissenschaftlichen Anstalten* **3**(Beiheft): 59–100.
- LINNAUORI R. E. 1989: New taxa of Heteroptera and Auchenorrhyncha from the Middle East and the Ethiopian Region. *Annales Entomologici Fennici* **55**: 1–9.
- LINNAUORI R. E. 1994: Heteroptera from Socotra. *Entomologica Fennica* **5**: 151–156.
- LINNAUORI R. E. 1997: Taxonomic studies on the Miridae (Heteroptera) of Africa and the Middle East. *Acta Universitatis Carolinae Biologica* **40** [1996]: 321–350.
- LINNAUORI R. E. & HARTEN A. VAN 2000: Additional notes on the Heteroptera (Insecta: Hemiptera) of Yemen. *Fauna of Arabia* **18**: 165–175.
- LINNAUORI R. E. & HARTEN A. VAN 2002: Additional notes on the Heteroptera (Insecta: Hemiptera) of Yemen II. *Esperiana* **9**: 157–188.
- LINSENMAIER W. 1987: Revision der Familie Chrysidae (Hymenoptera). 4. Teil. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* **60**: 133–158.
- LIS J. A. 2000: A revision of the burrower-bug genus Macroscytus Fieber, 1860 (Hemiptera: Heteroptera: Cydnidae). *Genus* **11**: 359–509.
- LO CASCIO P. & GRITA F. 2009: A new longhorn beetle from Socotra Island (Yemen) (Coleoptera, Cerambycidae). *Fragmenta Entomologica* **41**: 123–127.
- LO CASCIO P. & GRITA F. 2011: A new Trachyscelis from the Socotra Archipelago (Yemen) (Coleoptera Tenebrionidae). *Bollettino della Società Entomologica Italiana* **143**: 85–92.
- LO CASCIO P. & PAGLIANO G. 2014: A new species of Micatagla from Socotra Island (Hymenoptera: Bradynobaenidae: Apterogyninae). Pp. 423–427. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54** (**Supplementum**): i–vi + 1–440.
- LO CASCIO P., ROMANO M. & GRITA F. 2012: New species and new records of mutillid wasps from the Socotra Archipelago (Hymenoptera: Mutillidae). Pp. 525–544. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- LÖBL I. 2012: Baeocera socotrana sp. nov., the first species of Scaphidiinae (Coleoptera: Staphylinidae) reported from Socotra Island. Pp. 141–145. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- LÖDL M. 1994: Revision der Gattung Hypena Schrank, 1802 s.l., der äthiopischen und madagassischen Region, Teil 1 (Insecta: Lepidoptera: Noctuidae: Hypeninae). *Annalen des Naturhistorischen Museums in Wien* **96B**: 373–590.
- LÖDL M. 1995: Revision der Gattung Hypena Schrank, 1802, s.l. der äthiopischen und madagassischen Region, Teil 2 (Insecta: Lepidoptera: Noctuidae: Hypeninae). *Annalen des Naturhistorischen Museums in Wien* **97B**: 255–393.
- LOND'T J. G. H. 2001: Bittacus chevalieri (Navás, 1908) (Mecoptera: Bittacidae), newly recorded from Socotra and found to occur in Pakistan and India. *African Invertebrates* **42**: 255–262.
- LOND'T J. G. H. 2005: A review of afrotropical Afroholopogon Londt, 1994 with the description of a new genus and new species (Diptera: Asilidae: Stenopogoninae). *African Invertebrates* **46**: 203–252.
- LOND'T J. G. H. 2006: A review of the afrotropical species of Nusa Walker, 1851 (Diptera: Asilidae: Laphriinae). *Tijdschrift voor Entomologie* **149**: 101–120.
- LOND'T J. G. H. 2008: A review of Afrotropical Trichardis Hermann, 1906, and the description of the first Oriental representative of the genus (Diptera: Asilidae: Laphriinae). *African Invertebrates* **49**: 171–226.
- LORENC J. 2017: *Cantharocnemis spondyloides* Serville, 1832. <http://www.cerambycidae.cz/photo-gallery.html> (accessed 11.9.2017).
- LOTTE F. 1938: Sur quelques buprestides (Col.) nouveaux de la tribu des Julodini. *Bulletin de la Société Entomologique de France* **43**: 66–69.
- LYNEBORG L. 1976: A revision of the therevine stilettoflies (Diptera: Therevidae) of the Ethiopian Region. *Bulletin of the British Museum (Natural History), Entomology* **33**: 189–346.
- LYNEBORG L. 1989: The subsaharan species of Acathrito Lyneborg, 1983 (Diptera: Therevidae: Phycinae). *Annals of the Natal Museum* **30**: 165–172.

- MALENOVSKÝ I. & BURCKHARDT D. 2014: Jumping plant-lice of Socotra Island (Hemiptera: Psylloidea). Pp. 23–61. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54** (Supplementum): i–vi + 1–440.
- MALENOVSKÝ I. & BURCKHARDT D. 2015: Biodiversity of jumping plant-lice (Psylloidea) on the island of Socotra. P. 60. In: *7th European Hemiptera Congress and 9th International Workshop on Leafhoppers and Planthoppers of Economic Importance, Seggau Castle / Graz (Austria), July 19th–24th, 2015*. ÖEG, ÖKOTEAM, Graz, 107 pp.
- MALICKY H. 1999: Einige Köcherfliegen von der Insel Sokotra (Insecta: Trichoptera). *Entomologische Zeitschrift* (Stuttgart) **109**: 492–495.
- MARSHALL J. A. 1975: A catalogue of the primary types of Mantodea (Dictyoptera) in the British Museum (Natural History). *Bulletin of the British Museum (Natural History), Entomology* **31**: 309–329.
- MARSHALL S. A., ROHÁČEK J., DONG H. & BUCK M. 2011: The state of Sphaeroceridae (Diptera: Acalyptratae): a world catalog update covering the years 2000–2010, with new generic synonymy, new combinations, and new distributions. *Acta Entomologica Musei Nationalis Pragae* **51**: 217–298.
- MASSA B. 2009: New and less known Orthoptera (Insecta) from the island of Socotra (Yemen). *Zootaxa* **2132**: 53–64.
- MASSA B. 2017: New and interesting Orthoptera from the Arabian Peninsula and Socotra. *ZooKeys* **679**: 37–46.
- MATHIS W. N. 1993: Studies of Gymnomyzinae (Diptera: Ephydriidae), IV: A revision of the shore-fly genus *Hecamede* Haliday. *Smithsonian Contributions to Zoology* **541**: 1–46.
- MATTINGLY P. F. 1953: The sub-genus Stegomyia (Diptera: Culicidae) in the Ethiopian Region II. Distribution of species confined to the east and south African sub-region. *Bulletin of the British Museum (Natural History), Entomology* **3**: 1–65.
- MATTINGLY P. F. & KNIGHT K. L. 1956: The mosquitoes of Arabia. I. *Bulletin of the British Museum (Natural History), Entomology* **4**: 91–141.
- MAY M. L. 2002: Phylogeny and taxonomy of damselfly genus *Enallagma* and related taxa (Odonata: Zygoptera: Coenagrionidae). *Systematic Entomology* **27**: 387–408.
- MAYR G. 1886: Feigeninsecten. *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien* **35** [1885]: 147–250.
- McLACHLAN R. 1903: Insecta: Neuroptera. Amphibiotica. Pp. 398–405, pls. XXIV, XXIVa. In: FORBES H. O. (ed.): The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. *Special Bulletin of the Liverpool Museums*, xlvi + 598 pp.
- McLACHLAN R., KIRBY W. F. & AUSTEN E. E. 1898: Insects of other orders. Pp. 386–387. In: DIXEY F. A., BURR M. & PICKARD-CAMBRIDGE O. 1898: On a collection of insects and arachnids made by Mr. E. N. Bennett in Socotra, with descriptions of new species. *Proceedings of the Zoological Society of London* **1898**: 372–392, pls. XXX–XXXI.
- MEDVEDEV L. N. 2012: New species of leaf-beetles (Chrysomelidae) from Arabia. *Russian Entomological Journal* **21**: 415–418.
- MEILLON DE B. 1947: The Anophelini of the Ethiopian geographical region. *Publications of the South African Institute of Medical Research* **49**: 1–272.
- MELICHAR L. 1902: Monographie der Acanaloniiden und Flatiden (Homoptera). *Annalen des Naturhistorischen Museums in Wien* **17**: 1–253, pls. 1–9.
- MELICHAR L. 1923: Homoptera; fam. Acanaloniidae, Flatidae et Ricaniidae. *Genera Insectorum* (Bruxelles) **182**: 1–185, 2 pls.
- MENDES L. F. 2004: Zygentoma (Insecta) from the Socotra Archipelago. *Fauna of Arabia* **20**: 357–398.
- MERZ B. 2002: Three new species of *Goniurellia* Hendel from Sokotra Island (Yemen) and Oman, and comments on *Tephritis cosmia* Schiner (Diptera, Tephritidae). *Revue Suisse de Zoologie* **109**: 519–532.
- MEYRICK E. 1933: *Exotic Microlepidoptera*. Vol. IV. Taylor and Francis, London, pp. 353–448.
- MICHAT M. C., ALARIE Y. & HÁJEK J. 2015: Larval morphology of *Yola Gozis*, 1886 (Coleoptera: Dytiscidae: Bidessini) and comparison with other genera of the tribe Bidessini. *Coleopterists Bulletin* **69**: 489–497.
- MILLER A. G. & MORRIS M. 2004: *Ethnoflora of the Socotra Archipelago*. Royal Botanic Garden Edinburgh, Edinburgh, 776 pp.
- MILLER D. R., BEN-DOV Y. & GIBSON G. 1998: *Scalenet: a searchable information system on scale insects*. World Wide Web site at: <http://www.sel.barc.usda.gov/scalenet/scalenet.htm>

- MISTSHENKO L. 1936: Orthoptera Palaearctica Critica. XII. Revision of Palaearctic species of the genus *Sphingonotus* Fieber (Orth. Acrid.). *EOS, Revista de Entomologia* **12**: 65–282.
- MOULET P. 2001: Quatre Oncocephalus Klug, 1830 nouveaux et description de la forme macroptère de *O. pennatus* (Heteroptera, Reduviidae, Stenopodainae). *Nouvelle Revue d'Entomologie* **18**: 353–368.
- MOULET P. 2004: Contribution à l'étude des Stenopodainae paléarctiques (Heteroptera, Reduviidae). *Nouvelle Revue d'Entomologie* **20**: 281–297.
- MÜLLER D. H. 1907: Zur Geschichte der südarabischen Expedition. *Denkschriften der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse* **71(1)**: I–V.
- NABOZHENKO M. & PURCHART L. 2017: Western Palaearctic Trachyscelis Latreille, 1809 (Coleoptera: Tenebrionidae: Trachyscelini). *Annales Zoologici* (Warszawa) **67**: 561–575.
- NASHER A. K. & AL JUMAILY M. M. 2003: Zoological material from Socotra Archipelago deposited in Sana'a University, with reference to the need for establishing a National Scientific Museum. Pp. 65–73. In: BA-ANGOOD S. A., BA-SALEEM M. O. & HUSSEIN M. O. (eds): *Proceedings of the second international symposium on the developing strategy of Socotra Archipelago and other Yemeni islands. 14–16 December 2003, Aden. Volume I. Natural resources and biodiversity*. Aden University Printing & Publishing House, Aden, 132 + 182 pp.
- NEUMANN V. & GEDEON K. 2009: Die Forschungsreise Emil Riebecks nach Sokotra. *Abhandlungen und Berichte aus dem Museum Heineanum* **8**: 85–100.
- NEUMANN V., GEDEON K. & ADLBAUER K. 2004: Bockkäferfauna (Coleoptera, Cerambycidae) von Sokotra (Jemen). *Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie* **14**: 137–140.
- NOORT S. VAN & HARTEN A. VAN 2006: The species richness of fig wasps (Hymenoptera: Chalcidoidea: Agaonidae, Pteromalidae) in Yemen. *Fauna of Arabia* **22**: 449–472.
- NOSKIEWICZ J. 1936: Die palearktischen Colletes-Arten. *Prace Naukowe. Wydawnictwo Towarzystwa Naukowego we Lwowie* **2(3)**: 1–531 + XXVIII pls.
- NOVÁK V. 2007: New genus and three new species of Alleculinae (Coleoptera: Tenebrionidae) from the Socotra Island, Yemen. *Fauna of Arabia* **23**: 319–334.
- NOVÁK V. & PURCHART L. 2012: New species of the genus *Socotralia* and first record of the genus *Alogista* from Socotra Island (Coleoptera: Tenebrionidae: Alleculinae). Pp. 337–346. In: HÁJEK J. & BEZDĚK J. (eds): *Insect biodiversity of the Socotra Archipelago. Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- NUPPONEN K. & SALDAITIS A. 2013: Recent records of scythridids from the islands of Socotra and Maldives in the Indian Ocean, with descriptions of two new species (Lepidoptera: Gelechioidea, Scythrididae). *Zootaxa* **3626**: 288–294.
- OBYDOV D. & SALDAITIS A. 2010: New subspecies of the caterpillar hunter *Calosoma (Caminara) chlorostictum* Dejean, 1831 from the Socotra Island (Coleoptera: Carabidae). *Acta Entomologica Slovenica* **18**: 53–57.
- OGILVIE-GRANT W. R. 1899: Descriptions of three new species of butterflies. *Bulletin of the Liverpool Museums* **2**: 10–11.
- OGILVIE-GRANT W. R. 1903: Insecta: Lepidoptera. I. – Rhopalocera. Pp. 293–319, pls. XVIII, XIX. In: FORBES H. O. (ed.): *The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. Special Bulletin of the Liverpool Museums*, xlvii + 598 pp.
- OHL M. 1999: A revision of *Stizoides* Guérin-Méneville, 1844: Taxonomy, phylogenetic relationships, biogeography, and evolution (Hymenoptera: Apoidea, "Sphecidae"). *Mitteilungen aus dem Museum für Naturkunde in Berlin, Zoologische Reihe* **75**: 63–169.
- OLDROYD H. 1964: Diptera from Nepal. Asilidae. *Bulletin of the British Museum (Natural History), Entomology* **15**: 237–254.
- PAGLIANO G. 2002: *Revisione della sottosfamiglia Apterogyninae (Hymenoptera: Bradynobaenidae). Monografie XXXIV. Museo regionale di Scienze naturali di Torino*, Torino, 387 pp.
- PASTEELS J. J. 1985: Espèces nouvelles ou mal connues de Megachilinae (Hymenoptera, Apoidea, Megachilidae) de l'Afrique subsaharienne. *Revue de Zoologie Africaine* **99**: 5–15.
- PAULY A. 1984: Donées complémentaires pour l'étude des abeilles afrotropicales du groupe *Lassioglossum* (Ctenonomia) duponti (Vachal) (Hymenoptera Apoidea Halictidae). *Revue de Zoologie Africaine* **98**: 334–336.
- PAULY A. 1990: Classification des Nomiinae africains (Hymenoptera Apoidea Halictidae). *Annales Musée Royal de l'Afrique Centrale, Sciences Zoologiques* (Tervuren) **261**: 1–206.

- PAULY A. 2017: *Lasioglossum (Afrodialictus) Africa*. <http://www.atlashymenoptera.net/page.asp?id=173> (accessed 27.4.2017).
- PENNY N. D. & BYERS G. W. 1979: A check-list of the Mecoptera of the world. *Acta Amazonica* **9**: 365–388.
- PENRITH M.-L. 1983a: Revision of the Zophosini (Coleoptera: Tenebrionidae). Part 7. The African species of the subgenus Oculosis Penrith. *Cimbebasia, Series A* **6**: 291–367.
- PENRITH M.-L. 1983b: Revision of the Zophosini (Coleoptera: Tenebrionidae). Part 8. The Palaearctic species group of the subgenus Oculosis Penrith, the subgenus Cheirosis Deyrolle, and a monotypical subgenus from Socotra. *Cimbebasia, Series A* **6**: 369–384.
- PERRIN H. 2000: Une nouvelle espèce de Curculionidae de l'île de Socotra (Coleoptera). *Bulletin de la Société Entomologique de France* **104** [1999]: 423–426.
- PESENKO Y. A. 1983: *Pchelinye-galiktidy (Halictidae), podsemeystvo Halictinae, triba Nomiodini (v ob'eme fauny palearktiki)*. [Halictid bees (Halictidae), subfamily Halictinae, tribe Nomiodini (in amount of the Palaearctic Region)]. Fauna SSSR. Nasekomye pereponchatokrylye. [Fauna of the USSR, Hymenopterous insects] Vol. 17(1). Nauka, Leningrad, 199 pp. (in Russian).
- PESENKO Y. A. & PAULY A. 2005: Monograph of the bees of the subfamily Nomiodinae (Hymenoptera: Halictidae) of Africa (excluding Madagascar). *Annales de la Société Entomologique de France, Nouvelle Série* **41**: 129–236.
- PESENKO Y. A. & PAULY A. 2009: A contribution to the fauna of the Nomiodine bees of the Arabian Peninsula (Hymenoptera: Halictidae). *Fauna of Arabia* **24**: 217–236.
- PETROVITZ R. 1962: Neue und interessante Scarabaeidae aus dem vorderen Orient. I. Teil. *Reichenbachia* **1**: 107–124.
- PINHEY E. 1970: Monographic study of the genus *Trithemis* Brauer (Odonata: Libellulidae). *Memoirs of the Entomological Society of Southern Africa* **11**: 1–159.
- PLATIA G. 2012: Contribution to the knowledge of the click-beetles from the Socotra Island (Yemen) (Coleoptera Elateridae). *Arquivos Entomológicos* **7**: 129–153.
- PLATIA G. 2014: Second contribution to the knowledge of the click-beetles from the Socotra Island (Yemen) (Coleoptera Elateridae). *Arquivos Entomológicos* **10**: 69–76.
- PLONSKI I. 2017: Colotrema socotranum sp. nov. from Socotra Island, with new records of the genus from Yemen (Coleoptera: Malachiidae). *Acta Entomologica Musei Nationalis Pragae* **57 (Supplementum)**: 125–131.
- POHL H. & BEUTEL R. G. 2005: The phylogeny of Strepsiptera (Hexapoda). *Cladistics* **21**: 328–374.
- PONT A. C. 1972: Australasian Pectiniseta Stein, with notes on the genus (Diptera, Muscidae). *Records of the Australian Museum* **28**: 141–160.
- POPESCU-GORJ A. & CONSTANTINESCU A. 1977: Revision of the genus *Euclasta* Lederer (Lepidoptera, Pyraustidae). *Travaux du Muséum d'Histoire Naturelle Grigore Antipa* **18**: 157–245.
- POPOV G. B. 1957: The vegetation of Socotra. *Journal of the Linnean Society, Botany* **55**: 706–720.
- POPOV G. B. 1959: The desert locust (*Schistocerca gregaria* Forskål) in the Island of Socotra. *Journal of Animal Ecology* **28**: 89–95.
- POPOV G. B. 1981: Insects of Saudi Arabia. Orthoptera: Family Tettigoniidae (Bush Crickets). *Fauna of Saudi Arabia* **3**: 114–148.
- POPOV G. B. 1984: Insects of Saudi Arabia. Orthoptera: Fam. Stenopelmatidae and Gryllacrididae. *Fauna of Saudi Arabia* **6**: 175–202.
- POPOV G. B. 1997: Arabian grasshoppers (Orthoptera): families Pamphagidae (Eumastacoidea) and Pyrgomorphidae (Aridoidea). *Fauna of Saudi Arabia* **16**: 111–168.
- POPOV G. B. & RATCLIFFE M. 1968: The Sahelian tree locust *Anacridium melanorhodon* (Walker). *Anti-Locust Memoir* **9**: 1–48.
- PRATHAPAN K. D. 2016: Revision of the legume-feeding leaf beetle genus *Madurasia* Jacoby, including a new species description (Coleoptera, Chrysomelidae, Galerucinae, Galerucini). *ZooKeys* **597**: 57–79.
- PURCHART L. 2009: Review of the genus *Adelostoma* Duponchel, 1827 (Coleoptera: Tenebrionidae: Adelostomini) from the Socotra Archipelago, with description of a new species. *African Entomology* **17**: 23–27.
- PURCHART L. 2012: Biodiversity research of darkling beetles on Socotra Island. Part I. The genus *Deretus* Gahan, 1900 (Coleoptera: Tenebrionidae). *Zootaxa* **3153**: 57–68.
- PURCHART L. 2013: A new species of the genus *Deretus* Gahan, 1900 (Coleoptera: Tenebrionidae) from the island of Socotra. *Annales Zoologici (Warszawa)* **63**: 79–83.

- PURCHART L. 2014a: Revision of the genus *Histeromorphus* (Coleoptera: Tenebrionidae) from the Socotra Archipelago with descriptions of three new species. Pp. 211–230. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54** (**Supplementum**): i–vi + 1–440.
- PURCHART L. 2014b: Two new species of the genera *Zophosis* and *Oxycara*, and a new record of the genus *Freyula* from the Island of Socotra (Coleoptera: Tenebrionidae). Pp. 231–240. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54** (**Supplementum**): i–vi + 1–440.
- PURCHART L. & KAMIŃSKI M. J. 2017: A taxonomic review of the genus *Clitobius* with description of a new species from Oman. *Acta Entomologica Musei Nationalis Pragae* **57** (**Supplementum**): 139–163.
- PURCHART L. & NABOZHENKO M. V. 2012: Description of larva and pupa of the genus *Deretus* (Coleoptera: Tenebrionidae) with key to the larvae of the tribe *Helopini*. Pp. 295–302. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- PURCHART L. & SCHAWALLER W. 2012: A new species of the genus *Corticeus* (Coleoptera: Tenebrionidae) from Socotra Island. Pp. 315–322. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- PULAWSKI W. J. 1995: The wasp genus *Gasterosericus* Spinola, 1839 (Hymenoptera: Sphecidae). *Memoirs of the California Academy of Sciences* **18**: 1–173.
- PULAWSKI W. J. 2007: The wasp genus *Tachysphex* Kohl, 1883, of Sahara, Sub-Saharan Africa, the Arabian Peninsula, and Madagascar (Hymenoptera: Apoidea: Crabronidae). *Proceedings of the California Academy of Sciences, Fourth Series* **58** (**Supplement I**): 1–698.
- RAGGE D. R. 1956: A revision of the genera *Phaneroptera* Serville and *Nephoptera* Uvarov (Orthoptera: Tettigoniidae), with conclusions of zoogeographical and evolutionary interest. *Proceedings of the Zoological Society of London* **127** [1955]: 205–283.
- RAGGE D. R. 1968: An index-catalogue of African Phaneropterinae (Orthoptera: Tettigoniidae). *Bulletin of the British Museum (Natural History), Entomology* **22**: 75–108.
- RAGGE D. R. 1980: A review of the African Phaneropterinae with open tympana (Orthoptera: Tettigoniidae). *Bulletin of the British Museum (Natural History), Entomology* **40**: 67–192.
- RAIMUNDO A. C., FÜRSCHE H. & HARTEN A. VAN 2006: Notes on the ladybird beetles (Coleoptera: Coccinellidae) of Yemen, with the description of two new species. *Fauna of Arabia* **21**: 217–245.
- RAIMUNDO A. C. & HARTEN A. VAN 2000: An annotated checklist of the Coccinellidae (Insecta: Coleoptera) of Yemen. *Fauna of Arabia* **18**: 211–243.
- RAOULT D., REED D. L., DITTMAR K., KIRCHMANN J. J., ROLAIN J.-M., GUILLEN S. & LIGHT J. E. 2008: Molecular identification of lice from pre-columbian mummies. *Journal of Infectious Diseases* **197**: 535–543.
- REBEL H. 1899: Diagnosen neuer Lepidopteren aus Südarabien und von der Insel Sokotra. *Anzeiger der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse* **36**: 359–361.
- REBEL H. 1907: Zoologische Ergebnisse der Expedition der Kaiserlichen Akademie der Wissenschaften nach Südarabien und Sokotra im Jahre 1898/99. Lepidopteren. *Denkschriften der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse* **71(2)**: 1–100 [published as reprint in 1907, re-published in journal in 1931 with pagination 31–130].
- REED D. L., SMITH V. S., HAMMOND S. L., ROGERS A. R. & CLAYTON D. H. 2004: Genetic analysis of lice supports direct contact between modern and archaic humans. *PLoS Biology* **2**: 1972–1983.
- RIBES J. & SCHMITZ G. 1992: Revision du genre *Brachynema* Mulsant & Rey, 1852 (Heteroptera, Pentatomidae, Pentatominae). *Bulletin and Annales de la Société Royale Belge d'Entomologie* **128**: 105–166.
- RICARDO G. & THEOBALD F. V. 1903: Insecta: Diptera. Pp. 357–378, pl. XXII. In: FORBES H. O. (ed.): The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. *Special Bulletin of the Liverpool Museums*, xlvi + 598 pp.
- RICHARDS O. W. 1928: The species of *Notogonia* (Hymenoptera, Larridae) occurring in the Mediterranean Basin. *Proceedings of the Zoological Society of London* **1928**: 357–363.
- RICHARDS O. W. 1982: A revision of the genus *Belonogaster* de Saussure (Hymenoptera: Vespidae). *Bulletin of the British Museum (Natural History), Entomology* **44**: 31–114.

- RISERVATO E., GRIECO C., PELLA F., SINDACO R., PUPIN F., SULEIMAN A. S. & FASOLA M. 2010: A contribution to the knowledge of the odonatofauna of the Socotra Archipelago (Yemen) (Insecta: Odonata). *Zoology in the Middle East* **50**: 101–106.
- ITCHIE J. M. 1981: A taxonomic revision of the genus *Oedaleus* Fieber (Orthoptera: Acrididae). *Bulletin of the British Museum (Natural History), Entomology* **42**: 83–183.
- ROBINSON G. S. & SATTLER K. 2001: *Plutella* in the Hawaiian Islands: Relatives and host-races of the Diamond-back moth (Lepidoptera: Plutellidae). *Bishop Museum Occasional Papers* **67**: 1–27.
- ROESLER R. U. 1973: Phycitinae. Trifine Acrobasiina. In: AMSEL H. G., GREGOR F. & REISSER H. (eds): *Microlepidoptera Palaearectica. Vierter Band. Textband*. Georg Fromme & Co., Wien, xvi + 752 pp.
- ROTHSCHILD W. & JORDAN K. 1903: Lepidoptera collected by Oscar Neumann in North-East Africa. *Novitates Zoologicae* **10**: 491–542.
- ROY R. 2010: Mises au point sur le genre *Sphodromantis* Stål, 1871 (Mantodea, Mantidae). *Bulletin de la Société Entomologique de France* **115**: 345–366.
- RÜCKER W. H. 2012: Description of a new Corticaria from Socotra Island (Coleoptera: Latridiidae). Pp. 249–252. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–553.
- RUST M. K. & BYERS G. W. 1976: The Mecoptera of India and adjacent regions. *University of Kansas Science Bulletin* **51(2)**: 19–90.
- SABATINELLI G. & PONTUALE G. 1998: Melolonthinae and Pachydeminae of Arabia (Coleoptera: Scarabaeoidea: Melolonthidae). *Fauna of Arabia* **17**: 107–146.
- SALDAITIS A. & IVINSKIS P. 2010: *Meharia yakovlevi*, a new species (Lepidoptera, Cossidae) from Yemen. *Esperiana* **15**: 379–381.
- SANDS W. A. 1992: The termite genus *Amitermes* in Africa and the Middle East. *Bulletin of Natural Resource Institute* **51**: 1–140.
- SANTOS-SILVA A., SWIFT I. P. & NEARNS E. H. 2010: Division of the genus *Nothopleurus* Lacordaire, 1869 (Coleoptera: Cerambycidae: Prioninae). *Zootaxa* **2643**: 1–44.
- SATTLER K. 1967: Die Gattungen *Ornativalva* Gozmány und *Horridovalva* gen. n. (Lepidoptera, Gelechiidae). *Beiträge zur Naturkundlichen Forschung in Südwestdeutschland* **26(3)**: 33–90.
- SATTLER K. 1976: A taxonomic revision of the genus *Ornativalva* Gozmány, 1955 (Lepidoptera: Gelechiidae). *Bulletin of the British Museum (Natural History), Entomology* **34(2)**: 87–152.
- SCARBROUGH A. G. 2002: Redescriptions of two species of *Ommatius* Wiedemann, with lectotype and paralectotype designations for *Ommatius tenellus* van der Wulp and range extension, and a replacement name for *Ommatius tibialis* Ricardo (Diptera: Asilidae). *Proceedings of the Entomological Society of Washington* **104**: 680–686.
- SCARBROUGH A. G. 2010: An overview of the Afrotropical *Ommatiinae* (Diptera: Asilidae) with a key to genera. *Zootaxa* **2540**: 1–47.
- SCHAWALLER W. 2004: New species and records of Tenebrionidae (Coleoptera) from the Socotra Archipelago. *Fauna of Arabia* **20**: 439–458.
- SCHAWALLER W. 2006: First record of the subfamily Cossyphodinae (Coleoptera: Tenebrionidae) from the Socotra Archipelago. *Fauna of Arabia* **21**: 247–250.
- SCHAWALLER W. & PURCHART L. 2012: *Nanocaecus hlavaci* gen. & sp. nov. – first record of the tribe Gnathiidiini (Coleoptera: Tenebrionidae: Diaperinae) from the Socotra Archipelago. Pp. 303–314. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- SCHEFFRAHN R. H. & KŘEČEK J. 2017: Described from images: The remarkable soldier of *Procryptotermes dioscurae* Harris (Isoptera: Kalotermitidae) from Socotra Island. *Zootaxa* **4365**: 590–593.
- SCHMIDT A. 1911: Eine Serie neuer Aphodiinen. *Entomologische Zeitung* (Stettin) **72**: 3–51.
- SCHNEIDER W. & DUMONT H. J. 1998: Checklist of the dragonflies and damselflies of Soqatra Island (Insecta: Odonata). Pp. 219–231. In: DUMONT H. J. (ed.): *Proceedings of the First international symposium on Soqatra Island: Present and future. Volume 1*. United Nations Publications, New York, 326 pp.
- SCHNEIDER W. & NASHER A. K. 2013: Dragonflies from mainland Yemen and the Socotra Archipelago – additional records and novelties. *International Dragonfly Fund – Report* **57**: 1–13.

- SCHÖLLER M. 2014: *Cryptocephalus socotrensis* sp. nov., the first representative of the genus from Socotra Island (Coleoptera: Chrysomelidae: Cryptocephalinae). Pp. 269–275. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54** (**Supplementum**): i–vi + 1–440.
- SCHÖLLER M., LÖBL I. & LOPATIN I. K. 2010: *Cryptocephalinae: Cryptocephalini* (excl. *Cryptocephalus*). Pp. 580–617. In: LÖBL I. & SMETANA A. (eds): *Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea*. Apollo Books, Stenstrup, 924 pp.
- SCHUH R. 2012: *Colydiinae* (Coleoptera: Zopheridae) of Socotra Island. Pp. 287–294. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- SCHULTHESS A. VON 1928: Zur äthiopischen Vespidenfauna (Hym.). *Rhynchia synagroidea et affinia. Deutsche Entomologische Zeitschrift* **1928**: 305–335.
- SCUDDER G. G. E. 1967: Rhyparochrominae types in the British Museum (Natural History) (Hemiptera: Lygaeidae). *Bulletin of the British Museum (Natural History), Entomology* **20**: 251–285.
- SEHNAL R., KRÁL D. & BEZDĚK A. 2014: Canuschiza of Socotra Island (Coleoptera: Scarabaeidae: Melolonthinae) Part 1. Canuschiza insularis species group. Pp. 139–171. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54** (**Supplementum**): i–vi + 1–440.
- SEHNAL R., KRÁL D. & BEZDĚK A. 2017: Canuschiza of Socotra Island (Coleoptera: Scarabaeidae: Melolonthinae). Part 2. Canuschiza minuta species group. *Acta Entomologica Musei Nationalis Pragae* **57** (**Supplementum**): 77–86.
- SEIFERT B. 2003: The ant genus *Cardiocondyla* (Insecta: Hymenoptera: Formicidae) – a taxonomic revision of the *C. elegans*, *C. bulgarica*, *C. batesii*, *C. nuda*, *C. shuckardi*, *C. stambuloffii*, *C. wroughtonii*, *C. emeryi*, and *C. minutior* species groups. *Annalen des Naturhistorischen Museums in Wien* **104B**: 203–338.
- SHAKUN J. D., BURNS S. J., FLEITMANN D., KRAMERS J., MATTER A. & AL-SUBARY A. 2007: A high-resolution, absolute-dated deglacial speleothem record of Indian Ocean climate from Socotra Island, Yemen. *Earth and Planetary Science Letters* **259**: 442–456.
- SHARAF M. R., FISHER B. L., COLLINGWOOD C. A. & ALDAWOOD A. S. 2017: Ant fauna (Hymenoptera: Formicidae) of the Socotra Archipelago (Yemen): zoogeography, distribution and description of a new species, *Journal of Natural History* **51**: 317–378.
- SKALICKÝ S. 2014: New species and new records of Heteroceridae from the Arabian Peninsula and neighbouring areas (Coleoptera: Heteroceridae). *Koleopterologische Rundschau* **84**: 305–312.
- SKUHROVEC J. & KRESL P. 2014: A new genus and species of Rhinocartini (Coleoptera: Attelabidae: Rhynchitinae) from Socotra Island. Pp. 283–294. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54** (**Supplementum**): i–vi + 1–440.
- SMIT J. T., HARTEN A. VAN & KETELAAR R. 2017: Order Diptera, family Syrphidae. The hoverflies of the Arabian Peninsula. Pp. 572–612. In: HARTEN A. VAN (ed.): *Arthropod fauna of the UAE. Volume 6*. Department of the President's Affairs, Abu Dhabi, 775 pp.
- SOIKA A. G. 1934: Monografia degli Odynerus Etiopici. *Annali del Museo Civico di Storia Naturale Giacomo Doria* **57**: 23–83.
- SOIKA A. G. 1940: Monografia degli Odynerus Etiopici. Supplemento primo (Hymen. Vespidae). *Annali del Museo Civico di Storia Naturale Giacomo Doria* **60** [1938–1940]: 469–484.
- SOIKA A. G. 1941: Studi sui vespidi solitari. *Bollettino della Società Veneziana di Storia Naturale e del Museo Civico di Storia Naturale* **2** [1938–1941]: 130–279.
- SOIKA A. G. 1960: Notulae vespidiologicae. XIV – XV – XVI. *Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano* **99**: 361–409.
- SOIKA A. G. 1974: Eumenidi di Socotra ed Abd-el-Kuri. *Bollettino del Museo Civico di Storia Naturale di Venezia* **25** [1972]: 69–85.
- SPEIDEL W. 1984: Revision der Acentropinae des palaearktischen Faunengebietes (Lepidoptera, Crambidae). *Neue Entomologische Nachrichten* **12**: 1–157.
- ST. QUENTIN D. 1968: Zur systematischen Stellung von *Enallagma granti* Mac Lachlan (Odonata). *Mitteilungen der Münchner Entomologischen Gesellschaft* **58**: 62–64.
- STORACE L. 1955: Note sur *Papilio demodocus* Esper (Lepidoptera, Papilionidae). *Annali del Museo Civico di Storia Naturale Giacomo Doria* **68** [1954–1956]: 127–142.

- STRAKA J., BATELKA J. & PAULY A. 2017: Bees of the Socotra Archipelago (Hymenoptera: Anthophila), their biogeography and association with parasites. *Acta Entomologica Musei Nationalis Pragae* **57** (**Supplementum**): 183–219.
- STRAND E. 1916: Neue Aberrationen der Noctuiden-Subfamilien Hadeniinae, Erastriinae, Catocalinae, Mominae und Phytometrinae. *Archiv für Naturgeschichte* **82A**(2): 28–50.
- STRASSEN R. ZUR 2004: On some Thysanoptera (Insecta) from Socotra Island. *Fauna of Arabia* **20**: 421–429.
- STROIŃSKI A., MALENOVSKÝ I. & ŚWIERCZEWSKI D. 2016: Two new genera of flatid planthoppers from Socotra island (Hemiptera: Fulgoromorpha: Flatidae). *Acta Entomologica Musei Nationalis Pragae* **56**: 461–489.
- STROIŃSKI A., MALENOVSKÝ I. & ŚWIERCZEWSKI D. in press a: Socoflata gen. nov., described for two new planthopper species from the mountains in Socotra island (Hemiptera: Fulgoromorpha: Flatidae). *Zootaxa* in press
- STROIŃSKI A., MALENOVSKÝ I. & ŚWIERCZEWSKI D. in press b: Medleria gen. nov. adds to the biodiversity of Flatidae (Hemiptera: Fulgoromorpha) in the island of Socotra. *European Journal of Taxonomy* in press
- STUCKENBERG B. R. 1954: The Paragus serratus complex, with descriptions of new species (Diptera, Syrphidae). *Transactions of the Royal Entomological Society of London* **105**: 393–422.
- STURM H. 2002: A new genus and species of jumping bristle-tails (Insecta: Archaeognatha: Machilidae) from the Socotra Archipelago, Yemen. *Fauna of Arabia* **19**: 391–397.
- SUHLING F., JÖDICKE R. & SCHNEIDER W. 2003: Odonata of African arid regions – are there desert species? *Cimbebasia* **18**: 207–224.
- ŠÍPEK P., VENDL T. & KRÁL D. 2012: Homothyreia inornatipennis (Coleoptera: Scarabaeidae: Cetoniinae): immature stages and distribution. Pp. 183–193. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–553.
- ŠVIHLA V. 1986: Revision of the generic classification of the Old World Oedemeridae (Coleoptera). *Sborník Národního muzea v Praze, Řada B, Přírodní vědy* **41** [1985]: 141–238.
- ŠVIHLA V. 1987: Contribution to the knowledge of the Old World Oedemeridae (Coleoptera). *Annotationes Zoologicae et Botanicae* **181**: 1–27.
- ŠVIHLA V. 2004: Contribution to the knowledge of Old World Oedemeridae (Coleoptera). *Acta Societatis Zoologicae Bohemicae* **68**: 61–78.
- ŠVIHLA V. 2008: Order Coleoptera, family Oedemeridae. Pp. 264–269. In: HARTEN A. VAN (ed.): *Arthropod Fauna of the United Arab Emirates. Volume 1*. Multiply Marketing Consultancy Services, Abu Dhabi, 754 pp.
- ŠVIHLA V. 2012: A review of the family Oedemeridae (Coleoptera) of the Socotra Archipelago. Pp. 337–346. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- ŚWIERCZEWSKI D., MALENOVSKÝ I. & STROIŃSKI A. 2014: Kirkamflata, a new planthopper genus from Socotra Island (Hemiptera: Fulgoromorpha: Flatidae). *Annales Zoologici* (Warszawa) **64**: 517–534.
- ŚWIERCZEWSKI D., MALENOVSKÝ I. & STROIŃSKI A. 2017: Haloflata gen. nov. – a new genus from salt marshes in Socotra Island (Hemiptera: Fulgoromorpha: Flatidae). *Annales Zoologici* (Warszawa) **67**: 261–278.
- ŚWIĘTOJAŃSKA J. & BOROWIEC L. 2012: Cassidinae (Coleoptera: Chrysomelidae) from Socotra Island. Pp. 381–394. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (**Supplementum 2**): i–vi + 1–557.
- TAMS W. H. T. 1924: Notes on some species of the genus Cosmophila Boisd. *Transactions of the Entomological Society of London* **1924**: 20–24, pls. I–III.
- TASCHENBERG O. 1883: Beiträge zur Fauna der Insel Sokotra, vorzüglich nach dem von Herrn Dr. Emil Riebeck aus Halle a. S. gesammelten Materiale zusammengestellt. *Zeitschrift für Naturwissenschaften* **56**: 157–185.
- TÉOCCHI P., JIROUX E. & SUDRE J. 2007: Synonyms, diagnoses et bionomie de quelques lamiaires africains (11<sup>e</sup> note) (Coleoptera, Cerambycidae, Lamiinae). *Cahiers Magellanes* **65**: 1–25.
- THEOBALD F. V. 1901: *A monograph of the Culicidae or mosquitoes. Vol. I*. The British Museum (Natural History), London, 424 pp.
- THÉRY T., GOMY Y. & DEGALLIER N. 2009: Revision of Saprinus (Saprinus) splendens (Paykull, 1811) with description of Saprinus (Saprinus) seccchii n. sp. (Coleoptera: Histeridae). *Zootaxa* **2055**: 35–48.
- TIMMERMANN G. 1964: Gruppen-Revisionen bei Mallophagen. VII. Die Pectinopygus-Arten der Grosskormorane (Gen. Phalacrocorax Brisson, 1776 s. str.). *Mitteilungen aus dem Hamburg Zoologischen Museum und Institut* **61**: 271–284.

- TJEDER B. 1974: Nemopteridae from the Island of Socotra (Neuroptera) with descriptions of two genera. *Entomologica Scandinavica* **5**: 291–299.
- TJEDER B. 1975: A new species name in the Crocinae (Neuroptera: Nemopteidae). *Entomologica Scandinavica* **6**: 133.
- TKOČ M. & ROZKOŠNÝ R. 2014: New synonymy of Oplodontha minuta (Diptera: Stratiomyidae) with its first record from Socotra Island. Pp. 429–439. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago II. *Acta Entomologica Musei Nationalis Pragae* **54 (Supplementum)**: i–vi + 1–440.
- TOMASOVIC G. 2012: Etude sur l'édéage de mâles appartenant au genre Promachus Loew 1848 (Diptera: Asilidae). *Entomologie Faunistique* **64** [2011]: 99–111.
- TOSKINA I. N. 2004: A new species of Clada Pascoe, 1887 (Coleoptera: Anobiidae) from the Socotra Archipelago. *Fauna of Arabia* **20**: 459–462.
- TOWNSEND B. C. 1990: Culicidae. Pp. 35–152. In: TOWNSEND B. C., CHAINY J. E., CROSSKEY R. W., PONT A. C., LANE R. P., BOORMAN J. P. T. & CROUCH C. A. (eds): A catalogue of the types of bloodsucking flies in the British Museum (Natural History). *Occasional Papers on Systematic Entomology* **7**: 1–371.
- TSACAS L. & ARTIGAS J. N. 1994: Le genre Cophinopoda Hull, 1958 (Diptera: Asilidae) à répartition subcosmopolite inhabituelle. *Annales de la Société Entomologique de France, Nouvelle Série* **30**: 447–479.
- TURNER R. E. 1912: Notes on fossorial Hymenoptera. – VII. On the genus Stizus Latr. *Annals and Magazine of Natural History, including Zoology, Botany, and Geology, Eighth Series* **9**: 337–348.
- USINGER R. L. 1966: *Monograph of Cimicidae (Hemiptera – Heteroptera)*. The Thomas Say Foundation. Volume VII. Entomological Society of America, Baltimore, xi + 572 pp.
- UVAROV B. P. 1921: Notes on the Orthoptera in the British Museum. 1. The group of Euprepocnemini. *Transactions of the Entomological Society of London* **1921**: 106–144.
- UVAROV B. P. 1950: The genus Caloptenopsis I. Bolivar and its allies (Orthoptera, Acrididae). *EOS, Revista de Entomología Tomo extraordinario* **1950**: 385–413.
- UVAROV B. P. & POPOV G. B. 1957: The saltatorial Orthoptera of Socotra. *Journal of the Linnean Society of London, Zoology* **43**: 359–389.
- VERVES YU. G. 2003: A preliminary list of Calliphoridae and Sarcophagidae (Diptera) of the Republic of Seychelles. *Phelsuma* **11 (Supplement A)**: 1–16.
- VIGNA TAGLIANTI A. & BRUSCHI S. 1990: I Calosomini di Somalia (Coleoptera, Carabidae). *Biogeographia* **14** [1988]: 235–243.
- VIKHREV N. E. 2012: Four new species of Lispe Latreille, 1796 (Diptera: Muscidae) with taxonomic notes on related species. *Russian Entomological Journal* **21**: 423–433.
- VOLKOVITSH M. G. 2012: Polycestinae (Coleoptera: Buprestidae) of Socotra Island. Pp. 195–208. In: HÁJEK J. & BEZDĚK J. (eds): *Acta Entomologica Musei Nationalis Pragae* **52 (Supplementum 2)**: i–vi + 1–557.
- WAHIS R. 2006: Notules taxinomiques sur les Pompilides I (1–24) (Hymenoptera: Pompilidae). *Notes Fauniques de Gembloux* **59**: 129–138.
- WALKER T. J. 1966: Annotated checklist of Oecanthinae (Orthoptera: Gryllidae) of the World. *Florida Entomologist* **49**: 265–277.
- WALSINGHAM T. G. 1900: Descriptions of the new species of Micro-Lepidoptera. *Bulletin of the Liverpool Museums* **3**: 1–7.
- WALSINGHAM T. G. 1903: Arthropoda. Insecta: Lepidoptera. – III. Pterophoridae and Tineina. Pp. 341–356, pl. XXI. In: FORBES H. O. (ed.): The natural history of Sokotra and Abd-el-Kuri: Being the report upon the results of the conjoint expedition to these islands in 1898–9. *Special Bulletin of the Liverpool Museums*, xlvii + 598 pp.
- WATERHOUSE C. O. 1881: On the coleopterous insects collected by Prof. I. Bailey Balfour in the island of Socotra. *Proceedings of the Zoological Society of London* **1881**: 469–478, pl. XLIII.
- WEINER W. M., NAJT J. & PAŠNIK G. 2012: Collembola Poduromorpha (Entognatha) from continental Yemen and Socotra Island, with the description of a new Xenylla Tullberg, 1869. *Zoosystema* **34**: 553–560.
- WELLSTED J. R. 1835: Memoir on the Island of Socotra. *Journal of the Royal Geographical Society of London* **5**: 129–219.
- WEWALKA G. 2004: Dytiscidae (Insecta: Coleoptera) of the Socotra Archipelago, with descriptions of two new species. *Fauna of Arabia* **20**: 463–472.
- WHALLEY P. E. S. 1963: A revision of the world species of the genus Endotricha Zeller (Lepidoptera: Pyralidae). *Bulletin of the British Museum (Natural History), Entomology* **13**: 395–454, pls. 1–37.

- WHITTINGTON A. E. 2002: Resources in Scottish neuropterology. *Acta Zoologica Academiae Scientiarum Hungaricae* **48** (Supplement 2): 371–387.
- WILTSHERE E. P. 1988: Lepidoptera of Saudi Arabia: Fam. Metarbelidae, Geometridae, Arctiidae, Agaristidae, Noctuidae (Part 6). *Fauna of Saudi Arabia* **9**: 68–82.
- WOLF H. 1988: Über einige von Gussakovskij, F. Morawitz und Radoszkovski beschriebene sowie Bemerkungen zu einigen anderen Wegwespen-Arten (Hymenoptera: Pompilidae). *Linzer Biologische Beiträge* **20**: 217–252.
- WRANIK W. 1998: Faunistic notes on Soqotra Island. Pp. 135–198. In: DUMONT H. J. (ed.): *Proceedings of the First international symposium on Soqotra Island: Present and future. Volume 1*. United Nations Publications, New York, 326 pp.
- WRANIK W. 1999: Die Tierwelt der Insel Sokotra. Pp. 81–181. In: WRANIK W. (ed.): *Sokotra. Mensch und Natur. Jemen-Studien, Band 14*. Dr. Ludwig Reichert Verlag, Wiesbaden, xxii + 258 pp + 24 pls.
- WRANIK W. 2000: The Socotra Archipelago at the turn of the Millennium. A faunistic report on the occasion of the centennial anniversary of the Austrian expedition to South Arabia in 1898/99. *Quadrifina* **3**: 71–271.
- WRANIK W. 2003: *Fauna of the Socotra Archipelago. Field guide*. Universität Rostock, Rostock, 542 pp.
- YAKOVLEV R. V. 2011: Catalogue of the family Cossidae of the Old World (Lepidoptera). *Neue Entomologische Nachrichten* **66**: 1–129.
- YAKOVLEV R. & SALDAITIS A. 2010: Aethalopteryx diksam, a new species (Lepidoptera, Cossidae) from Yemen, Sokotra Island. *Esperiana Memoir* **5**: 333–335.
- ZABRANSKY P. 2004: Ein neuer Prachtkäfer aus der Unterfamilie Polycestinae: Strigoptera (Svatacesta subgen. n.) socotra sp. n. (Coleoptera: Buprestidae). *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* **56**: 115–123.
- ZAHRADNÍK P. 2015: A review of Ptinidae (Coleoptera: Bostrichoidea) of Socotra Island. *Studies and Reports Taxonomical Series* **11**: 197–220.
- ZOIA S. 2012: Eumolpinae (Coleoptera: Chrysomelidae) of Socotra Island. Pp. 449–501. In: HÁJEK J. & BEZDĚK J. (eds): Insect biodiversity of the Socotra Archipelago. *Acta Entomologica Musei Nationalis Pragae* **52** (Supplementum 2): i–vi + 1–557.