

Herwig++ 2.1 Release Note

] B + r¹
 E mb@particle.uni-karlsruhe.de

] G + s + M^{1,2}
 E gieseke@particle.uni-karlsruhe.de

] G ³
 E m.a.gigg@durham.ac.uk

D] G + s + M³
 E David.Grellscheid@durham.ac.uk

] H ton⁴
 E hamilton@fyma.ucl.ac.be

] tun + D ⁵
 E seyi@hep.phy.cam.ac.uk

] + t + r¹
 E sp@particle.uni-karlsruhe.de

] rison^{2,3}
 E Peter.Richardson@durham.ac.uk

] H] + our^{2,6}
 E Michael.Seymour@cern.ch

A] + rston⁵
 E cherstn@hep.phy.cam.ac.uk

B]] + r⁵
 E webber@hep.phy.cam.ac.uk

¹Institut für Theoretische Physik, Universität Karlsruhe.

²Physics Department, CERN.

³IPPP, Department of Physics, Durham University.

⁴Centre for Particle Physics and Phenomenology, Université Catholique de Louvain.

⁵Cavendish Laboratory, University of Cambridge.

⁶School of Physics and Astronomy, University of Manchester

Abstract

A new release of the Monte Carlo program Herwig++ (version 2.1) is now available. This version includes a number of significant improvements including: an eikonal multiple parton-parton scattering model of the underlying event; the inclusion of Beyond the Standard Model (BSM) physics; and a new hadronic decay model tuned to LEP data. This version of the program is now fully ready for the simulation of events in hadron-hadron collisions.

Contents

1	Introduction	1
2	Multiple Interactions	2
3	BSM Physics	2
4	Hadronic Decays	4
5	Other Changes	4
6	Summary	8

1 Introduction

The first of the Herwig++ series, Herwig++ 2.1, is now available. This version includes a number of significant improvements including: an eikonal multiple parton-parton scattering model of the underlying event; the inclusion of Beyond the Standard Model (BSM) physics; and a new hadronic decay model tuned to LEP data. This version of the program is now fully ready for the simulation of events in hadron-hadron collisions.

1.1 Availability

The program is available for download from the Herwig++ website.

<http://projects.hepforge.org/herwig/>

In order to provide our response to user queries, we provide no requests for user support
support reports, but you may find our requests for no amount to support requests
on our website. You may send to herwig@projects.hepforge.org]

Herwig++ is a Monte Carlo event generator for the simulation of high energy
particle collisions. It is a successor to the Herwig program. For more information
on the structure of the source code, see the following URL:

<http://www.montecarlo.net.org/index.php?p=Publications/Guidelines>

2 Multiple Interactions

A major motivation for the development of Herwig++ is the need for a more
flexible and powerful Monte Carlo event generator. It is designed to provide
a framework for the simulation of multiple interactions in a single event.
The current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event.

The current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event. The
current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event.

The current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event. The
current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event.





The current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event. The
current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event.

A major motivation for the development of Herwig++ is the need for a more
flexible and powerful Monte Carlo event generator. It is designed to provide
a framework for the simulation of multiple interactions in a single event.

3 BSM Physics

The current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event. The
current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event.

The current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event. The
current version of Herwig++ is based on the Herwig++ framework, which
allows for the simulation of multiple interactions in a single event.



E un A r nu r n r s r p_T su o r p r t s n t t r n s r s
 n on s n n] o r p r t s o t p o t s o t s t s s n n o t
 s n n t t n p n t on n t] B u r s n t s t t p e n t s u
 o p n r a s s o s Herwig++ t out u t p p r t o n n r t o n s I n n s t r s
 s o s Herwig++ t I

Vertices of the Λ baryons. The Λ baryon is a u quark, a d quark, and a s quark. The Σ baryons are u quark, u quark, s quark or u quark, d quark, s quark. The Ξ baryons are u quark, s quark, s quark or d quark, s quark, s quark. The Ω baryon is s quark, s quark, s quark.

4 Hadronic Decays

A number of Λ baryons decay into p and n plus π mesons. The Λ baryon decays into p and π^- or n and π^0 . The Σ baryons decay into p and π^- or n and π^0 . The Ξ baryons decay into Σ baryons and π mesons. The Ω baryon decays into Ξ baryons and π mesons.

The Λ baryon decays into p and π^- or n and π^0 . The Σ baryons decay into p and π^- or n and π^0 . The Ξ baryons decay into Σ baryons and π mesons. The Ω baryon decays into Ξ baryons and π mesons.

<http://www.ipp.dur.ac.uk/~richardn/particles>

Other particles include Δ baryons, Σ^* baryons, Ξ^* baryons, and Ω^* baryons. These are resonances that decay into Λ baryons and π mesons. The Δ baryons decay into p and π or n and π . The Σ^* baryons decay into Σ baryons and π . The Ξ^* baryons decay into Ξ baryons and π . The Ω^* baryons decay into Ξ baryons and π .

5 Other Changes

A number of other particles are produced in p - p collisions. These include Δ baryons, Σ^* baryons, Ξ^* baryons, and Ω^* baryons.

- The production of Δ baryons, Σ^* baryons, Ξ^* baryons, and Ω^* baryons is described by the ρ meson exchange model. The ρ meson is a vector meson with spin 1 and parity $-$. It is produced in p - p collisions and decays into π mesons.
- A number of other particles are produced in p - p collisions. These include Δ baryons, Σ^* baryons, Ξ^* baryons, and Ω^* baryons.



6 Summary

Herwig++] s t s on s on o t Herwig++ pro r t o p s u t on o
ron ron p - s s t t or pro nts to t s u t on o t un n
nt n B on t t n r o p - s s t t p t to t p ious s on]
pro r s on t ns t st nst r nu r o o s r s fo E tron
n B [to s] A t t t ns n or n s t s t u s or ron ron o s on s
no p s nt n o o or r to n nput fo us s s p s fo t t ron
n HC p s nts]
ur n t or s on s t s o s on] t t s o p
s HERWIG n s p s o HC n n r o s u t on] Fo o n t s o
Herwig++] p t t t support or t FORTRAN pro r s]

Acknowledgements

s or s support n n no o F s Coun or n t r
s s n Astrono s r Coun n t Europ n n on C u s r
r n t or C n t un r on r t C] n s r o] H
ton s support t B n Interun s t Attr t on o AI - t] B r
no s support fo t ro o tions o C ntru t r E n t r t n p - s un
Astrot n p - s CE A n n s r n r n B n t r t r] t r
n o s support fo t n s r n r n B n t r t r] G s
n] r son ou to t n t CE n s s n s s o t
roups or t r o s t t] ou to t n A] on n] t p ns or t r on t
u s on s to t Herwig++ pro t n p ious s on s o t pro r]

References

- [1] G. S. et al. *Herwig++ 2.0 Release Note* hep-ph/0609306]
- [2] G. S. A] s on] H] our] t p ns n B] s r *Herwig++ 1.0: An Event Generator for Annihilation* JHEP 02, hep-ph/0311208]
- [3]] Buttort]] Fors n] H] our *Multi-Parton Interactions in Photoproduction at HERA* Z. Phys. C72, hep-ph/9601371]
- [4] G. Cor et al. *HERWIG 6: An event generator for Hadron Emission Reactions with Interfering Gluons (including supersymmetric processes)* JHEP 01, hep-ph/0011363]
- [5] G. Cor et al. *HERWIG 6.5 Release Note* hep-ph/0210213]
- [6] CDF Co s or t on A] A] A o r et al. *Charged jet evolution and the underlying event in pp collisions at 1.8 TeV* Phys. Rev. D65,]
- [7]] B r et al. u t p p r t n n r t s on s n H] n p p r t on]
- [8]] G n] r son *Simulation of Beyond Standard Model Physics in Herwig++* hep-ph/0703199]

- ✱ [1] Ellis et al. *SUSY Les Houches accord: Interfacing SUSY spectrum calculators, decay packages, and event generators* *JHEP* **07**, [hep-ph/0311123]
- ✱ [2] B. C. Allanach et al. *Status of the SUSY Les Houches Accord II Project* [hep-ph/0305002]
- ✱ [3] D. G. Klumperman et al. *Simulation of Tau Decays in the Herwig++ Event Generator* [hep-ph/0710.1951]
- ✱ [4] D. G. Klumperman et al. *Simulation of Meson Decays in the Herwig++ Event Generator* [hep-ph/0710.1951]
- ✱ [5] Particle Data Group Collaboration et al. *Review of particle physics* *J. Phys. G* **33**, [hep-ph/0306096]
- ✱ [6] C. T. Hays et al. *QCD Matrix Elements + Parton Showers* *JHEP* **11**, [hep-ph/0109231]
- ✱ [7] G. S. Gounaris et al. *New Formalism for QCD Parton Showers* *JHEP* **12**, [hep-ph/0310083]
- ✱ [8] A. D. Martin et al. *Nnlo global parton analysis* *Phys. Lett.* **B531**, [hep-ph/0201127]
- ✱ [9] H. E. Higgs et al. *The Higgs Boson Line Shape and Perturbative Unitarity* *Phys. Lett.* **B354**, [hep-ph/9505211]
- ✱ [10] Brun et al. *ROOT: An object oriented data analysis framework* *Nucl. Instrum. Meth.* **A389**, [hep-ph/9602008]
- ✱ [11] D. J. Stump et al. *The EvtGen Particle Decay Simulation Package* *Nucl. Instrum. Meth.* **A462**, [hep-ph/0008013]
- [12] G. S. Gounaris et al. *GNU Scientific Library Reference Manual* [http://www.gnu.org/software/gsl/]