

Entropy production in temperature modulated differential scanning calorimetry

Institut Néel, CNRS et Université Joseph Fourier, BP 166, 38042 Grenoble Cedex 9, France

*Division of Macromolecular Science and Engineering, Kyoto Institute of Technology,
Matsugasaki, Sakyo, Kyoto 606-8585, Japan.*

The non-equilibrium process due to irreversible heat exchanges occurring during a temperature modulated differential scanning calorimetry experiment is investigated in detail. This enables us to define an experimental frequency dependent complex heat capacity from this calorimetric method. The physical meaning of this dynamic heat capacity is discussed. A relationship is clearly established between the imaginary part of this complex quantity and the net entropy created during the experimental time-scale.

! " # \$ % & ' () * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [\] ^ _ ` { | } ~ ¡ ¢ £ ¤ ¥ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾ ¿

* # + \$! & , , - . / 0 1 2 3 4 . 2 .

E-mail address: 5 % + 6 + (% 7 - /

1.Introduction

(*et al.* \$ + % \$ \$ # \$ % \$ \$ \$ %
\$ # \$ # + 7 77 \$ % + % \$ 9 : \$ % ;
7 \$ # # % \$ \$ # \$ % \$ 77 \$ % + % \$
- / 98: ' \$ 77 \$ % % \$ \$ 7 \$ \$ % %
77 \$ % + % \$ - / < 7 = % \$ % # # \$
\$ \$ + % \$ = + = + # \$ > 7 \$ \$
% ; , ω \$ 7 < + ' + % 9 , : # # \$ # \$ \$ \$
\$ 7 \$ + % % + # \$ 7 \$ \$
\$ 90: + % ? % \$ # \$(% \$ \$ " 7 \$ %
% \$ " % (7 \$ % + 77 \$ \$ \$ % 7 % \$
% \$ + \$ # \$ \$ # (\$ &# \$ % \$- 7 94: 7
\$ / > \$ &# \$ % \$ \$ \$ \$ = % \$
% \$ \$ # \$ &# \$ \$ % \$ \$ \$ \$ \$ \$
\$ (" \$\$ % # \$ (# % & (92: @
\$ # \$ # # % \$ # % & " \$\$ A &# \$ % 7 " # \$
% & \$ # \$ A \$; % \$ \$ (\$ \$
" \$\$ \$ % 7 " # \$ # % & \$ # \$ \$ \$ \$ %
+ % ? % \$ # \$(% \$ + # \$ 7 \$ &# \$ % 7 "
\$ # % & \$ # \$ % \$ \$ \$ \$ \$ # # +
\$ &# \$ % \$ % % ; \$ 7 \$ + % ? % \$ # \$(% \$
\$ 7 \$ # % \$ # \$ % # % = (% # 7 \$
% & \$ \$ \$ \$ # 5 %

@ \$ # # \$ # # \$ \$; % % \$ " % (# \$ = (%
 \$ & + (\$ \$ 77 \$ # \$ 7 % % \$ @\$
 \$ \$ & # \$ % 7 " # \$ # % & \$ # \$ (7 7 \$
 \$ & + 77 7 \$ \$ \$ 77 \$ # \$ 7 \$ % \$ \$ %
 \$ % 77 = \$ (\$ % \$ \$ % % & \$ 7 \$ \$ \$
 % % - 7 \$ % 7 92:/ \$ @ \$ # \$ \$ \$ # %
 + 7 \$ & # \$ % 7 " # \$ # % & \$ # \$ @ \$
 # \$ \$ \$ \$ # \$ \$ \$ % \$ & + # + # 7
 \$ # \$ % % % \$

2. Experimental frequency dependent complex heat capacity in TMDSC.

2.1 Notations and assumptions

\$ \$ % \$ # \$ \$ 7+
 % \$ % 7 \$ # \$ 7 \$ # % \$ \$ 7 \$
 7 \$ % \$ \$ % % \$ + \$ \$ % \$ & +
 77 \$ K \$ % % ; \$ \$ \$ % \$ ##
 + + (+ \$ # \$ K B \$ \$ % \$ % % \$
 \$ % % \$ \$ \$ % \$ % (\$ 7 \$ \$ \$ # \$ T_c =
 \$ \$ % % ; K_0 % \$ \$ % % ; \$ # % % % \$
 (% \$ \$ \$ \$\$\$ (\$ \$ % \$ %
 \$ % % (7 \$ \$ # \$ (% # \$ 7+
 % % \$ % (\$ 7 \$ \$ # \$ 7 % @\$ \$ # \$ \$

+ \$ \$ \$ 7 % = \$ \$ \$ # \$ 7
 77 \$ % \$ # \$ # \$ \$ 7+ (\$ # \$ \$ 5 \$ 7
 77 \$ \$ (\$ = \$ (\$ \$ \$ % (\$ \$ = \$ \$
 77 \$ % \$ # % \$ \$ \$ (\$ # \$
 (\$ 77 \$ \$ \$ \$ # \$ D \$ \$ (+
 # + \$ % \$ \$ % # \$ # \$ #
 \$ % \$ ## \$ \$ \$ % % # \$ (
 \$ 7+ @ \$ \$ % # ## \$ \$ \$ % \$ # 7
 77 \$ % % \$ &# \$ \$ # # % 77 (\$ \$ \$
 \$ \$ % # + % ## (\$ - % 77 \$ \$
 \$ # \$ 7 \$ % % - \$ % (\$ / (\$ \$ \$
 \$ = % \$ \$ # \$ \$ 7+ \$ # \$ 7 \$ (\$ (
 # # \$

$$T_b = T_{\cdot} + T_b^{ac} \quad - /$$

\$ T_b^{ac} = \overset{F}{T}_b \&\#-i\alpha l \quad # \quad 7 \$ % \$ + \$ # \$ 7 \$ \$ %
 7 \$ \$ 7 \$ (\$ - \$; (= \$ " % \$? / @ % &# \$ \$
 \$ # \$ T_0 % = \$ \$ 7 % # 7 \$ # @
 \$ # # % \$ \$ \$ \$ 7 T_0 \$ \$ \$
 \$ 7 \$ @ 7 \$ 7 \$; \$ \$ \$ # \$ \$ \$ % 7
 \$(+ 7 \$ 7 \$ \$ @ \$ = ##
 \$ \$ # 7 \$ # + \$ \$ \$ % 77 \$ % " \$ \$; \$ \$
 % \$ % \$ + # \$ 7 \$ \$ \$ \$ # \$ \$ \$ # \$ 7 \$
 # %

$$T_s = T_s^{dc} + T_s^{ac} \quad -8/$$

$$T_s^{ac} = \frac{F}{T_s} \sin(\omega t - \varphi_s) l \quad \$ \# \$ 7\$ 7$$

$$T_r = T_r^{dc} + T_r^{ac} \quad -, l$$

$$\begin{aligned} T_r^{ac} = \frac{F}{T_r} \sin(\omega t - \varphi_r) l > \% \$ \$ \$ \$ \$ \$ \$ \$ \$ \\ + \$ \# \$ 7\$ \$ \# \$ > \% \$ \$ \$ \$ \$ + \$ \\ \$ (\$ \% \$ \$ (\$ \% \$ \$ \% \$ 7 (\$ \$ \\ \$ \$ \$ \$ \$ 77 \$ \% \$ 7\$ \$ \# \$ F \% \\ \$ \% + \$ \$ \$ \$ & + 77 \$ K @ \$ \\ \% \$ \% \% + \$ \# \$! \% \# \$ \$ \$ \\ \$ \$ \$ \$ \$ \# \$ 77 \$ \# \$ 7\$ \# \$ \% \$ \\ \# + (\% \$ \$ \$ (\% \$ \$ \$ \# \$ 7 \% \$ \end{aligned}$$

$$\Delta T_i^{dc} \frac{F}{T_i^{ac}} \ll T_i^{dc} \quad \$ i = s, r \quad -0/$$

$$\begin{aligned} \% \$ \# \$ \% \$ \% ? \$ 7\$ 77 \$ \% " \$ F \\ " \% (\$ \# \$ 7= \$ \$ \# \$ 7\$ \% + \end{aligned}$$

2.2 TMDSC calorific equations

> \$ % # ## \$ \$ % % \$ \$ \$ \$ # \$ 7 %
 % # % \$ \$ % \$ 7 " % % \$\$\$
 \$ % (\$ 7 \$ \$ # \$ 7\$ % (\$ \$ # \$ + \$ \$
 \$ 7\$ % @ \$ 7 % + % ; \$ \$ (\$ \$ % %
 \$ \$ % (\$ \$ # \$ 7\$ \$ % (\$ \$ \$ 7 % + 7 \$
 77 \$ % " \$

$$\begin{cases} C \dot{T}_s = -K - T_s - T_b I \\ C \dot{T}_r = -K - T_r - T_b I \end{cases} \quad -4/$$

C_s C_r \$ \$\$\$ \$ # \$ - # % 7 / 7\$
 % % 7 % # \$= % ! \$ \$ % \$\$ - / -8/ -, / \$
 \$ " \$ ((\$ # \$ \$ " \$

$$\begin{cases} C \dot{T}_s^{dc} = -K - T_s^{dc} - T_b I \\ C \dot{T}_r^{dc} = -K - T_r^{dc} - T_b I \end{cases} \quad -2/$$

$$\begin{cases} C \dot{T}_s^{ac} = -K - T_s^{ac} - T_b^{ac} I \\ C \dot{T}_r^{ac} = -K - T_r^{ac} - T_b^{ac} I \end{cases} \quad -1/$$

\$ -2/ 5 \$\$ % % 77 \$ % " \$ 7\$ % \$
 \$ \$ \$ # # \$ \$\$\$ + \$(\$ \$ + \$ \$ \$\$
 % % \$ # \$ 7 = 7 " % (\$
 = (% 77 \$\$; # % ! 7 \$ \$ \$ \$ 7 94:
 % \$ 7-1/ \$ \$\$ + -\$ # \$ \$ # \$\$/ +=

$$\begin{cases} T_s^{ac} = \frac{T_b^{ac}}{+i\omega\tau_s} \\ T_r^{ac} = \frac{T_b^{ac}}{+i\omega\tau_r} \end{cases} \quad -3/$$

$$\begin{aligned} \tau_s &= C_s \text{ G K} & \tau_r &= C_r \text{ G K} \\ \tau_s &= \frac{C_s}{\omega} & \tau_r &= \frac{C_r}{\omega} \\ \tau_s &= \frac{C_s}{\omega} & \tau_r &= \frac{C_r}{\omega} \\ \tau_s &= \frac{C_s}{\omega} & \tau_r &= \frac{C_r}{\omega} \end{aligned}$$

2.3 Experimental frequency dependent complex heat capacity

$$\begin{aligned} C^* &= \frac{P_{ac}}{\dot{T}_{ac}} = \frac{P_{ac}}{i\omega T_{ac}} \\ C^* &= \frac{P_{ac}}{\dot{T}_{ac}} = \frac{P_{ac}}{i\omega T_{ac}} \\ C^* &= \frac{P_{ac}}{\dot{T}_{ac}} = \frac{P_{ac}}{i\omega T_{ac}} \end{aligned}$$

$$C^* = \frac{P_{ac}}{\dot{T}_{ac}} = \frac{P_{ac}}{i\omega T_{ac}} \quad -H/$$

$$\begin{aligned} C^* &= \frac{P_{ac}}{\dot{T}_{ac}} = \frac{P_{ac}}{i\omega T_{ac}} \\ C^* &= \frac{P_{ac}}{\dot{T}_{ac}} = \frac{P_{ac}}{i\omega T_{ac}} \\ C^* &= \frac{P_{ac}}{\dot{T}_{ac}} = \frac{P_{ac}}{i\omega T_{ac}} \end{aligned}$$

$$C_s^{\star}=\frac{P_s^{ac}}{\dot{T}_b^{ac}}=\frac{P_s^{ac}}{i\omega\Gamma_b^{ac}} \qquad \qquad \qquad - \text{ .}/$$

$$7 \text{ \$ } \# \% \% \% \qquad \qquad \qquad P_s^{ac} \text{ \$ } \% \% \$ + \$ \qquad \% \# \qquad \$ \$ \% = \% \text{ 7\$}$$

$$\text{\$ } \% (\text{ \$ } \qquad \qquad (\text{ \&\# } \qquad \text{ 7 \% \%}$$

$$P_s^{ac}=C_b\dot{T}_b^{ac}+C_s\dot{T}_s^{ac} \qquad \qquad \qquad - \text{ /}$$

$$\text{! \$ } \text{ 7 } \qquad \% \% \qquad = \qquad \text{\$ } \% \%$$

$$C_r^{\star}=\frac{P_r^{ac}}{\dot{T}_b^{ac}}=\frac{P_r^{ac}}{i\omega\Gamma_b^{ac}} \qquad \qquad \qquad - \text{ 8/}$$

$$\text{\$ }$$

$$P_r^{ac}=C_b\dot{T}_b^{ac}+C_r\dot{T}_r^{ac} \qquad \qquad \qquad - \text{ ,/}$$

$$\text{@ 7 \$ } \qquad \qquad + \text{ (} \qquad \text{\$ } \text{ 77 } \text{ \$ \&\# } \qquad \qquad \% \text{ \$ } \text{ \# \% } \text{ \% \%}$$

$$\text{\# } \qquad \text{\$ } \text{ \$ } \text{ \$ } \qquad \qquad \% \text{ \$ } \text{ 7 } \qquad \qquad \% \% \text{ \# } \qquad \text{\$ } \text{ \# } \text{\$ } \text{ \$ } \text{ 7+ } \text{ 8}$$

$$\text{\& \$ } \text{ \% \$ 7\$ } \qquad \qquad \text{\$ } \text{ 77 } \text{ (\$ } \text{ \$ } \text{ \$ } \text{ A } \qquad \text{\&\# } \qquad \text{\$ A } \text{ !}$$

$$\text{- . / - / } \qquad \text{-3/ } \text{ (\$ }$$

$$C_s^{\star}=C_b+\frac{C_s}{+i\omega\tau_s} \qquad \qquad \qquad - \text{ 0/}$$

D \$ \$ \$# 77 % 7 \$ 7

$$C_r^* = C_b + \frac{C_r}{+i\omega\tau_r} \quad - 4/$$

D \$\$ # \$\$ # % + 7- 0/ - 4/ D \$ \$ % 7 "

7\$ # \$ # %% # \$ 6\tau_s - \omega\tau_s << / \$ \$ % \$ # \$

C_b + C_s 7\$ % - \$ (\$ #% #% / F \$ ## \$ \$

" % \$ \omega\tau_s >> % \$ % \$ \$(\$ \$ # \$ (%) " \$

- 0/ - 4/ (# (% + \$ \$ % " \$ 7\$ + % ? % \$

#\$(% \$ - 7 94: 91:/ \$% 7 " %% \$ \$ % + 77

\$ # \$ \$ \$ \$ # \$ \$ \$ + 7 " % \$ 7 \$ + 7

7 -# (\$/ \$ \$ % (+ 7 ? < ; + \$

77 (\$ - 0/ - 4/ \$ 77 \$ % \$ # \$ \$# = \$

$$\Delta C^* = \frac{C_s}{+i\omega\tau_s} - \frac{C_r}{+i\omega\tau_r} \quad - 2/$$

\$ &# 7\$ &# \$% 77 \$% 7 " # \$ #% & \$

\$ % \$ % %% \$ + = (%) & + 7 \$ = (

F (= % % = \$ = (%) 77 \$ \$

77 \$ \$ 77 \$ # \$ % % % & \$ 7 % \$ % +

77 % \$ 77 \$ 7 \$ \$ \$ # \$ C_s \$\$ \$ 7- 2/

7 %% + \$ % 7 \$ 7\$ + % ? % \$ #\$(% \$

3. Entropy production in TMDSC

@ \$ 7+ \$ \$\$\$ = \$ 7 \$ # = % = \$ \$ 77 \$ % \$
% \$ (\$ % % #

$$dS_{tot} = \frac{\delta Q^s}{T_s} + \frac{\delta Q^r}{T_r} + \frac{\delta Q^b}{T_b} \quad - 1/$$

δQ^j -i = s,r,bl \$ \$ & + -\$ 7 / \$ \$ 77 \$ (7 \$
77 \$ % % \$ @ \$ \$ $dQ^s = dQ_i^s$ $dQ^r = dQ_i^r$ + \$ \$ \$
& + \$\$ % = % 7\$ # % \$ 7 % \$ % & + D =
% \$ = \$\$ 7 % + " \$ $dQ_i^s + dQ_i^{b\ddot{s}}$ = . $dQ_i^r + dQ_i^{b\ddot{r}}$ = .
\$ \$ \$ & + \$\$ % = % 7\$ # % \$ 7 # % % 7 \$ \$
\$(\$ - \$ \$ 7 + + 7\$ # # % 7 \$ 7\$ /
>\$ \$ % = % 7\$ (\$ = $dQ^b = dQ_i^{b\ddot{s}} + dQ_i^{b\ddot{r}} + dQ_e^b$ \$ &\$ %
\$ (\$ + 7 \$ + &\$ % \$ (\$ \$ " \$\$ 7 \$
##% \$\$ % = % 7\$ (\$ = \$ \$ # % #
%% \$ + \$ # \$ \$\$ % = % 7\$ # % \$ 7 %% D \$ \$
77 \$ " \$ \$\$ \$ \$\$\$ \$ # = \$ 7\$ \$ \$

$$dS_{tot} = \frac{dQ_i^s}{T_s} + \frac{dQ_i^r}{T_r} + \frac{dQ_i^{b\ddot{s}}}{T_b} + \frac{dQ_i^{b\ddot{r}}}{T_b} + \frac{dQ_e^b}{T_b} \quad - 3/$$

(# \$ \$ \$ % &\$ % \$ (\$ \$ %
\$ (\$ &#% \$ \$

$$d_iS = dQ_i^s \left[\frac{1}{T_s} - \frac{1}{T_b} \right] + dQ_i^r \left[\frac{1}{T_r} - \frac{1}{T_b} \right] \quad - \text{H/}$$

+ ? \$ \$ % # \$ 7 \$ # \$ \$ # \$ 7
\$ 7 - 77 7\$ = 7\$ \$ # \$ / \$ \$
7 & - \$ 7 & 7 \$; \$ \$ = \$ = / \$ % ; " % (
\$ D + \$ \$ \$\$ % = % \$ 7 % + ; \$
\$ 77 \$ % - \$ \$ # \$ 77 (\$ \$ # % % \$
7 % \$ / \$ \$ 77 \$ % \$ # \$ - " \$ - 2//
\$ (\$ \$ \$ (% # (% # (\$ \$ +
\$ 7\$ 77 \$ % # % & \$ # \$ \$ \$ # # \$ \$
\$ \$ 77 \$ % \$ # # \$ " \$ \$ \$ 7 \$
& + (\$ \$ # % % \$ (\$ % (\$ ## \$ +
\$ \$ \$ 7 \$ & + (\$ \$ 7 % \$ (\$ -
= = / 77 \$ % \$ % \$ # # \$ \$ \$

$$d_iS = dQ_i^s \left[\frac{1}{T_s} - \frac{1}{T_b} \right] - dQ_i^r \left[\frac{1}{T_r} - \frac{1}{T_b} \right] \quad -8./$$

; \$ \$ # \$ \$ \$ (\$ \$ \$
\$ # \$ 77 \$\$ + # \$ \$ (% \$ \$ # \$ \$ % \$
&# (% ? ! & #% =

$$\frac{1}{T_s} - \frac{1}{T_b} \approx - \left[\frac{\Delta T_s^{dc} + T_s^{ac} - T_b^{ac}}{-T_\cdot I^8} \right] \quad -8 /$$

$$= \quad \$ \quad \Delta T_s^{dc} = T_s^{dc} - T_\cdot > \quad \% \quad \&\# \quad (\$ \quad 7 \quad \$ \quad 7$$

$$D \quad \% \quad \# \quad \$ \$ \quad \$ \quad \$ (\$ \quad (\$ \quad \% \quad \$ \quad \% \quad \$$$

$$\$ (\$ \quad " \quad \$ \quad \$ \quad \$ (\$ \quad 7 \$ \quad \$ \$$$

$$77 \quad \$ \% \quad \$ \# \# \quad \$ \quad \$ \quad 7 \%$$

$$\sigma_i^{ac} = \frac{d_i S}{dt} = - \frac{dQ_i^s}{dt} \left[\frac{T_s^{ac} - T_b^{ac}}{T_\cdot^8} \right] - \left\{ - \frac{dQ_i^r}{dt} \left[\frac{T_r^{ac} - T_b^{ac}}{T_\cdot^8} \right] \right\} \quad -88/$$

$$\&\# \quad 7 \$ \quad \$ 7 \& \quad (\$ \quad 77 \quad 7 \$ \quad = \quad 7 \$$$

$$\$ \# \$ \quad \# \% \quad + = \quad (\quad -1/ \quad \$ \quad 7 \$ \quad ; \quad 7$$

$$\% \quad \$$$

$$\begin{cases} \frac{dQ_i^s}{dt} = -K - T_s^{ac} - T_b^{ac} I \\ \frac{dQ_i^r}{dt} = -K - T_r^{ac} - T_b^{ac} I \end{cases} \quad -8, /$$

$$\# \% \$ \quad \$ 7 \& \quad \# \quad + \quad \$ \$ \quad \$ \% \quad \$ \& \quad + \quad 77 \quad \$$$

$$K > \quad \# \% \$ \quad \$ \$ \quad 77 \quad \$ \% \quad \$ \# \# \quad \$$$

$$\sigma_i^{ac} = \frac{K - T_s^{ac} - T_b^{ac} I^8}{T_\cdot^8} - \frac{K - T_r^{ac} - T_b^{ac} I^8}{T_\cdot^8} \quad -80/$$

@ \$ (# \$ \$ \$ \$ " \$ # \$ \$ 77 7\$ \$ # (\$\$; \$
 \$ # \$ \$ \$ % \$ = \$ # \$ 77 \$ # # \$
 % # # \$ % \$ \$ \$ 7 \$ 7 & " \$ \$
 % + % \$ " % (\$ # \$ % " \$\$ @ \$ (% \$
 \$ \$ 7 \$ \$ % = \$ \$ # % % \$ = \$ (% $T_s^{ac} = T_r^{ac}$ \$
 77 \$ % \$ # # \$ \$ \$ % \$ + # \$ 7\$ \$ # \$ " % \$?
 > \$ \$ 7\$ \$ % = \$ \$ # % % + \$ # + \$
 # \$ + \$ \$ \$ 77 \$ % \$ # # \$ (77 \$ 7
 ? @ \$ 7 \$; \$ \$ + % 7\$ % \$ & # = # 7 \$
 \$ # \$ % \$ 7 % + & # 7 % (\$

$$\overline{\sigma}_i^{ac} = \pi \frac{K}{\omega} \left(\frac{F}{T} \right)^8 \left[\frac{1}{+ - \omega \tau_r l^8} - \frac{1}{+ - \omega \tau_s l^8} \right] \quad -84/$$

\$ \$ % & \$ \$ \$ \$ ## ' ; + \$ \$ \$ & # - 2/
 (\$ 7 \$ 77 \$ % 7 " # \$ # % & \$ # \$ (% \$
 7 %

$$\Delta C^* = -\frac{K}{i\omega} \left[\frac{1}{+ i\omega \tau_s} - \frac{1}{+ i\omega \tau_r} \right] = \Delta C \zeta - i\Delta CA \quad -82/$$

\$

$$\Delta CA = \frac{K}{\omega} \left[\frac{1}{+ - \omega \tau_r l^8} - \frac{1}{+ - \omega \tau_s l^8} \right] \quad -81/$$

\$ \$ % ; 7 % + % \$ # (\$

$$\overline{\sigma}_i^{ac} = \pi \left(\frac{F}{T_b} \right)^8 \Delta CA \quad -83/$$

+ % \$ = (% 77 \$ \$ \$ & + \$ 77 \$
 # \$ 7\$ % \$ # # (% (\$ \$ \$
 % \$ 92: # # % 77 \$ \$ \$ % \$ \$ \$ # \$
 7 \$ \$ # \$ % \$ 7 \$ # # \$ \$ % \$ #
 % \$ + \$ \$ \$ # \$ 7\$ % \$ 7\$ (\$ 77
 (= % 7 \$ 7 \$ \$ \$ # \$ (+ \$ % # # \$ 77 \$ = %
 \$ \$ % \$ \$

4. Conclusion

@ \$ # # + % \$ " % (77 \$ \$ = (% \$ % \$
 & + % \$ \$ # (% \$ (\$ \$ 7 % + 7 \$
 + % \$ % \$ + # \$ 7 \$ 77 \$ % \$ # \$ & \$ %
 7 " # \$ # & \$ # \$ (7 \$ # \$
 7 \$ \$ & \$ \$ % \$ % \$ % \$ # %
 \$; \$ \$ F (= % \$ \$ \$ # % + 7\$ # &
 " \$ \$ 77 \$ @ \$ # \$ \$ 7 \$ \$ \$ \$ \$ # \$ # &

+ 7 \$ \$ # + \$ = % 7\$ \$ % 7 " \$ \$ # \$ 7\$ #
 \$(\$ > \$ 77 \$ 7 " \$ 77 \$ % \$ # \$ (\$ \$
 # \$ 7 (7 \$ % ; (% # % \$ 7
 > \$ + 7 " \$ 77 \$ % + % += 77 \$ % \$ # \$ " % \$
 ?
 8 \$ \$ \$ # \$ + # 7\$ \$ # \$ % (% % \$
 77 \$ % - 77 7\$ \$ # # (\$ & + (\$ \$ #
 % \$ % % \$ 7 % \$ % % # \$ = % /
 , % % \$ # (\$ \$ \$ # = \$ \$ + # \$ 7 \$
 &# \$ 7 " # \$ 77 \$ % # & \$ # \$ (\$ (%
 % \$ # \$ \$\$ + # \$ 7 ΔC^* % ; \$ \$ 7 \$
 \$ = % = \$ 77 \$ % \$ # \$ \$ + \$
 7 " \$ + \$ \$ " \$\$ 7 \$ = (% % \$ 7 \$ \$ +
 % \$(\$ \$ \$ & \$ \$ ## \$ % \$ 7 \$
 % \$ 7 " \$ + \$ \$ " \$\$ 7 \$ \$ = \$ \$; - (\$ \$ /
 + & \$ \$ &# 7\$ &# \$ 7 " # \$ # & \$
 # \$ \$ # (% \$ \$; \$ \$ \$ \$ # & 77 \$ \$
 & \$ \$\$ % + # \$ 7\$ \$ # \$ " (\$
 \$; \$ 7 \$ % + 77 # % 90: B \$ # \$ 7
 = \$ # (% \$ % + \$ \$ % 7 " + # \$ +
 7 " B = \$ (\$ \$\$ & \$ \$ = (% 77 \$
 + \$# \$ (% \$ \$ \$ + 7 " @ (\$
 \$ % \$ \$(\$ \$ # 7 \$ % (\$ % \$ \$(\$
 \$ = % \$ - \$ \$ \$ / % % \$ \$ %

77 = \$ 7\$ \$ #% (% \$ + 7 \$ 7 \$ &\$ \$ 7\$ # %
\$ 7\$ + % ? % \$ #\$(% \$

9 : B (\$ B D % I) \$7 @ \$ \$ 0
 - H1 / 8

98: I % (+ > % % 0. - HH, / H,

9,: ' F < + ' + % I = \$ 40 - H34/ 8210

90:) > \$ 82. - HH4/


94: > \$ 048 -8..1/ 34

92: > \$ 02 -8..1/ 41


91: B < < D % > % % 40 - HH3/ 0,1

! + > \$ = 7 % \$ # \$ % 7
 \$ # \$ \$ % \$ \$ # % (\$ \$ % \$ & +
 77 \$ % % \$(\$ 7 \$ \$ # \$ 7\$ \$
 % \$ \$ \$ % \$ % (\$ 7\$ % \$ \$ \$ \$ \$ # \$ T.
 \$ % # \$ # \$ \$ # \$ # \$ \$ # \$ % \$ 7
 \$ % ## \$ \$\$ % = % 7\$ % % 77 \$ % \$ # \$
 \$ % # \$ (\$ # \$ \$ \$ \$
 % \$\$\$ (\$ \$ % \$ % % -\$ % (\$/

! + 8 @ \$ \$ 77 \$ % \$ " % (
 \$ # \$ 7= \$ &# \$ 77 (\$ \$
 +% &# \$ \$ \$ # % \$ % % \$ \$ \$ \$
 7 % \$ % %



! +) \$ # # \$ \$ # \$ % \$ 77 \$ % + % \$



! + 8) \$ # # \$ \$ # \$ % \$ 77 \$ % + % \$