

Bibliography: General Literature

1. Abe, I., Saito, S., Hori, K., Suzuki, M., and Sato, H. Sodium erythorbate is not carcinogenic in F344 rats. *Exp. Mol. Pathol.* 41: 35-43(1984).
2. Adamson, R. H., and Sieber, S. M. Chemical carcinogenesis studies in nonhuman primates. In: *Organ and Species Specificity in Chemical Carcinogenesis*. (R. Langenbach, S. Nesnow, and J. M. Rice, Eds.), Plenum Press, New York and London, 1982, pp. 129-156.
3. Adamson, R. H., Takayama, S., Sugimura, T., and Thorgeirsson, U. P. Induction of hepatocellular carcinoma in nonhuman primates by food mutagen 2-amino-3-methylimidazo[4,5-f]quinoline. *Environ. Health Perspect.* 102: 190-193(1994).
4. Adolphs, H. D., Thiele, J., Kiel, H., and Steffens, L. Induction of transitional cell carcinoma of the urinary bladder in rats by feeding *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide. *Urol. Res.* 6: 19-27(1978).
5. Agthe, C., Garcia, H., Shubik, P., Tomatis, L., and Wenyon, E. Study of the potential carcinogenicity of DDT in the Syrian golden hamster (34740). *Proc. Soc. Exp. Biol. Med.* 134: 113-116(1970).
6. Ahotupa, M., Hirsimäki, P., Pärssinen, R., and Mäntylä, E. Alterations of drug metabolizing and antioxidant enzyme activities during tamoxifen-induced hepatocarcinogenesis in the rat. *Carcinogenesis* 15: 863-868(1994).
7. Akagi, A., Sano, N., Uehara, H., Minami, T., Otsuka, H., and Izumi, K. Non-carcinogenicity of capsaicinoids in B6C3F₁ mice. *Food Chem. Toxicol.* 36: 1065-1071(1998).
8. Akao, M., and Kuroda, K. Inhibitory effect of fumaric acid on hepatocarcinogenesis by thioacetamide in mice. *Chem. Pharmaceut. Bull.* 38: 2012-2014(1990).
9. Alemán, C. L., Más, R., Hernández, C., Rodeiro, I., Cerejido, E., Noa, M., Capote, A., Menéndez, R., Amor, A., Fraga, V., Sotolongo, V., and Jimenez, S. A 12-month study of policosanol oral toxicity in Sprague Dawley rats. *Toxicol. Lett.* 70: 77-87(1994).
10. Alemán, C. L., Más, R., Puig, M. N., Guerra, I. R., Ortega, C. H., and Capote, A. Carcinogenicity of policosanol in Sprague Dawley rats: a 24 month study. *Teratog. Carcinog. Mutagen.* 14: 239-249(1994).
11. Alemán, C. L., Puig, M. N., Elías, E. C., Ortega, C. H., Guerra, I. R., Más, R., and Briñis, F. Carcinogenicity of policosanol in mice: an 18-month study. *Food Chem. Toxicol.* 33: 573-578(1995).
12. Alexander, D. J., Libretto, S. E., Chevalier, H.-J., Imamura, T., Papritz, G., and Wilson, J. HFA-134a (1,1,1,2-tetrafluoroethane): lack of oncogenicity in rodents after inhalation. *Human Exp. Toxicol.* 14: 706-714(1995).
13. Allen, P. T., and Poirier, L. A. Suppression by phenobarbital of ethionine-induced hepatocellular carcinoma formation and hepatic *S*-adenosylethionine levels. *Carcinogenesis* 18: 1103-1107(1997).
14. Allmark, M. G., Grice, H. C., and Mannell, W. A. Chronic toxicity studies on food colours. Part II. Observations on the toxicity of FD&C green no. 2 (light green SF yellowish), FD&C orange no. 2 (orange SS) and FD&C red no. 32 (oil red XO) in rats. *J. Pharm. Pharmacol.* 8: 417-424(1956).
15. Allmark, M. G., Mannell, W. A., and Grice, H. C. Chronic toxicity studies on food colours. Part III. Observations on the toxicity of malachite green, new coccine and nigrone in rats. *J. Pharm. Pharmacol.* 9: 622-628(1957).
16. Amo, H., and Matsuyama, M. Subchronic and chronic effects of feeding of large amounts of acetaminophen in B6C3F₁ mice. *Jpn. J. Hyg.* 40: 567-574(1985).
17. Amo, H., Matsuyama, M., Amano, H., Yamada, C., Kawai, M., Miyata, N., and Nakadate, M. Carcinogenicity and toxicity study of *m*-phenylenediamine administered in the drinking-water to (C57BL/6 × C3H/He)F₁ mice. *Food Chem. Toxicol.* 26: 893-897(1988).
18. Anderson, L. M., Carter, J. P., Logsdon, D. L., Driver, C. L., and Kovatch, R. M. Characterization of ethanol's enhancement of tumorigenesis by *N*-nitro-sodimethylamine in mice. *Carcinogenesis* 13: 2107-2111(1992).
19. Anderson, L. M., Giner-Sorolla, A., Greenbaum, J. H., Last-Barney, K., and Budinger, J. M. Induction of reproductive system tumors in mice by N6-(methylnitroso)-adenosine and a tumorigenic effect of its combined precursors. *Int. J. Cancer* 24: 319-322(1979).
20. Anderson, L. M., Giner-Sorolla, A., Haller, I. M., and Budinger, J. M. Effects of cimetidine, nitrite, cimetidine plus nitrite, and nitrosocimetidine on tumors in mice following transplacental plus chronic lifetime exposure. *Cancer Res.* 45: 3561-3566(1985).
21. Andrianova, M. M. Carcinogenic properties of red food pigments — amaranth, SX purple and ponceau 4R. *Vopr. Pitam.* 29: 61-65(1970).
22. Andrianova, M. M., and Alekscev, I. V. On carcinogenic properties of the pesticides Sevin, maneb, ziram and zineb. *Vopr. Pitam.* 29: 71-74(1970).
23. Angsubhakorn, S., Bhamarapravati, N., Romruen, K., and Sahaphong, S. Enhancing effects of dimethylnitrosamine on aflatoxin B₁ hepatocarcinogenesis in rats. *Int. J. Cancer* 28: 621-626(1981).
24. Angsubhakorn, S., Bhamarapravati, N., Romruen, K., Sahaphong, S., Thamavit, W., and Miyamoto, M. Further study of α-benzene hexachloride inhibition of aflatoxin B₁ hepatocarcinogenesis in rats. *Br. J. Cancer* 43: 881-883(1981).
25. Annapurna, V. V., Mukundan, M. A., Sesikeran, B., and Bamji, M. S. Long-term effects of female sex steroids on female rat liver in an initiator-promoter model of hepatocarcinogenesis. *Indian J. Biochem. Biophys.* 25: 708-713(1988).
26. Aoyagi, M., Matsukura, N., Uchida, E., Kawachi, T., Sugimura, T., Takayama, S., and Matsui, M. Induction of liver tumors in Wistar rats by sodium nitrite given in pellet diet. *J. Nat. Cancer Inst.* 65: 411-414(1980).
27. Arai, M., and Hibino, T. Tumorigenicity of citrinin in male F344 rats. *Cancer Lett.* 17: 281-287(1983).
28. Arai, M., Aoki, Y., Nakanishi, K., Miyata, Y., Mori, T., and Ito, N. Long-term experiment of maximal non-carcinogenic dose of dimethylnitrosamine for carcinogenesis in rats. *Gann* 70: 549-558(1979).
29. Arai, M., Cohen, S. M., Jacobs, J. B., and Friedell, G. H. Effect of dose on urinary bladder carcinogenesis induced in F344 rats by *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide. *J. Nat. Cancer Inst.* 62: 1013-1016(1979).
30. Arai, M., St. John, M., Fukushima, S., Friedell, G. H., and Cohen, S. M. Long-term dose response study of *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide-induced urinary bladder carcinogenesis. *Cancer Lett.* 18: 261-269(1983).
31. Arffmann, E. J. L., Rasmussen, K. S., and Hansen, F. N. Effect of some fatty acid methyl esters on gastrointestinal carcinogenesis by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in rats. *J. Nat. Cancer Inst.* 67: 1071-1075(1981).
32. Argus, M. F., Arcos, J. C., and Hoch-Ligeti, C. Studies on the carcinogenic activity of protein-denaturing agents: hepatocarcinogenicity of dioxane. *J. Nat. Cancer Inst.* 35: 949-958(1965).
33. Argus, M. F., White, L. E., Bryant, G. M., Arcos, J. C., and Hoch-Ligeti, C. Molecular specificity of the tumorigenic action of ethionine: the inactivity of S-ethylcysteine. Action on respiratory parameters. *Cancer Res. Clin. Oncol.* 75: 201-208(1971).
34. Arisawa, H., Sugiura, M., Tashiro, K., Imai, E., Nozaki, Y., Ishiyama, Y., Akie, S., Fujioka, S., Kobayashi, Y., Masaki, F., and Masunaga, H. Single dose and 52-week repeated dose oral toxicity studies of cevimeline (SNI-2011) in rats. *Pharmacometrics* 60: 53-72(2001).
35. Armuth, V. Leukaemogenic action of phorbol in intact and thymectomized mice of different strains. *Br. J. Cancer* 34: 516-522(1976).
36. Arnold, D. L., Moodie, C. A., Charbonneau, S. M., Grice, H. C., McGuire, P. F., Bryce, F. R., Collins, B. T., Zawidzka, Z. Z., Krewski, D. R., Nera, E. A., and Munro, I. C. Long-term toxicity of hexachlorobenzene in the rat and the effect of dietary vitamin A. *Food Chem. Toxicol.* 23: 779-793(1985).
37. Arnold, D. L., Moodie, C. A., Grice, H. C., Charbonneau, S. M., Stavric, B., Collins, B. T., McGuire, P. F., Zawidzka, Z. Z., and Munro, I. C. Long-term toxicity of ortho-toluenesulfonamide and sodium saccharin in the rat. *Toxicol. Appl. Pharmacol.* 52: 113-152(1980).
38. Arnold, L. L., Eldan, M., van Gemert, M., Capen, C. C., and Cohen, S. M. Chronic studies evaluating the carcinogenicity of monomethylarsonic acid in rats and mice. *Toxicology* 190: 197-219(2003).
39. Asada, I., Matsumoto, Y., Tobe, T., Yoshida, O., and Miyakawa, M. Induction of hepatoma in mice by direct deep black-extra (DDB-EX) and occurrence of serum AFP. *Archiv. Jpn. Chir.* 50: 45-55(1981).
40. Asakawa, E., Hirose, M., Hagiwara, A., Takahashi, S., and Ito, N. Carcinogenicity of 4-methoxyphenol and 4-methylcatechol in F344 rats. *Int. J. Cancer* 56: 146-152(1994).

41. Astill, B. D., Gingell, R., Guest, D., Hellwig, J., Hodgson, J. R., Kuettler, K., Mellert, W., Murphy, S. R., Sielken, R. L., Jr., and Tyler, T. R. Oncogenicity testing of 2-ethylhexanol in Fischer 344 rats and B6C3F₁ mice. *Fundam. Appl. Toxicol.* 31: 29-41(1996).
42. Atkinson, J. E., Daly, I. W., Saulog, T. M., Eukuda, R., Tanakamaru, Z., and Nonoyama, T. Oncogenicity study of AO-128 in mice. *Jpn. Pharmacol. Therapeut. (Yakuri to Chiryo)* 19: 4427-4438(1991).
43. Auletta, C. S., Kotkoskie, L. A., Saulog, T., and Richter, W. R. A dietary oncogenicity study of tributyl phosphate in the CD-1 mouse. *Toxicology* 128: 135-141(1998).
44. Auletta, C. S., Weiner, M. L., and Richter, W. R. A dietary toxicity/oncogenicity study of tributyl phosphate in the rat. *Toxicology* 128: 125-134(1998).
45. Ayers, K. M., Clive, D., Tucker, W. E., Jr., Hajian, G., and De Miranda, P. Nonclinical toxicology studies with zidovudine: genetic toxicity tests and carcinogenicity bioassays in mice and rats. *Fundam. Appl. Toxicol.* 32: 148-158(1996).
46. Babich, M. A. *Updated Risk Assessment of Oral Exposure to Diisononyl Phthalate (DINP) in Children's Products*. U.S. Consumer Product Safety Commission (2002).
47. Baden, J. M., Egbert, B., and Mazze, R. I. Carcinogen bioassay of enflurane in mice. *Anesthesiology* 56: 9-13(1982).
48. Baden, J. M., Kundomal, Y. R., Luttrapp, M. E., Mazze, R. I., and Kosek, J. C. Carcinogen bioassay of nitrous oxide in mice. *Anesthesiology* 64: 747-750(1986).
49. Baden, J. M., Kundomal, Y. R., Mazze, R. I., and Kosek, J. C. Carcinogen bioassay of isoflurane in mice. *Anesthesiology* 69: 750-753(1988).
50. Baigusheva, M. M. Carcinogenic properties of the amaranth paste. *Vopr. Pitan.* 27: 46-50(1968).
51. Barnes, J. M., Magee, P. N., Boyland, E., Haddow, A., Passey, R. D., Bullough, W. S., Cruickshank, C. N. D., Salaman, M. H., and Williams, R. T. The non-toxicity of maleic hydrazide for mammalian tissues. *Nature* 180: 62-64(1957).
52. Baroni, C., van Esch, G. J., Saffiotti, U. Carcinogenesis tests of two inorganic arsenicals. *Arch. Environ. Health* 7: 668-674(1963).
53. Barrass, N., Stewart, M., Warburton, S., Aitchison, J., Jackson, D., Wadsworth, P., Marsden, A., and Orton, T. Cell proliferation in the liver and thyroid of C57BL/10J mice after dietary administration of chlordane. *Environ. Health Perspect.* 101: 219-224(1993).
54. Barrows, G. H., Christopherson, W. M., Drill, V. A. Liver lesions and oral contraceptive steroids. *J. Toxicol. Environ. Health* 3: 219-230(1977).
55. Barten, M. The effects of different MNNG (*N*-methyl-*N'*-nitro-*N*-nitrosoguanidine)-doses on the stomach and the upper small intestine of the rat. *Exp. Pathol.* 31: 147-152(1987).
56. Basso, N., Materia, A., Silecchia, G., Spaziani, E., Scucchi, L., Di Stefano, D., Mingazzini, P., Favalli, C., and Garaci, E. Time-related interference of misoprostol with experimental gastric cancer formation induced by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in the rat. *Cancer Res. Clin. Oncol.* 118: 441-446(1992).
57. Beal, D. D., Skibba, J. L., Croft, W. A., Cohen, S. M., and Bryan, G. T. Carcinogenicity of the antineoplastic agent, 5-(3,3-dimethyl-1-triazeno)-imidazole-4-carboxamide, and its metabolites in rats. *J. Nat. Cancer Inst.* 54: 951-957(1975).
58. Becker, F. F. Morphological classification of mouse liver tumors based on biological characteristics. *Cancer Res.* 42: 3918-3923(1982).
59. Beems, R. B., Til, H. P., Newman, J., and Mayer, D. G. Carcinogenicity study with acesulfame-K in mice. In: *Acesulfame-K*. (D. G. Mayer and F. H. Kemper, Eds.), Marcel Dekker, New York, 1991, pp. 59-70.
60. Bellet, E. M., van Ravenzwaay, B., Pigott, G., and Leeming, N. Chronic dietary toxicity and oncogenicity evaluation of MCPA (4-chloro-2-methylphenoxycetic acid) in rodents. *Regul. Toxicol. Pharmacol.* 30: 223-232(1999).
61. Bellringer, M. E., Smith, T. G., Read, R., Gopinath, C., and Oliver, P. β -cyclodextrin: 52-week toxicity studies in the rat and dog. *Food Chem. Toxicol.* 33: 367-376(1995).
62. Belpoggi, F., Soffritti, M., and Maltoni, C. Methyl-tertiary-butyl ether (MTBE) — a gasoline additive — causes testicular and lymphohaematopoietic cancers in rats. *Toxicol. Ind. Health* 11: 119-149(1995).
63. Belpoggi, F., Soffritti, M., Filippini, F., and Maltoni, C. Results of long-term experimental studies on the carcinogenicity of methyl *tert*-butyl ether. *Ann. N. Y. Acad. Sci.* 837: 77-95(1997).
64. Bendele, A. M., Buenger, D. A., McGrath, J. P., Schmalz, C. A., and Hanasono, G. K. Chronic toxicity, metabolism, and pharmacokinetics of the 5-HT₃ receptor antagonist zatosetron (LY277359) in Fischer 344 rats. *Fundam. Appl. Toxicol.* 22: 494-504(1994).
65. Bendele, A. M., Carlton, W. W., Krogh, P., and Lillehoj, E. B. Ochratoxin A carcinogenesis in the (C57BL/6J \times C3H)F₁ mouse. *J. Nat. Cancer Inst.* 75: 733-739(1985).
66. Bendele, A. M., Hoover, D. M., van Lier, R. B. L., Foxworthy, P. S., and Eacho, P. I. Effects of chronic treatment with leukotriene D₄-antagonist compound LY171883 on B6C3F₁ mice. *Fundam. Appl. Toxicol.* 15: 676-682(1990).
67. Bendele, R. A., Adams, E. R., Hoffman, W. P., Gries, C. L., and Morton, D. M. Carcinogenicity studies of fluoxetine hydrochloride in rats and mice. *Cancer Res.* 52: 6931-6935(1992).
68. Benya, T. J., Busey, W. M., Dorato, M. A., and Berteau, P. E. Inhalation carcinogenicity of vinyl bromide in rats. *Toxicol. Appl. Pharmacol.* 64: 367-379(1982).
69. Benze, J., Gypen, L., Vandenbergh, J., Lampo, A., De Coster, R., Bowden, C., and Van Cauteren, H. Carcinogenicity studies of astemizole in mice and rats. *Cancer Res.* 55: 5589-5594(1995).
70. Berger, M. R., Habs, M., and Schmahl, D. Long-term toxicology effects of prednimustine in comparison with chlorambucil, prednisolone, and chlorambucil plus prednisolone in Sprague-Dawley rats. *Seminars in Oncol.* 13: 8-13(1986).
71. Berger, M. R., Petru, E., Habs, M., and Schmahl, D. Influence of the application mode of *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]-formamide on the localization of its carcinogenic expression in female NMRI-mice. *Cancer Lett.* 31: 311-318(1986).
72. Berger, M. R., Schmahl, D., and Zerban, H. Combination experiments with very low doses of three genotoxic *N*-nitrosamines with similar organotropic carcinogenicity in rats. *Carcinogenesis* 8: 1635-1643(1987).
73. Betton, G. R., Dormer, C. S., Wells, T., Pert, P., Price, C. A., and Buckley, P. Gastric ECL-cell hyperplasia and carcinoids in rodents following chronic administration of H₂-antagonists SK & F 93479 and oxmetidine and omeprazole. *Toxicol. Pathol.* 16: 288-298(1988).
74. Bhide, S. V., Bhalerao, E. B., Sarode, A. V., and Maru, G. B. Mutagenicity and carcinogenicity of mono- and diacetyl hydrazine. *Cancer Lett.* 23: 235-240(1984).
75. Bhide, S. V., D'Souza, R. A., Sawai, M. M., and Ranadive, K. J. Lung tumour incidence in mice treated with hydrazine sulphate. *Int. J. Cancer* 18: 530-535(1976).
76. Bhide, S. V., Gothoskar, S. V., and Shivapurkar, N. M. Arecoline tumorigenicity in Swiss strain mice on normal and vitamin B deficient diet. *Cancer Res. Clin. Oncol.* 107: 169-171(1984).
77. Bhide, S. V., Maru, G. B., Sawai, M. M., and Ranadive, K. J. Isoniazid tumorigenicity in mice under different experimental conditions. *Int. J. Cancer* 21: 381-386(1978).
78. Bi, W., Wang, Y., Huang, M., and Meng, D. Effect of vinyl chloride on testis in rats. *Ecotoxicol. Environ. Safety* 10: 281-289(1985).
79. Biancifiori, C., Bucciarelli, E., Clayson, D. B., and Santilli, F. E. Induction of hepatomas in CBA/Cb/Se mice by hydrazine sulphate and the lack of effect of croton oil on tumour induction in BALB/c/Cb/Se mice. *Br. J. Cancer* 18: 543-550(1964).
80. Biancifiori, C., Milia, U., and Di Leo, F. P. Tumori della tiroide indotti mediante etionamide (ET) in topi femmina vergini BALB/c/Cb/Se substrain. *Lav. Inst. Anat. Istol. Patol. Univ. Studi Perugia* 24: 145-165(1964).
81. Bird, M. G., Burleigh-Flayer, H. D., Chun, J. S., Douglas, J. F., Kneiss, J. J., and Andrews, L. S. Oncogenicity studies of inhaled methyl tertiary-butyl ether (MTBE) in CD-1 mice and F-344 rats. *J. Appl. Toxicol.* 17: S45-S55(1997).

82. Bird, R. P., Draper, H. H., and Valli, V. E. O. Toxicological evaluation of malonaldehyde: a 12-month study of mice. *J. Toxicol. Environ. Health* 10: 897-905(1982).
83. Blair, D., Dix, K. M., Hunt, P. F., Thorpe, E., Stevenson, D. E., and Walker, A. I. T. A 2-year inhalation carcinogenesis study in rats. *Arch. Toxicol.* 35: 281-294(1976).
84. Boberg, E. W., Miller, E. C., Miller, J. A., Poland, A., and Liem, A. Strong evidence from studies with brachymorphic mice and pentachlorophenol that 1'-sulfooxysafrole is the major ultimate electrophilic and carcinogenic metabolite of 1'-hydroxysafrole in mouse liver. *Cancer Res.* 43: 5163-5173(1983).
85. Bogdanffy, M. S., Makovec, G. T., and Frame, S. R. Inhalation oncogenicity bioassay in rats and mice with vinyl fluoride. *Fundam. Appl. Toxicol.* 26: 223-238(1995).
86. Bogdanffy, M. S., O'Connor, J. C., Hansen, J. F., Gaddamidi, V., Van Pelt, C. S., Green, J. W., and Cook, J. C. Chronic toxicity and oncogenicity bioassay in rats with the choloro-S-triazine herbicide cyanazine. *J. Toxicol. Environ. Health* 60: 567-586(2000).
87. Bomhard, E. M., Maruhn, D., and Rinke, M. Time course of chronic oral cadmium nephrotoxicity in Wistar rats: Excretion of urinary enzymes. *Drug Chem. Toxicol.* 22: 679-703(1999).
88. Bomhard, E. M., Krinke, G. J., Rossberg, and W. M., Skripsi, Th. Trimethylphosphate: a 30-month chronic toxicity/carcinogenicity study in Wistar rats with administration in drinking water. *Fundam. Appl. Toxicol.* 40: 75-89(1997).
89. Bonser, G. M., Clayton, D. B., Jull, J. W., and Pyrah, L. N. The carcinogenic properties of 2-amino-1-naphthol hydrochloride and its parent amine 2-naphthylamine. *Br. J. Cancer* 6: 412-424(1952).
90. Borchert, P., Miller, J. A., Miller, E. C., and Shires, T. K. 1'-Hydroxysafrole, a proximate carcinogenic metabolite of safrole in the rat and mouse. *Cancer Res.* 33: 590-600(1973).
91. Borelli, G., Bertoli, D., and Chieco, P. Carcinogenicity study of doxefazepam administered in the diet to Sprague-Dawley rats. *Fundam. Appl. Toxicol.* 15: 82-92(1990).
92. Borzelleca, J. F., and Hallagan, J. B. A chronic toxicity/carcinogenicity study of FD & C Yellow No. 5 (tartrazine) in mice. *Food Chem. Toxicol.* 26: 189-194(1988).
93. Borzelleca, J. F., and Hallagan, J. B. Lifetime toxicity/carcinogenicity study of FD & C Red No. 3 (erythrosine) in mice. *Food Chem. Toxicol.* 25: 735-737(1987).
94. Borzelleca, J. F., and Hogan, G. K. Chronic toxicity/carcinogenicity study of FD & C Blue No. 2 in mice. *Food Chem. Toxicol.* 23: 719-722(1985).
95. Borzelleca, J. F., Depukat, K., and Halligan, J. B. Lifetime toxicity/carcinogenicity studies of FD & C Blue No. 1 (brilliant blue FCF) in rats and mice. *Food Chem. Toxicol.* 28: 221-234(1990).
96. Borzsonyi, M., Torok, G., Pinter, A., Surjan, A., Nadasdi, L., and Roller, P. Carcinogenic effect of dinitrosopiperazine in adult Swiss mice and after transplacental or translactational exposure. *Cancer Res.* 40: 2925-2927(1980).
97. Bosan, W. S., Shank, R. C., MacEwen, J. D., Gaworski, C. L., and Newberne, P. M. Methylation of DNA guanine during the course of induction of liver cancer in hamsters by hydrazine or dimethylnitrosamine. *Carcinogenesis* 8: 439-444(1987).
98. Boyland, E., Carter, R. L., Gorrod, J. W., and Roe, F. J. C. Carcinogenic properties of certain rubber additives. *Eur. J. Cancer* 4: 233-239(1968).
99. Boyland, E., Roe, F. J. C., Gorrod, J. W., and Mitchley, B. C. V. The carcinogenicity of nitrosoanabasine a possible constituent of tobacco smoke. *Br. J. Cancer* 18: 265-270(1964).
100. Bralow, S. P., Gruenstein, M., and Meranze, D. R. Host resistance to gastric adenocarcinomatosis in three strains of rats ingesting *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine. *Oncology* 27: 168-180(1973).
101. Brantom, P. G., Gaunt, I. F., and Grasso, P. Long-term toxicity of sodium cyclamate in mice. *Food Cosmet. Toxicol.* 11: 735-746(1973).
102. Brantom, P. G., Gaunt, I. F., Hardy, J., Grasso, P., and Gangolli, S. D. Long-term feeding and reproduction studies on emulsifier YN in rats. *Food Cosmet. Toxicol.* 11: 755-769(1973).
103. Brown, E. V., and Hamdan, A. A. Carcinogenic activity of analogues of *p*-dimethylaminoazobenzene. V. Effect of added methyl groups in the pyridine series. *J. Nat. Cancer Inst.* 37: 365-367(1966).
104. Brune, H., Deutsch-Wenzel, R. P., Habs, M., Ivankovic, S., and Schmahl, D. Investigation of the tumorigenic response to benzo(a)pyrene in aqueous caffeine solution applied orally to Sprague-Dawley rats. *Cancer Res. Clin. Oncol.* 102: 153-157(1981).
105. Bulay, O., Mirvish, S. S., Garcia, H., Pelfrene, A. F., Gold, B., and Eagen, M. Carcinogenicity test of six nitrosamides and a nitrosocyanamide administered orally to rats. *J. Nat. Cancer Inst.* 62: 1523-1528(1979).
106. Burdock, G. A., and Flamm, W. G. A Review of the studies of the safety of polydextrose in food. *Food Chem. Toxicol.* 37: 233-264(1999).
107. Burek, J. D., Nitschke, K. D., Bell, T. J., Wackerle, D. L., Childs, R. C., Beyer, J. E., Dittenber, D. A., Rampy, L. W., and McKenna, M. J. Methylene chloride: a two-year inhalation toxicity and oncogenicity study in rats and hamsters. *Fundam. Appl. Toxicol.* 4: 30-47(1984).
108. Burleigh-Flayer, H., Garman, R., Neptun, D., Bevan, C., Gardiner, T., Kapp, R., Tyler, T., and Wright, G. Isopropanol vapor inhalation oncogenicity study in Fischer 344 rats and CD-1 mice. *Fundam. Appl. Toxicol.* 36: 95-111(1997).
109. Burnett, C. M., and Corbett, J. F. Failure of short-term in vitro mutagenicity tests to predict the animal carcinogenicity of hair dyes. *Food Chem. Toxicol.* 25: 703-707(1987).
110. Burtin, C., Scheinmann, P., Salomon, J. C., Lespinats, G., Frayssinet, C., Lebel, B., and Canu, P. Increased tissue histamine in tumour-bearing mice and rats. *Br. J. Cancer* 43: 684-688(1981).
111. Butala, J. H., Moore, M. R., Cifone, M. A., Bankston, J. R. and Astill, B. Oncogenicity study of di(isonyl)phthalate in rats. *Toxicologist* 30: 202 (1996).
112. Butala, J. H., Moore, M. R., Cifone, M. A., Bankston, J. R. and Astill, B. Oncogenicity study of di(isonyl)phthalate in mice. *Toxicologist* 36: 173 (1997).
113. Butler, W. H. Long-term effects of phenobarbitone-Na on male Fischer rats. *Br. J. Cancer* 37: 418-423(1978).
114. Butler, W. H., and Barnes, J. M. Carcinogenic action of groundnut meal containing aflatoxin in rats. *Food Cosmet. Toxicol.* 6: 135-141(1968).
115. Butler, W. H., Cohen, S. H., and Squire, R. A. Mesenchymal tumors of the mouse urinary bladder with vascular and smooth muscle differentiation. *Toxicol. Pathol.* 25: 268-274(1997).
116. Butler, W. H., Gabriel, K. L., Osimitz, T. G., and Priess, F. J. Oncogenicity studies of piperonyl butoxide in rats and mice. *Hum. Exp. Toxicol.* 17: 323-330(1998).
117. Butler, W. H., Graham, T. C., and Sutton, M. L. Chronic toxicity and oncogenicity studies of macrodantin in Sprague-Dawley rats. *Food Chem. Toxicol.* 28: 269-277(1990).
118. Butler, W. H., Graham, T. C., and Sutton, M. L. Oncogenicity study of macrodantin in Swiss mice. *Food Chem. Toxicol.* 28: 49-54(1990).
119. Byron, W. R., Bierbower, G. W., Brower, J. B., Hansen, W. H. Pathologic changes in rats and dogs from two-year feeding of sodium arsenite or sodium arsenate. *Toxicol. Appl. Pharmacol.* 10: 132-147(1967).
120. Cabral, J. R. P., and Galendo, D. Carcinogenicity study of the pesticide fenvalerate in mice. *Cancer Lett.* 49: 13-18(1990).
121. Cabral, J. R. P., Galendo, D., Laval, M., and Lyandrat, N. Carcinogenicity studies with deltamethrin in mice and rats. *Cancer Lett.* 49: 147-152(1990).
122. Cabral, J. R. P., Hall, R. K., Bronczyk, S. A., and Shubik, P. A carcinogenicity study of the pesticide dieldrin in hamsters. *Cancer Lett.* 6: 241-246(1979).
123. Cabral, J. R. P., Hall, R. K., Bronczyk, S. A., and Shubik, P. A. Lack of carcinogenicity of DDT on hamsters. *Tumori* 68: 5-10(1982).
124. Cabral, J. R. P., Hall, R. K., Rossi, L., Bronczyk, S. A., and Shubik, P. Effects of long-term DDT intake on rats. *Tumori* 68: 11-17(1982).
125. Cabral, J. R. P., Mollner, T., Raitano, F., and Shubik, P. Carcinogenesis of hexachlorobenzene in mice. *Int. J. Cancer* 23: 47-51(1979).
126. Cabral, J. R. P., Rossi, L., Dragani, T. A., Della Porta, G. Carcinogenicity study of 3-(5-nitro-2-furyl)-imidazo(1,2- α) pyridine in mice and rats. *Tumori* 66: 131-144(1980).
127. Cabral, J. R. P., Shubik, P., Mollner, T., and Raitano, F. Carcinogenic activity of hexachlorobenzene in hamsters. *Nature* 265: 510-511(1977).

128. Cabral, J., and Ponomarkov, V. Carcinogenicity study of the pesticide maleic hydrazide in mice. *Toxicology* 24: 169-173(1982).
129. Cabrol Telle, A.-M., de Saint Blanquat, G., Derache, R., Hollande, E., Periquet, B., and Thouvenot, J.-P. Nutritional and toxicological effects of long-term ingestion of phosphine-fumigated diet by the rat. *Food Chem. Toxicol.* 23: 1001-1009(1985).
130. Cameron, G. R., and Cheng, K. K. Failure of oral D.D.T. to induce toxic changes in rats. *Br. Med. J.* 2: 819-821(1951).
131. Cardesa, A., Garcia-Bragado, F., Ramirez, J., and Ernst, H. Histological types of laryngotracheal tumors induced in Syrian golden hamsters by nitrosomorpholine and nitrosopiperidine. *Exp. Pathol.* 401: 267-281(1990).
132. Cardin, C. W., Domeyer, B. E., and Bjorkquist, L. Toxicological evaluation of commercial alkyldimethylamine oxides: two-year chronic feeding and dermal studies. *Fundam. Appl. Toxicol.* 5: 869-878(1985).
133. Carlton, B. D., Aubrun, J.-C., and Simon, G. S. Effects of coumarin following perinatal and chronic exposure in Sprague-Dawley rats and CD-1 mice. *Fundam. Appl. Toxicol.* 30: 145-151(1996).
134. Carr, B. I., Rahbar, S., Asmeron, Y., Riggs, A., and Winberg, C. D. Carcinogenicity and haemoglobin synthesis induction by cytidine analogues. *Br. J. Cancer* 57: 395-402(1988).
135. Carr, B. I., Reilly, J. G., Smith, S. S., Winberg, C., and Riggs, A. The tumorigenicity of 5-azacytidine in the male Fischer rat. *Carcinogenesis* 5: 1583-1590(1984).
136. Carthew, P., Rich, K. J., Martin, E. A., De Matteis, F., Lim, C.-K., Manson, M. M., Festing, M. F. W., White, I. N. H., and Smith, L. L. DNA damage as assessed by ³²P-postlabelling in three rat strains exposed to dietary tamoxifen: the relationship between cell proliferation and liver tumour formation. *Carcinogenesis* 16: 1299-1304(1995).
137. Casas, C. B. Induction of hepatomas by thiouracil in inbred strains of mice. *Proc. Soc. Exp. Biol. Med.* 113: 493-494(1963).
138. Case, M. T., Sibinski, L. J., and Steffen, G. R. Chronic oral toxicity and oncogenicity studies of flecainide, an antiarrhythmic, in rats and mice. *Toxicol. Appl. Pharmacol.* 73: 232-242(1984).
139. Castegnaro, M., Mohr, U., Pfohl-Leszkowicz, A., Estève, J., Steinmann, J., Tillmann, T., Michelon, J., and Bartsch, H. Sex- and strain-specific induction of renal tumors by ochratoxin A in rats correlates with DNA adduction. *Int. J. Cancer* 77: 70-75(1998).
140. Cattley, R. C., Conway, J. G., and Popp, J. A. Association of persistent peroxisome proliferation and oxidative injury with hepatocarcinogenicity in female F-344 rats fed di(2-ethylhexyl) phthalate for 2 years. *Cancer Lett.* 38: 15-22(1987).
141. Cattley, R. C., Everitt, J. I., Gross, E. A., Moss, O. R., Hamm, T. E., Jr., and Popp, J. A. Carcinogenicity and toxicity of inhaled nitrobenzene in B6C3F₁ mice and F344 and CD rats. *Fundam. Appl. Toxicol.* 22: 328-340(1994).
142. Cavaliere, A., Alberti, P. F., and Vitali, R. 5-Fluorouracil carcinogenesis in BALB/c mice. *Tumori* 76: 179-181(1990).
143. Cavaliere, A., Bufalari, A., and Vitali, R. 5-azacytidine carcinogenesis in BALB/c mice. *Cancer Lett.* 37: 51-58(1987).
144. Cavaliere, A., Bufalari, A., and Vitali, R. Carcinogenicity and cocarcinogenicity test of phenobarbital sodium in adult BALB/c mice. *Tumori* 72: 125-128(1986).
145. Charles, J. M., Bond, D. M., Jeffries, T. K., Yano, B. L., Stott, W. T., Johnson, K. A., Cunny, H. C., Wilson, R. D., and Bus, J. S. Chronic dietary toxicity/oncogenicity studies on 2,4-dichlorophenoxyacetic acid in rodents. *Fundam. Appl. Toxicol.* 33: 166-172(1996).
146. Charles, J. M., Tobia, A., and van Ravenzwaay, B. Subchronic and chronic toxicological investigations on metiram: The lack of a carcinogenic response in rodents. *Fundam. Appl. Toxicol.* 54: 481-492(2000).
147. Chatani, F., Nishida, N., Shikata, M., Spicer, E. J. F., Drafta, R. E., Blair, M., Thorstenson, J. H., Gordon, D. E., and Geil, R. G. Two-year dietary carcinogenicity study of CV-4151 in mice. *Jpn. Pharmacol. Therapeut. (Yakuri to Chiryo)* 23: 1205-1223(1995).
148. Cheever, K. L., Cholakis, J. M., El-Hawari, A. M., Kovatch, R. M., and Weisburger, E. K. Ethylene dichloride: the influence of disulfiram or ethanol on oncogenicity, metabolism, and DNA covalent binding in rats. *Fundam. Appl. Toxicol.* 14: 243-261(1990).
149. Chemical Industry Institute of Toxicology. *Formaldehyde: Hazard Characterization and Dose-Response Assessment for Carcinogenicity by the Route of Inhalation*. Revised Edition. Research Triangle Park, NC: CIIT (1999).
150. Chouroulinkov, I., Gentil, A., and Guerin, M. Étude de l'activité carcinogène du 9,10-diméthyl-benzanthracène et du 3,4-benzopyrène administrés par voie digestive. *Bull. Cancer* 54: 67-78(1967).
151. Christov, K., and Raichev, R. Thyroid carcinogenesis in hamsters after treatment with 131-iodine and methylthiouracil. *Cancer Res. Clin. Oncol.* 77: 171-179(1972).
152. Chu, I., Villeneuve, D. C., Secours, V. E., Valli, V. E., Leeson, S., and Shen, S. Y. Long-term toxicity of octachlorostyrene in the rat. *Fundam. Appl. Toxicol.* 6: 69-77(1986).
153. Chu, I., Villeneuve, D. C., Valli, V. E., Secours, V. E., and Becking, G. C. Chronic toxicity of photomirex in the rat. *Toxicol. Appl. Pharmacol.* 59: 268-278(1981).
154. Chung, F. L., Kelloff, G., Steele, V., Pittman, B., Zang, E., Jiao, D., Rigotty, J., Choi, C. I., and Rivenson, A. Chemopreventive efficacy of arylalkyl isothiocyanates and N-acetylcysteine for lung tumorigenesis in Fischer rats. *Cancer Res.* 56: 772-778(1996).
155. Chung, F., Tanaka, T., and Hecht, S. S. Induction of liver tumors in F344 rats by crotonaldehyde. *Cancer Res.* 46: 1285-1289(1986).
156. Ciba-Geigy. *Twenty-four Month Combined Chronic Oral Toxicity and Oncogenicity Study in Rats Utilizing Atrazine Technical*. Fiche. EPA MRID No. 262714-262727 (1986).
157. Ciliberti, A., Maltoni, C., and Perino, G. Long-term carcinogenicity bioassays on propylene administered by inhalation to Sprague-Dawley rats and Swiss mice. *Ann. N. Y. Acad. Sci.* 534: 235-245(1988).
158. Clapp, N. K., Craig, A. W., and Toya, R. E. Oncogenicity by methyl methanesulfonate in male RF mice. *Science* 161: 913-914(1968).
159. Clapp, N. K., Tyndall, R. L., Cumming, R. B., and Otten, J. A. Effects of butylated hydroxytoluene alone or with diethylnitrosamine in mice. *Food Cosmet. Toxicol.* 12: 367-371(1974).
160. Clapp, N. K., Tyndall, R. L., Satterfield, L. C., Klima, W. C., and Bowles, N. D. Selective sex-related modification of diethylnitrosamine-induced carcinogenesis in BALB/c mice by concomitant administration of butylated hydroxytoluene. *J. Nat. Cancer Inst.* 61: 177-180(1978).
161. Clayson, D. B., Lawson, T. A., and Pringle, J. A. S. The carcinogenic action of 2-aminodiphenylene oxide and 4-aminodiphenyl on the bladder and liver of the C57 × IF mouse. *Br. J. Cancer* 21: 755-762(1967).
162. Clayson, D. B., Lawson, T. A., Santana, S., and Bonser, G. M. Correlation between the chemical induction of hyperplasia and of malignancy in the bladder epithelium. *Br. J. Cancer* 19: 297-310(1965).
163. Cleveland, F. P. A summary of work on aldrin and dieldrin toxicity at the Kettering Laboratory. *Arch. Environ. Health* 13: 195-198(1966).
164. Clevenger, M. A., Turnbull, D., Inoue, H., Enomoto, M., Allen, J. A., Henderson, L. M., and Jones, E. Toxicological evaluation of neosugar: genotoxicity, carcinogenicity, and chronic toxicity. *J. Am. Coll. Toxicol.* 7: 643-662(1988).
165. Cohen, S. M., and Bryan, G. T. Effect of p-hydroxyacetanilide, sodium sulfate, and L-methionine on the leukemogenicity of N-[4-(5-nitro-2-furyl)-2-thiazolyl]acetamide. *Cancer Res.* 38: 1398-1405(1978).
166. Cohen, S. M., Arai, M., Jacobs, J. B., and Friedell, G. H. Promoting effect of saccharin and DL-tryptophan in urinary bladder carcinogenesis. *Cancer Res.* 39: 1207-1217(1979).
167. Cohen, S. M., Ellwein, L. B., Okamura, T., Masui, T., Johansson, S. L., Smith, R. A., Wehner, J. M., Khachab, M., Chappel, C. I., Schoenig, G. P., Emerson, J. L., and Garland, E. M. Comparative bladder tumor promoting activity of sodium saccharin, sodium ascorbate, related acids, and calcium salts in rats. *Cancer Res.* 51: 1766-1777(1991).
168. Cohen, S. M., Ertürk, E., and Bryan, G. T. Comparative carcinogenicity of 5-nitrothiophenes and 5-nitrofurans in rats. *J. Nat. Cancer Inst.* 57: 277-282(1976).

169. Cohen, S. M., Ertürk, E., Price, J. M., and Bryan, G. T. Comparative carcinogenicity in the rat of 2-hydrazinothiazoles with nitrofuryl, nitrophenyl, or aminophenyl substituents in the 4-position. *Cancer Res.* 30: 897-901(1970).
170. Cohen, S. M., Ertürk, E., Von Esch, A. M., Crovetti, A. J., and Bryan, G. T. Carcinogenicity of 5-nitrofurans and related compounds with amino-heterocyclic substituents. *J. Nat. Cancer Inst.* 54: 841-850(1975).
171. Cohen, S. M., Ertürk, E., Von Esch, A. M., Crovetti, A. J., and Bryan, G. T. Carcinogenicity of 5-nitrofurans, 5-nitroimidazoles, 4-nitrobenzenes, and related compounds. *J. Nat. Cancer Inst.* 51: 403-417(1973).
172. Cohen, S. M., Ichikawa, M., and Bryan, G. T. Carcinogenicity of 2-(2-furyl)-3-(5-nitro-2-furyl)acrylamide (AF-2) fed to female Sprague-Dawley rats. *Gann* 68: 473-476(1977).
173. Cohen, S. M., Lower, G. M., Ertürk, E., and Bryan, G. T. Comparative carcinogenicity in Swiss mice of *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]acetamide and structurally related 5-nitrofurans and 4-nitrobenzenes. *Cancer Res.* 33: 1593-1597(1973).
174. Cohen, S., Murasaki, G., Fukushima, S., and Greenfield, R. E. Effect of regenerative hyperplasia on the urinary bladder: carcinogenicity of sodium saccharin and *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide. *Cancer Res.* 42: 65-71(1982).
175. Collins, M. A., Rusch, G. M., Sato, F., Hext, P. M., and Millischer, R.-J. 1,1,1,2-Tetrafluoroethane: repeat exposure inhalation toxicity in the rat, developmental toxicity in the rabbit, and genotoxicity in vitro and *in vivo*. *Fundam. Appl. Toxicol.* 25: 271-280(1995).
176. Conti, B., Maltoni, C., Perino, G., and Ciliberti, A. Long-term carcinogenicity bioassays on styrene administered by inhalation, ingestion and injection and styrene oxide administered by ingestion in Sprague-Dawley rats, and para-methylstyrene administered by ingestion in Sprague-Dawley rats and Swiss mice. *Ann. N. Y. Acad. Sci.* 534: 203-234(1988).
177. Conzelman, G. M., Moulton, J. E., Flanders, L. E., Springer, K., Crout, D. W. Induction of transitional cell carcinoma of the urinary bladder in monkeys fed 2-naphthylamine. *J. Nat. Cancer Inst.* 42: 825-831(1969).
178. Cornell, R. G., Wolfe, R. A., and Sanders, P. G. Aspartame and brain tumors: statistical issues. In: *Aspartame: Physiology and Biochemistry*, L. G. Stegink and L. J. Filer, Jr., eds. New York: Marcel Dekker, 1984, pp. 459-479.
179. Cremlyn, R. J. W., and Roe, F. J. C. A study of certain substituted sulphonohydrazides for carcinogenicity in mice. *Food Cosmet. Toxicol.* 9: 319-321(1971).
180. Croft, W. A., and Bryan, G. T. Production of urinary bladder carcinomas in male hamsters by *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide, *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]acetamide, or formic acid 2-[4-(5-nitro-2-furyl)-2-thiazolyl]hydrazide. *J. Nat. Cancer Inst.* 51: 941-949(1973).
181. Crowell, J. A., Goldenthal, E. I., Kelloff, G. J., Malone, W. F., and Boone, C. W. Chronic toxicity studies of the potential cancer preventive 2-(difluoromethyl)-*d*-ornithine. *Fundam. Appl. Toxicol.* 22: 341-354(1994).
182. Crowell, J. A., Page, J. G., Rodman, L. E., Heath, J. E., Goldenthal, E. I., Hall, L. B., and Kelloff, G. J. Chronic toxicity studies of 5-(2-pyrazinyl)-4-methyl-1,2-dithiole-3-thione, a potential chemopreventive agent. *Fundam. Appl. Toxicol.* 35: 9-21(1997).
183. Cruickshank, J. M., Fitzgerald, J. D., and Tucker, M. β -adrenoceptor blocking drugs: pronethalol, propranolol and practolol. In: *Safety Testing of New Drugs: Laboratory Predictions and Clinical Performance*, D. R. Laurence, A. E. M. McLean, and M. Weatherall, eds. Orlando, FL: Academic Press, 1984, pp. 93-123.
184. Cruzan, G., Cushman, J. R., Andrews, L. S., Granville, G. C., Johnson, K. A., Hardy, C. J., Coombs, D. W., Mullins, P. A., and Brown, W. R. Chronic toxicity/oncogenicity study of styrene in CD rats by inhalation exposure for 104 weeks. *Fundam. Appl. Toxicol.* 46: 266-281(1998).
185. Cruzan, G., Cushman, J. R., Andrews, L. S., Granville, G. C., Johnson, K. A., Bevan, C., Hardy, C. J., Coombs, D. W., Mullins, P. A., and Brown, W. R. Chronic toxicity/oncogenicity study of styrene in CD-1 mice by inhalation exposure for 104 weeks. *J. Appl. Toxicol.* 21: 185-198(2001).
186. Cui, X.-S., Torndal, U.-B., Eriksson, L. C., and Moller, L. Early formation of DNA adducts compared with tumor formation in a long-term tumor study in rats after administration of 2-nitrofluorene. *Carcinogenesis* 16: 2135-2141(1995).
187. Culp, S. J., Gaylor, D. W., Sheldon, W. G., Goldstein, L. S., and Beland, F. A. A comparison of the tumors induced by coal tar and benzo[a]pyrene in a 2-year bioassay. *Carcinogenesis* 19: 117-124(1998).
188. Dacre, J. C. Toxicologic studies with 2,6-di-tert-butyl-4-hydroxymethylphenol in the rat. *Toxicol. Appl. Pharmacol.* 17: 669-678(1970).
189. Dai, S., Thompson, K. H., Vera, E., and McNeill, J. H. Toxicity studies on one-year treatment of non-diabetic and streptozotocin-diabetic rats with vanadyl sulphate. *Pharmacol. Toxicol.* 75: 265-273(1994).
190. Dalbey, W. E. Formaldehyde and tumors in hamster respiratory tract. *Toxicology* 24: 9-14(1982).
191. Dalgard, D. W. *Induction, Biological Markers and Therapy of Tumors in Primates*. National Cancer Institute Final Report of Contract No. N01-CP-40510, Vienna, VA, Corning Hazelton Laboratory Study No. 421-166, Reporting period: July 1, 1994-March 31, 1997.
192. Dalgard, D. W. *Induction, Biological Markers and Therapy of Tumors in Primates*. National Cancer Institute Annual Report of Contract No. N01-CP-05622, Vienna, VA, Hazelton Laboratory Study No. 421-156, Reporting period: October 1, 1990-September 30, 1991.
193. Damjanov, I. and Friedman, M. A. (1998). Mesotheliomas of tunica vaginalis testis of Fischer 344 (F344) rats treated with acrylamide: a light and electron microscopy study. *in vivo* 12: 495-502.
194. Daniel, F. B., DeAngelo, A. B., Stober, J. A., Olson, G. R., and Page, N. P. Hepatocarcinogenicity of chloral hydrate, 2-chloroacetaldehyde, and dichloroacetic acid in the male B6C3F₁ mouse. *Fundam. Appl. Toxicol.* 19: 159-168(1992).
195. Daughtrey, W., Newton, P., Rhoden, R., Kirwin, C., Haddock, L., Duffy, J., Keenan, T., Richter, W., and Nicolich, M. Chronic inhalation carcinogenicity study of commercial hexane solvent in F344 rats and B6C3F₁ mice. *Fundam. Appl. Toxicol.* 48: 21-29(1999).
196. David, R. M., Moore, M. R., Cifone, M. A., Finney, D. C., and Guest, D. Chronic peroxisome proliferation and hepatomegaly associated with the hepatocellular tumorigenesis of di(2-ethylhexyl)phthalate and the effects of recovery. *Toxicol. Sci.* 50: 195-205(1999).
197. David, R. M., Moore, M. R., Finney, D. C., and Guest, D. (2000). Chronic toxicity of di(2-ethylhexyl)phthalate in rats. *Toxicol. Sci.* 55: 433-443.
198. Davies, T. S., and Kluwe, W. M. Preclinical toxicological evaluation of sertraline hydrochloride. *Drug Chem. Toxicol.* 21: 521-537(1998).
199. Davis, K. J., and Fitzhugh, O. G. Pathologic changes noted in rats fed D&C red no. 10 [monosodium salt of 2-(2-hydroxy-1-naphthylazo)-1-naphthalene-sulfonic acid] for two years. *Toxicol. Appl. Pharmacol.* 5: 728-734(1963).
200. Davis, K. J., and Fitzhugh, O. G. Pathologic changes noted in rats fed D&C red no. 9 for two years. *Toxicol. Appl. Pharmacol.* 4: 200-205(1962).
201. Davis, K. J., and Fitzhugh, O. G. Tumorigenic potential of aldrin and dieldrin for mice. *Toxicol. Appl. Pharmacol.* 4: 187-189(1962).
202. Davis, K. J., Fitzhugh, O. G., and Nelson, A. A. Chronic rat and dog toxicity studies on tartrazine. *Toxicol. Appl. Pharmacol.* 6: 621-626(1964).
203. Davis, K. J., Nelson, A. A., Zwickey, R. E., Hansen, W. H., and Fitzhugh, O. G. Chronic toxicity of ponceau SX to rats, mice, and dogs. *Toxicol. Appl. Pharmacol.* 8: 306-317(1966).
204. De Groot, A. P., Til, H. P., Feron, V. J., Dreef-Van der Meulen, H. C., and Willems, M. I. Two-year feeding and multigeneration studies in rats on five chemically modified starches. *Food Cosmet. Toxicol.* 12: 651-663(1974).
205. de la Iglesia, F. A., Barsoum, N., Gough, A., Mitchell, L., Martin, R. A., Di Fonzo, C. and McGuire, E. J. Carcinogenesis bioassay of prazepam (Verstran) in rats and mice. *Toxicol. Appl. Pharmacol.* 57: 39-54(1981).
206. DeAngelo, A. B., Daniel, F. B., Most, B. M., and Olson, G. R. (1996). The carcinogenicity of dichloroacetic acid in the male Fischer 344 rat. *Toxicology* 114: 207-221.
207. DeAngelo, A. B., Daniel, F. B., Most, B. M., and Olson, G. R. Failure of monochloroacetic acid and trichloroacetic acid administered in the drinking water to produce liver cancer in male F344/N rats. *J. Toxicol. Environ. Health* 52: 425-445(1997).
208. DeAngelo, A. B., Daniel, F. B., Stober, J. A., and Olson, G. R. The carcinogenicity of dichloroacetic acid in the male B6C3F₁ mouse. *Fundam. Appl. Toxicol.* 16: 337-347(1991).

209. DeAngelo, A. B., George, M. H., and House, D. E. (1999). Hepatocarcinogenicity in the male B6C3F₁ mouse following a lifetime exposure to dichloroacetic acid in the drinking water: dose-response determination and modes of action. *J. Toxicol. Environ. Health A* 58: 485-507.
210. DeAngelo, A. B., George, M. H., Kilburn, S. R., Moore, T. M., and Wolf, D. C. (1998). Carcinogenicity of potassium bromate administered in drinking water to male B6C3F₁ mice and F344/N rats. *Toxicol. Pathol.* 26: 587-594.
211. Deichmann, W. B., Keplinger, M., Sala, F., and Glass, E. Synergism among oral carcinogens: IV. The simultaneous feeding of four tumorigens to rats. *Toxicol. Appl. Pharmacol.* 11: 88-103(1967).
212. Deichmann, W. B., MacDonald, W. E., and Lu, F. C. Effects of chronic aldrin feeding in two strains of female rats and a discussion on the risks of carcinogens in man. In: *Developments in Toxicology and Environmental Science*, Vol. 4 (W. Deichman, Ed.), Elsevier North Holland, Amsterdam, 1979, pp. 407-413.
213. Deichmann, W. B., MacDonald, W. E., Anderson, W. A. D., and Bernal, E. Adenocarcinoma in the lungs of mice exposed to vapors of 3-nitro-3-hexene. *Toxicol. Appl. Pharmacol.* 5: 445-456(1963).
214. Deichmann, W. B., MacDonald, W. E., Blum, E., Bevilacqua, M., Radomski, J., Keplinger, M., and Balkus, M. Tumorigenicity of aldrin, dieldrin and endrin in the albino rat. *Ind. Med.* 39: 426-434(1970).
215. Deichmann, W. B., MacDonald, W. E., Lampe, K. F., Dressler, I., and Anderson, W. A. D. Nitro-olefins as potential carcinogens in air pollution. *Ind. Med.* 34: 800-807(1965).
216. Della Porta, G., and Dragani, T. A. Carcinogenicity study in mice on pildralazine, a hydralazinelike antihypertensive compound. *Cancer Res. Clin. Oncol.* 106: 97-101(1983).
217. Della Porta, G., and Dragani, T. A. Lack of carcinogenicity in mice of 4,4'-diaminobenzanilide and 4,4'-diaminoazobenzene, two intermediates used in the manufacture of azo dyes. *Cancer Lett.* 14: 329-336(1981).
218. Della Porta, G., and Dragani, T. A. Non-carcinogenicity in mice of a sulfonic acid derivative of 2-naphthylamine. *Carcinogenesis* 3: 647-649(1982).
219. Della Porta, G., Cabral, J. R., and Rossi, L. Carcinogenicity study of rifampicin in mice and rats. *Toxicol. Appl. Pharmacol.* 43: 293-302(1978).
220. Della Porta, G., Colnaghi, M. I., and Parmiani, G. Non-carcinogenicity of hexamethylenetetramine in mice and rats. *Food Cosmet. Toxicol.* 6: 707-715(1968).
221. Della Porta, G., Dragani, T. A., Barale, R., and Zucconi, D. Carcinogenic activity in mice of diftalone, an anti-inflammatory agent. *Cancer Res. Clin. Oncol.* 108: 308-311(1984).
222. Della Porta, G., Shubik, P., and Scortecci, V. The action of N-2-fluorenylacetamide in the Syrian golden hamster. *J. Nat. Cancer Inst.* 22: 463-471(1959).
223. Dillberger, J. E., Cronin, N. S., and Carr, G. J. Prednisone is not a mouse carcinogen. *Toxicol. Pathol.* 20: 18-26(1992).
224. Diwan, B. A., Anderson, L. M., Ward, J. M., Henneman, J. R., and Rice, J. M. Transplacental carcinogenesis by cisplatin in F344/NCr rats: promotion of kidney tumors by postnatal administration of sodium barbital. *Toxicol. Appl. Pharmacol.* 132: 115-121(1995).
225. Diwan, B. A., Hagiwara, A., Ward, J. M., and Rice, J. M. Effects of sodium salts of phenobarbital and barbital on development of bladder tumors in male F344/NCr rats pretreated with either N-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide or N-nitrosobutyl-4-hydroxybutylamine. *Toxicol. Appl. Pharmacol.* 98: 269-277(1989).
226. Diwan, B. A., Henneman, J. R., and Nims, R. W. Enhancement of N-nitrosodiethylamine-initiated hepatocarcinogenesis by phenytoin in male F344/NCr rats at a dose causing maximal induction of CYP2B. *Int. J. Toxicol.* 20: 81-87(2001).
227. Diwan, B. A., Henneman, J. R., and Rice, J. M. Further evidence for promoter-dependent development of hepatoblastoma in the mouse. *Cancer Lett.* 89: 29-35(1995).
228. Diwan, B. A., Henneman, J. R., Nims, R. W., and Rice, J. M. Tumor promotion by an anticonvulsant agent, phenytoin, in mouse liver: correlation with CYP2B induction. *Carcinogenesis* 14: 2227-2231(1993).
229. Diwan, B. A., Henneman, J. R., Rice, J. M., and Nims, R. W. Enhancement of thyroid and hepatocarcinogenesis by 1,4-bis[2-(3,5-dichloropyridyl-oxy)]benzene in rats at doses that cause maximal induction of CYP2B. *Carcinogenesis* 17: 37-43(1996).
230. Diwan, B. A., Lubet, R. A., Ward, J. M., Hrabie, J. A., and Rice, J. M. Tumor-promoting and hepatocarcinogenic effects of (TCPOBOP) in DBA/2NCr and C57BL/6NCr mice and an apparent promoting effect on nasal cavity tumors but not on hepatocellular tumors in F344/NCr rats initiated with N-nitrosodiethylamine. *Carcinogenesis* 13: 1893-1901(1992).
231. Diwan, B. A., Nims, R. W., Henneman, J. R., Ward, J. M., Lubet, R. A., and Rice, J. M. Effect of the oxazolidinedione anticonvulsants trimethadione and dimethadione and the barbiturate homolog 5,5-dimethylbarbituric acid on n-nitrosodiethylamine-initiated renal and hepatic carcinogenesis in the F344/NCr rat. *Arch. Toxicol.* 66: 413-422(1992).
232. Diwan, B. A., Nims, R. W., Ward, J. M., Hu, H., Lubet, R. A., and Rice, J. M. Tumor promoting activities of ethylphenylacetylurea and diethylacetylurea, the ring hydrolysis products of barbiturate tumor promoters phenobarbital and barbital, in rat liver and kidney initiated by N-nitrosodiethylamine. *Carcinogenesis* 10: 189-194(1989).
233. Diwan, B. A., Palmer, A. E., Ohshima, M., and Rice, J. M. N-nitroso-N-methylurea initiation in multiple tissues for organ-specific tumor promotion in rats by phenobarbital. *J. Nat. Cancer Inst.* 75: 1099-1105(1985).
234. Diwan, B. A., Rice, J. M., Ohshima, M., Ward, J. M., and Dove, L. F. Comparative tumor-promoting activities of phenobarbital, amobarbital, barbital sodium, and barbituric acid on livers and other organs of male F344/NCr rats following initiation with N-nitrosodiethylamine. *J. Nat. Cancer Inst.* 74: 509-516(1985).
235. Dodd, D. C., Port, C. D., Deslex, P., Regnier, B., Sanders, P., and Indacochea-Redmond, N. Two-year evaluation of misoprostol for carcinogenicity in CD Sprague-Dawley rats. *Toxicol. Pathol.* 15: 125-133(1987).
236. Domellof, L., Eriksson, S., Mori, H., Weisburger, J. H., and Williams, G. M. Effect of bile acid gavage or vagotomy and pyloroplasty on gastrointestinal carcinogenesis. *Am. J. Surg.* 142: 551-554(1981).
237. Dominick, M. A., Robertson, D. G., Bleavins, M. R., Sigler, R. E., Bobrowski, W. F., and Gough, A. W. $\alpha_{2\mu}$ -Globulin nephropathy without nephrocarcinogenesis in male Wistar rats administered 1-(aminomethyl)cyclohexaneacetic acid. *Toxicol. Appl. Pharmacol.* 111: 375-387(1991).
238. Donaubauer, H. H., Kief, H., Kramer, M., Krieg, K., Mayer, D., and Schutz, E. Investigations on the carcinogenicity of dipyrone in rats. *Toxicol. Appl. Pharmacol.* 81: 443-451(1985).
239. Drake, J. J.-P., Butterworth, K. R., Gaunt, I. F., and Grasso, P. Long-term toxicity study of black PN in mice. *Food Cosmet. Toxicol.* 15: 503-508(1977).
240. Drake, J. J.-P., Butterworth, K. R., Gaunt, I. F., and Hardy, J. Long-term toxicity studies of chocolate brown HT in mice. *Toxicology* 10: 17-27(1978).
241. Drake, J. J.-P., Butterworth, K. R., Gaunt, I. F., Hooson, J., Evans, J. G., and Gangolli, S. D. Long-term toxicity study of quillaia extract in rats. *Food Chem. Toxicol.* 20: 15-23(1982).
242. Drew, R. T., Boorman, G. A., Haseman, J. K., McConnell, E. E., Busey, W. M., and Moore, J. A. The effect of age and exposure duration on cancer induction by a known carcinogen in rats, mice, and hamsters. *Toxicol. Appl. Pharmacol.* 68: 120-130(1983).
243. Druckrey, H. Chloriertes Trinkwasser, Toxizitäts-Prüfungen an Ratten über sieben Generationen. *Food Cosmet. Toxicol.* 6: 147-154(1968).
244. Dunkelberg, H. Carcinogenicity of ethylene oxide and 1,2-propylene oxide upon intragastric administration to rats. *Br. J. Cancer* 46: 924-933(1982).
245. Dunn, T. B. Cancer of the uterine cervix in mice fed a liquid diet containing an antifertility drug. *J. Nat. Cancer Inst.* 14: 671-692(1969).
246. Dunnick, J. K., Forbes, P. D., Eustis, S. L., Hardisty, J. F., and Goodman, D. G. Tumors of the skin in the HRA/Skh mouse after treatment with 8-methoxypsoralen and UVA radiation. *Fundam. Appl. Toxicol.* 16: 92-102(1991).
247. Dunnington, D., Butterworth, K. R., Gaunt, I. F., Mason, P. L., Evans, J. G., and Gangolli, S. D. Long-term toxicity study of ethyl methylphenylglycidate (strawberry aldehyde) in the rat. *Food Chem. Toxicol.* 19: 691-699(1981).

248. Dunsford, H. A., Keysser, C. H., Dolan, P. M., Seed, J. L., and Bueding, E. Carcinogenicity of the antischistosomal nitrofuran trans-5-amino-3-[2-(5-nitro-2-furyl)vinyl]-1,2,4-oxadiazole. *J. Nat. Cancer Inst.* 73: 151-160(1984).
249. Ebert, A. G. The dietary administration of monosodium glutamate or glutamic acid to C-57 black mice for two years. *Toxicol. Lett.* 3: 65-70(1979).
250. Ebert, E., Leist, K.-H., Hack, R., and Ehling, G. Toxicology and hazard potential of trifluralin. *Food Chem. Toxicol.* 30: 1031-1044(1992).
251. Eisenbrand, G., Habs, M., Schmahl, D., and Preussman, R. Carcinogenicity of *N*-nitroso-3-hydroxypyrrolidine and dose-response study with *N*-nitrosopiperidine in rats. In: *IARC Scientific Publication #31*. (E. A. Walker, L. Griciute, M. Castegnaro, and M. Borzsonyi, Eds.), World Health Organization, International Agency for Research on Cancer, Lyon, France, 1980, pp. 657-663.
252. Eisenbrand, G., Preussmann, R., and Schmahl, D. Carcinogenicity of *N*-nitrosoephedrine in rats. *Cancer Lett.* 5: 103-106(1978).
253. El-Aaser, A. A., Hassanein, S. M., El-Bolkainy, M. N., Omar, S., El-Sebai, I., and El-Merzbani, M. M. Bladder carcinogenesis using bilharzia-infested Swiss albino mice. *Eur. J. Cancer* 14: 645-648(1978).
254. Elashoff, R. M., Fears, T. R., and Schneiderman, M. A. Statistical analysis of a carcinogen mixture experiment. I. Liver carcinogens. *J. Nat. Cancer Inst.* 79: 509-526(1987).
255. Ellis, H. V., III, Hong, C. B., Lee, C. C., Dacre, J. C., and Glennon, J. P. Subacute and chronic toxicity studies of trinitroglycerin in dogs, rats, and mice. *Fundam. Appl. Toxicol.* 4: 248-260(1984).
256. El-Mofty, M. M., Khudoley, V. V., Sakr, S. A., and Fathala, N. G. Flour infected with *Tribolium castaneum*, biscuits made of this flour, and 1,4-benzoquinone induce neoplastic lesions in Swiss albino mice. *Nutr. Cancer* 17: 97-104(1992).
257. El-Mofty, M. M., Sakr, S. A., Rizk, A. M., and Moussa, E. A. Induction of breast and lung neoplastic lesions in mice by alpha ecdysone. *Oncol. Rep.* 1: 435-438(1994).
258. El-Mofty, M. M., Shwaireb, M. H., Essaway, A. E., Rizk, A. M., and Abdel-Kerim, H. M. Induction of breast neoplasia and lung granulomas in mice by an antifungal drug (griseofulvin). *Oncology Reports* 1: 1079-1081(1994).
259. Endo, H., Takahashi, K., Kinoshita, N., and Baba, T. Production of gastric and esophageal tumors in rats by methylnitrosocyanamide, a possible candidate of etiologic factors for human gastric cancer. *Proc. Japan Acad.* 50: 497-502(1974).
260. Enomoto, M., Hatanaka, J., Igarashi, S., Uwanuma, Y., Ito, H., Asaoka, S., Iyatomi, A., Kuyama, S., Harada, T., and Hamasaki, T. High incidence of angiosarcomas in brown-fat tissue and livers of mice fed sterigmatocystin. *Food Chem. Toxicol.* 20: 547-556(1982).
261. Enomoto, M., Naoe, S., Harada, M., Miyata, K., Saito, M., and Noguchi, Y. Carcinogenesis in extrahepatic bile duct and gallbladder — carcinogenic effect of *N*-hydroxy-2-acetamidofluorene in mice fed a "gallstone-inducing" diet. *Jpn. J. Exp. Med.* 44: 37-54(1974).
262. Environmental Protection Agency. *Hazard and Dose-Response Assessment and Characterization: Atrazine. Draft Report*. Office of Pesticide Programs, Health Effects Division, Washington, DC, 2000.
263. Environmental Protection Agency. *Peer Review of Alientte*. Office of Pesticide Programs, Health Effects Division, Washington, DC, 1993.
264. Epstein, S. S. Carcinogenicity of heptachlor and chlordane. (review of: Witherup, S., Cleveland, F. P., Shaffer, F. G., Schlecht, H., and Muser, L., The physiological effects of introduction of heptachlor into dd [sic] diet of experimental animals in varying levels of concentration [ref. 1, p. 341].) *Sci. Total Environ.* 6: 103-154(1976).
265. Epstein, S. S. The carcinogenicity of dieldrin. Part 1. (review of: Davis, H. J., Hansen, W., and Fitzhugh, O. G., Pathology report on mice for aldrin, dieldrin, heptachlor or heptachlor epoxide for two years [ref. 2, p. 341].) *Sci. Total Environ.* 4: 1-52(1975).
266. Ernst, H., Ohshima, H., Bartsch, H., Mohr, U., and Reichart, P. Tumorigenicity study in Syrian hamsters fed areca nut together with nitrite. *Carcinogenesis* 8: 1843-1845(1987).
267. Ertürk, E., Cohen, S. M., and Bryan, G. T. Carcinogenicity of *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]acetamide in female rats. *Cancer Res.* 30: 936-941(1970).
268. Ertürk, E., Cohen, S. M., and Bryan, G. T. Induction, histogenesis, and isotransplantability of renal tumors induced by formic acid 2-[4-(5-nitro-2-furyl)-2-thiazolyl]hydrazide in rats. *Cancer Res.* 30: 2098-2106(1970a).
269. Ertürk, E., Cohen, S. M., and Bryan, G. T. Urinary bladder carcinogenicity of *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide in female Swiss mice. *Cancer Res.* 30: 1309-1311(1970).
270. Ertürk, E., Cohen, S. M., Price, J. M., and Bryan, G. T. Pathogenesis, histology, and transplantability of urinary bladder carcinomas induced in albino rats by oral administration of *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide. *Cancer Res.* 29: 2219-2228(1969).
271. Ertürk, E., Morris, J. E., Cohen, S. M., Price, J. M., and Bryan, G. T. Transplantable rat mammary tumors induced by 5-nitro-2-furaldehyde semicarbazone and by formic acid 2-[4-(5-nitro-2-furyl)-2-thiazolyl]hydrazide. *Cancer Res.* 30: 1409-1412(1970).
272. Ertürk, E., Morris, J. E., Cohen, S. M., Von Esch, A. M., Crovetti, A. J., Price, J. M., and Bryan, G. T. Comparative carcinogenicity of formic acid 2-[4-(5-nitro-2-furyl)-2-thiazolyl]hydrazide and related chemicals in the rat. *J. Nat. Cancer Inst.* 47: 437-445(1971).
273. Ertürk, E., Price, J. M., Morris, J. E., Cohen, S., Leith, R. S., Von Esch, A. M., and Crovetti, A. J. The production of carcinoma of the urinary bladder in rats by feeding *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide. *Cancer Res.* 27: 1998-2002(1967).
274. Essigmann, E. M., and Newberne, P. M. Enzymatic alterations in mouse hepatic nodules induced by a chlorinated hydrocarbon pesticide. *Cancer Res.* 41: 2823-2831(1981).
275. Esumi, H., Ohgaki, H., Kohzen, E., Takayama, S., and Sugimura, T. Induction of lymphoma in CDF₁ mice by the food mutagen, 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine. *Jpn. J. Cancer Res.* 80: 1176-1178(1989).
276. Evans, J. G., Collins, M. A., Lake, B. G., and Butler, W. H. The histology and development of hepatic nodules and carcinoma in C3H/He and C57BL/6 mice following chronic phenobarbitone administration. *Toxicol. Pathol.* 20: 585-594(1992).
277. Evans, J. G., Collins, M. A., Savage, S. A., Lake, B. G., and Butler, W. H. The histology and development of hepatic nodules in C3H/He mice following chronic administration of phenobarbitone. *Carcinogenesis* 7: 627-631(1986).
278. Evarts, R. P., and Brown, C. A. 2,4-Diaminoanisole sulfate: early effect on thyroid gland morphology and late effect on glandular tissue of Fischer 344 rats. *J. Nat. Cancer Inst.* 65: 197-204(1980).
279. Everett, D. J., Jones, M., Perry, C. J., Rushton, B., Wilson, A. B., Fujii, O., and Roba, J. Carcinogenicity bioassay of Alclofenac in rats. *Iyakuhin Kenkyu* 18: 201-217(1987).
280. Faccini, J. M., Irisarri, E., and Monro, A. M. A carcinogenicity study in mice of a β -adrenergic antagonist, primidolol; increased total tumour incidence without tissue specificity. *Toxicology* 21: 279-290(1981).
281. Fears, T. R., Elashoff, R. M., and Schneiderman, M. A. The statistical analysis of a carcinogen mixture experiment. II. Carcinogens with different target organs, *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine, *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine, dipentyl-nitrosamine, and nitrilotriacetic acid. *Toxicol. Ind. Health* 4: 221-255(1988).
282. Fears, T. R., Elashoff, R. M., and Schneiderman, M. A. The statistical analysis of a carcinogen mixture experiment. III. Carcinogens with different target systems, aflatoxin B₁, *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine, lead acetate, and thiouracil. *Toxicol. Ind. Health* 5: 1-23(1989).
283. Feron, V. J., and Kroes, R. One-year time-sequence inhalation toxicity study of vinyl chloride in rats. II. Morphological changes in the respiratory tract, ceruminous glands, brain, kidneys, heart and spleen. *Toxicology* 13: 131-141(1979).
284. Feron, V. J., and Kruysse, A. Effects of exposure to furfural vapour in hamsters simultaneously treated with benzo[a]pyrene or diethylnitrosamine. *Toxicology* 11: 127-144(1978).
285. Feron, V. J., Kruysse, A., and Woutersen, R. A. Respiratory tract tumours in hamsters exposed to acetaldehyde vapour alone or simultaneously to benzo(a)pyrene or diethylnitrosamine. *Eur. J. Cancer* 18: 13-31(1982).
286. Feron, V. J., Spit, B. J., Immel, H. R., Kroes, R. One-year time-sequence inhalation toxicity study of vinyl chloride in rats. III. Morphological changes in the livers. *Toxicology* 13: 143-154(1979a).

287. Fiala, E. S., Czerniak, R., Castonguay, A., Conaway, C. C., and Rivenson, A. Assay of 1-nitropropane, 2-nitropropane, 1-azoxypyropane and 2-azoxypyropane for carcinogenicity by gavage in Sprague-Dawley rats. *Carcinogenesis* 8: 1947-1949(1987).
288. Fiala, E. S., Sodum, R. S., Hussain, N. S., Rivenson, A., and Dolan, L. Secondary nitroalkanes: induction of DNA repair in rat hepatocytes, activation by aryl sulfotransferase and hepatocarcinogenicity of 2-nitrobutane and 3-nitropentane in male F344 rats. *Toxicology* 99: 89-97(1995).
289. Fitzgerald, B. E., and Shank, R. C. Methylation status of DNA cytosine during the course of induction of liver cancer in hamsters by hydrazine sulfate. *Carcinogenesis* 17: 2703-2709(1996).
290. Fitzgerald, J. E., and de la Iglesia, F. A. Ten-year oral toxicity study with norlestrin in rhesus monkeys. *J. Toxicol. Environ. Health* 10: 879-896(1982).
291. Fitzgerald, J. E., de la Iglesia, F. A., and McGuire, E. J. Carcinogenicity studies in rodents with ripazepam, a minor tranquilizing agent. *Fundam. Appl. Toxicol.* 4: 178-190(1984).
292. Fitzgerald, J. E., Petreire, J. A., McGuire, E. J., and de la Iglesia, F. A. Preclinical toxicology studies with the lipid-regulating agent gemcadiol. *Fundam. Appl. Toxicol.* 6: 520-531(1986).
293. Fitzgerald, J. E., Sanyer, J. L., Schardein, J. L., Lake, R. S., McGuire, E. J., and de la Iglesia, F. A. Carcinogen bioassay and mutagenicity studies with the hypolipidemic agent gemfibrozil. *J. Nat. Cancer Inst.* 67: 1105-1115(1981).
294. Fitzhugh, O. G., and Nelson, A. A. Comparison of the chronic toxicity of triethylene glycol with that of diethylene glycol. *J. Ind. Hyg. Toxicol.* 28: 40-43(1946).
295. Fitzhugh, O. G., Nelson, A. A., and Frawley, J. P. A comparison of the chronic toxicities of synthetic sweetening agents. *J. Am. Pharmaceut. Assn.* 40: 583-586(1951).
296. Fitzhugh, O. G., Nelson, A. A., and Quaife, M. L. Chronic oral toxicity of aldrin and dieldrin in rats and dogs. *Food Cosmet. Toxicol.* 2: 551-562(1964).
297. Flaks, A., and Clayton, D. B. The influence of ammonium chloride on the induction of bladder tumours by 4-ethylsulphonylnaphthalene-1-sulphonamide. *Br. J. Cancer* 31: 585-587(1975).
298. Flaks, A., and Flaks, B. 3-Methylcholanthrene-inhibition of hepatocarcinogenesis in the rat due to 3'-methyl-4-dimethylaminoazobenzene or 2-acetyl-aminofluorene: a comparative study. *Carcinogenesis* 3: 981-991(1982).
299. Flaks, A., and Flaks, B. Induction of liver cell tumours in IF mice by paracetamol. *Carcinogenesis* 4: 363-368(1983).
300. Flaks, A., Hamilton, J. H., and Clayton, D. B. Effect of ammonium chloride on incidence of bladder tumors induced by 4-ethylsulphonylnaphthalene-1-sulphonamide. *J. Nat. Cancer Inst.* 51: 2007-2008(1973).
301. Flaks, A., Hamilton, J. M., Clayton, D. B., and Burch, P. R. J. The combined effect of radiation and chemical carcinogens in female A × IF mice. *Br. J. Cancer* 28: 227-231(1973).
302. Flaks, B., Flaks, A., and Shaw, A. P. W. Induction by paracetamol of bladder and liver tumours in the rat. *Acta Pathol. Microbiol. Scand. Sect. A. Suppl.* 93: 367-377(1985).
303. Fleischman, R. W., Baker, J. R., Hagopian, M., Wade, G. G., Hayden, D. W., Smith, E. R., Weisburger, J. H., and Weisburger, E. K. Carcinogenesis bioassay of acetamide, hexanamide, adipamide, urea and *p*-tolylurea in mice and rats. *J. Environ. Pathol. Toxicol.* 3: 149-170(1980).
304. Fong, L. Y. Y., and Chan, W. C. Long-term effects of feeding aflatoxin-contaminated market peanut oil to Sprague-Dawley rats. *Food Cosmet. Toxicol.* 19: 179-183(1981).
305. Food and Drug Administration. *New Drug Application 19-643 (Trade: Mevacor, Generic Lovastatin)*. Sponsor: Merck Sharp & Dohme (1987). Washington, DC: FDA.
306. Francis, P. C., Emmerson, J. L., Adams, E. R., and Owen, N. V. Oncogenicity study of trifluralin in B6C3F₁ mice. *Food Chem. Toxicol.* 29: 549-555(1991).
307. Frankel, H. H., Yamamoto, R. S., Weisburger, E. K., and Weisburger, J. H. Chronic toxicity of azathioprine and the effect of this immunosuppressant on liver tumor induction by the carcinogen *N*-hydroxy-*N*-2-fluorenylacetamide. *Toxicol. Appl. Pharmacol.* 17: 462-480(1970).
308. Freudenthal, R. I., and Henrich, R. T. Chronic toxicity and carcinogenic potential of tris-(1,3-dichloro-2-propyl) phosphate in Sprague-Dawley rat. *Int. J. Toxicol.* 19: 119-125(2000).
309. Friedman, M. A., Dulak, L. H., and Stedham, M. A. A lifetime oncogenicity study in rats with acrylamide. *Fundam. Appl. Toxicol.* 27: 95-105(1995).
310. Fujii, K., Nakadate, M., Ogiu, T., and Odashima, S. Induction of digestive tract tumors and leukemias in Donryu rats by administration of 1-amyl-1-nitrosourea in drinking water. *Gann* 71: 464-470(1980).
311. Fujii, K., Nomoto, K., Ishidate, M., Jr., and Nakamura, K. Chronic toxicity of charred fish meat in Wistar rats. *Nutr. Cancer* 9: 185-193(1987).
312. Fujii, T., and Hiraga, K. Carcinogenicity testing of sodium orthophenylphenate in F344 rats. *J. Saitama Med. Sch.* 12: 277-287(1985).
313. Fujii, T., Mikuriya, H., and Sasaki, M. Chronic oral toxicity and carcinogenicity study of thiabendazole in rats. *Food Chem. Toxicol.* 29: 771-775(1991).
314. Fujii, T., Mikuriya, H., Kamiya, N., and Hiraga, K. Enhancing effect of thiabendazole on urinary bladder carcinogenesis induced by sodium *o*-phenylphenate in F344 rats. *Food Chem. Toxicol.* 24: 207-211(1986).
315. Fujii, T., Mikuriya, H., Yoneyama, M., Yano, N., Yuzawa, K., Nagasawa, A., and Sasaki, M. Dietary toxicity test of *o*-phenylphenol and sodium hydrogencarbonate by simultaneous administration to mice for 52 weeks. *Tokyo Metrop. Lab. Public Health* 40: 298-306(1989).
316. Fujimoto, N., Sakai, Y., Kurisu, K., Roy, G., Watanabe, H., and Ito, A. Chronic toxicity study of gardenia yellow color in C57BL mice. *J. Toxicol. Pathol.* 7: 455-460(1994).
317. Fujimoto, N., Watanabe, H., Nakatani, T., Roy, G., and Ito, A. Induction of thyroid tumours in (C57BL/6N x C3H/N)F₁ mice by oral administration of kojic acid. *Food Chem. Toxicol.* 36: 697-703(1998).
318. Fujita, H., Nagano, K., Ochiai, M., Ushijima, T., Sugimura, T., Nagao, M., and Matsushima, T. Difference in target organs in carcinogenesis with a heterocyclic amine, 2-amino-3,4-dimethylimidazo[4,5-*f*]quinoline, in different strains of mice. *Jpn. J. Cancer Res.* 90: 1203-1206(1999).
319. Fujita, Y., Wakabayashi, K., Takayama, S., Nagao, M., and Sugimura, T. Induction of oral cavity cancer by 3-diazotyramine, a nitrosated product of tyramine present in foods. *Carcinogenesis* 8: 527-529(1987).
320. Fukuda, K., Matsushita, H., and Takemoto, K. Carcinogenicity of benzotrichloride by the oral route of administration (J-4774). *Proc. Ann. Meet. Jpn. Ind. Health Assoc.* 52: 516-517(1978).
321. Fukuda, K., Matsushita, H., Takemoto, K., and Toya, T. Carcinogenicity of benzotrichloride administered to mice by gastric intubation. *Ind. Health* 31: 127-131(1993).
322. Fukuda, K., Takemoto, K., and Tsuruta, H. Inhalation carcinogenicity of trichloroethylene in mice and rats. *Ind. Health* 21: 243-254(1983).
323. Fukushima, S., Arai, M., Nakanowatari, J., Hibino, T., Okuda, M., and Ito, N. Differences in susceptibility to sodium saccharin among various strains of rats and other animal species. *Gann* 74: 8-20(1983).
324. Fukushima, S., Friedell, G. H., Jacobs, J. B., and Cohen, S. M. Effect of l-tryptophan and sodium saccharin on urinary tract carcinogenesis initiated by *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide. *Cancer Res.* 41: 3100-3103(1981).
325. Fukushima, S., Inoue, T., UWAGAWA, S., Shibata, M.-A., and Ito, N. Co-carcinogenic effects of NaHCO₃ on *o*-phenylphenol-induced rat bladder carcinogenesis. *Carcinogenesis* 10: 1635-1640(1989).
326. Fukushima, S., Ishihara, Y., Nishio, O., Ogiso, T., Shirai, T., and Ito, N. Carcinogenicities of quinoline derivatives in F344 rats. *Cancer Lett.* 14: 115-123(1981).
327. Fukushima, S., Kurata, Y., Ogiso, T., Okuda, M., Miyata, Y., and Ito, N. Pathological analysis of the carcinogenicity of sodium *o*-phenylphenate and *o*-phenylphenol. *Oncology* 42: 304-311(1985).
328. Fukushima, S., Tanaka, H., Asakawa, E., Kagawa, M., Yamamoto, A., and Shirai, T. Carcinogenicity of uracil, a nongenotoxic chemical, in rats and mice and its rationale. *Cancer Res.* 52: 1675-1680(1992).

329. Fullerton, F. R., Greenman, D. L., and Bucci, T. J. Effects of diet type on incidence of spontaneous and 2-acetylaminofluorene-induced liver and bladder tumors in BALB/c mice fed AIN-76A diet versus NIH-07 diet. *Fundam. Appl. Toxicol.* 18: 193-199(1992).
330. Fullerton, F. R., Greenman, D. L., McCarty, C. C., and Bucci, T. J. Increased incidence of spontaneous and 2-acetylaminofluorene-induced liver and bladder tumors in B6C3F₁ mice fed AIN-76A diet versus NIH-07 diet. *Fundam. Appl. Toxicol.* 16: 51-60(1991).
331. Fullerton, F. R., Hoover, K., Mikol, Y. B., Creasia, D. A., and Poirier, L. A. The inhibition by methionine and choline of liver carcinoma formation in male C3H mice dosed with diethylnitrosamine and fed phenobarbital. *Carcinogenesis* 11: 1301-1305(1990).
332. Fumio, C., Nobuyuki, N., Mutsushi, S., Spicer, E. J. F., Drafta, R. E., Blair, M., Thorstenson, J. H., Chandra, M., and Geil, R. G. Two-year dietary carcinogenicity study of CV-4152 in rats. *Jpn. Pharmacol. Therapeut. (Yakuri to Chiryo)* 23: 1225-1238(1995).
333. Furukawa, F., Nishikawa, A., Yoshimura, H., Mitsui, M., Imazawa, T., Ikezaki, S., and Takahashi, M. Effects of 4-(methylnitrosamo)-1-(3-pyridyl)-1-butane (NNK) on N-nitrosobis(2-oxopropyl)amine (BOP)-initiated carcinogenesis in hamsters. *Cancer Lett.* 86: 75-82(1994).
334. Gad, S. C., Burton, E., Chengelis, C. P., Levin, S., Piper, C. E., Oshiro, Y., and Semler, D. E. Promotional activities of the non-genotoxic carcinogen bemiradine (SC-33643). *J. Appl. Toxicol.* 12: 157-164(1992).
335. Gaines, T. B., and Kimbrough, R. D. The sterilizing, carcinogenic and teratogenic effects of metepa in rats. *Bull. W.H.O.* 34: 317-320(1966).
336. Gallagher, G. T., Maull, E. A., Kovacs, K., and Szabo, S. Neoplasms in rats ingesting acrylonitrile for two years. *J. Am. Coll. Toxicol.* 7: 603-615(1988).
337. Gao, F.-M., Jiang, H.-Y., Lu, Y., Li, X.-L., Wang, W.-H., Duan, Y.-B., and Zhou, H.-N. Studies on mechanisms and blockade of carcinogenic action of female sex hormones. *Sci. China* 37: 419-428(1994).
338. Garcia, H., and Lijinsky, W. Studies of the tumorigenic effect in feeding of nitrosamino acids and of low doses of amines and nitrite to rats. *Cancer Res. Clin. Oncol.* 79: 141-144(1973).
339. Garcia, H., Keefer, L., Lijinsky, W., and Wenyon, C. E. M. Carcinogenicity of nitrosothiomorpholine and 1-nitrosopiperazine in rats. *Cancer Res. Clin. Oncol.* 74: 179-184(1970).
340. Garman, R. H., Snellings, W. M., and Maronpot, R. R. Brain tumors in F344 rats associated with chronic inhalation exposure to ethylene oxide. *Neurotoxicology* 6: 117-138(1985).
341. Gass, G. H., and Allaben, W. T. Preliminary report on the carcinogenic dose-response curve to oral vitamin D₂. *IRCS Med. Sci.: Libr. Compend.* 5: 477(1977).
342. Gass, G. H., Coats, D., and Graham, N. Carcinogenic dose-response curve to oral diethylstilbestrol. *J. Nat. Cancer Inst.* 33: 971-977(1964).
343. Gaunt, I. F., Brantom, P. G., Grasso, P., and Kiss, I. S. Long-term toxicity studies of chocolate brown FB in mice. *Food Cosmet. Toxicol.* 11: 375-382(1973).
344. Gaunt, I. F., Brantom, P. G., Grasso, P., Creasey, M., and Gangolli, S. D. Long-term feeding study on chocolate brown FB in rats. *Food Cosmet. Toxicol.* 10: 3-15(1972).
345. Gaunt, I. F., Butterworth, K. R., Grasso, P., and Ginocchio, A. V. Long-term toxicity study of emulsifier YN in the mouse. *Food Cosmet. Toxicol.* 15: 1-5(1977).
346. Gaunt, I. F., Butterworth, K. R., Hardy, J., and Gangolli, S. D. Long-term toxicity of sorbic acid in the rat. *Food Cosmet. Toxicol.* 13: 31-45(1975).
347. Gaunt, I. F., Carpanini, F. M. B., Grasso, P., and Lansdown, A. B. G. Long-term toxicity of propylene glycol in rats. *Food Cosmet. Toxicol.* 10: 151-162(1972).
348. Gaunt, I. F., Carpanini, F. M. B., Grasso, P., Kiss, I. S., and Gangolli, S. D. Long-term feeding study on black PN in rats. *Food Cosmet. Toxicol.* 10: 17-27(1972).
349. Gaunt, I. F., Hardy, J., Grasso, P., Gangolli, S. D., and Butterworth, K. R. Long-term toxicity of cyclohexylamine hydrochloride in the rat. *Food Cosmet. Toxicol.* 14: 255-267(1976).
350. Gaunt, I. F., Mason, P. L., Grasso, P., and Kiss, I. S. Long-term toxicity of sunset yellow FCF in mice. *Food Cosmet. Toxicol.* 12: 1-10(1974).
351. Taylor, D. W., Moolgavkar, S., Krewski, D., and Goldstein, L. S. Recent bioassay results on coal tars and benzo(a)pyrene: Implications for risk assessment. *Regul. Toxicol. Pharmacol.* 28: 178-179(1998).
352. Gelderblom, W. C. A., Krieg, N. P. J., Marasas, W. F. O., and Thiel, P. G. Toxicity and carcinogenicity of the *Fusarium moniliforme* metabolite, fumonisin B₁, in rats. *Carcinogenesis* 12: 1247-1251(1991).
353. Gelderblom, W. C. A., Lebepe-Mazur, S., Snijman, P. W., Abel, S., Swanevelder, S., Krieg, N. P. J., and Marasas, W. F. O. Toxicological effects in rats chronically fed low dietary levels of fumonisin B₁. *Toxicology* 161: 39-51(2001).
354. George, M. H., Moore, T., Kilburn, S., Olson, G. R., and DeAngelo, A. B. Carcinogenicity of chloral hydrate administered in drinking water to the male F344/N rat and male B6C3F₁ mouse. *Toxicol. Pathol.* 28: 610-618(2000).
355. Ghanayem, B. I., Sanchez, I. M., Matthews, H. B., and Elwell, M. R. Demonstration of a temporal relationship between ethyl acrylate-induced forestomach cell proliferation and carcinogenicity. *Toxicol. Pathol.* 22: 497-509(1994).
356. Gibel, W. and Lohs, Kh. (1975). Carcinogenic hematotoxic and hepatotoxic effects of organic phosphate pesticides. *Environ. Qual. Safety* 4: 232-234 (1975).
357. Gibel, W., Lohs, Kh., Wildner, G. P., Ziebarth, D., and Stieglitz, R. (1973). Über die kanzerogene, hämatotoxische und hepatotoxische Wirkung pestizider organischer. *Phosphorverbindungen. Arch. Geschwulstforsch.* 41: 311-328.
358. Gibson, J. E., and Hardisty, J. F. Chronic toxicity and oncogenicity bioassay of inhaled toluene in Fischer-344 rats. *Fundam. Appl. Toxicol.* 3: 315-319(1983).
359. Gibson, J. P., Newberne, J. W., Kuhn, W. L., and Elsea, J. R. Comparative chronic toxicity of three oral estrogens in rats. *Toxicol. Appl. Pharmacol.* 11: 489-510(1967).
360. Gibson, J. P., Rohovsky, M. W., Newberne, J. W., and Larson, E. J. Toxicity studies with metiapine. *Toxicol. Appl. Pharmacol.* 25: 220-229(1973).
361. Giner-Sorolla, A., Greenbaum, J., Last-Barney, K., Anderson, L. M., and Budinger, J. M. Lack of carcinogenic effect of nitrosochlordiazepoxide and of nitrosomethylphenidate given orally to mice. *Food Cosmet. Toxicol.* 18: 81-83(1980).
362. Ginocchio, A. V., Waite, V., Hardy, J., Fisher, N., Hutchinson, J. B., and Berry, R. Long-term toxicity and carcinogenicity studies of the bread improver potassium bromate. 2. Studies in mice. *Food Cosmet. Toxicol.* 17: 41-47(1979).
363. Glaser, U., Hochrainer, D., Klöppel, H., and Oldiges, H. Carcinogenicity of sodium dichromate and chromium (VI/III) oxide aerosols inhaled by male Wistar rats. *Toxicology* 42: 219-232(1986).
364. Glaser, U., Hochrainer, D., Otto, F. J., and Oldiges, H. Carcinogenicity and toxicity of four cadmium compounds inhaled by rats. *Toxicol. Environ. Chem.* 27: 153-162(1990).
365. Gold, B., and Salmasi, S. Carcinogenicity tests of acetoxymethylphenylnitrosamine and benzenediazonium tetrafluoroborate in Syrian hamsters. *Cancer Lett.* 15: 289-300(1982).
366. Goldenthal, E. I. *Two Year Oncogenicity Study in Mice [UDMH]*. Mattawan, MI, International Research and Development Corporation, No. 399-063, 1989.
367. Goldenthal, E. I. *Two Year Oncogenicity Study in Mice [UDMH]*. Mattawan, MI, International Research and Development Corporation, No. 399-065, 1990.
368. Goldenthal, E. I. *Two Year Oncogenicity Study in Rats [UDMH]*. Mattawan, MI, International Research and Development Corporation, No. 399-062, 1989.
369. Goldsworthy, T. L., Hamm, T. E., Jr., Rickert, D. E., and Popp, J. A. The effect of diet on 2,6-dinitrotoluene hepatocarcinogenesis. *Carcinogenesis* 7: 1909-1915(1986).
370. Goodall, C. M., and Kennedy, T. H. Carcinogenicity of dimethylnitramine in NZR rats and NZO mice. *Cancer Lett.* 1: 295-298(1976).

371. Goodall, C. M., and Lijinsky, W. Carcinogenesis by *N*-nitrosohexamethyleneimine in NZO inbred mice. *Toxicology* 33: 251-259(1984).
372. Goodall, C. M., and Lijinsky, W. Carcinogenicity of nitrosododecamethyleneimine in NZR/Gd inbred rats. *Carcinogenesis* 5: 537-540(1984).
373. Goodman, J. I., Brusick, D. J., Busey, W. M., Cohen, S. M., Lamb, J. C., and Starr, T. B. Reevaluation of the cancer potency factor of toxaphene: Recommendations from a peer review panel. *Toxicol Sci.* 55: 3-16(2000).
374. Gopinath, C., and Gibson, W. A. Mesovarian leiomyomas in the rat. *Environ. Health Perspect.* 73: 107-113(1987).
375. Gothoskar, S. V., Talwalkar, G. V., and Bhide, S. V. Tumorigenic effect of thioacetamide in Swiss strain mice. *Br. J. Cancer* 24: 498-503(1970).
376. Goyer, R. A., Falk, H. L., Hogan, M., Feldman, D. D., and Richter, W. Renal tumors in rats given trisodium nitrilotriacetic acid in drinking water for 2 years. *J. Nat. Cancer Inst.* 66: 869-880(1981).
377. Graham, S. L., Davis, K. J., Hansen, W. H., and Graham, C. H. Effects of prolonged ethylene thiourea ingestion on the thyroid of the rat. *Food Cosmet. Toxicol.* 13: 493-499(1975).
378. Graillot, C., Gak, J.-C., Lancret, C., and Truhaut, R. Recherche sur les modalités et les mécanismes d'action toxique des insecticides organochlorés. II. Étude chez le hamster des effets de toxicité à long terme du DDT. *Eur. J. Toxicol.* 8: 353-359(1975).
379. Gralla, E. J. *A Twenty-four Month Inhalation Toxicology Study in Fischer-344 Rats Exposed to Atmospheric Toluene. Final Report*, CIIT Docket #22000. Chemical Industry Institute of Toxicology, Research Triangle Park, NC, 1980.
380. Grandjean, C. J., Althoff, J., and Pour, P. M. Carcinogenicity of diallylnitrosamine following intragastric administration to Syrian hamsters. *J. Nat. Cancer Inst.* 74: 1043-1046(1985).
381. Grant, D., and Butler, W. H. Chronic toxicity of sodium nitrite in the male F344 rat. *Food Chem. Toxicol.* 27: 565-571(1989).
382. Grasso, P., and Gray, T. J. B. Long-term studies on chemically induced liver enlargement in the rat. III. Structure and behaviour of the hepatic nodular lesions induced by ponceau MX. *Toxicology* 7: 327-347(1977).
383. Grasso, P., Hardy, J., Gaunt, I. F., Mason, P. L., and Lloyd, A. G. Long-term toxicity of violet 6B (FD & C violet no. 1) in mice. *Food Cosmet. Toxicol.* 12: 21-31(1974).
384. Grasso, P., Lansdown, A. B. G., Kiss, I. S., Gaunt, I. F., and Gangolli, S. D. Nodular hyperplasia in the rat liver following prolonged feeding of ponceau MX. *Food Cosmet. Toxicol.* 7: 425-442(1969).
385. Gray, R., Peto, R., Branton, P., and Grasso, P. Chronic nitrosamine ingestion in 1040 rodents: the effect of the choice of nitrosamine, the species studied, and the age of starting exposure. *Cancer Res.* 51: 6470-6491(1991).
386. Greaves, P., Goonetilleke, R., Nunn, G., Topham, J., and Orton, T. Two-year carcinogenicity study of tamoxifen in Alderly Park Wistar-derived rats. *Cancer Res.* 53: 3919-3924(1993).
387. Green, U., Holste, J., and Spikermann, A. R. A comparative study of the chronic effects of magenta, paramagenta, and phenyl-β-naphthylamine in Syrian golden hamsters. *Cancer Res. Clin. Oncol.* 95: 51-55(1979).
388. Greenblatt, M., and Lijinsky, W. Nitrosamine studies: neoplasms of liver and genital mesothelium in nitrosopyrrolidine-treated MRC rats. *J. Nat. Cancer Inst.* 48: 1687-1696(1972).
389. Greenblatt, M., Kommineni, V. R. C., and Lijinsky, W. Null effect of concurrent feeding of sodium nitrite and amino acids to MRC rats. *J. Nat. Cancer Inst.* 50: 799-802(1973).
390. Greener, Y., Barbolt, T. A., Zelinger, D. J., and Gossett, K. A. Chronic (1-year) safety evaluation of ipazilide fumarate, an antiarrhythmic agent, administered orally to rats. *Fundam. Appl. Toxicol.* 20: 147-154(1993).
391. Greenman, D. L. *Dose Response Relationships Between Estrogenicity and Carcinogenicity: Rangefinding Study*. National Center for Toxicological Research, Jefferson, AR. Technical Report Number 035 (1988).
392. Greenman, D. L., Allen, R., Dahlgren, R., Cronin, G. M., and Allaben, W. T. Chronic toxicity/carcinogenicity study of pyrilamine in B6C3F₁ mice. *J. Am. Coll. Toxicol.* 14: 148-157(1995).
393. Greenman, D. L., Cronin, G. M., Dahlgren, R., Allen, R., and Allaben, W. Chronic feeding study of pyrilamine in Fischer 344 rats. *Fundam. Appl. Toxicol.* 25: 1-8(1995).
394. Greenman, D. L., Highman, B., Chen, J. J., Schieferstein, G. J., and Norvell, M. J. Influence of age on induction of mammary tumors by diethylstilbestrol in C3H/HeN mice with low murine mammary tumor virus titer. *J. Nat. Cancer Inst.* 77: 891-898(1986).
395. Greenman, D. L., Highman, B., Chen, J., Sheldon, W., and Gass, G. Estrogen-induced thyroid follicular cell adenomas in C57BL/6 mice. *J. Toxicol. Environ. Health* 29: 269-278(1990).
396. Greenman, D. L., Sheldon, W., Schieferstein, G., Allen, R., and Allaben, W. T. Chronic study of triprolidine for oncogenicity in mice. *Fundam. Appl. Toxicol.* 25: 138-145(1995).
397. Greenman, D. L., Sheldon, W., Schieferstein, G., Allen, R., and Allaben, W. T. Triprolidine: 104-week feeding study in rats. *Fundam. Appl. Toxicol.* 27: 223-231(1995).
398. Grice, H. C., Mannell, W. A., and Allmark, M. G. Liver tumors in rats fed ponceau 3R. *Toxicol. Appl. Pharmacol.* 3: 509-520(1961).
399. Griciute, L. Investigation on the combined action of *N*-nitrosodiethylamine with other carcinogens. In: *IARC Scientific Publication #31*. (E. A. Walker, L. Griciute, M. Castegnaro, and M. Borzsonyi, Eds.), World Health Organization, International Agency for Research on Cancer, Lyon, France, 1980, pp. 813-822.
400. Griciuté, L., and Domkiéné, V. Experimental study on the carcinogenicity of the cytostatic drug florafur (tegafur). *Pathol. Oncol. Res.* 2: 69-70(1996).
401. Griffin, T. B., Coulston, F., and Stein, A. A. Chronic inhalation exposure of rats to nitromethane. *Ecotoxicol. Environ. Saf.* 34: 109-117(1996).
402. Griffin, T. B., Stein, A. A., and Coulston, F. Chronic inhalation exposure of rats to vapors of nitroethane. *Ecotoxicol. Environ. Saf.* 16: 11-24(1988).
403. Griffin, T. B., Stein, A. A., and Coulston, F. Histologic study of tissues and organs from rats exposed to vapors of 2-nitropropane at 25 ppm. *Ecotoxicol. Environ. Safety* 5: 194-201(1981).
404. Griffin, T. B., Stein, A. A., and Coulston, F. Inhalation exposure of rats to vapors of 1-nitropropane at 100 ppm. *Ecotoxicol. Environ. Safety* 6: 268-282(1982).
405. Gruenstein, M., Shay, H., and Shimkin, M. B. Lack of effect of norethynodrel (Enovid) on methylcholanthrene-induced mammary carcinogenesis in female rats. *Cancer Res.* 24: 1656-1658(1964).
406. Grundmann, E., and Steinhoff, D. Leber- und Lungentumoren nach 3,3'-Dichlor-4,4'-diaminodiphenylmethan bei Ratten. *Cancer Res. Clin. Oncol.* 74: 28-39(1970).
407. Gunson, D. E., Steele, R. E., and Chau, R. Y. Prevention of spontaneous tumours in female rats by fadrozole hydrochloride, an aromatase inhibitor. *Br. J. Cancer* 72: 72-75(1995).
408. Guo, D., Horio, D. T., Grove, J. S., and Dashwood, R. H. Inhibition by chlorophyllin of 2-amino-3-methylimidazo-[4,5-f]quinoline-induced tumorigenesis in the male F344 rat. *Cancer Lett.* 95: 161-165(1995).
409. Gurkalo, V. K., and Vol'fson, N. I. Action of vinblastine on experimental gastric carcinogenesis. *Bull. Exp. Biol. Med.* 101: 833-837(1986).
410. Habs, M., and Schmahl, D. Synergistic effects of *N*-nitroso compounds in experimental long-term carcinogenesis studies. *Oncology* 37: 259-265(1980).
411. Habs, M., Eisenbrand, G., and Schmahl, D. Carcinogenic activity in Sprague-Dawley rats of 2[3-(2-chloroethyl)-3-nitrosoureido]-D-glucopyranose (chlorozotocin). *Cancer Lett.* 8: 133-137(1979).
412. Habs, M., Eisenbrand, G., Habs, H., and Schmahl, D. No evidence of carcinogenicity of *N*-nitrosocimetidine in rats. *Hepato-Gastroenterol.* 29: 265-266(1982).

413. Habs, M., Habs, H., and Bertram, B. Carcinogenicity of di(*N*-nitroso)perhydropyrimidine (DNPP) after repeated low-dose intraperitoneal administration to rats. *Cancer Res. Clin. Oncol.* 105: 191-193(1983).
414. Habs, M., Habs, H., Berger, M. R., and Schmahl, D. Negative dose-response study for carcinogenicity of orally administered rutin sulfate in Sprague-Dawley rats. *Cancer Lett.* 23: 103-108(1984).
415. Hack, R., Ebert, E., and Leist, K.-H. Chronic toxicity and carcinogenicity studies with the insecticide endosulfan in rats and mice. *Food Chem. Toxicol.* 33: 941-950(1995).
416. Hackmann, C. Erzeugung von Blasencarcinomen und Tumoren verschiedener Lokalisation bei Ratten durch Verfütterung von 2-Amino-3-methoxy-diphenylenoxyd und 2-Amino-diphenylenoxyd. *Cancer Res. Clin. Oncol.* 61: 45-54(1956).
417. Hagan, E. C., Jenner, P. M., Jones, W. I., Fitzhugh, O. G., Long, E. L., Brouwer, J. G., and Webb, W. K. Toxic properties of compounds related to safrole. *Toxicol. Appl. Pharmacol.* 7: 18-24(1965).
418. Hagiwara, A., and Ward, J. M. The chronic hepatotoxic, tumor-promoting, and carcinogenic effects of acetaminophen in male B6C3F₁ mice. *Fundam. Appl. Toxicol.* 7: 376-386(1986).
419. Hagiwara, A., Arai, M., Hirose, M., Nakanowatari, J., Tsuda, H., and Ito, N. Chronic effects of norharman in rats treated with aniline. *Toxicol. Lett.* 6: 71-75(1980).
420. Hagiwara, A., Boonyaphiphat, P., Kawabe, M., Naito, H., Shirai, T., and Ito, N. Lack of carcinogenicity of tragacanth gum in B6C3F₁ mice. *Food Chem. Toxicol.* 30: 673-679(1992).
421. Hagiwara, A., Boonyaphiphat, P., Tanaka, H., Kawabe, M., Tamano, S., Kaneko, H., Matsui, M., Hirose, M., Ito, N., and Shirai, T. Organ-dependent modifying effects of caffeine, and two naturally occurring antioxidants α -tocopherol and *n*-tritriacontane-16,18-dione, on 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine (PhIP)-induced mammary and colonic carcinogenesis in female F344 rats. *Jpn. J. Cancer Res.* 90: 399-405(1999).
422. Hagiwara, A., Hirose, M., Takahashi, S., Ogawa, K., Shirai, T., and Ito, N. Forestomach and kidney carcinogenicity of caffeic acid in F344 rats and C57BL/6N x C3H/HeN F₁ mice. *Cancer Res.* 51: 5655-5660(1991).
423. Hagiwara, A., Miyata, E., Tamano, S., Sano, M., Masuda, C., Funae, Y., Ito, N., Fukushima, S., and Shirai, T. Non-carcinogenicity, but dose-related increase in preneoplastic hepatocellular lesions, in a two-year feeding study of phenobarbital sodium in male F344 rats. *Food Chem. Toxicol.* 37: 869-879(1999).
424. Hagiwara, A., Miyata, E., Tamano, S., Shibata, M.-A., Sugimura, S., Inoue, M., and Hirose, M. Non-carcinogenicity of 2,2'-(4-amino-phenyl)imino]bisethanol sulfate in a long-term feeding study in Fischer 344 rats. *Food Chem. Toxicol.* 34: 537-546(1996).
425. Hagiwara, A., Shibata, M., Hirose, M., Fukushima, S., and Ito, N. Long-term toxicity and carcinogenicity study of sodium *o*-phenylphenate in B6C3F₁ mice. *Food Chem. Toxicol.* 22: 809-814(1984).
426. Hagiwara, A., Takesada, Y., Tanaka, H., Tamano, S., Hirose, M., Ito, N., and Shirai, T. Dose-dependent Induction of glandular stomach preneoplastic and neoplastic lesions in male F344 rats treated with catechol chronically. *Toxicol. Pathol.* 29: 180-186(2001).
427. Haley, T. J., Farmer, J., Jaques, W. E., Frith, C., Sprowls, R. W., and Schieferstein, G. Dose-response hyperplasia and neoplasia from feeding *N*-2-fluoroenylacetamide (2-FAA) to BALB/c mice for varying time intervals (39350). *Proc. Soc. Exp. Biol. Med.* 152: 156-159(1976).
428. Hamada, N. N., Koka, M., Quander, R., Uno, H., Koyama, T., Izawa, Y., and Makita, T. Toxicity studies of palonidipine hydrochloride (TC-81) (14th report) — Two-year dietary oncogenicity study in rats. *Clin. Rep. (Kiso to Rinscho)* 26: 3075-3096(1992).
429. Hamm, T. E., Jr., Guest, D., and Dent, J. G. Chronic toxicity and oncogenicity bioassay of inhaled ethylene in Fischer-344 rats. *Fundam. Appl. Toxicol.* 4: 473-478(1984).
430. Hansen, W. H., Davis, K. J., Fitzhugh, O. G., and Nelson, A. A. Chronic oral toxicity of ponceau 3R. *Toxicol. Appl. Pharmacol.* 5: 105-118(1963).
431. Hansen, W. H., Davis, K. J., Graham, S. L., Perry, C. H., and Jacobson, K. H. Long-term toxicity studies of erythrosine. II. Effects on haematology and thyroxine and protein-bound iodine in rats. *Food Cosmet. Toxicol.* 11: 535-545(1973).
432. Hansen, W. H., Fitzhugh, O. G., Nelson, A. A., and Davis, K. J. Chronic toxicity of two food colors, brilliant blue FCF and indigotine. *Toxicol. Appl. Pharmacol.* 8: 29-36(1966).
433. Hansen, W. H., Long, E. L., Davis, K. J., Nelson, A. A., and Fitzhugh, O. G. Chronic toxicity of three food colourings: guinea green B, light green SF yellowish and fast green FCF in rats, dogs and mice. *Food Cosmet. Toxicol.* 4: 389-410(1966).
434. Hansen, W. H., Quaife, M. L., Habermann, R. T., and Fitzhugh, O. G. Chronic toxicity of 2,4-dichlorophenoxyacetic acid in rats and dogs. *Toxicol. Appl. Pharmacol.* 20: 122-129(1971).
435. Hansen, W. H., Zwickey, R. E., Brouwer, J. B., and Fitzhugh, O. G. Long-term toxicity studies of erythrosine. I. Effects in rats and dogs. *Food Cosmet. Toxicol.* 11: 527-534(1973).
436. Hard, G. C., and Neal, G. E. Sequential study of the chronic nephrotoxicity induced by dietary administration of ethoxyquin in Fischer 344 rats. *Fundam. Appl. Toxicol.* 18: 278-287(1992).
437. Hard, G. C., Iatropoulos, M. J., Jordan, K., Radi, L., Kaltenberg, O. P., Imondi, A. R., and Williams, G. M. Major difference in the hepatocarcinogenicity and DNA adduct forming ability between toremifene and tamoxifen in female Crl:CD(BR) rats. *Cancer Res.* 53: 4534-4541(1993).
438. Hardy, J., Gaunt, I. F., Hooson, J., Hendy, R. J., and Butterworth, K. R. Long-term toxicity of cyclohexylamine hydrochloride in mice. *Food Cosmet. Toxicol.* 14: 269-276(1976).
439. Harris, P. N., Gibson, W. R., and Dillard, R. D. Oncogenicity of 1-(4-chlorophenyl)-1-phenyl-2-propynyl carbamate for rats. *Toxicol. Appl. Pharmacol.* 21: 414-418(1972).
440. Hasegawa, R., Fukushima, S., Hagiwara, A., Masui, T., Masuda, A., and Ito, N. Long-term feeding study of *N,N'*-diphenyl-*p*-phenylenediamine in F344 rats. *Toxicology* 54: 69-78(1989).
441. Hasegawa, R., Futakuchi, M., Mizoguchi, Y., Yamaguchi, T., Shirai, T., Ito, N., and Lijinsky, W. Studies of initiation and promotion of carcinogenesis by *N*-nitroso compounds. *Cancer Lett.* 123: 185-191(1998).
442. Hasegawa, R., Greenfield, R. E., Murasaki, G., Suzuki, T., and Cohen, S. M. Initiation of urinary bladder carcinogenesis in rats by freeze ulceration with sodium saccharin promotion. *Cancer Res.* 45: 1469-1473(1985).
443. Hasegawa, R., Hirose, M., Kato, T., Hagiwara, A., Boonyaphiphat, P., Nagao, M., Ito, N., and Shirai, T. Inhibitory effect of chlorophyllin on PhIP-induced mammary carcinogenesis in female F344 rats. *Carcinogenesis* 16: 2243-2246(1995).
444. Hasegawa, R., Murasaki, G., St. John, M. K., Zenser, T. V., and Cohen, S. M. Evaluation of nitrofurantoin on the two stages of urinary bladder carcinogenesis in the rat. *Toxicology* 62: 333-347(1990).
445. Hasegawa, R., Sano, M., Tamano, S., Imaida, K., Shirai, T., Nagao, M., Sugimura, T., and Ito, N. Dose-dependence of 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine (PhIP) carcinogenicity in rats. *Carcinogenesis* 14: 2553-2557(1993).
446. Hasegawa, R., Shirai, T., Hakoi, K., Wada, S., Yamaguchi, K., and Takayama, S. Synergistic enhancement of thyroid tumor induction by 2,4-diamino-anisole sulfate, *N,N'*-diethylthiourea and 4,4'-thiodianiline in male F344 rats. *Carcinogenesis* 12: 1515-1518(1991).
447. Hasegawa, R., Takahashi, M., Furukawa, F., Toyoda, K., Sato, H., and Hayashi, Y. Co-carcinogenic effect of retinyl acetate on forestomach carcinogenesis of male F344 rats induced with butylated hydroxyanisole. *Jpn. J. Cancer Res.* 79: 320-328(1988).
448. Hasegawa, R., Takahashi, M., Furukawa, F., Toyoda, K., Sato, H., Jang, J. J., and Hayashi, Y. Carcinogenicity study of tetramethylthiuram disulfide (thiram) in F344 rats. *Toxicology* 51: 155-165(1988).
449. Hasegawa, R., Takahashi, M., Kokubo, T., Furukawa, F., Toyoda, K., Sato, H., Kurokawa, Y., and Hayashi, Y. Carcinogenicity study of sodium hypochlorite in F344 rats. *Food Chem. Toxicol.* 24: 1295-1302(1986).

450. Hashimoto, Y., Makita, T., Nishibe, T., Mori, T., Noguchi, T., and Ohta, G. Chronic oral toxicity studies of DAEP, *O,O*-dimethyl *S*-2-(acetylamino)ethyl dithiophosphate (active ingredients of amiphos) in Sprague-Dawley strain rats. *Pharmacometrics (Oyo Yakuri)* 6: 1189-1205(1972).
451. Hatch, R. C., Regan, K. S., Ishibashi, S., Nakazawa, M., Iwakura, K., and Sumi, N. Seventy-eight-week dietary carcinogenicity study of (\pm)-4-diethylamino-1,1-dimethylbut-2-yn-1-yl 2-cyclohexyl-2-hydroxy-2-phenylacetate monohydrochloride monohydrate (NS-21), a novel drug for urinary frequency and incontinence, in mice. *J. Toxicol. Sci.* 22: 275-287(1997).
452. Hatch, R. C., Regan, K. S., Ishibashi, S., Nakazawa, M., Iwakura, K., and Sumi, N. Two-year dietary carcinogenicity study of (\pm)-4-diethylamino-1,1-dimethylbut-2-yn-1-yl 2-cyclohexyl-2-hydroxy-2-phenylacetate monohydrochloride monohydrate (NS-21), a novel drug for urinary frequency and incontinence, in rats. *J. Toxicol. Sci.* 22: 289-309(1997).
453. Hava, N. Enterochromaffin-like cell carcinoids of gastric mucosa in rats after life-long inhibition of gastric secretion. *Digestion* 35: 42-55(1986).
454. Hawkes, C. H., Cavanagh, J. B., Darling, J. L., Watkins, B. A., and Thomas, D. G. T. Chronic low-dose exposure of sodium nitrite in VM-strain mice: central nervous system changes. *Hum. Exp. Toxicol.* 11: 279-281(1992).
455. Hayashi, F., Tamura, H., Yamada, J., Kasai, H., and Suga, T. Characteristics of the hepatocarcinogenesis caused by dehydroepiandrosterone, a peroxisome proliferator, in male F-344 rats. *Carcinogenesis* 15: 2215-2219(1994).
456. Hazleton Laboratories (1973). [Aspartame] Final Report: Two-year Toxicity Study in the Rat. Project No. 700-233. Sponsor: Searle Laboratories.
457. Hecht, S. S., El-Bayoumy, K., Rivenson, A., and Fiala, E. Comparative carcinogenicity of *o*-toluidine hydrochloride and *o*-nitrosotoluene in F-344 rats. *Cancer Lett.* 16: 103-108(1982).
458. Hecht, S. S., Lijinsky, W., Kovatch, R. M., Chung, F. L., and Saavedra, J. E. Comparative tumorigenicity of *N*-nitroso-2-hydroxymorpholine, *N*-nitrosodiethanolamine and *N*-nitrosomorpholine in A/J mice and F344 rats. *Carcinogenesis* 10: 1475-1477(1989).
459. Hecht, S. S., Trushin, N., Rigotti, J., Carmella, S. G., Borukhova, A., Akerkar, S., and Rivenson, A. Complete inhibition of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone-induced rat lung tumorigenesis and favorable modification of biomarkers by phenethyl isothiocyanate. *Cancer Epidemiol. Biomark. Prev.* 5: 645-652(1996).
460. Hecht, S. S., Trushin, N., Rigotti, J., Carmella, S. G., Borukhova, A., Akerkar, S., Desai, D., Amin, S., and Rivenson, A. Inhibitory effects of 6-phenylhexyl isothiocyanate on 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone metabolic activation and lung tumorigenesis in rats. *Carcinogenesis* 17: 2061-2067(1996).
461. Hecht, S. S., Young, R., and Maeura, Y. Comparative carcinogenicity in F344 rats and Syrian golden hamsters of *N'*-nitrosonornicotine and *N'*-nitrosornicotine-1-*N*-oxide. *Cancer Lett.* 20: 333-340(1983).
462. Heinrich, U., Peters, L., Ernst, H., Rittinghausen, S., Dasenbrock, C., and Konig, H. Investigation on the carcinogenic effects of various cadmium compounds after inhalation exposure in hamsters and mice. *Exp. Pathol.* 37: 253-258(1989).
463. Hellwig, J., Deckardt, K., and Freisberg, K. O. Subchronic and chronic studies of the effects of oral administration of acrylic acid to rats. *Food Chem. Toxicol.* 31: 1-18(1993).
464. Hendy, R. J., Hardy, J., Gaunt, I. F., Kiss, I. S., and Butterworth, K. R. Long-term toxicity studies of sorbic acid in mice. *Food Cosmet. Toxicol.* 14: 381-386(1976).
465. Henrich, R. T. Letter from Akzo Nobel. Tris-(1,3-dichloro-2-propyl)phosphate. Public submission to the Consumer Products Safety Commission (1998).
466. Henschler, D., Romen, W., Elsasser, H. M., Reichert, D., Eder, E., and Radwan, Z. Carcinogenicity study of trichloroethylene by longterm inhalation in three animal species. *Arch. Toxicol.* 43: 237-248(1980).
467. Herbst, M., Weisse, I., and Koellmer, H. A contribution to the question of the possible hepatocarcinogenic effects of lindane. *Toxicology* 4: 91-96(1975).
468. Herren-Freund, S. L., Pereira, M. A., Khouri, M. D., and Olson, G. The carcinogenicity of trichloroethylene and its metabolites, trichloroacetic acid and dichloroacetic acid, in mouse liver. *Toxicol. Appl. Pharmacol.* 90: 183-189(1987).
469. Herrold, K. M. Epidermoid carcinomas of esophagus and forestomach induced in Syrian hamsters by *N*-nitroso-*N*-methylurethan. *J. Nat. Cancer Inst.* 37: 389-394(1966).
470. Herzog, R., and Leuschner, J. Oncogenicity studies of benzalazine in mice and rats. *Arzneim.-Forsch.* 44: 1371-1381(1994).
471. Heston, W. E., Vlahakis, G., and Desmukes, B. Effects of the antifertility drug Enovid in five strains of mice, with particular regard to carcinogenesis. *J. Nat. Cancer Inst.* 51: 209-224(1973).
472. Heywood, R., Palmer, A. K., Gregson, R. L., and Hummler, H. The toxicity of β -carotene. *Toxicology* 36: 91-100(1985).
473. Heywood, R., Palmer, A. K., Gregson, R. L., and Hummler, H. *The Toxicity of β -Carotene*. Huntingdon, England: Huntingdon Research Center (1985a).
474. Heywood, R., Sortwell, R. J., Noel, P. R. B., Street, A. E., Prentice, D. E., Roe, F. J. C., Wadsworth, P. F., and Worden, A. N. Safety evaluation of toothpaste containing chloroform. III. Long-term study in beagle dogs. *J. Environ. Pathol. Toxicol.* 2: 835-851(1979).
475. Heywood, R., Wood, J. D., and Majeed, S. K. Tumorigenic and toxic effect of *O,S*-dibenzoyl thiamine hydrochloride in prolonged dietary administration to rats. *Toxicol. Lett.* 26: 53-58(1985).
476. Hiasa, Y., Kitahori, Y., Morimoto, J., Konishi, N., and Ohshima, M. Absence of carcinogenic or promoting effects of diethylene glycol on renal tumorigenesis in rats. *J. Toxicol. Pathol.* 3: 97-104(1990).
477. Hiasa, Y., Konishi, N., Kitahori, Y., and Shimoyama, T. Carcinogenicity study of a commercial sodium oleate in Fischer rats. *Food Chem. Toxicol.* 23: 619-623(1985).
478. Hicks, R. M., Chowaniec, J., and St J. Wakefield, J. Experimental induction of bladder tumors by a two-stage system. In: *Carcinogenesis: Mechanisms of Tumor Promotion and Cocarcinogenesis*, Vol. 2, (T. J. Slaga, A. Sivak and R. K. Boutwell Eds.), Raven Press, New York, 1978, pp. 475-489.
479. Hicks, R. M., Wright, R., and St J. Wakefield, J. The induction of rat bladder cancer by 2-naphthylamine. *Br. J. Cancer* 46: 646-661(1982).
480. Highman, B., Greenman, D. L., Norvell, M. J., Farmer, J., and Shellenger, T. E. Neoplastic and preneoplastic lesions induced in female C3H mice by diets containing diethylstilbestrol or 17 β -estradiol. *J. Environ. Pathol. Toxicol.* 4: 81-95(1980).
481. Hinderer, R. K., Lankas, G. R., Knezevich, A. L., and Aulett, C. S. The effects of long-term dietary administration of the rubber accelerator, *N*-oxydiethylene thiocarbamyl-*N*-oxydiethylene sulfenamide, to rats. *Toxicol. Appl. Pharmacol.* 82: 521-531(1986).
482. Hine, C. H., Anderson, H. H., Moon, H. D., Dunlap, M. K., and Morse, M. S. Comparative toxicity of synthetic and natural glycerin. *Arch. Ind. Hyg. Occup. Med.* 7: 282-291(1953).
483. Hinton, D. E., Lipsky, M. M., Heatfield, B. M., and Trump, B. F. Opposite effects of lead on chemical carcinogenesis in kidney and liver of rats. *Bull. Environ. Contam. Toxicol.* 23: 464-469(1979).
484. Hiraga, K. Tumors of the preputial gland in rats. *Gann* 68: 369-370(1977).
485. Hiraga, K., and Fujii, T. Carcinogenicity testing of acetaminophen in F344 rats. *Jpn. J. Cancer Res.* 76: 79-85(1985).
486. Hiraga, K., and Fujii, T. Induction of tumours of the urinary bladder in F344 rats by dietary administration of *o*-phenylphenol. *Food Chem. Toxicol.* 22: 865-870(1984).
487. Hiraga, K., and Fujii, T. Induction of tumours of the urinary system in F344 rats by dietary administration of sodium *o*-phenylphenate. *Food Cosmet. Toxicol.* 19: 303-310(1981).
488. Hirano, M., Ueda, H., Mitsumori, K., Maita, K., and Shirasu, Y. Hormonal influence on carcinogenicity of methylmercury in mice. *Jpn. J. Vet. Sci.* 50: 886-893(1988).
489. Hirayama, H., Sugihara, T., Sugihara, K., Wakigawa, K., Hikita, J., and Ohkuma, H. Carcinogenicity and long-term toxicity study on cyclocytidine, a new antitumor agent. *Pharmacometrics (Oyo Yakuri)* 8: 1693-1712(1974).
490. Hiroto, I., Haga, M., Fujii, M., Matsuura, S., Matsubara, N., Nakayama, M., Furuya, T., Hikichi, M., Takanashi, H., Uchida, E., Hosaka, S., and Ueno, I. Induction of hepatic tumors in rats by senkirine and symphytine. *J. Nat. Cancer Inst.* 63: 469-472(1979).

491. Hirono, I., Kuhara, K., Yamaji, T., Hosaka, S., and Goldberg, L. Carcinogenicity of dextran sulfate sodium in relation to its molecular weight. *Cancer Lett.* 18: 29-34(1983).
492. Hirono, I., Kuhara, K., Yamaji, T., Hosaka, S., and Goldberg, L. Induction of colorectal squamous cell carcinomas in rats by dextran sulfate sodium. *Carcinogenesis* 3: 353-355(1982).
493. Hirono, I., Mori, H., Yamada, K., Hirata, Y., Haga, M., Tatematsu, H., and Kanie, S. Carcinogenic activity of petasitenine, a new pyrrolizidine alkaloid isolated from *Petasites japonicus* Maxim. *J. Nat. Cancer Inst.* 58: 1155-1157(1977).
494. Hirono, I., Ueno, I., Hosaka, S., Takanashi, H., Matsushima, T., Sugimura, T., and Natori, S. Carcinogenicity examination of quercetin and rutin in ACI rats. *Cancer Lett.* 13: 15-21(1981).
495. Hirose, M., Akagi, K., Hasegawa, R., Yaono, M., Satoh, T., Hara, Y., Wakabayashi, K., and Ito, N. Chemoprevention of 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]-pyridine (PhIP)-induced mammary gland carcinogenesis by antioxidants in F344 female rats. *Carcinogenesis* 16: 217-221(1995).
496. Hirose, M., Fukushima, S., Kurata, Y., Tsuda, H., Tatematsu, M., and Ito, N. Modification of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine-induced forestomach and glandular stomach carcinogenesis by phenolic antioxidants in rats. *Cancer Res.* 48: 5310-5315(1988).
497. Hirose, M., Fukushima, S., Shirai, T., Hasegawa, R., Kato, T., Tanaka, H., Asakawa, E., and Ito, N. Stomach carcinogenicity of caffeic acid, sesamol and catechol in rats and mice. *Jpn. J. Cancer Res.* 81: 207-212(1990).
498. Hirose, M., Fukushima, S., Tanaka, H., Asakawa, E., Takahashi, S., and Ito, N. Carcinogenicity of catechol in F344 rats and B6C3F₁ mice. *Carcinogenesis* 14: 525-529(1993).
499. Hirose, M., Kagawa, M., Ogawa, K., Yamamoto, A., and Ito, N. Antagonistic effect of diethylmaleate on the promotion of forestomach carcinogenesis by butylated hydroxyanisole (BHA) in rats pretreated with *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine. *Carcinogenesis* 10: 2223-2226(1989).
500. Hirose, M., Kawabe, M., Shibata, M., Takahashi, S., Okazaki, S., and Ito, N. Influence of caffeic acid and other *o*-dihydroxybenzene derivatives on *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine-initiated rat forestomach carcinogenesis. *Carcinogenesis* 13: 1825-1828(1992).
501. Hirose, M., Kurata, Y., Tsuda, H., Fukushima, S., and Ito, N. Catechol strongly enhances rat stomach carcinogenesis: a possible new environmental stomach carcinogen. *Jpn. J. Cancer Res.* 78: 1144-1149(1987).
502. Hirose, M., Masuda, A., Hasegawa, R., Wada, S., and Ito, N. Regression of butylated hydroxyanisole (BHA)-induced hyperplasia but not dysplasia in the forestomach of hamsters. *Carcinogenesis* 11: 239-244(1990).
503. Hirose, M., Masuda, A., Tsuda, H., UWAGAWA, S., and Ito, N. Enhancement of bha-induced proliferative rat forestomach lesion development by simultaneous treatment with other antioxidants. *Carcinogenesis* 8: 1731-1735(1987).
504. Hirose, M., Shibata, M., Hagiwara, A., Imaida, K., and Ito, N. Chronic toxicity of butylated hydroxytoluene in Wistar rats. *Food Cosmet. Toxicol.* 19: 147-151(1981).
505. Hirose, M., Wada, S., Yamaguchi, S., Masuda, A., Okazaki, S., and Ito, N. Reversibility of catechol-induced rat glandular stomach lesions. *Cancer Res.* 52: 787-790(1992).
506. Hirsimäki, P., Hirsimäki, Y., Nieminen, L., and Payne, B. J. Tamoxifen induces hepatocellular carcinoma in rat liver: a 1-year study with two antiestrogens. *Arch. Toxicol.* 67: 49-54(1993).
507. Hirth, R. S., Evans, L. D., Buroker, R. A., and Oleson, F. B. Gastric enterochromaffin-like cell hyperplasia and neoplasia in the rat: an indirect effect of the histamine H₂-receptor antagonist, BL-6341. *Toxicol. Pathol.* 16: 273-287(1988).
508. Ho, S. B., Lyftogt, C. T., Shekels, L. L., and Niehans, G. A. Experimental model of upper intestinal adenocarcinoma induced by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in C57BL/6 mice. *Cancer Lett.* 91: 177-183(1995).
509. Hoch-Ligeti, C., Argus, M. F., and Arcos, J. C. Induction of carcinomas in the nasal cavity of rats by dioxane. *Br. J. Cancer* 24: 164-167(1969).
510. Hoch-Ligeti, C., Argus, M. F., and Arcos, J. C. Oncogenic activity of an *m*-dioxane derivative: 2,6-dimethyl-*m*-dioxan-4-ol acetate (dimethoxane). *J. Nat. Cancer Inst.* 53: 791-793(1974).
511. Holmäng, S., Cano, M., Grenabo, L., Hedelin, H., and Johansson, S. L. Effect of indomethacin on *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide-induced urinary tract carcinogenesis. *Carcinogenesis* 16: 1493-1498(1995).
512. Holmberg, B., and Ekström, T. The effects of long-term oral administration of ethanol on Sprague-Dawley rats — a condensed report. *Toxicology* 96: 133-145(1995).
513. Holmberg, B., Ekström, T., Ekner, A., and Kronevi, T. *A Two-Year Carcinogenicity Study of Peroral Administration of Ethyl Alcohol in Semisynthetic Liquid Diet to Sprague-Dawley Rats*. Arbete och Hälsa 7. Arbets Miljö Institutet (National Institute of Occupational Health), Solna, Sweden, 1994.
514. Holmström, M., Wilhelmsson, B., and Hellquist, H. Histological changes in the nasal mucosa in rats after long-term exposure to formaldehyde and wood dust. *Acta Otolaryngologica* 108: 274-283(1989).
515. Homburger, F. Negative lifetime carcinogen studies in rats and mice fed 50,000 ppm saccharin. In: *Chemical Toxicology of Food*. (C. L. Galli, R. Paoletti and G. Vettorazzi, Eds.), Elsevier/North-Holland Biomedical Press, 1978, pp. 359-373.
516. Hong, C. B., Ellis, H. V., III, Lee, C. C., Sprinz, H., Dacre, J. C., and Glennon, J. P. Subchronic and chronic toxicity studies of 2,4-dinitrotoluene. Part III. CD-1 mice. *J. Am. Coll. Toxicol.* 4: 257-269(1985).
517. Hong, C. B., Winston, J. M., and Lee, C. C. Hepatic angiosarcoma. Animal model: angiosarcoma of rats and mice induced by vinyl chloride. *Am. J. Pathol.* 101: 737-740(1980).
518. Hong, C. B., Winston, J. M., Thornburg, L. P., Lee, C. C., and Woods, J. S. Follow-up study on the carcinogenicity of vinyl chloride and vinylidene chloride in rats and mice: tumor incidence and mortality subsequent to exposure. *J. Toxicol. Environ. Health* 7: 909-924(1981).
519. Honma, Y., Kondo, Y., Kakizoe, T., Aso, Y., and Nagase, S. Lack of bladder carcinogenicity of dietary sodium saccharin in analbuminaemic rats, which are highly susceptible to *N*-nitroso-*N*-butyl-(4-hydroxybutyl)amine. *Food Chem. Toxicol.* 29: 373-376(1991).
520. Hoos, A., Habs, M., and Schmahl, D. Comparison of liver tumor frequencies after intermittent oral administration of different doses of *N*-nitrosopyrrolidine in Sprague-Dawley rats. *Cancer Lett.* 26: 77-82(1985).
521. Hooson, J., Gaunt, I. F., Kiss, I. S., Grasso, P., and Butterworth, K. R. Long-term toxicity of indigo carmine in mice. *Food Cosmet. Toxicol.* 13: 167-176(1975).
522. Hooson, J., Hicks, R. M., Grasso, P., and Chowaniec, J. Ortho-toluene sulphonamide and saccharin in the promotion of bladder cancer in the rat. *Br. J. Cancer* 42: 129-147(1980).
523. Hoover, K. L., Hyde, C. L., Wenk, M. L., and Poirier, L. A. Ethionine carcinogenesis in CD-1, BALB/c and C3H mice. *Carcinogenesis* 7: 1143-1148(1986).
524. Horie, A., Kohchi, S., and Kuratsune, M. Carcinogenesis in the esophagus. II. Experimental production of esophageal cancer by administration of ethanolic solution of carcinogens. *Gann* 56: 429-441(1965).
525. Horiuchi, T., Masuda, S., Iwasaka, T., Ito, K., Nakayama, T., Eguchi, K., Usui, T., Makino, M., Yamamoto, T., Hisada, S., and Suzuki, M. Carcinogenicity test of a potent β-blocking agent, xibenol hydrochloride, on B6C3F₁ mice. *Pharmacometrics (Oyo Yakuri)* 30: 705-721(1985).
526. Horn, H. J., Black, R., Bruce, and Paynter, O. E. Toxicology of chlorobenzilate. In: *Agricultural and Food Chemistry: Past, Present, Future*, Vol. 3 (R. Teranishi, Ed.), Avi Publishing Company, Inc., Westport, CT, 1955, pp. 752-756.
527. Hosaka, S., and Hirono, I. Effect of leupeptin, a protease inhibitor, on the development of spontaneous tumors in strain A mice. *Gann* 71: 913-917(1980).
528. Hosaka, S., Matsushima, T., Hirono, I., and Sugimura, T. Carcinogenic activity of 3-amino-1-methyl-5*H*-pyrido[4,3-*b*]indole (Trp-P-2), a pyrolysis product of tryptophan. *Cancer Lett.* 13: 23-28(1981).
529. Hoshino, H., and Tanooka, H. Carcinogenicity of triethanolamine in mice and its mutagenicity after reaction with sodium nitrite in bacteria. *Cancer Res.* 38: 3918-3921(1978).

530. Howe, R. Carcinogenicity of "alderlin" (pronethalol) in mice. *Nature* 207: 594-595(1965).
531. Hueper, W. C., and Payne, W. W. Experimental studies in metal carcinogenesis. Chromium, nickel, iron, arsenic. *Arch. Environ. Health* 5: 445-462(1962).
532. Iatropoulos, M. J., Williams, G. M., Wang, C.-X., Brunnemann, K. D., and Leber, A. P. Assessment of chronic toxicity and carcinogenicity in rats of Wingstay 100, a rubber antioxidant/antiozonant. *Exp. Toxicol. Pathol.* 49: 153-165(1997).
533. Ichinose, T., and Sagai, M. Combined exposure to NO₂, O₃ and H₂SO₄-aerosol and lung tumor formation in rats. *Toxicology* 74: 173-184(1992).
534. Ichinose, T., Fujii, K., and Sagai, M. Experimental studies on tumor promotion by nitrogen dioxide. *Toxicology* 67: 211-225(1991).
535. Ikeda, Y., Horiuchi, S., Furuya, T., and Omori, Y. Chronic toxicity of ponceau MX in the rat. *Food Cosmet. Toxicol.* 4: 485-492(1966).
536. Ikeda, Y., Horiuchi, S., Imoto, A., Kodama, Y., Aida, Y., and Kobayashi, K. Induction of mammary gland and skin tumours in female rats by the feeding of benzyl violet 4B. *Toxicology* 2: 275-284(1974).
537. Ikeda, Y., Horiuchi, S., Kobayashi, K., Furuya, T., and Kohgo, K. Carcinogenicity of ponceau MX in the mouse. *Food Cosmet. Toxicol.* 6: 591-598(1968).
538. Ikezaki, S., Nishikawa, A., Furukawa, F., Enami, T., Mitsui, M., Tanakamaru, Z., Kim, H.-C., Lee, I.-S., Imazawa, T., and Takahashi, M. Long-term toxicity/carcinogenicity study of *l*-histidine monohydrochloride in F344 rats. *Food Chem. Toxicol.* 34: 687-691(1996).
539. Ikezaki, S., Nishikawa, A., Furukawa, F., Tanakamaru, Z., Nakamura, H., Mori, H., and Hirose, M. Influences of long-term administration of 24R,25-dihydroxyvitamin D₃, a vitamin D₃ derivative, in rats. *J. Toxicol. Sci.* 24: 133-139(1999).
540. Ikezaki, S., Nishikawa, A., Furukawa, F., Tanakamura, Z-Y, Kim, H.-C., Mori, H., and Takahashi, M. Chemopreventive effects of 24R,25-dihydroxyvitamin D₃, a vitamin D₃ derivative, on glandular stomach carcinogenesis induced in rats by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine and sodium chloride. *Cancer Res.* 56: 2767-2770(1996).
541. Imai, S., Morimoto, J., Sekiya, N., Shima, M., Kiyozuka, Y., Nakamori, K., and Tsubura, Y. Chronic toxicity test of KCl and NaCl in F344/Slc rats. *J. Nara Med. Assoc.* 37: 115-127(1986).
542. Imai, S., Yamamoto, H., and Tsubura, Y. The antispermatic effect and toxicity of 2,4-dinitro-6-*tert*-butylphenyl methanesulfonate on Sprague-Dawley rat. *J. Toxicol. Sci.* 9: 161-174(1984).
543. Imaida, K., and Wang, C. Y. Effect of sodium phenobarbital and sodium saccharin in AIN-76A diet on carcinogenesis initiated with *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide and *N,N*-dibutylnitrosamine in male F344 rats. *Cancer Res.* 46: 6160-6164(1986).
544. Imaida, K., Hagiwara, A., Yada, H., Masui, T., Hasegawa, R., Hirose, M., Sugimura, T., Ito, N., and Shirai, T. Dose-dependent induction of mammary carcinomas in female Sprague-Dawley rats with 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine. *Jpn. J. Cancer Res.* 87: 1116-1120(1996).
545. Imaida, K., Ishihara, Y., Nishio, O., Nakanishi, K., and Ito, N. Carcinogenicity and toxicity tests on *p*-phenylenediamine in F344 rats. *Toxicol. Lett.* 16: 259-269(1983).
546. Imazawa, T., Nishikawa, A., Furukawa, F., Kasahara, K., Ikeda, T., Takahashi, M., and Hirose, M. Lack of carcinogenicity of gardenia blue colour given chronically in the diet to F344 rats. *Food Chem. Toxicol.* 38: 313-318(2000).
547. Inai, K., Akamizu, H., Eto, R., Nishida, T., Ohe, K., Kobuke, T., Nambu, S., Matsuki, K., and Tokuoka, S. Tumorigenicity study of sodium erythorbate administered orally to mice. *Hiroshima J. Med. Sci.* 38: 135-139(1989).
548. Inai, K., Aoki, Y., Akamizu, H., Eto, R., Nishida, T., and Tokuoka, S. Tumorigenicity study of butyl and isobutyl *p*-hydroxybenzoates administered orally to mice. *Food Chem. Toxicol.* 23: 575-578(1985).
549. Inai, K., Aoki, Y., and Tokuoka, S. Chronic toxicity of sodium nitrite in mice, with reference to its tumorigenicity. *Jpn. J. Cancer Res.* 70: 203-208(1979).
550. Inai, K., Arihiro, K., Takeshima, Y., Yonehara, S., Tachiyama, Y., Khatun, N., and Nishisaka, T. Quantitative risk assessment of carcinogenicity of urethane (ethyl carbamate) on the basis of long-term oral administration to B6C3F₁ mice. *Jpn. J. Cancer Res.* 82: 380-385(1991).
551. Inai, K., Fujihara, M., Yonehara, S., and Kobuke, T. Tumorigenicity study of ferric citrate administered orally to mice. *Food Chem. Toxicol.* 32: 493-498(1994).
552. Inai, K., Kobuke, T., Fujihara, M., Yonehara, S., Takemoto, T., Tsuya, T., Yamamoto, A., Tachiyama, Y., Izumi, K., and Tokuoka, S. Lack of tumorigenicity of aminopyrine orally administered to B6C3F₁ mice. *Jpn. J. Cancer Res.* 81: 122-128(1990).
553. Inai, K., Kobuke, T., Nambu, S., Takemoto, T., Kou, E., Nishina, H., Fujihara, M., Yonehara, S., Suehiro, S., Tsuya, T., Horiuchi, K., and Tokuoka, S. Hepatocellular tumorigenicity of butylated hydroxytoluene administered orally to B6C3F₁ mice. *Jpn. J. Cancer Res.* 79: 49-58(1988).
554. Innes, J. R. M. *Evaluation of Carcinogenic, Teratogenic, and Mutagenic Activities of Selected Pesticides and Industrial Chemicals. Volume 1: Carcinogenic Study*. Bionetics Research Laboratories, Inc. Distributed by National Technical Information Service, Springfield, VA, 1968.
555. Innes, J. R. M., Ulland, B. M., Valerio, M. G., Petruccelli, L., Fishbein, L., Hart, E. R., Pallota, A. J., Bates, R. R., Falk, H. L., Gart, J. J., Klein, M., Mitchell I., and Peters, J. Bioassay of pesticides and industrial chemicals for tumorigenicity in mice: a preliminary note. *J. Nat. Cancer Inst.* 42: 1101-1114(1969).
556. Inoue, H., Shoji, A., Yamamoto, T., Watari, N., Hirouchi, Y., Enomoto, M., Sakashita, M., and Nishi, N. Test of NZ-105 in rats carcinogenicity. *Jpn. Pharmacol. Therapeut.* (Yakuri to Chiryo) 20: 1775-1803(1992).
557. Inoue, H., Shoji, A., Yamamoto, T., Watari, N., Shiga, A., Enomoto, M., Sakashita, M., and Nishi, N. Test of NZ-105 in mice carcinogenicity. *Jpn. Pharmacol. Therapeut.* (Yakuri to Chiryo) 20: 1747-1773(1992).
558. Inoue, H., Yamamoto, T., Hirouchi, Y., Iwata, H., Kobayashi, K., and Enomoto, M. Carcinogenicity test of suxibuzone in rats. *Iyakuhin Kenkyu* 18: 345-359(1987).
559. Inoue, H., Yamamoto, T., Shoji, A., Watari, N., Hirouchi, Y., Enomoto, M., and Morita, K. Carcinogenicity test of polyoxyethylene(10) nonylphenyl ether (NP-10) in female B6C3F₁ mice. *J. Toxicol. Sci.* 24: 149-166(1999).
560. Inoue, H., Yamamoto, T., Shoji, A., Watari, N., Hirouchi, Y., Enomoto, M., and Morita, K. Oral chronic toxicity and carcinogenicity test of polyoxyethylene(10) nonylphenyl ether (NP-10) in female F344 rats. *J. Toxicol. Sci.* 24: 167-193(1999).
561. Isaka, H., Yoshii, H., Otsuji, A., Koike, M., Nagai, Y., Koura, M., Sugiyasu, K., and Kanabayashi, T. Tumors of Sprague-Dawley rats induced by long-term feeding of phenacetin. *Gann* 70: 29-36(1979).
562. Ishida, S., Ikeya, M., Fukuzumi, H., Tamura, K., Hatayama, K., Ishii, S., Kawabata, Y., Koshiba, H., and Abe, S. Carcinogenicity study of watanidipine hydrochloride in mice by dietary administration. *Jpn. Pharmacol. Ther.* 25: 227-246(1997).
563. Ishida, S., Ikeya, M., Fukuzumi, H., Tamura, K., Hatayama, K., Ishii, S., Kawabata, Y., Koshiba, H., and Abe, S. Carcinogenicity study of watanidipine hydrochloride in rats by dietary administration. *Jpn. Pharmacol. Ther.* 25: 247-270(1997).
564. Ishii, H. Incidence of brain tumors in rats fed aspartame. *Toxicol. Lett.* 7: 433-437(1981).
565. Ishioka, T., Kuwabar, N., and Fukuda, Y. Induction of colorectal adenocarcinoma in rats by amylopectin sulfate. *Cancer Lett.* 26: 277-282(1985).
566. Ito, A., Mori, M., and Naito, M. Induction of uterine hemangioendothelioma and lymphoma in (C57BL/6N × C3H/2N)F₁ mice by oral administration of azathioprine. *Jpn. J. Cancer Res.* 80: 419-423(1989).
567. Ito, A., Naito, M., and Watanabe, H. Implication of chemical carcinogenesis in the experimental animal: tumorigenic effect of hydrogen peroxide in mice. *J. Res. Inst. Nucl. Med. Biol. Hiroshima Univ.* 22: 147-158(1981a).
568. Ito, A., Naito, M., Naito, Y., and Watanabe, H. Tumorigenicity test of *N*-(5-nitro-2-furylidene)-1-aminohydantoin by dietary administration in BDF₁ mice. *Hiroshima J. Med. Sci.* 32: 99-102(1983).
569. Ito, A., Watanabe, H., Naito, M., and Naito, Y. Induction of duodenal tumors in mice by oral administration of hydrogen peroxide. *Gann* 72: 174-175(1981).
570. Ito, N., Fukushima, S., Hagiwara, A., Shibata, M., and Ogiso, T. Carcinogenicity of butylated hydroxyanisole in F344 rats. *J. Nat. Cancer Inst.* 70: 343-352(1983).
571. Ito, N., Fukushima, S., Tamano, S., Hirose, M., and Hagiwara, A. Dose response in butylated hydroxyanisole induction of forestomach carcinogenesis in F344 rats. *J. Nat. Cancer Inst.* 77: 1261-1265(1986).

572. Ito, N., Hagiwara, A., Tamano, S., Kagawa, M., Shibata, M. A., Kurata, Y., and Fukushima, S. Lack of carcinogenicity of quercetin in F344/DuCrj rats. *Jpn. J. Cancer Res.* 80: 317-325(1989).
573. Ito, N., Hananouchi, M., Sugihara, S., Shirai, T., Tsuda, H., Fukushima, S., and Nagasaki, H. Reversibility and irreversibility of liver tumors in mice induced by the α -isomer of 1,2,3,4,5,6-hexachlorocyclohexane. *Cancer Res.* 36: 2227-2234(1976).
574. Ito, N., Hasegawa, R., Sano, M., Tamano, S., Esumi, H., Takayama, S., and Sugimura, T. A new colon and mammary carcinogen in cooked food, 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine (PhIP). *Carcinogenesis* 12: 1503-1506(1991).
575. Ito, N., Hirose, M., Hagiwara, A., and Takahashi, S. Carcinogenicity and modification of carcinogenic response by antioxidants. In: *Antimutagenesis and Anticarcinogenesis Mechanisms*. (Y. Kuroda, D. M. Shankel, and M. D. Waters, Eds.), Plenum Press, New York, 1990, pp. 183-194.
576. Ito, N., Nagasaki, H., Aoe, H., Sugihara, S., Miyata, Y., Arai, M., and Shirai, T. Development of hepatocellular carcinomas in rats treated with benzene hexachloride. *J. Nat. Cancer Inst.* 54: 801-804(1975).
577. Ito, N., Ogiso, T., Fukushima, S., Shibata, M., and Hagiwara, A. Carcinogenicity of captafol in B6C3F₁ mice. *Gann* 75: 853-865(1984).
578. Ito, N., Shirai, T., Fukushima, S., and Hirose, M. Dose-response study of urinary bladder carcinogenesis in rats by *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine. *J. Cancer Res. Clin. Oncol.* 108: 169-173(1984).
579. Ito, T., Ikemi, Y., Ohmori, K., Kitamura, H., and Kanisawa, M. Airway epithelial cell changes in rats exposed to 0.25 ppm ozone for 20 months. *Exp. Toxicol. Pathol.* 46: 1-6(1994).
580. Ivankovic, S., and Preussmann, R. Absence of toxic and carcinogenic effects after administration of high doses of chromic oxide pigment in subacute and long-term feeding experiments in rats. *Food Cosmet. Toxicol.* 13: 347-351(1975).
581. Ivankovic, S., Seibel, J., Komitowski, D., Spiegelhalder, B., Preussmann, R., and Siddiqi, M. Caffeine-derived *N*-nitroso compounds. V. Carcinogenicity of mononitrosocaffeidine and dinitrosocaffeidine in bd-ix rats. *Carcinogenesis* 19: 933-937(1998).
582. Iverson, F., Armstrong, C., Nera, E., Truelove, J., Fernie, S., Scott, P., Stapley, R., Hayward, S., and Gunner, S. Chronic feeding study of deoxynivalenol in B6C3F₁ male and female mice. *Teratog. Carcinog. Mutagen.* 15: 283-306(1995).
583. Iwagawa, M., Nakamura, M., Izumi, K., and Otsuka, H. Carcinogenicity testing of 5-fluorouracil in (C57BL/6xC3H)F₁ mice. *J. Toxicol. Pathol.* 4: 129-135(1991).
584. Izumi, K., Sano, N., Otsuka, H., Kinouchi, T., and Ohnishi, Y. Tumor promoting potential in male F344 rats and mutagenicity in *Salmonella typhimurium* of dipyrone. *Carcinogenesis* 12: 1221-1225(1991).
585. Jack, D., Poynter, D., and Spurling, N. W. Beta-adrenoceptor stimulants and mesovarian leiomyomas in the rat. *Toxicology* 27: 315-320(1983).
586. Jackson, C. D., and Blackwell, B.-N. 2-Year toxicity study of doxylamine succinate in the Fischer 344 rat. *J. Am. Coll. Toxicol.* 12: 1-11(1993).
587. Jackson, C. D., and Sheldon, W. Two-year toxicity study of doxylamine succinate in B6C3F₁ mice. *J. Am. Coll. Toxicol.* 12: 311-321(1993).
588. James, R. W., Hooks, W. N., Gopinath, C., Lewis, D. J., and Kawase, S. Tumorigenicity study of orally administered (\pm)-4-(3-tert-butylamino-2-hydroxypropoxy)-2-methyl-1(2H)-isoquinolinone hydrochloride (N-696), a β -adrenergic blocking agent, in CD-1 mice. *Pharmacometrics (Oyo Yakuri)* 36: 261-270(1988).
589. James, R. W., Hooks, W. N., Gopinath, C., Lewis, D. J., and Kawase, S. Tumorigenicity study of orally administered (\pm)-4-(3-tert-butylamino-2-hydroxypropoxy)-2-methyl-1(2H)-isoquinolinone hydrochloride (N-696), a β -adrenergic blocking agent, in Sprague-Dawley rats. *Pharmacometrics (Oyo Yakuri)* 35: 425-435(1988).
590. Jang, J. J., Takahashi, M., Furukawa, F., Toyoda, K., Hasegawa, R., Sato, H., and Hayashi, Y. Long-term in vivo carcinogenicity study of phenytoin (5,5-diphenylhydantoin) in F344 rats. *Food Chem. Toxicol.* 25: 697-702(1987).
591. Jemec, B. Studies of the tumorigenic effect of two goitrogens. *Cancer* 40: 2188-2202(1977).
592. Johansson, S. L. Carcinogenicity of analgesics: long-term treatment of Sprague-Dawley rats with phenacetin, phenazone, caffeine and paracetamol (acetaminophen). *Int. J. Cancer* 27: 521-529(1981).
593. Johansson, S. L., and Anderstrom, C. The influence of antipyrene on *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]-formamide-induced urinary tract carcinogenesis. *Carcinogenesis* 9: 783-787(1988).
594. Johansson, S., and Angervall, L. Urothelial changes of the renal papillae in Sprague-Dawley rats induced by long term feeding of phenacetin. *Acta Pathol. Microbiol. Scand. Sect. A. Suppl.* 84: 375-383(1976).
595. Johnson, K. A., Gorzinski, S. J., Bodner, K. M., Campbell, R. A., Wolf, C. H., Friedman, M. A., and Mast, R. W. Chronic toxicity and oncogenicity study on acrylamide incorporated in the drinking water of Fischer 344 rats. *Toxicol. Appl. Pharmacol.* 85: 154-168(1986).
596. Jones, R. C., Sugie, S., Braley, J., and Weisburger, J. H. Dietary β -carotene in rat models of gastrointestinal cancer. *J. Nutr.* 119: 508-514(1989).
597. Jorgenson, T. A., Meierhenry, E. F., Rushbrook, C. J., Bull, R. J., and Robinson, M. Carcinogenicity of chloroform in drinking water to male Osborne-Mendel rats and female B6C3F₁ mice. *Fundam. Appl. Toxicol.* 5: 760-769(1985).
598. Jukes, T. H., Shaffer, C. B. Antithyroid effects of aminotriazole. *Science* 132: 296-297(1960).
599. Kajimura, T., Satoh, H., Rajasekaran, D., Spicer, E. J. F., Nakashima, N., and Takayama, S. Oncogenicity studies of the cognition-enhancing agent nefacetam in mice and rats. *Arzneim.-Forsch.* 44: 254-259(1994).
600. Kamata, E., Nakadate, M., Uchida, O., Ogawa, Y., Suzuki, S., Kaneko, T., Saito, M., and Kurokawa, Y. Results of a 28-month chronic inhalation toxicity study of formaldehyde in male Fisher-344 rats. *J. Toxicol. Sci.* 22: 239-254(1997).
601. Kandarkar, Y., Munir, K. M., Bhide, S. V., and Sirsat, S. M. Ultrastructural study of hepatocellular carcinoma induced by hexachlorocyclohexane. *Indian J. Med. Res.* 78: 155-161(1983).
602. Kanisawa, M., and Schroeder, H. A. Life term studies on the effect of trace elements on spontaneous tumors in mice and rats. *Cancer Res.* 29: 892-895(1969).
603. Kanisawa, M., and Schroeder, H. A. Life term studies on the effects of arsenic, germanium, tin and vanadium on spontaneous tumors in mice. *Cancer Res.* 27: 1192-1195(1967).
604. Kari, F. W., Foley, J. F., Seilkop, S. K., Maronpot, R. R., and Anderson, M. W. Effect of varying exposure regimens on methylene chloride-induced lung and liver tumors in female B6C3F₁ mice. *Carcinogenesis* 14: 819-826(1993).
605. Kärki, A., Mäntylä, E., Hirsimäki, Y., Karlsson, S., Toikkanen, S., and Hirsimäki, P. Comparison of the effects of tamoxifen and toremifene on rat hepatocarcinogenesis. *Arch. Toxicol.* 74: 249-256(2000).
606. Karlsson, S., Hirsimäki, Y., Mäntylä, E., Nieminen, L., Kangas, L., Hirsimäki, P., Perry, C. J., Mulhern, M., Millar, P., Handa, J., and Williams, G. M. A two-year dietary carcinogenicity study of the antiestrogen toremifene in Sprague-Dawley rats. *Drug Chem. Toxicol.* 19: 245-266(1996).
607. Kasahara, K., Nishikawa, A., Furukawa, F., Ikezaki, S., Tanakamaru, Z., Takagi, H., Ikeda, T., Imazawa, T., and Takahashi, M. Suppressive effects of josamycin on the development of altered liver cell foci and chronic nephropathy in a carcinogenicity study. *Food Chem. Toxicol.* 37: 61-67(1999).
608. Kasahara, K., Nishikawa, A., Furukawa, F., Ikezaki, S., Tanakamaru, Z., Lee, I. S., Imazawa, T., and Hirose, M. A chronic toxicity study of josamycin in F344 rats. *Food Chem. Toxicol.* 40: 1017-1022(2002).
609. Kashyap, S. K., Nigam, S. K., Karnik, A. B., Gupta, R. C., and Chatterjee, S. K. Carcinogenicity of DDT (dichlorodiphenyl trichloroethane) in pure inbred swiss mice. *Int. J. Cancer* 19: 725-729(1977).
610. Kasprzak, K. S., Hoover, K. L., and Poirier, L. A. Effects of dietary calcium acetate on lead subacetate carcinogenicity in kidneys of male Sprague-Dawley rats. *Carcinogenesis* 6: 279-282(1985).
611. Katagiri, T., Takeuchi, T., Mine, T., Noguchi, T., Nishizawa, T., Yamamoto, S., Okudaira, M., and Matsushima, T. Chronic inhalation toxicity and carcinogenicity studies of 3-chloro-2-methylpropene in BDF₁ mice. *Ind. Health* 38: 309-318(2000).

612. Kato, T., Ohgaki, H., Hasegawa, H., Sato, S., Takayama, S., and Sugimura, T. Carcinogenicity in rats of a mutagenic compound, 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline. *Carcinogenesis* 9: 71-73(1988).
613. Kawabe, M., Takaba, K., Yoshida, Y., and Hirose, M. Effects of combined treatment with phenolic compounds and sodium nitrite on two-stage carcinogenesis and cell proliferation in the rat stomach. *Jpn. J. Cancer Res.* 85: 17-25(1994).
614. Kawamori, T., Rao, C. V., Seibert, K., and Reddy, B. S. Chemopreventive activity of celecoxib, a specific cyclooxygenase-2 inhibitor, against colon carcinogenesis. *Cancer Res.* 58: 409-412(1998).
615. Kennedy Jr., G. L. Chronic toxicity, reproductive, and teratogenic studies with oxamyl. *Fundam. Appl. Toxicol.* 7: 106-118(1986).
616. Kerns, W. D., Pavkov, K. L., Donofrio, D. J., Gralla, E. J., and Swenberg, J. A. Carcinogenicity of formaldehyde in rats and mice after long-term inhalation exposure. *Cancer Res.* 43: 4382-4392(1983).
617. Ketkar, M. B., and Mohr, U. The chronic effects of magenta, paramagenta and phenyl- β -naphthylamine in rats after intragastric administration. *Cancer Lett.* 16: 203-206(1982).
618. Ketkar, M. B., Fuhst, R., Preussmann, R., and Mohr, U. The carcinogenic effect of nitrosopiperidine administered in the drinking water of Syrian golden hamsters. *Cancer Lett.* 21: 219-224(1983).
619. Ketkar, M. B., Holste, J., Preussmann, R., and Althoff, J. Carcinogenic effect of nitrosomorpholine administered in the drinking water to Syrian golden hamsters. *Cancer Lett.* 17: 333-338(1983).
620. Ketkar, M. B., Schneider, P., Preussmann, R., Plass, C., and Mohr, U. Carcinogenic effect of low doses of nitrosopyrrolidine administered in drinking water to Syrian golden hamsters. *Cancer Res. Clin. Oncol.* 104: 75-79(1982).
621. Ketkar, M., Althoff, J., and Mohr, U. A chronic study of praziquantel in Syrian golden hamsters and Sprague-Dawley rats. *Toxicology* 24: 345-350(1982).
622. Keyes, D. G., Kociba, R. J., Schwetz, R. W., Wade, C. E., Dittenber, D. A., Quinn, T., Gorzinski, S. J., Hermann, E. A., Momany, J. J., and Schwetz, B. A. Results of a two-year toxicity and oncogenic study of rats ingesting diets containing dibromoneopentyl glycol (FR-1138). *J. Combust. Toxicol.* 7: 77-98(1980).
623. Khasawinah, A. M., and Grutsch, J. F. Chlordane: 24-month tumorigenicity and chronic toxicity test in mice. *Regul. Toxicol. Pharmacol.* 10: 244-254(1989).
624. Khasawinah, A. M., and Grutsch, J. F. Chlordane: thirty-month tumorigenicity and chronic toxicity test in rats. *Regul. Toxicol. Pharmacol.* 10: 95-109(1989).
625. Kiaer, H. W., Glavind, J., and Arffmann, E. Carcinogenicity in mice of some fatty acid methyl esters. *Acta Pathol. Microbiol. Scand. Sect. A. Suppl.* 83: 550-558(1975).
626. Kimbrough, R. D., and Linder, R. E. Induction of adenofibrosis and hepatomas of the liver in BALB/cJ mice by polychlorinated biphenyls (Aroclor 1254). *J. Nat. Cancer Inst.* 53: 547-549(1974).
627. Kimbrough, R. D., Squire, R. A., Linder, R. E., Strandberg, J. D., Montali, R. J., and Burse, V. W. Induction of liver tumors in Sherman strain female rats by polychlorinated biphenyl Aroclor 1260. *J. Nat. Cancer Inst.* 55: 1453-1456(1975).
628. Kimura, E. T., Fort, F. L., Buratto, B., Tekeli, S., Kesterson, J. W., Heyman, I. A., and Cusick, P. K. Carcinogenic evaluation of estazolam via diet in CD strain Sprague-Dawley rats and B6C3F₁ mice for 2 years. *Fundam. Appl. Toxicol.* 4: 827-842(1984).
629. Kimura, N. T., Kanematsu, T., and Baba, T. Polychlorinated biphenyl(s) as a promoter in experimental hepatocarcinogenesis in rats. *Cancer Res. Clin. Oncol.* 87: 257-266(1976).
630. Kinebuchi, M., Kawachi, T., Matsukura, N., and Sugimura, T. Further studies on the carcinogenicity of a food additive, AF-2, in hamsters. *Food Cosmet. Toxicol.* 17: 339-341(1979).
631. King, D. W., Bock, F. G., and Moore, G. E. Dinitrophenol inhibition of pituitary adenoma formation in mice fed propylthiouracil. *Proc. Soc. Exp. Biol. Med.* 112: 365-366(1963).
632. Kirby, A. H. M., and Peacock, P. R. The induction of liver tumours by 4-aminoazobenzene and its *N,N*-dimethyl derivative in rats on a restricted diet. *J. Pathol.* 59: 1-18(1947).
633. Kitahori, Y., Kitamura, M., Konishi, N., Matsuda, H., Tao, M., Matsui, E., Naito, H., Nakamura, Y., and Hiasa, Y. Carcinogenicity study of monosodium aspartate in Fischer 344 rats: 100 weeks treatment. *J. Toxicol. Pathol.* 9: 161-168(1996).
634. Kitahori, Y., Konishi, N., Cho, M., Yamamoto, K., Nakagawa, Y., Matsui, E., and Hiasa, Y. Lack of carcinogenicity of sodium metaphosphate in Fischer 344 rats. 11: 41-47(1998).
635. Kitahori, Y., Konishi, N., Hayashi, I., Nakahashi, K., Kitamura, M., Nakamura, Y., Matsuda, H., Fukushima, Y., Yoshioka, N., and Hiasa, Y. Carcinogenicity study of glycine in Fischer 344 rats. *J. Toxicol. Pharmacol.* 7: 471-480(1994).
636. Kitahori, Y., Konishi, N., Nakagawa, Y., Cho, M., Naitoh, H., Yamamoto, K., Matsui, E., and Hiasa, Y. Lack of carcinogenicity of *L*-cysteine monohydrochloride in Fischer 344 rats. *J. Toxicol. Pathol.* 10: 83-89(1997).
637. Kitamura, T., Ando, J., Ishihara, R., Takano, S., Iijima, T., Nishimura, S., Yoshida, M., Takahashi, M., and Maekawa, A. Lack of carcinogenicity of thiaphenicol in F344 rats. *Food Chem. Toxicol.* 35: 1075-1080(1997).
638. Klimisch, H.-J., Deckardt, K., Gembardt, Chr., Hildebrand, B., Küttler, K., and Roe, F. J. C. Long-term inhalation toxicity of *N*-vinylpyrrolidone-2 vapors. Studies in rats. *Food Chem. Toxicol.* 35: 1041-1060(1997).
639. Klimisch, H.-J., Deckardt, K., Gembardt, Chr., Hildebrand, B., Küttler, K., and Roe, F. J. C. Subchronic inhalation and oral toxicity of *N*-vinylpyrrolidone-2. Studies in rodents. *Food Chem. Toxicol.* 35: 1061-1074(1997a).
640. Kobuke, T., Inai, K., Nambu, S., Ohe, K., Takemoto, T., Matsuki, K., Nishina, H., Huang, I.-B., and Tokuoka, S. Tumorigenicity study of disodium glycyrrhizinate administered orally to mice. *Food Chem. Toxicol.* 23: 979-983(1985).
641. Kociba, R. J., Frauson, L. O., Humiston, C. G., Norris, J. M., Wade, C. E., Lisowe, R. W., Quast, J. F., Jersey, G. C., and Jewett, G. L. Results of a two-year dietary feeding study with decabromodiphenyl oxide (DBDPO) in rats. *J. Combust. Toxicol.* 2: 267-285(1975).
642. Kociba, R. J., Keyes, D. G., Beyer, J. E., Carreon, R. M., Wade, C. E., Dittenbar, D. A., Kalnins, R. P., Frauson, L. E., Park, C. N., Barnard, S. D., Hummel, R. A., and Humiston, C. G. Results of a two-year chronic toxicity and oncogenicity study of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in rats. *Toxicol. Appl. Pharmacol.* 46: 279-303(1978).
643. Kociba, R. J., Keyes, D. G., Jersey, G. C., Ballard, J. J., Dittenber, D. A., Quast, J. F., Wade, C. E., Humiston, C. G., and Schwetz, B. A. Results of a two-year chronic toxicity study with hexachlorobutadiene in rats. *Am. Ind. Hyg. Assoc. J.* 38: 589-602(1977).
644. Kociba, R. J., Keyes, D. G., Lisowe, R. W., Kalnins, R. P., Dittenber, D. A., Wade, C. E., Gorzinski, S. J., Mahle, N. H., and Schwetz, B. A. Results of a two-year chronic toxicity and oncogenic study of rats ingesting diets containing 2,4,5-trichlorophenoxyacetic acid (2,4,5-T). *Food Cosmet. Toxicol.* 17: 205-221(1979).
645. Kociba, R. J., McCollister, S. B., Park, C., Torkelson, T. R., and Gehring, P. J. 1,4-Dioxane. I. Results of a 2-year ingestion study in rats. *Toxicol. Appl. Pharmacol.* 30: 275-286(1974).
646. Koepke, S. R., Creasia, D. R., Knutsen, G. L., and Michejda, C. J. Carcinogenicity of hydroxylalkylnitrosamines in F344 rats: contrasting behavior of β - and γ -hydroxylated nitrosamines. *Cancer Res.* 48: 1533-1536 (1988).
647. Koestner, A. Aspartame and brain tumors: pathology issues. In: *Aspartame: Physiology and Biochemistry*, L. G. Stegink and L. J. Filer, Jr., eds. New York: Marcel Dekker, 1984, pp. 447-457.
648. Koller, L. D., Kerkvliet, N. I., and Exon, J. H. Neoplasia induced in male rats fed lead acetate, ethyl urea, and sodium nitrite. *Toxicol. Pathol.* 13: 50-57(1985).

649. Kommineni, C., Groth, D. H., Frockt, I. J., Voelker, R. W., and Stanovick, R. P. Determination of the tumorigenic potential of methylene-bis-ortho-chloroaniline. *J. Environ. Pathol. Toxicol.* 2: 149-171(1979).
650. Konishi, N., Diwan, B. A., and Ward, J. M. Amelioration of sodium barbital-induced nephropathy and regenerative tubular hyperplasia after a single injection of streptozotocin does not abolish the renal tumor promoting effect of barbital sodium in male F344/NCr rats. *Carcinogenesis* 11: 2149-2156(1990).
651. Konishi, N., Kitahori, Y., Nishioka, H., Yane, K., and Hiasa, Y. Carcinogenicity testing of food red no. 106 (acid red) in Fischer 344 rats. *J. Toxicol. Pathol.* 5: 157-165(1992).
652. Konishi, Y., Denda, A., Uchida, K., Emi, Y., Ura, H., Yokose, Y., Shiraiwa, K., and Tsutsumi, M. Chronic toxicity carcinogenicity studies of triethanolamine in B6C3F₁ mice. *Fundam. Appl. Toxicol.* 18: 25-29(1992).
653. Konishi, Y., Kondo, H., Ikeda, T., Kawabata, A., Shoji, Y., and Denda, A. Effect of dose on the carcinogenic activity of orally administered *N*-bis(2-hydroxypropyl)nitrosamine in rats. *Gann* 69: 573-577(1978).
654. Koujiti, T., Yasuhara, K., Kobayashi, H., Shimada, A., Onodera, H., Takagi, H., Hirose, M., and Mitsumori, K. Tumor-promoting activity of 2,6-dimethylaniline in a two-stage nasal carcinogenesis model in *N*-bis(2-hydroxypropyl)nitrosamine-treated rats. *Cancer Lett.* 142: 161-171(1999).
655. Kraupp-Grasl, B., Huber, W., Putz, B., Gerbracht, U., and Schulte-Hermann, R. Tumor promotion by the peroxisome proliferator nafenopin involving a specific subtype of altered foci in rat liver. *Cancer Res.* 50: 3701-3708(1990).
656. Kraupp-Grasl, B., Huber, W., Taper, H., and Schulte-Hermann, R. Increased susceptibility of aged rats to hepatocarcinogenesis by the peroxisome proliferator nafenopin and the possible involvement of altered liver foci occurring spontaneously. *Cancer Res.* 51: 666-671(1991).
657. Kroeger-Koepe, M. B., Reuber, M. D., Iype, P. T., Lijinsky, W., and Michejda, C. J. The effect of substituents in the aromatic ring on carcinogenicity of *N*-nitrosomethyl aniline in F344 rats. *Carcinogenesis* 4: 157-160(1983).
658. Kroes, R., Peters, P. W. J., Berkvens, J. M., Verschuur, H. G., De Vries, T., and Van Esch, G. J. Long term toxicity and reproduction study (including a teratogenicity study) with cyclamate, saccharin and cyclohexylamine. *Toxicology* 8: 285-300(1977).
659. Kroes, R., Van Logten, M. J., Berkvens, J. M., De Vries, T., and Van Esch, G. J. Study on the carcinogenicity of lead arsenate and sodium arsenite and on the possible synergistic effect of diethyltinrosamine. *Food Cosmet. Toxicol.* 12: 671-679(1974).
660. Kruger, F. W., and Schmahl, D. Fehlen einer carcinogenen Wirkung von 7-Methylguanin bei Ratten. *Cancer Res. Clin. Oncol.* 75: 253-254(1971).
661. Kudo, M., Ohkawa, T., Nakamura, M., Maruyama, K., and Ikai, M. Toxicological study of urapidil. (2) Twelve-month chronic oral toxicity in rats. *Pharmacometrics (Oyo Yakuri)* 33: 473-500(1987).
662. Kuhara, K., Takanashi, H., Hirono, I., Furuya, T., and Asada, Y. Carcinogenic activity of clivorine, a pyrrolizidine alkaloid isolated from *Ligularia dentata*. *Cancer Lett.* 10: 117-122(1980).
663. Kumagai, H., Kawaura, A., Shibata, M., and Otsuka, H. Carcinogenicity of dipyrone in (C57BL/6 × C3H)F₁ mice. *J. Nat. Cancer Inst.* 71: 1295-1297(1983).
664. Kunze, E., Woltjen, H. H., Hartmann, B., and Engelhardt, W. Animal experiments regarding a possible carcinogenic effect of phenacetin on the resting and proliferating urothelium stimulated by cyclophosphamide. *Cancer Res. Clin. Oncol.* 105: 38-47(1983).
665. Kuper, C. F., Reuzel, P. G. J., Feron, V. J., and Verschuur, H. Chronic inhalation toxicity and carcinogenicity study of propylene oxide in Wistar rats. *Food Chem. Toxicol.* 26: 159-167(1988).
666. Kurata, Y., Diwan, B. A., and Ward, J. M. Lack of renal tumour-initiating activity of a single dose of potassium bromate, a genotoxic renal carcinogen in male F344/NCr rats. *Food Chem. Toxicol.* 30: 251-259(1992).
667. Kurata, Y., Fukushima, S., Hagiwara, A., Ito, H., Ogawa, K., and Ito, N. Carcinogenicity study of methyl hesperidin in B6C3F₁ mice. *Food Chem. Toxicol.* 28: 613-618(1990).
668. Kurata, Y., Tamano, S., Shibata, M.-A., Hagiwara, A., Fukushima, S., and Ito, N. Lack of carcinogenicity of magnesium chloride in a long-term feeding study in B6C3F₁ mice. *Food Chem. Toxicol.* 27: 559-563(1989).
669. Kuroda, K., Terao, K., and Akao, M. Inhibitory effect of fumaric acid on hepatocarcinogenesis by thioacetamide in rats. *J. Nat. Cancer Inst.* 79: 1047-1051(1987).
670. Kurokawa, Y., Aoki, S., Matsushima, Y., Takamura, N., Imazawa, T., and Hayashi, Y. Dose-response studies on the carcinogenicity of potassium bromate in F344 rats after long-term oral administration. *J. Nat. Cancer Inst.* 77: 977-982(1986).
671. Kurokawa, Y., Hayashi, Y., Maekawa, A., Takahashi, M., and Kokubo, T. High incidences of pheochromocytomas after long-term administration of retinol acetate to F344/DuCrj rats. *J. Natl. Cancer Inst.* 74: 715-723(1985).
672. Kurokawa, Y., Hayashi, Y., Maekawa, A., Takahashi, M., Kokubo, T., and Odashima, S. Carcinogenicity of potassium bromate administered orally to F344 rats. *J. Natl. Cancer Inst.* 71: 965-972(1983).
673. Kurokawa, Y., Matsushima, Y., Imazawa, T., Takamura, N., Maekawa, A., Takahashi, M., and Hayashi, Y. Long-term *in vivo* carcinogenicity study of nalidixic acid in CDF₁ mice. *Food Chem. Toxicol.* 24: 319-323(1986).
674. Kurokawa, Y., Matsushima, Y., Takamura, N., Imazawa, T., and Hayashi, Y. Relationship between the duration of treatment and the incidence of renal cell tumors in male F344 rats administered potassium bromate. *Jpn. J. Cancer Res.* 78: 358-364(1987).
675. Kurokawa, Y., Takayama, S., Konishi, Y., Hiasa, Y., Asahina, S., Takahashi, M., Maekawa, A., and Hayashi, Y. Long-term *in vivo* carcinogenicity tests of potassium bromate, sodium hypochlorite, and sodium chlorite conducted in Japan. *Environ. Health Perspect.* 69: 221-235(1986).
676. Kushida, H., Wakabayashi, K., Sato, H., Katami, M., Kurosaka, R., and Nagao, M. Dose-response study of MeIQx carcinogenicity in F344 male rats. *Cancer Lett.* 83: 31-35(1994).
677. Lacassagne, A., and Duplan, J. F. Cancerologie. Le mécanisme de la cancérisation de la mamelle chez la souris, considéré d'après les résultats d'expériences au moyen de la réserpine. *Académie des Sciences. Mémoires et Communications des Membres et des Correspondants de l'Académie* 810-812(1959).
678. Laconi, E., Vasudevan, S., Rao, P. M., Rajalakshmi, S., Pani, P., and Sarma, D. S. R. The effect of long-term feeding of orotic acid on the incidence of foci of enzyme-altered hepatocytes and hepatic nodules in Fischer 344 rats. *Carcinogenesis* 14: 1901-1905(1993).
679. Lake, B. G., Evans, J. G., Cunningham, M. E., and Price, R. J. Comparison of the hepatic effects of nafenopin and WY-14,643 on peroxisome proliferation and cell replication in the rat and Syrian hamster. *Environ. Health Perspect.* 101(Suppl. 5): 241-247(1993).
680. Lalwani, N. D., Reddy, M. K., Qureshi, S. A., and Reddy, J. K. Development of hepatocellular carcinomas and increased peroxisomal fatty acid β -oxidation in rats fed [4-chloro-6-(2,3-xylylidino)-2-pyrimidinylthio]acetic acid (WY-14,643) in the semipurified diet. *Carcinogenesis* 2: 645-650(1981).
681. Larson, P. S., Crawford, E. M., Blackwell Smith, R., Hennigar, G. R., Haag, H. B., and Finnegan, J. K. Chronic toxicologic studies on isopropyl *N*-(3-chlorophenyl) carbamate (CIPC). *Toxicol. Appl. Pharmacol.* 2: 659-673(1960).
682. Laskin, S., Drew, R. T., Cappiello, V., Kuschner, M., and Nelson, N. Inhalation carcinogenicity of α -halo ethers. II. Chronic inhalation studies with chloromethyl methyl ether. *Arch. Environ. Health* 30: 70-72(1975).
683. Laskin, S., Sellakumar, A. R., Kuschner, M., Nelson, N., La Mendola, S., Rusch, G. M., Katz, G. V., Dulak, N. C., and Albert, R. E. Inhalation carcinogenicity of epichlorohydrin in noninbred Sprague-Dawley rats. *J. Nat. Cancer Inst.* 65: 751-757(1980).
684. LaVoie, E. J., Shigematsu, A., Mu, B., Rivenson, A., and Hoffmann, D. The effects of catechol on the urinary bladder of rats treated with *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine. *Jpn. J. Cancer Res.* 76: 266-271(1985).
685. Lawson, T. A., Mirvish, S. S., Pour, P., and Williams, G. Persistence of DNA single-strand breaks and other tests as indicators of the liver carcinogenicity of 1-nitroso-5,6-dihydouracil and the non-carcinogenicity of 1-nitroso-5,6-dihydrothymine. *J. Nat. Cancer Inst.* 73: 515-519(1984).

686. Lee, C. C., Bhandari, J. C., Winston, J. M., House, W. B., Dixon, R. L., and Woods, J. S. Carcinogenicity of vinyl chloride and vinylidene chloride. *J. Toxicol. Environ. Health* 4: 15-30(1978).
687. Lee, C. C., Hong, C. B., Ellis, H. V., III, Dacre, J. C., and Glennon, J. P. Subchronic and chronic toxicity studies of 2,4-dinitrotoluene. Part II. CD rats. *J. Am. Coll. Toxicol.* 4: 243-256(1985).
688. Lee, D. J., Wales, J. H., and Sinnhuber, R. O. Hepatoma and renal tubule adenoma in rats fed aflatoxin and cyclopropenoic fatty acids. *J. Nat. Cancer Inst.* 43: 1037-1041(1969).
689. Lee, K. P., and Trochimowicz, H. J. Induction of nasal tumors in rats exposed to hexamethylphosphoramide by inhalation. *J. Nat. Cancer Inst.* 68: 157-164 (1982).
690. Lee, K. P., and Trochimowicz, H. J. Metaplastic changes of nasal respiratory epithelium in rats exposed to hexamethylphosphoramide (HMPA) by inhalation. *Am. J. Pathol.* 106: 8-19 (1982a).
691. Lee, K. P., and Trochimowicz, H. J. Morphogenesis of nasal tumors in rats exposed to hexamethylphosphoramide by inhalation. *Environ. Res.* 33: 106-118 (1984).
692. Lee, K. P., Chromey, N. C., Culik, R., Barnes, J. R., and Schneider, P. W. Toxicity of *N*-methyl-2-pyrrolidone (NMP): teratogenic, subchronic, and two-year inhalation studies. *Fundam. Appl. Toxicol.* 9: 222-235(1987).
693. Lee, K. P., Schneider, P. W., and Trochimowicz, H. J. Morphologic expression of glandular differentiation in the epidermoid nasal carcinomas induced by phenylglycidyl ether inhalation. *Am. J. Pathol.* 111: 140-148(1983).
694. Leonard, T. B., Graichen, M. E., and Popp, J. A. Dinitrotoluene isomer-specific hepatocarcinogenesis in F344 rats. *J. Nat. Cancer Inst.* 79: 1313-1319(1987).
695. Leong, B. K. J., Kociba, R. J., and Jersey, G. C. A lifetime study of rats and mice exposed to vapors of bis(chloromethyl) ether. *Toxicol. Appl. Pharmacol.* 58: 269-281(1981).
696. Leopold, W. R., Miller, J. A., and Miller, E. C. Comparison of some carcinogenic, mutagenic, and biochemical properties of S-vinylhomocysteine and ethionine. *Cancer Res.* 42: 4364-4374(1982).
697. Leuschner, F. Carcinogenicity studies on different diarylide yellow pigments in mice and rats. *Toxicol. Lett.* 2: 253-260(1978).
698. Levinskas, G. J., Ribelin, W. E., and Shaffer, C. B. Acute and chronic toxicity of pimaricin. *Toxicol. Appl. Pharmacol.* 8: 97-109(1966).
699. Levy, L. S., and Clack, J. Further studies on the effect of cadmium on the prostate gland. I. Absence of prostatic changes in rats given oral cadmium sulphate for two years. *Ann. Occup. Hyg.* 17: 205-211(1975).
700. Levy, L. S., Clack, J., and Roe, F. J. C. Further studies on the effect of cadmium on the prostate gland. II. Absence of prostatic changes in mice given oral cadmium sulphate for eighteen months. *Ann. Occup. Hyg.* 17: 213-220(1975).
701. Lijinsky, W. Chronic bioassay of benzyl chloride in F344 rats and (C57BL/6J × BALB/c)F₁ mice. *J. Nat. Cancer Inst.* 76: 1231-1236(1986).
702. Lijinsky, W. Chronic toxicity tests of pyrilamine maleate and methapyrilene hydrochloride in F344 rats. *Food Chem. Toxicol.* 22: 27-30(1984).
703. Lijinsky, W. Induction of tumors of the nasal cavity in rats by concurrent feeding of thiram and sodium nitrite. *J. Toxicol. Environ. Health* 13: 609-614(1984).
704. Lijinsky, W. Induction of tumors in rats by feeding nitrosatable amines together with sodium nitrite. *Food Chem. Toxicol.* 22: 715-720(1984).
705. Lijinsky, W. Rat and mouse forestomach tumors induced by chronic oral administration of styrene oxide. *J. Nat. Cancer Inst.* 77: 471-476(1986).
706. Lijinsky, W., and Kovatch, R. M. A study of the carcinogenicity of glycidel in Syrian hamsters. *Toxicol. Ind. Health* 8: 267-271(1992).
707. Lijinsky, W., and Kovatch, R. M. Carcinogenesis by nitrosohydroxyethylurea and nitrosomethoxyethylurea in F344 rats. *Jpn. J. Cancer Res.* 79: 181-186(1988).
708. Lijinsky, W., and Kovatch, R. M. Carcinogenicity studies of some analogs of the carcinogen methapyrilene in F344 rats. *Cancer Res. Clin. Oncol.* 112: 57-60(1986).
709. Lijinsky, W., and Kovatch, R. M. Chronic toxicity study of cyclohexanone in rats and mice. *J. Nat. Cancer Inst.* 77: 941-949(1986).
710. Lijinsky, W., and Kovatch, R. M. Chronic toxicity tests of sodium thiocyanate with sodium nitrite in F344 rats. *Toxicol. Ind. Health* 5: 25-29(1989).
711. Lijinsky, W., and Kovatch, R. M. Induction of liver tumors in rats by nitrosodiethanolamine at low doses. *Carcinogenesis* 6: 1697-1681(1985).
712. Lijinsky, W., and Kovatch, R. M. Similar carcinogenic actions of nitrosoalkylureas of varying structure given to rats by gavage. *Toxicol. Ind. Health* 5: 925-935(1989).
713. Lijinsky, W., and Kovatch, R. M. The uniform carcinogenic action of alkynitrosoureas in Syrian hamsters. *Biomed. Environ. Sci.* 2: 167-173(1989).
714. Lijinsky, W., and Reuber, M. D. Carcinogenesis in Fischer rats by nitrosodipropylamine, nitrosodibutylamine and nitrosobis(2-oxopropyl)amine given by gavage. *Cancer Lett.* 19: 207-213(1983).
715. Lijinsky, W., and Reuber, M. D. Carcinogenesis in rats by nitrosodimethylamine and other nitrosomethylalkylamines at low doses. *Cancer Lett.* 22: 83-88(1984).
716. Lijinsky, W., and Reuber, M. D. Carcinogenic effect of nitrosopyrrolidine, nitrosopiperidine and nitrosohexamethyleneimine in Fischer rats. *Cancer Lett.* 12: 99-103(1981).
717. Lijinsky, W., and Reuber, M. D. Chronic carcinogenesis studies of acrolein and related compounds. *Toxicol. Ind. Health* 3: 337-345(1987).
718. Lijinsky, W., and Reuber, M. D. Chronic toxicity studies of vinyl acetate in Fischer rats. *Toxicol. Appl. Pharmacol.* 68: 43-53(1983).
719. Lijinsky, W., and Reuber, M. D. Comparison of nitrosocimetidine with nitrosomethylnitroguanidine in chronic feeding tests in rats. *Cancer Res.* 44: 447-449(1984).
720. Lijinsky, W., and Reuber, M. D. Dose-response study with *N*-nitrosodiethanolamine in F344 rats. *Food Chem. Toxicol.* 22: 23-26(1984).
721. Lijinsky, W., and Reuber, M. D. Pathologic effects of chronic administration of hydrochlorothiazide, with and without sodium nitrite, to F344 rats. *Toxicol. Ind. Health* 3: 413-422(1987).
722. Lijinsky, W., and Schmahl, D. Carcinogenicity of *N*-nitroso derivatives of *N*-methylcarbamate insecticides in rats. *Ecotoxicol. Environ. Safety* 2: 413-419(1978).
723. Lijinsky, W., Greenblatt, M., and Kommineni, C. Feeding studies of nitrilotriacetic acid and derivatives in rats. *J. Nat. Cancer Inst.* 50: 1061-1063(1973).
724. Lijinsky, W., Knutsen, G. L., and Kovatch, R. M. Carcinogenic effect of nitrosoalkylureas and nitrosoalkylcarbamates in Syrian hamsters. *Cancer Res.* 45: 542-545(1985).
725. Lijinsky, W., Knutsen, G. L., and Kovatch, R. M. Comparative carcinogenesis by hydroxylated nitrosopropylamines in Syrian hamsters. *J. Nat. Cancer Inst.* 74: 923-926(1985).
726. Lijinsky, W., Knutsen, G. L., and Reuber, M. D. Carcinogenicity of methylated nitrosopiperazines in rats and hamsters. *Carcinogenesis* 4: 1165-1167(1983).
727. Lijinsky, W., Knutsen, G., and Reuber, M. D. Failure of methapyrilene to induce tumors in hamsters or guinea pigs. *J. Toxicol. Environ. Health* 12: 653-657(1983).
728. Lijinsky, W., Kovatch, R. M., and Knutsen, G. L. Carcinogenesis by nitrosomorpholines, nitrosooxazolidines and nitrosoazetidine given by gavage to Syrian golden hamsters. *Carcinogenesis* 5: 875-878(1984).
729. Lijinsky, W., Kovatch, R. M., and Knutsen, G. L. Carcinogenesis by oxygenated nitrosomethylpropylamines in Syrian hamsters. *Cancer Res. Clin. Oncol.* 109: 1-4(1985).
730. Lijinsky, W., Kovatch, R. M., and Riggs, C. W. Carcinogenesis by nitrosodialkylamines and azoxyalkanes given by gavage to rats and hamsters. *Cancer Res.* 47: 3968-3972(1987).

731. Lijinsky, W., Kovatch, R. M., and Saavedra, J. E. Carcinogenesis and mutagenesis by *N*-nitroso compounds having a basic center. *Cancer Lett.* 63: 101-107(1992).
732. Lijinsky, W., Kovatch, R. M., and Singer, S. S. Carcinogenesis in F-344 rats induced by nitrosohydroxyalkyl-chloroethylureas. *Cancer Res. Clin. Oncol.* 112: 221-228(1986).
733. Lijinsky, W., Kovatch, R. M., Keefer, L. K., Saavedra, J. E., Hansen, T. J., Miller, A. J., and Fiddler, W. Carcinogenesis in rats by cyclic *N*-nitrosamines containing sulphur. *Food Chem. Toxicol.* 26: 3-7(1988).
734. Lijinsky, W., Kovatch, R. M., Riggs, C. W., and Walters, P. T. Dose response study with *N*-nitrosomorpholine in drinking water of F-344 rats. *Cancer Res.* 48: 2089-2095(1988).
735. Lijinsky, W., Kovatch, R., and Riggs, C. W. Altered incidences of hepatic and hemopoietic neoplasms in F344 rats fed sodium nitrite. *Carcinogenesis* 4: 1189-1191(1983a).
736. Lijinsky, W., Reuber, M. D., and Riggs, C. W. Carcinogenesis by combinations of *N*-nitroso compounds in rats. *Food Chem. Toxicol.* 21: 601-605(1983).
737. Lijinsky, W., Reuber, M. D., and Riggs, C. W. Dose response studies of carcinogenesis in rats by nitrosodiethylamine. *Cancer Res.* 41: 4997-5003(1981).
738. Lijinsky, W., Reuber, M. D., and Saavedra, J. E. The effect of deuterium substitution on carcinogenesis by azoxymethane. *Cancer Lett.* 24: 273-280(1984).
739. Lijinsky, W., Reuber, M. D., Davies, T. C., and Riggs, C. W. Dose-response studies with nitroso-1,2,3,6-tetrahydropyridine and dinitrosohomopiperazine in F344 rats. *Ecotoxicol. Environ. Safety* 6: 513-527(1982).
740. Lijinsky, W., Reuber, M. D., Davies, T. S., and Riggs, C. W. Dose-response studies with nitrosoheptamethyleneimine and its α -deuterium-labeled derivative in F344 rats. *J. Nat. Cancer Inst.* 69: 1127-1133(1982).
741. Lijinsky, W., Reuber, M. D., Davies, T. S., Saavedra, J. E., and Riggs, C. W. Dose-response studies in carcinogenesis by nitroso-*N*-methyl-*N*-(2-phenyl)ethylamine in rats and the effects of deuterium substitution. *Food Cosmet. Toxicol.* 20: 393-399(1982).
742. Lijinsky, W., Saavedra, J. E., and Kovatch, R. M. Carcinogenesis in rats by nitrosodialkylureas containing oxygenated alkyl groups. *in vivo* 4: 1-6(1990).
743. Lijinsky, W., Saavedra, J. E., and Reuber, M. D. Carcinogenesis in F-344 rats by nitrosobis(2-oxopropyl)amine and related compounds administered in drinking water. *Cancer Res. Clin. Oncol.* 107: 178-182(1984).
744. Lijinsky, W., Saavedra, J. E., and Reuber, M. D. Carcinogenesis in rats by some hydroxylated acyclic nitrosamines. *Carcinogenesis* 5: 167-170(1984).
745. Lijinsky, W., Saavedra, J. E., and Reuber, M. D. Induction of carcinogenesis in Fischer rats by methylalkylnitrosamines. *Cancer Res.* 41: 1288-1292(1981).
746. Lijinsky, W., Saavedra, J. E., and Reuber, M. D. Organspecific carcinogenesis in rats by methyl- and ethylazoxyalkanes. *Cancer Res.* 45: 76-79(1985a).
747. Lijinsky, W., Singer, G. M., Saavedra, J. E., and Reuber, M. D. Carcinogenesis in rats by asymmetric nitrosamines containing an allyl group. *Cancer Lett.* 22: 281-288(1984).
748. Lijinsky, W., Taylor, H. W., Mangino, M., and Singer, G. M. Carcinogenesis of nitrosomethylundecylamine in Fischer rats. *Cancer Lett.* 5: 209-213(1978).
749. Lina, B. A. R., Hollanders, V. M. H., and Kuijpers, M. H. M. The role of alkalizing and neutral potassium salts in urinary bladder carcinogenesis in rats. *Carcinogenesis* 15: 523-527(1994).
750. Lindsay, S., Nichols, C. W., and Chaikoff, I. L. Induction of benign and malignant thyroid neoplasms in the rat. Induction of thyroid neoplasms by injection of 131-I with or without the feeding of diets containing propylthiouracil and/or dessicated thyroid. *Arch. Pathol.* 81: 308-316(1966).
751. Lington, A. W., Bird, M. G., Plutnick, R. T., Stubblefield, W. A., Scala, R. A. Chronic toxicity and carcinogenicity evaluation of diisononyl phthalate in rats. *Fundam. Appl. Toxicol.* 36: 79-89(1997).
752. Lipsky, M. M., Hinton, D. E., Klaunig, J. E., and Trump, B. F. Biology of hepatocellular neoplasia in the mouse. I. Histogenesis of safrole-induced hepatocellular carcinoma. *J. Nat. Cancer Inst.* 67: 365-371(1981).
753. Littlefield, N. A. *Chronic Toxicity and Carcinogenesis Study on Sulfamethazine in B6C3F₁ Mice*. National Center for Toxicological Research, Jefferson, AR. Technical Report Number 418 (1989a).
754. Littlefield, N. A., Blackwell, B.-N., Hewitt, C. C., and Gaylor, D. W. Chronic toxicity and carcinogenicity studies of gentian violet in mice. *Fundam. Appl. Toxicol.* 5: 902-912(1985).
755. Littlefield, N. A., Farmer, J. H., Gaylor, D. W., and Sheldon, W. G. Effects of dose and time in a long-term, low-dose carcinogenic study. *J. Environ. Pathol. Toxicol.* 3: 17-34(1980).
756. Littlefield, N. A., Gaylor, D. W., Blackwell, B. N., and Allen, R. R. Chronic toxicity/carcinogenicity studies of sulphamethazine in B6C3F₁ mice. *Food Chem. Toxicol.* 27: 455-463(1989).
757. Littlefield, N. A., Nelson, C. J., and Frith, C. H. Benzidine dihydrochloride: toxicological assessment in mice during chronic exposures. *J. Toxicol. Environ. Health* 12: 671-685(1983).
758. Littlefield, N. A., Nelson, C. J., and Gaylor, D. W. Benzidine dihydrochloride: risk assessment. *Fundam. Appl. Toxicol.* 4: 69-80(1984).
759. Litton Bionetics. *Carcinogenic Evaluation in Mice: Toxaphene. Final Report*. Prepared by Litton Bionetics, Inc., Kensington, MD for Hercules, Inc., Wilmington, DE. LBI Project No. 20602 (1978).
760. Loeser, E. Long-term toxicity and carcinogenicity studies with 2,4,2,6-toluene-diisocyanate (80/20) in rats and mice. *Toxicol. Lett.* 15: 71-81(1983).
761. Loeser, E., and Litchfield, M. H. Review of recent toxicology studies on *p*-dichlorobenzene. *Food Chem. Toxicol.* 21: 825-832(1983).
762. Lomax, L. G., Krivanek, N. D., and Frame, S. R. Chronic inhalation toxicity and oncogenicity of methyl methacrylate in rats and hamsters. *Food Chem. Toxicol.* 35: 393-407(1997).
763. Lomax, L. G., Stott, W. T., Johnson, K. A., Calhoun, L. L., Yano, B. L., and Quast, J. F. The chronic toxicity and oncogenicity of inhaled technical-grade 1,3-dichloropropene in rats and mice. *Fundam. Appl. Toxicol.* 12: 418-431(1989).
764. Long, E. L., Nelson, A. A., Fitzhugh, O. G., and Hansen, W. H. Liver tumors produced in rats by feeding safrole. *Arch. Pathol.* 75: 595-604(1963).
765. Longnecker, D. S., Curphey, T. J., Lilja, H. S., French, J. I., and Daniel, D. S. Carcinogenicity in rats of the nitrosourea amino acid *N*⁸-(*N*-methyl-*N*-nitrosocarbamoyl)-L-ornithine. *J. Environ. Pathol. Toxicol.* 4: 117-129(1980).
766. Longnecker, D. S., Roebuck, B. D., Curphey, T. J., and MacMillan, D. L. Evaluation of promotion of pancreatic carcinogenesis in rats by benzyl acetate. *Food Chem. Toxicol.* 28: 665-668(1990).
767. Longnecker, D. S., Roebuck, B. D., Yager, J. D., Lilja, H. S., and Siegmund, B. Pancreatic carcinoma in azaserine-treated rats: induction, classification and dietary modulation of incidence. *Cancer* 47: 1562-1572(1981).
768. Longstaff, E., Robinson, M., Bradbrook, C., Styles, J. A., and Purchase, I. F. H. Genotoxicity and carcinogenicity of fluorocarbons: assessment by short-term *in vitro* tests and chronic exposure in rats. *Toxicol. Appl. Pharmacol.* 72: 15-31(1984).
769. Löser, E. A 2 year oral carcinogenicity study with cadmium on rats. *Cancer Lett.* 9: 191-198(1980).
770. Louria, D. B., Finkel, G., Smith, J. K., and Buse, M. Aflatoxin-induced tumors in mice. *Sabouraudia* 12: 371-375(1974).
771. Lynch, D. W., Lewis, T. R., Moorman, W. J., Burg, J. R., Groth, D. H., Khan, A., Ackerman, L. J., and Cockrell, B. Y. Carcinogenic and toxicologic effects of inhaled ethylene oxide and propylene oxide in F344 rats. *Toxicol. Appl. Pharmacol.* 76: 69-84(1984).
772. Macallum, G. E., Rothwell, C. E., and Smith, G. S. Carcinogenicity studies of pirmenol in mice and rats. *Drug Investig.* 3: 278-289(1991).
773. MacDonald, J. S., Gerson, R. J., Kornbrust, D. J., Kloss, M. W., Prahalada, S., Berry, P. H., Alberts, A. W., and Bokelman, D. L. Preclinical evaluation of lovastatin. *Am. J. Cardiol.* 62: 161-171(1988).
774. Machishi, H., Higashi, S., Hibasami, H., Nakashima, K., Kawarada, Y., and Mizumoto, R. Role of activation of ornithine decarboxylase and DNA synthesis on ethynodiol-induced hepatocarcinogenesis. *Carcinogenesis* 16: 2965-2971(1995).
775. Mackenzie, K. M., Tisdell, P. J., Hall, R. L., Boysen, B. G., Field, W. E., and Chappell, C. I. Oral toxicity and carcinogenicity studies of sucrose acetate isobutyrate (SAIB) in the Fischer 344 rat and B6C3F₁ mouse. *Food Chem. Toxicol.* 36: 111-120(1998).
776. Macklin, A. W., and Szot, R. J. Eighteen month oral study of aspirin, phenacetin and caffeine in C57BL/6 mice. *Drug Chem. Toxicol.* 3: 135-163(1980).

777. Maeda, T., Sano, N., Toge, K., Shibata, M., Izumi, K., and Otsuka, H. Lack of carcinogenicity of phenytoin in (C57BL/6 × C3H)F₁ mice. *J. Toxicol. Environ. Health* 24: 111-119(1988).
778. Maekawa, A., Kajiwara, T., Odashima, S., and Kurata, H. Hepatic changes in male ACI/N rats on low dietary levels of sterigmatocystin. *Gann* 70: 777-781(1979).
779. Maekawa, A., Matsuoka, C., Onodera, H., Tanigawa, H., Furuta, K., Kanno, J., Jang, J. J., Hayashi, Y., and Ogiu, T. Lack of carcinogenicity of tartrazine (FD & C Yellow No. 5) in the F344 rat. *Food Chem. Toxicol.* 25: 891-896(1987).
780. Maekawa, A., Matsushima, Y., Onodera, H., Shibusawa, H., Kodama, Y., Kurokawa, Y., and Hayashi, Y. Long-term toxicity/carcinogenicity of musk xylol in B6C3F₁ mice. *Food Chem. Toxicol.* 28: 581-586(1990).
781. Maekawa, A., Matsushima, Y., Onodera, H., Shibusawa, H., Yoshida, J., Kodama, Y., Kurokawa, Y., and Hayashi, Y. Long-term toxicity/carcinogenicity study of calcium lactate in F344 rats. *Food Chem. Toxicol.* 29: 589-594(1991).
782. Maekawa, A., Nagaoka, T., Onodera, H., Matsushima, Y., Todate, A., Shibusawa, H., Kodama, Y., and Hayashi, Y. Two-year carcinogenicity study of 6-mercaptopurine in F344 rats. *Cancer Res. Clin. Oncol.* 116: 245-250(1990).
783. Maekawa, A., Ogiu, T., Matsuoka, C., Onodera, H., Furuta, K., Kurokawa, Y., Takahashi, M., Kokubo, T., Tanigawa, H., Hayashi, Y., Nakadate, M., and Tanimura, A. Carcinogenicity of low doses of *N*-ethyl-*N*-nitrosourea in F344 rats; a dose-response study. *Gann* 75: 117-125(1984).
784. Maekawa, A., Ogiu, T., Matsuoka, C., Onodera, H., Furuta, K., Tanigawa, H., and Odashima, S. Induction of tumors in the small intestine and mammary gland of female Donryu rats by continuous oral administration of *N*-carboxymethyl-*N*-nitrosourea. *Cancer Res. Clin. Oncol.* 106: 12-16(1983).
785. Maekawa, A., Ogiu, T., Onodera, H., Furuta, K., Matsuoka, C., Ohno, Y., and Odashima, S. Carcinogenicity studies of sodium nitrite and sodium nitrate in F-344 rats. *Food Chem. Toxicol.* 20: 25-33(1982).
786. Maekawa, A., Onodera, H., Furuta, K., Tanigawa, H., Ogiu, T., and Hayashi, Y. Lack of evidence of carcinogenicity of technical-grade piperonyl butoxide in F344 rats: selective induction of ileocecal ulcers. *Food Chem. Toxicol.* 23: 675-682(1985).
787. Maekawa, A., Onodera, H., Matsushima, Y., Nagaoka, T., Todate, A., Shibusawa, H., Kodama, Y., and Hayashi, Y. Dose-response carcinogenicity in rats on low-dose levels of *N*-ethyl-*N*-nitrosourethane. *Jpn. J. Cancer Res.* 80: 632-636(1989).
788. Maekawa, A., Onodera, H., Tanigawa, H., Furuta, K., Kanno, J., Matsuoka, C., Ogiu, T., and Hayashi, Y. Lack of carcinogenicity of triethanolamine in F344 rats. *J. Toxicol. Environ. Health* 19: 345-357(1986).
789. Maekawa, A., Onodera, H., Tanigawa, H., Furuta, K., Kanno, J., Matsuoka, C., Ogiu, T., and Hayashi, Y. Long-term studies on carcinogenicity and promoting effect of phenylbutazone in Donryu rats. *J. Nat. Cancer Inst.* 79: 577-584(1987).
790. Maekawa, A., Todate, A., Onodera, H., Matsushima, Y., Nagaoka, T., Shibusawa, H., Ogasawara, H., Kodama, Y., and Hayashi, Y. Lack of toxicity/carcinogenicity of monosodium succinate in F344 rats. *Food Chem. Toxicol.* 28: 269-277(1990).
791. Maita, K., Tsuda, S., and Shirasu, Y. Chronic toxicity studies with thiram in Wistar rats and beagle dogs. *Fundam. Appl. Toxicol.* 16: 667-686(1991).
792. Malarkey, D. E., Devereux, T. R., Dinse, G. E., Mann, P. C., and Maronpot, R. R. Hepatocarcinogenicity of chlordane in B6C3F₁ and B6D2F₁ male mice: evidence for regression in B6C3F₁ mice and carcinogenesis independent of ras proto-oncogene activation. *Carcinogenesis* 16: 2617-2625(1995).
793. Malley, L. A., Carakostas, M., Hansen, J. F., Rusch, G. M., Kelly, D. P., and Trochimowicz, H. J. Two-year inhalation toxicity study in rats with hydrochlorofluorocarbon 123. *Fundam. Appl. Toxicol.* 25: 101-114(1995).
794. Malley, L. A., Frame, S. R., Elliott, G. S., Bentley, K. S., Brock, W. J., Trochimowicz, H. J., and Rusch, G. M. Chronic toxicity, oncogenicity, and mutagenicity studies with chlorotetrafluoroethane (HCFC-124). *Drug Chem. Toxicol.* 21: 417-447(1998).
795. Malley, L. A., Kennedy, G. L., Elliott, G. S., Slone, T. W., Mellert, W., Deckardt, K., Kuttler, K., Hildebrand, B., Banton, M. I., Parod, R. J., and Griffiths, J. C. Chronic toxicity and oncogenicity of *N*-methylpyrrolidone (NMP) in rats and mice by dietary administration. *Drug Chem. Toxicol.* 24: 315-338(2001).
796. Malley, L. A., Slone, T. W., Jr., Makovec, G. T., Elliott, G. S., Kennedy, and G. L., Jr. Chronic toxicity/oncogenicity of dimethylacetamide in rats and mice following inhalation exposure. *Fundam. Appl. Toxicol.* 28: 80-93(1995).
797. Malley, L. A., Slone, T. W., Jr., Van Pelt, C., Elliott, G. S., Ross, P. E., Stadler, J. C., and Kennedy, G. L., Jr. Chronic toxicity/oncogenicity of dimethylformamide in rats and mice following inhalation exposure. *Fundam. Appl. Toxicol.* 23: 268-279(1994).
798. Maltoni, C. Early results of the experimental assessments of the carcinogenic effects of one epoxy solvent: styrene oxide. *Adv. Mod. Environ. Toxicol.* 2: 97-110(1981).
799. Maltoni, C. Vinyl chloride carcinogenicity: an experimental model for carcinogenesis studies. In: *Origins of Human Cancer*, Book A, Vol. 4 (H. H. Hiatt, J. D. Watson, and J. A. Winsten, Eds.), Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, 1977a, pp. 119-146.
800. Maltoni, C., and Cotti, G. Carcinogenicity of vinyl chloride in Sprague-Dawley rats after prenatal and postnatal exposure. *Ann. N. Y. Acad. Sci.* 534: 145-159(1988).
801. Maltoni, C., and Scarnato, C. First experimental demonstration of the carcinogenic effects of benzene. *Med. Lav.* 70: 352-357(1979).
802. Maltoni, C., and Tovoli, D. First experimental evidence of the carcinogenic effects of vinylidene fluoride. *Med. Lav.* 5: 363-368(1979).
803. Maltoni, C., Ciliberti, A., Cotti, G., and Perino, G. Long-term carcinogenicity bioassays on acrylonitrile administered by inhalation and by ingestion to Sprague-Dawley rats. *Ann. N. Y. Acad. Sci.* 534: 179-202(1988).
804. Maltoni, C., Ciliberti, A., Lefemine, G., and Soffritti, M. Results of a long-term experimental study on the carcinogenicity of vinyl acetate monomer in mice. *Ann. N. Y. Acad. Sci.* 837: 209-238(1997).
805. Maltoni, C., Ciliberti, A., Pinto, C., Soffritti, M., Belpoggi, F., and Menarini, L. Results of long-term experimental carcinogenicity studies of the effects of gasoline, correlated fuels, and major gasoline aromatics on rats. *Ann. N. Y. Acad. Sci.* 837: 15-52(1997a).
806. Maltoni, C., Conti, B., Cotti, G., and Belpoggi, F. Experimental studies on benzene carcinogenicity at the Bologna Institute of Oncology: current results and ongoing research. *Am. J. Ind. Med.* 7: 415-446(1985).
807. Maltoni, C., Conti, B., Cotti, G., and Belpoggi, F. Experimental studies on benzene carcinogenicity at the Bologna Institute of Oncology: current results and ongoing research. *Am. J. Ind. Med.* 7: 415-446(1985).
808. Maltoni, C., Conti, B., Perino, G., and Di Maio, V. Further evidence of benzene carcinogenicity; results on Wistar rats and mice treated by injection. *Ann. N. Y. Acad. Sci.* 534: 412-426(1988).
809. Maltoni, C., Cotti, G., and Perino, G. Long-term carcinogenicity bioassays on methylene chloride administered by ingestion to Sprague-Dawley rats and Swiss mice and by inhalation to Sprague-Dawley rats. *Ann. N. Y. Acad. Sci.* 534: 352-366(1988).
810. Maltoni, C., Cotti, G., Morisi, L., and Chieco, P. Carcinogenicity bioassays of vinylidene chloride. Research plans and early results. *Med. Lav.* 64: 241-262(1977).
811. Maltoni, C., Lefemine, G., and Cotti, G. Experimental research on trichloroethylene carcinogenesis. *Arch. Res. Ind. Carcinog.* 5: 1-393(1986).
812. Maltoni, C., Lefemine, G., Ciliberti, A., Cotti, G., and Carretti, D. Experimental research on vinyl chloride carcinogenesis. *Arch. Res. Ind. Carcinog.* 2: 1-533(1984).
813. Maltoni, C., Lefemine, G., Ciliberti, A., Cotti, G., and Carretti, D. Carcinogenicity bioassays of vinyl chloride monomer: a model of risk assessment on an experimental basis. *Environ. Health Perspect.* 41: 3-29(1981).
814. Maltoni, C., Lefemine, G., Cotti, G., Chieco, P., and Patella, V. Experimental research on vinylidene chloride carcinogenesis. *Arch. Res. Ind. Carcinog.* 3: 1-229(1985).
815. Maltoni, C., Lefemine, G., Tovoli, D., and Perino, G. Long-term carcinogenicity bioassays on three chlorofluorocarbons (trichlorofluoromethane, FC11; dichlorodifluoromethane, FC12; chlorodifluoromethane, FC22) administered by inhalation to Sprague-Dawley rats and Swiss mice. *Ann. N. Y. Acad. Sci.* 534: 261-282(1988).

816. Maltoni, C., Minardi, F., Pinto, C., Belpoggi, F., and Bua, L. Results of three life-span experimental carcinogenicity and anticarcinogenicity studies on tamoxifen in rats. *Ann. N. Y. Acad. Sci.* 837: 469-512(1997).
817. Maltoni, C., Valgimigli, L., and Scarnato, C. Long-term carcinogenic bioassays on ethylene dichloride administered by inhalation to rats and mice. In: *Banbury Report 5 Ethylene Dichloride: A Potential Health Risk?* (B. Ames, P. Infante, R. Reitz, Eds.), Cold Spring Harbor Laboratory, 1980, pp. 3-33.
818. Mann, S. W., Yuschkak, M. M., Amyes, S. J. G., Aughton, P., and Finn, J. P. A Carcinogenicity study of sucralose in the CD-1 mouse. *Food Chem. Toxicol.* 38:S91-S98;2000
819. Mannell, W. A. Further investigations on production of liver tumours in rats by ponceau 3R. *Food Cosmet. Toxicol.* 2: 169-174(1964).
820. Mannell, W. A., Grice, H. C., Lu, F. C., and Allmark, M. G. Chronic toxicity studies on food colours. Part IV. Observations on the toxicity of tartrazine, amaranth and sunset yellow in rats. *J. Pharm. Pharmacol.* 10: 625-634(1958).
821. Markiewicz, V. R., Saunders, L. Z., Geus, R. J., Payne, B. J., and Hook, J. B. Carcinogenicity study of auranofin, and orally administered gold compound, in mice. *Fundam. Appl. Toxicol.* 11: 277-284(1988).
822. Markiewicz, V., Tompkins, C., Mehdi, N., Hubmer, S., Payne, B. J., and Sumi, N. Rangefinding toxicity and carcinogenicity studies of a new β -adrenoceptor blocking agent celiprolol in mice. *Pharmacometrics (Oyo Yakuri)* 38: 421-434(1989).
823. Markiewicz, V., Tompkins, C., Mehdi, N., Hubmer, S., Payne, B. J., and Sumi, N. Rangefinding toxicity and carcinogenicity studies of a new β -adrenoceptor blocking agent celiprolol in rats. *Pharmacometrics (Oyo Yakuri)* 38: 407-420(1989).
824. Marsman, D. S., and Popp, J. A. Biological potential of basophilic hepatocellular foci and hepatic adenoma induced by the peroxisome proliferator, WY-14,643. *Carcinogenesis* 15: 111-117(1994).
825. Martin, E. A., Carthew, P., White, I. N. H., Heydon, R. T., Gaskell, M., Mauthe, R. J., Turteltaub, K. W., and Smith, L. L. Investigation of the formation and accumulation of liver DNA adducts in mice chronically exposed to tamoxifen. *Carcinogenesis* 18: 2209-2215(1997).
826. Martín, J. J., Martín, R., Codesal, J., Fraile, B., Paniagua, R., and Santamaría, L. Cadmium chloride-induced dysplastic changes in the ventral rat prostate: An immunohistochemical and quantitative study. *Prostate* 46: 11-20(2001).
827. Martin, M. S., Justrabio, E., Jeannin, J. F., Leclerc, A., and Martin, F. Effect of dietary chenodeoxycholic acid on intestinal carcinogenesis induced by 1,2-dimethylhydrazine in mice and hamsters. *Br. J. Cancer* 43: 884-886(1981).
828. Maru, G. B., and Bhide, S. V. Effect of antioxidants and anti-toxicants of isoniazid on the formation of lung tumours in mice by isoniazid and hydrazine sulphate. *Cancer Lett.* 17: 75-80(1982).
829. Mason, P. L., Gaunt, I. F., Butterworth, K. R., Hardy, J., Kiss, I. S., and Grasso, P. Long-term toxicity studies of carmoisine in mice. *Food Cosmet. Toxicol.* 12: 601-607(1974).
830. Masuda, M., and Takayama, S. Intestinal tumours in rats induced by mutagens from glutamic acid pyrolysate. *Exp. Pathol.* 26: 123-129(1984).
831. Masui, T., Hirose, M., Imaida, K., Fukushima, S., Tamano, S., and Ito, N. Sequential changes of the forestomach of F344 rats, Syrian golden hamsters, and B6C3F₁ mice treated with butylated hydroxyanisole. *Jpn. J. Cancer Res.* 77: 1083-1090(1986).
832. Matsukura, N., Kawachi, T., Morino, K., Ohgaki, H., and Sugimura, T. Carcinogenicity in mice of mutagenic compounds from a tryptophan pyrolyzate. *Science* 213: 346-347(1981).
833. Matsukura, N., Kawachi, T., Sasajima, K., Sano, T., Sugimura, T., and Hirota, T. Induction of intestinal metaplasia in the stomachs of rats by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine. *J. Nat. Cancer Inst.* 61: 141-143(1978).
834. Matsukura, N., Kawachi, T., Sasajima, K., Sano, T., Sugimura, T., and Ito, N. Induction of liver tumors in rats by sodium nitrite and methylguanidine. *Cancer Res. Clin. Oncol.* 90: 87-94(1977).
835. Matsukura, N., Kawachi, T., Sugimura, T., Nakadate, M., and Hirota, T. Induction of intestinal metaplasia and carcinoma in the glandular stomach of rats by *N*-alkyl-*N'*-nitro-*N*-nitrosoguanidines. *Gann* 70: 181-185(1979).
836. Matsumoto, K., Ochiai, T., Sekita, K., Uchida, O., Furuya, T., and Kurokawa, Y. Chronic toxicity of 2,4,6-tri-*tert*-butylphenol in rats. *J. Toxicol. Sci.* 16: 167-179(1991).
837. Matsuzaki, O. Histogenesis and growing patterns of lung tumors induced by potassium 1-methyl-1,4-dihydro-7-[2-(5-nitrofuryl)vinyl]-4-oxo-1,8-naphthyridine-3-carboxylate in ICR mice. *Gann* 66: 259-267(1975).
838. Mayes, B. A., McConnell, E. E., Neal, B. H., Brunner, M. J., Hamilton, S. B., Sullivan, T. M., Peters, A. C., Ryan, M. J., Toft, J. D., Singer, A. W., Brown, J. F., Jr., Menton, R. G., and Moore, J. A. Comparative carcinogenicity in Sprague-Dawley rats of the polychlorinated biphenyl mixtures Aroclors 1016, 1242, 1254 and 1260. *Fundam. Appl. Toxicol.* 41: 62-76(1998).
839. McCollister, S. B., Kociba, R. J., Humiston, C. G., McCollister, D. D., and Gehring, P. J. Studies of the acute and long-term oral toxicity of chlorpyrifos (*O,O*-diethyl-*O*-(3,5,6-trichloro-2-pyridyl) phosphorothioate). *Food Cosmet. Toxicol.* 12: 45-61(1974).
840. McCoy, G. D., Hecht, S. S., and Furuya, K. The effect of chronic ethanol consumption on the tumorigenicity of *N*-nitrosopyrrolidine in male Syrian golden hamsters. *Cancer Lett.* 33: 151-159(1986).
841. McDonald, T. A. *Evidence on the Carcinogenicity of MX (3-Chloro-4-dichloromethyl)-f-hydroxy-2(5H)-furanone*. Office of Environmental Health Hazard Assessment, California Environmental Protection Agency (2000). http://www.oehha.ca.gov/prop65/CRNR_notices/admin_listing/intent_to_list/referenced_docs/HID-MX.html
842. McElligott, T. F., and Hurst, E. W. Long-term feeding studies of methyl ethyl cellulose ("edifas" A) and sodium carboxymethyl cellulose ("edifas" B) in rats and mice. *Food Cosmet. Toxicol.* 6: 449-460(1968).
843. McGee, J. H., Butler, W. H., Erikson, D. J., and Sofia, R. D. Oncogenic studies with Felbamate (2-phenyl-1,3-propanediol dicarbamate). *Fundam. Appl. Toxicol.* 45: 146-151(1998).
844. McGee, J. H., Erikson, D. J., Galbreath, C., Willigan, D. A., and Sofia, R. D. Acute, subchronic, and chronic toxicity studies with felbamate, 2-phenyl-1,3-propanediol dicarbamate. *Fundam. Appl. Toxicol.* 45: 225-232(1998).
845. McGuinness, E. E., Hopwood, D., and Wormsley, K. G. Potentiation of pancreatic carcinogenesis in the rat by DL-ethionine-induced pancreatitis. *Scand. J. Gastroenterol.* 18: 189-192(1983).
846. McGuire, E. J., Anderson, J. A., Gough, A. W., Herman, J. R., Pegg, D. G., Theiss, J. C., and de la Iglesia, F. A. Preclinical toxicology studies with the angiotensin-converting enzyme inhibitor quinapril hydrochloride (Accupril). *J. Toxicol. Sci.* 21: 207-214(1996).
847. McGuire, E. J., DiFonzo, C. J., Martin, R. A., and de la Iglesia, F. A. Evaluation of chronic toxicity and carcinogenesis in rodents with the synthetic analgesic, tilidine fumarate. *Toxicology* 39: 149-163(1986).
848. McManus, B. M., Toth, B., and Patil, K. D. Aortic rupture and aortic smooth muscle tumors in mice: induction by *p*-hydrazinobenzoic acid hydrochloride of the cultivated mushroom *Agaricus bisporus*. *Lab. Invest.* 57: 78-85(1987).
849. Melnick, R. L., Sills, R. C., Roycroft, J. H., Chou, B. J., Ragan, H. A., and Miller, R. A. Isoprene, an endogenous hydrocarbon and industrial chemical, induces multiple organ neoplasia in rodents after 26 weeks of inhalation exposure. *Cancer Res.* 54: 5333-5339(1994).
850. Mengs, U., Lang, W., and Poch, J.-A. The carcinogenic action of aristolochic acid in rats. *Arch. Toxicol.* 51: 107-119(1982).
851. Menon, M. M., and Bhide, S. V. Perinatal carcinogenicity of isoniazid (INH) in Swiss mice. *Cancer Res. Clin. Oncol.* 105: 258-261(1983).
852. Merkow, L. P., Epstein, S. M., Slifkin, M., and Pardo, M. The ultrastructure of renal neoplasms induced by aflatoxin B1. *Cancer Res.* 33: 1608-1614(1973).
853. Metzger, C., Bannasch, P., and Mayer, D. Enhancement and phenotypic modulation of *N*-nitrosomorpholine-induced hepatocarcinogenesis by dehydroepiandrosterone. *Cancer Lett.* 121: 125-131(1997).
854. Michejda, C. J., Kroeger-Koepke, M. B., and Kovatch, R. M. Carcinogenic effects of sequential administration of two nitrosamines in Fischer 344 rats. *Cancer Res.* 46: 2252-2256(1986).

855. Mikuriya, H., Fujii, T., Yoneyama, M., Yano, N., Yuzawa, K., Nagasawa, A., and Sasaki, M. Toxicity of *o*-phenylphenol by dietary administration to mice for 52 weeks. *Tokyo Metrop. Res. Lab. Public Health* 40: 281-288(1989).
856. Mikuriya, H., Fujii, T., Yoneyama, M., Yano, N., Yuzawa, K., Nagasawa, A., and Sasaki, M. Toxicity of thiabendazole and *o*-phenylphenol by simultaneous administration to mice for 52 weeks. *Tokyo Metrop. Res. Lab. Public Health* 40: 289-297(1989).
857. Miller, E. C., and Miller, J. A. Biochemical investigations on hepatic carcinogenesis. *J. Nat. Cancer Inst.* 15: 1571-1590(1955).
858. Miller, E. C., Miller, J. A., and Enomoto, M. The comparative carcinogenicities of 2-acetylaminofluorene and its *N*-hydroxy metabolite in mice, hamsters, and guinea pigs. *Cancer Res.* 24: 2018-2026(1964).
859. Miller, E. C., Swanson, A. B., Phillips, D. H., Fletcher, T. L., Liem, A., and Miller, J. A. Structure-activity studies of the carcinogenicities in the mouse and rat of some naturally occurring and synthetic alkkenylbenzene derivatives related to safrole and estragole. *Cancer Res.* 43: 1124-1134(1983).
860. Miller, R. A., and Chrisp, C. Lifelong treatment with oral DHEA sulfate does not preserve immune function, prevent disease, or improve survival in genetically heterogeneous mice. *J. Am. Geriatr. Soc.* 47: 960-966(1999).
861. Miller, R. R., Young, J. T., Kociba, R. J., Keyes, D. G., Bodner, K. M., Calhoun, L. L., and Ayres, J. A. Chronic toxicity and oncogenicity bioassay of inhaled ethyl acrylate in Fischer 344 rats and B6C3F₁ mice. *Drug Chem. Toxicol.* 8: 1-42(1985).
862. Millischer, R.-J., de Rooij, C. G., Rush, G. M., Farr, C. H., Ben-Dyke, R., Hardy, C. J., Lewis, D. J., and Hodson-Walker, G. Evaluation of the genotoxicity potential and chronic inhalation toxicity of 1,1-dichloro-1-fluoroethane (HCFC-141b). *Food Chem. Toxicol.* 33: 491-500(1995).
863. Mirvish, S. S., Nickols, J., Weisenburger, D. D., Johnson, D., Joshi, S. S., Kaplan, P., Gross, M., and Tong, H. Y. Effects of 2,4,5-trichlorophenoxyacetic acid, pentachlorophenol, methylprednisolone, and Freund's adjuvant on 2-hydroxyethylnitrosourea carcinogenesis in MRC-Wistar rats. *J. Toxicol. Environ. Health* 32: 59-74(1991).
864. Mirvish, S. S., Salmasi, S., and Runge, R. G. Carcinogenicity test of acetoxime in MRC-Wistar rats. *J. Nat. Cancer Inst.* 69: 961-962(1982).
865. Mirvish, S. S., Weisenburger, D. D., Joshi, S. S., and Nickols, J. 2-Hydroxyethylnitrosourea induction of B cell lymphoma in female Swiss mice. *Cancer Lett.* 54: 101-106(1990).
866. Mirvish, S. S., Weisenburger, D. D., Salmasi, S., and Kaplan, P. A. Carcinogenicity of 1-(2-hydroxyethyl)-1-nitrosourea and 3-nitroso-2-oxazolidinone administered in drinking water to male MRC-Wistar rats: induction of bone, hematopoietic, intestinal, and liver tumors. *J. Nat. Cancer Inst.* 78: 387-393(1987).
867. Misdorp, W. Progestagens and mammary tumours in dogs and cats. *Acta Endocrinol. (Copenh.)* 125: 27-31(1991).
868. Mitsui, M., Furukawa, F., Sato, M., Enami, T., Imazawa, T., Nishikawa, A., and Takahashi, M. Carcinogenicity study of 1,1-bis(*tert*-butylperoxy)-3,3,5-trimethylcyclohexane in B6C3F₁ mice. *Food Chem. Toxicol.* 31: 929-933(1993).
869. Mitsumori, K., Hirano, M., Ueda, H., Maita, K., and Shirasu, Y. Chronic toxicity and carcinogenicity of methylmercury chloride in B6C3F₁ mice. *Fundam. Appl. Toxicol.* 14: 179-190(1990).
870. Miyaji, T. Acute and chronic toxicity of furylfuramide in rats and mice. *Tohoku J. Exp. Med.* 103: 331-369(1971).
871. Mizutani, T., and Mitsuoka, T. Effect of dietary phenobarbital on spontaneous hepatic tumorigenesis in germfree C3H/He male mice. *Cancer Lett.* 39: 233-237(1988).
872. Mohr, U., Althoff, J., Ketkar, M. B., Conradt, P., and Morgareidge, K. The influence of caffeine on tumour incidence in Sprague-Dawley rats. *Food Chem. Toxicol.* 22: 377-382(1984).
873. Momma, J. Studies on the carcinogenicity and chronic toxicity of nonabromobiphenyl (NBB) in mice in comparison with those of polychlorinated biphenyl (PCB). *Jpn. Pharmacol. Therapeut. (Yakuri to Chiryo)* 14: 5541-5563(1986).
874. Monticello, T. M., Swenberg, J. A., Gross, E. A., Leininger, J. R., Kimbell, J. S., Seilkop, S., Starr, T. B., Gibson, J. E. and Morgan, K. T. (1996). Correlation of regional and nonlinear formaldehyde-induced nasal cancer with proliferating populations of cells. *Cancer Res.* 56: 1012-1022.
875. Mori, H., Ohnishi, M., Kawamori, T., Sugie, S., Tanaka, T., Ino, N., and Kawai, K. Toxicity and tumorigenicity of purpurin, a natural hydroxyanthraquinone in rats: induction of bladder neoplasms. *Cancer Lett.* 102: 193-198(1996).
876. Mori, H., Sugie, S., Niwa, K., Takahashi, M., and Kawai, K. Induction of intestinal tumours in rats by chrysazin. *Br. J. Cancer* 52: 781-783(1985).
877. Mori, H., Sugie, S., Niwa, K., Yoshimi, N., Tanaka, T., and Hirono, I. Carcinogenicity of chrysazin in large intestine and liver of mice. *Jpn. J. Cancer Res.* 77: 871-876(1986).
878. Mori, H., Sugie, S., Yoshimi, N., Kuniyasu, T., Iwata, H., Kawai, K., and Hamasaki, T. Potential carcinogenicity of 5,6-dimethoxysterigmatocystin in rats. *Carcinogenesis* 9: 1039-1042(1988).
879. Mori, H., Yoshimi, N., Iwata, H., Mori, Y., Hara, A., Tanaka, T., and Kawai, K. Carcinogenicity of naturally occurring 1-hydroxyanthraquinone in rats: induction of large bowel, liver and stomach neoplasms. *Carcinogenesis* 11: 799-802(1990).
880. Morino, K., Matsukura, N., Kawachi, T., Ohgaki, H., Sugimura, T., and Hirono, I. Carcinogenicity test of quercetin and rutin in golden hamsters by oral administration. *Carcinogenesis* 3: 93-97(1982).
881. Morishita, Y., and Shimizu, T. Promoting effect of intestinal *Pseudomonas aeruginosa* on gastric tumorigenesis in rats with *N*-methyl-*N'*-nitro-*N*-nitroso-guanidine. *Cancer Lett.* 17: 347-352(1983).
882. Morris, H. P., Velat, C. A., Wagner, B. P., Dahlgard, M., and Ray, F. E. Studies of carcinogenicity in the rate of derivatives of aromatic amines related to *N*-2-fluorenylacetamide. *J. Nat. Cancer Inst.* 24: 149-180(1960).
883. Morris, J. E., Price, J. M., Lalich, J. J., and Stein, R. J. The carcinogenic activity of some 5-nitrofuran derivatives in the rat. *Cancer Res.* 29: 2145-2156(1969).
884. Mullin, L. S., Chiu, T., Kennedy, Jr., G. L. Initial study in rats evaluating the effects of 1,4-dichlorobutene-2 (DCB) on the respiratory tract. *Drug Chem. Toxicol.* 25: 227-230(2002).
885. Mullin, L. S., Kennedy, Jr., G. L., and Wood, C. K. Nasal tumors in rats following long-term inhalation exposure to 1,4-dichlorobutene-2 (DCB). *Drug Chem. Toxicol.* 23: 403-417(2000).
886. Munir, K. M., Soman, C. S., and Bhide, S. V. Hexachlorocyclohexane-induced tumorigenicity in mice under different experimental conditions. *Tumori* 69: 383-386(1983).
887. Munoz, M. Effect of herpes virus type 2 and hormonal imbalance on the uterine cervix of the mouse. *Cancer Res.* 33: 1504-1508(1973).
888. Munro, I. C., Moodie, C. A., Krewski, D., and Grice, H. C. A. Carcinogenicity study of commercial saccharin in the rat. *Toxicol. Appl. Pharmacol.* 32: 513-526(1975).
889. Murasaki, G., and Cohen, S. M. Co-carcinogenicity of sodium saccharin and *N*-[4-(5-nitro-2-furyl)-2-thiazoyl]formamide for the urinary bladder. *Carcinogenesis* 4: 97-99(1983).
890. Murata, Y., Denda, A., Maruyama, H., and Konishi, Y. Chronic toxicity and carcinogenicity studies of 1-methylnaphthalene in B6C3F₁ mice. *Fundam. Appl. Toxicol.* 21: 44-51(1993).
891. Murata, Y., Denda, A., Maruyama, H., Nakae, D., Tsutsumi, M., Tsujiuchi, T., and Konishi, Y. Chronic toxicity and carcinogenicity studies of 2-methyl-naphthalene in B6C3F₁ mice. *Fundam. Appl. Toxicol.* 36: 90-93(1997).
892. Murthy, A. S. K., Baker, J. R., Smith, E. R., and Zepp, E. Neoplasms in rats and mice fed butylurea and sodium nitrite separately and in combination. *Int. J. Cancer* 23: 253-259(1979).
893. Nagai, A., Miyazaki, M., Sanzen, T., Nagasawa, M., Nozawa, I., Kawamura, Y., and Kodama, T. Twelve-month oral repeated dose toxicity study of osutidine (T-593), a novel antiulcer agent, in rats. *Pharmacometrics* 55: 149-168(1998).

894. Nagano, K., Nishizawa, T., Yamamoto, S., and Matsushima, T. Inhalation carcinogenesis studies of six halogenated hydrocarbons in rats and mice. In: *Advances in the Prevention of Occupational Respiratory Diseases* (K. Chiyotani, Y. Hosoda, and Y. Aizawa, Eds.), Elsevier Science, New York, 1998, pp. 741-746.
895. Nagasawa, H., and Konishi, R. Stimulation by caffeine of spontaneous mammary tumorigenesis in mice. *Eur. J. Cancer Clin. Oncol.* 24: 803-805(1988).
896. Nagata, T., Nagata, T., Aramaki, Y., Enomoto, M., Sato, M., and Isaka, H. Subacute and chronic toxicity and recovery test with perhexiline maleate (PHX) in rats. *Pharmacometrics (Oyo Yakuri)* 20: 541-566(1980).
897. Nagel, D., Shimizu, H., and Toth, B. Tumor induction studies with n-butyl- and n-propylhydrazine hydrochlorides in Swiss mice. *Eur. J. Cancer* 11: 473-478(1975).
898. Nair, R. S., Auletta, C. S., Schroeder, R. E., and Johannsen, F. R. Chronic toxicity, oncogenic potential, and reproductive toxicity of *p*-nitroaniline in rats. *Fundam. Appl. Toxicol.* 15: 607-621(1990).
899. Naito, M., Ito, A., Watanabe, H., Kawashima, K., and Aoyama, H. Carcinogenicity of *o*-ethoxybenzamide in (C57BL/6N × C3H/HeN)F₁ mice. *J. Nat. Cancer Inst.* 76: 115-118(1986).
900. Nakamura, H., Nishikawa, A., Furukawa, F., Kasahara, K. I., Miyauchi, M., Son, H. Y., and Hirose, M. Inhibitory effects of protocatechuic acid on the post-initiation phase of hamster pancreatic carcinogenesis induced by *N*-nitrosobis(2-oxopropyl)amine. *Anticancer Res.* 20: 3423-3428(2000).
901. Nakamura, T., Matsuyama, M., and Kishimoto, H. Tumors of the esophagus and duodenum induced in mice by oral administration of *N*-ethyl-*N'*-nitro-*N*-nitrosoguanidine. *J. Nat. Cancer Inst.* 52: 519-522(1974).
902. Nakanishi, K., Kurata, Y., Oshima, M., Fukushima, S., and Ito, N. Carcinogenicity of phenacetin: long-term feeding study in B6C3F₁ mice. *Int. J. Cancer* 29: 439-444(1982).
903. National Cancer Institute. *Report on Carcinogenesis Bioassay of Chloroform*. N.C.I. Brief Communication. 1976.
904. National Center for Toxicological Research. *Chronic Study of Doxylamine in Fischer 344 Rats and B6C3F₁ Mice*. 3 volumes. NCTR Technical Report 406 and 407. Jefferson, AR, NCTR, 1991.
905. National Center for Toxicological Research. *Pyrlamine: 104 Week Chronic Dose Study in Rats and 104 Week Chronic Dose Study in Mice*. 3 volumes. NCTR Technical Report 408 and 409. Jefferson, AR, NCTR, 1991.
906. National Center for Toxicological Research. *Triprolidine: 104 Week Chronic Dose Study in Rats and 104 Week Chronic Dose Study in Mice*. 3 volumes. NCTR Technical Report 414 and 415. Jefferson, AR, NCTR, 1991.
907. Nelson, C. J., Baetcke, K. P., Frith, C. H., Kodell, R. L., and Schieferstein, G. The influence of sex, dose, time, and cross on neoplasia in mice given benzidine dihydrochloride. *Toxicol. Appl. Pharmacol.* 64: 171-186(1982).
908. Nera, E. A., Iverson, F., Lok, E., Armstrong, C. L., Karpinski, K., and Clayson, D. B. A carcinogenesis reversibility study of the effects of butylated hydroxyanisole on the forestomach and urinary bladder in male Fischer 344 rats. *Toxicology* 53: 251-268(1988).
909. Newberne, J. W., Newberne, P. M., Gibson, J. P., Huffman, K. W., and Palopoli, F. P. Lack of carcinogenicity of oxprenolol, a β -adrenergic blocking agent. *Toxicol. Appl. Pharmacol.* 41: 535-546(1977).
910. Newberne, P. M. Nitrite promotes lymphoma incidence in rats. *Science* 204: 1079-1081(1979).
911. Newberne, P. M., and Rogers, A. E. Nutrition, monocrotaline, and aflatoxin B₁ in liver carcinogenesis. *Plant Foods Man* 1: 23-31(1973).
912. Newberne, P. M., and Rogers, A. E. Rat colon carcinomas associated with aflatoxin and marginal vitamin A. *J. Nat. Cancer Inst.* 50: 439-448(1973).
913. Newberne, P. M., and Williams, G. Inhibition of aflatoxin carcinogenesis by diethylstilbestrol in male rats. *Arch. Environ. Health* 19: 489-498(1969).
914. Newberne, P. M., Harrington, D. H., and Wogan, G. N. Effects of cirrhosis and other liver insults on induction of liver tumors by aflatoxin in rats. *Lab. Invest.* 15: 962-969(1966).
915. Newton, P. E., Hilaski, R. J., Banas, D. A., Wilson, N. H., Busey, W. M., and Shaheen, D. G. A 2-year inhalation study of phosphine in rats. *Inhal. Toxicol.* 11: 639-708(1999).
916. Newton, P. E., Wooding, W. L., Bolte, H. F., Derelanko, M. J., Hardisty, J. F., and Rinehart, W. E. A chronic inhalation toxicity/oncogenicity study of methylethylketoxime in rats and mice. *Inhal. Toxicol.* 13: 1093-1116(2001).
917. Nishida, H., Omori, M., Fukutomi, Y., Ninomiya, M., Nishiwaki, S., Suganuma, M., Moriwaki, H., and Muto, Y. Inhibitory effects of (-)-epigallocatechin gallate on spontaneous hepatoma in C3H/HeNCrj mice and human hepatoma-derived PLC/PRF/5 cells. *Jpn. J. Cancer Res.* 85: 221-225(1994).
918. Nishikawa, A., Furukawa, F., Kasahara, K., Tanakamaru, Z., Miyauchi, M., Nakamura, H., Ikeda, T., Imazawa, T., and Hirose, M. Failure of phenethyl isothiocyanate to inhibit hamster tumorigenesis induced by *N*-nitrosobis(2-oxopropyl)amine when given during the post-initiation phase. *Cancer Lett.* 141: 109-115(1999).
919. Nishikawa, A., Furukawa, F., Mitsui, M., Enami, T., Kawanishi, T., Hasegawa, T., and Takahashi, M. Inhibitory effect of calcium chloride on gastric carcinogenesis in rats after treatment with *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine and sodium chloride. *Carcinogenesis* 13: 1155-1158(1992).
920. Nishimura, N., Hatayama, K., Tamura, K., Miyakawa, Y., Nagaoka, T., and Horizoe, H. Twelve-month oral toxicity study of (\pm)-4-(2-chlorophenyl)-2-[2-(4-isobutylphenyl)ethyl]-6,9-dimethyl-6*H*-thieno[3,2-*f*][1,2,4]triazolo[4,3-*a*][1,4]diazepine (Y-24180) in rats. *Pharmacometrics* 53: 259-280(1997).
921. Nitschke, K. D., Burek, J. D., Bell, T. J., Kociba, R. J., Rampus, L. W., and McKenna, M. J. Methylene chloride: a 2-year inhalation toxicity and oncogenicity study in rats. *Fundam. Appl. Toxicol.* 11: 48-59(1988).
922. Nitta, Y., Kamiya, K., Tanimoto, M., Kagimoto, O., Niwa, O., and Yokoro, K. Effects of administration of natural vitamin E on spontaneous hepatocarcinogenesis and *N*-nitrosodiethylamine initiated tumors in mice. *J. Toxicol. Pathol.* 4: 55-61(1991).
923. Nixon, J. E., Hendricks, J. D., Pawlowski, N. E., Loveland, P. M., and Sinnhuber, R. O. Carcinogenicity of aflatoxicol in Fischer 344 rats. *J. Nat. Cancer Inst.* 66: 1159-1163(1981).
924. Nixon, J. E., Sinnhuber, R. O., Lee, D. J., Landers, M. K., and Harr, J. R. Effect of cyclopropenoic compounds on the carcinogenic activity of diethylnitrosamine and aflatoxin B₁ in rats. *J. Nat. Cancer Inst.* 53: 453-458(1974).
925. Nonoyama, T., Fullerton, F., Reznik, G., Bucci, T. J., and Ward, J. M. Mouse hepatoblastomas: a histologic, ultrastructural, and immunohistochemical study. *Pathol. Vet.* 25: 286-296(1988).
926. Nonoyama, T., Imai, R., Kondo, M., Hayashi, S., Nakai, Y., and Shikata, M. Fifty-two-week dietary toxicity study of AA-2414 in rats. *Jpn. Pharmacol. Therapeut.* 21: S1723-S1738 (1993).
927. Nonoyama, T., Imai, R., Tensha, S., Nagai, H., Sakura, Y., and Wada, T. Oncogenicity study of AO-128 in rats. *Jpn. Pharmacol. Therapeut. (Yakuri to Chiryo)* 19: 4415-4425(1991).
928. Nonoyama, T., Tanakamaru, Z.-Y., Sasano, K., Hamamoto, S., Kondo, M., Kandori, H., and Mitani, M. Oncogenicity study of TCV-116 in rats. *Jpn. Pharmacol. Therapeut. (Yakuri to Chiryo)* 24: S899-S913 (1996).
929. Nyska, A., Waner, T., Paster, Z., Bracha, P., Gordon, E., and Klein, B. Induction of gastrointestinal tumors in mice fed the fungicide folpet: possible mechanisms. *Jpn. J. Cancer Res.* 81: 545-549(1990).
930. Nyska, A., Waner, T., Pirak, M., Gordon, E., Bracha, P., and Klein, B. The renal carcinogenic effect of Merpafol in the Fischer 344 rats. *Isr. J. Med. Sci.* 25: 428-432(1989).
931. O'Connor, P. J., MacNaught, F., Butler, W. H., Cooper, D. P., Margison, G. P., and Povey, A. C. Increased pathology incidence in forestomach of rats maintained on a diet containing ivermectin and given a single dose of *N*-methyl-*N*-nitro-*N*-nitrosoguanidine. *J. Environ. Pathol. Toxicol. Oncol.* 20: 223-227(2001).
932. O'Gara, R. W. Biologic screening of selected plant material for carcinogens. *Cancer Res.* 28: 2272-2275(1968).
933. Oda, H., Nogami, H., Kusumoto, S., Nakajima, T., and Kurata, A. Lifetime exposure to 2.4 ppm nitric oxide in mice. *Environ. Res.* 22: 254-263(1980).

934. Odagiri, Y., Adachi, S., Katayama, H., Matsushita, H., and Takemoto, K. Carcinogenic effects of a mixture of nitropyrenes in F344 rats following its repeated oral administrations. In: *Carcinogenic and Mutagenic Effects of Diesel Engine Exhaust*. (N. Ishinishi, A. Koizumi, R. O. McClellan and W. Stober, Eds.) Elsevier Science, New York, 1986, pp. 291-307.
935. Ogawa, K., Sun, T.-T., and Cohen, S. M. Analysis of differentiation-associated proteins in rat bladder carcinogenesis. *Carcinogenesis* 17: 961-965(1996).
936. Ogiso, T., Tatematsu, M., Tamano, S., Tsuda, H., and Ito, N. Comparative effects of carcinogens on the induction of placental glutathione S-transferase-positive liver nodules in a short-term assay and of hepatocellular carcinomas in a long-term assay. *Toxicol. Pathol.* 13: 257-265(1985).
937. Ogiu, T., Fukami, H., Nishimura, M., Shimada, Y., and Maekawa, A. Age-dependent induction of thymic lymphomas by *N*-propyl-*N*-nitrosourea in the F344/DuCrj rat. *Thymus* 20: 249-258(1992).
938. Ogiu, T., Kajiwara, T., Furuta, K., Takeuchi, M., Odashima, S., and Tada, K. Mammary tumorigenic effect of a new nitrosourea, 1,3-dibutyl-1-nitrosourea (B-BNU), in female Donryu rats. *Cancer Res. Clin. Oncol.* 96: 35-41(1980).
939. Ogiu, T., Matsuoka, C., Furuta, K., Takeuchi, M., Maekawa, A., Nakadate, M., and Odashima, S. Induction of angiogenic tumors in the duodenum of female Donryu rats by continuous oral administration of *N*-isobutyl-*N*-nitrosourea. *Gann* 74: 342-350(1983).
940. Ohgaki, H., Hasegawa, H., Kato, T., Suenaga, M., Ubukata, M., Sato, S., Takayama, S., and Sugimura, T. Carcinogenicity in mice and rats of heterocyclic amines in cooked foods. *Environ. Health Perspect.* 67: 129-134(1986).
941. Ohgaki, H., Hasegawa, H., Suenaga, M., Kato, T., Sato, S., Takayama, S., and Sugimura, T. Induction of hepatocellular carcinoma and highly metastatic squamous cell carcinomas in the forestomach of mice by feeding 2-amino-3,4-dimethylimidazo[4,5-f]quinoline. *Carcinogenesis* 7: 1889-1893(1986).
942. Ohgaki, H., Hasegawa, H., Suenaga, M., Sato, S., Takayama, S., and Sugimura, T. Carcinogenicity in mice of a mutagenic compound, 2-amino-3,8-dimethylimidazo[4,5-f]quinoline (MeIQx) from cooked foods. *Carcinogenesis* 8: 665-668(1987).
943. Ohgaki, H., Kusama, K., Matsuura, N., Morino, K., Hasegawa, H., Sato, S., Takayama, S., and Sugimura, T. Carcinogenicity in mice of a mutagenic compound, 2-amino-3-methylimidazo[4,5-f]quinoline, from broiled sardine, cooked beef and beef extract. *Carcinogenesis* 5: 921-924(1984).
944. Ohgaki, H., Matsuura, N., Morino, K., Kawachi, T., Sugimura, T., and Takayama, S. Carcinogenicity in mice of mutagenic compounds from glutamic acid and soybean globulin pyrolysates. *Carcinogenesis* 5: 815-819(1984).
945. Ohgaki, H., Takayama, S., and Sugimura, T. Carcinogenicities of heterocyclic amines in cooked food. *Mutat. Res.* 259: 399-410(1991).
946. Ohshima, M., Ward, J. M., Brennan, L. M., and Creasia, D. A. A sequential study of methapyrilene hydrochloride-induced liver carcinogenesis in male F344 rats. *J. Nat. Cancer Inst.* 72: 759-768(1984).
947. Ohtsubo, K. Hepatotoxic and hepatocarcinogenic effects of a sydnone derivative, 3-benzylsydnone-4-acetamide, on mice: differences in susceptibility by strain and sex. *J. Toxicol. Pathol.* 4: 45-54(1991).
948. Ohtsubo, K., Hatanaka, Y., Ueno, I., Enomoto, M., and Saito, M. Effects of dosage and sex on the liver injury and incidence of hepatocellular tumors induced by 3-benzylsydnone-4-acetamide in rats. *J. Toxicol. Pathol.* 7: 35-41(1994).
949. Ohtsubo, K., Ryu, J.-C., Nakamura, K., Izumiyama, N., Tanaka, T., Yamamura, H., Kobayashi, T., and Ueno, Y. Chronic toxicity of nivalenol in female mice: a 2-year feeding study with *Fusarium niveale* Fn 2B-moulded rice. *Food Chem. Toxicol.* 27: 591-598(1989).
950. Ohtsubo, K., Saito, M., Kimura, H., and Tsuruta, O. High incidence of hepatic tumours in rats fed mouldy rice contaminated with *Aspergillus versicolor* containing sterigmatocystin. *Food Cosmet. Toxicol.* 16: 143-149(1978).
951. Okey, A. B., and Gass, G. H. Continuous versus cyclic estrogen administration: mammary carcinoma in C3H mice. *J. Nat. Cancer Inst.* 40: 225-230(1968).
952. Oldiges, H., Hochrainer, D., and Glaser, U. Long-term inhalation study with Wistar rats and four cadmium compounds. *Toxicol. Environ. Chem.* 19: 217-222(1989).
953. Onodera, H., Furuta, K., Matsuoka, C., Kamiya, S., and Maekawa, A. Carcinogenicities of 1-ethyl- and 1-amyl-1-nitrosourethans in female Donryu rats: dose-effect relations. *Gann* 73: 48-54(1982).
954. Onodera, H., Kitaura, K., Mitsumori, K., Yoshida, J., Yasuhara, K., Shimo, T., Takahashi, M., and Hayashi, Y. Study on the carcinogenicity of tannic acid in F344 rats. *Food Chem. Toxicol.* 32: 1101-1106(1994).
955. Oohashi, Y., Ishioka, T., Wakabayashi, K., and Kuwabara, N. A study on carcinogenesis induced by degraded carrageenan arising from squamous metaplasia of the rat colorectum. *Cancer Lett.* 14: 267-272(1981).
956. Osanai, H. An experimental study on hepatoma caused by aromatic amines. *J. Sci. Labour* 52: 179-201(1976).
957. Oser, B. L., and Oser, M. 2-(*p*-Tert-butylphenoxy)isopropyl 2-chloroethyl sulfite (Aramite). 1. Acute, subacute, and chronic oral toxicity. *Toxicol. Appl. Pharmacol.* 2: 441-457(1960).
958. Oser, B. L., Carson, S., Cox, G. E., Vogen, E. E., and Sternberg, S. S. Long-term and multigeneration toxicity studies with cyclohexylamine hydrochloride. *Toxicology* 6: 47-65(1976).
959. Oser, B. L., Morgareidge, K., Weinberg, M. S., and Oser, M. Carcinogenicity study of carbarone. *Toxicol. Appl. Pharmacol.* 9: 528-535(1966).
960. Osherooff, M. R., Ando, T., and Miyajima, H. Oncogenicity study in mice with manidipine hydrochloride. *Jpn. Pharmacol. Therapeut. (Yakuri to Chiryo)* 17: 1205-1216(1989).
961. Osherooff, M. R., Ando, T., and Miyajima, H. Oncogenicity study in rats with manidipine hydrochloride. *Jpn. Pharmacol. Therapeut. (Yakuri to Chiryo)* 17: 1217-1231(1989).
962. Osswald, H., Frank, H. K., Komitowski, D., and Winter, H. Long-term testing of patulin administered orally to Sprague-Dawley rats and Swiss mice. *Food Cosmet. Toxicol.* 16: 243-247(1978).
963. Owen, N. V., Worth, H. M., and Kiplinger, G. F. The effects of long-term ingestion of methimazole on the thyroids of rats. *Food Cosmet. Toxicol.* 11: 649-653(1973).
964. Owen, P. E., Glaister, J. R., Gaunt, I. F., and Pullinger, D. H. Inhalation toxicity studies with 1,3-butadiene 3 two year toxicity/carcinogenicity study in rats. *Am. Ind. Hyg. Assoc. J.* 48: 407-413(1987).
965. Pai, S. R., Shirke, A. J., and Gothiskar, S. V. Long-term feeding study in C17 mice administered saccharin coated betel nut and 1,4-dinitrosopiperazine in combination. *Carcinogenesis* 2: 175-177(1981).
966. Palmer, A. K., Street, A. E., Roe, F. J. C., Worden, A. N., and Van Abbe, N. J. Safety evaluation of toothpaste containing chloroform. II. Long term studies in rats. *J. Environ. Pathol. Toxicol.* 2: 821-833(1979).
967. Pamukcu, A. M., Yalciner, S., Hatcher, J. F., and Bryan, G. T. Quercetin, a rat intestinal and bladder carcinogen present in bracken fern (*Pteridium aquilinum*). *Cancer Res.* 40: 3468-3472(1980).
968. Parent, R. A., Caravello, H. E., and Long, J. E. Oncogenicity study of acrolein in mice. *J. Am. Coll. Toxicol.* 10: 647-659(1991).
969. Parent, R. A., Caravello, H. E., and Long, J. E. Two-year toxicity and carcinogenicity study of acrolein in rats. *J. Appl. Toxicol.* 12: 131-139(1992).
970. Parker, C. M., McCullough, C. B., Gellatly, J. B. M., and Johnston, C. D. Toxicologic and carcinogenic evaluation of fenvalerate in the B6C3F₁ mouse. *Fundam. Appl. Toxicol.* 3: 114-120(1983).
971. Parker, C. M., Patterson, D. R., Van Gelder, G. A., Gordon, E. B., Valerio, M. G., and Hall, W. C. Chronic toxicity and carcinogenicity evaluation of fenvalerate in rats. *J. Toxicol. Environ. Health* 13: 83-97(1984).
972. Parker, C. M., Van Gelder, G. A., Chai, E. Y., Gellatly, J. B. M., Serota, D. G., Voelker, R. W., and Vesselinovitch, S. D. Oncogenic evaluation of tetrachlorvinphos in the B6C3F₁ mouse. *Fundam. Appl. Toxicol.* 5: 840-854(1985).
973. Patton, D. S. G., Heywood, R., and Barcellona, P. S. Carcinogenicity assessment of lonidamine by dietary administration to Sprague-Dawley rats. *Toxicol. Lett.* 62: 209-214(1992).
974. Paulus, G., Longeart, L., and Monro, A. M. Human carcinogenic risk assessment based on hormonal effects in a carcinogenicity study in rats with the antifungal agent, fluconazole. *Teratog. Carcinog. Mutagen.* 14: 251-257(1994).

975. Pavkov, K. L., Kerns, W. D., Mitchell, R. I., Connell, M. M., Donofrio, D. J., Harroff, H. H., Barker, A. D., Fisher, G. L., Joiner, R. L., and Thake, D. C. A *Chronic Inhalation Toxicology Study in Rats and Mice Exposed to Formaldehyde. Final Report*. CIIT Docket #10922. Chemical Industry Institute of Toxicology, Research Triangle Park, NC, 1981.
976. Peraino, C., Fry, R. J. M., and Staffeldt, E. Enhancement of spontaneous hepatic tumorigenesis in C3H mice by dietary phenobarbital. *J. Nat. Cancer Inst.* 51: 1349-1350(1973).
977. Pereira, M. A. Carcinogenic activity of dichloroacetic acid and trichloroacetic acid in the liver of female B6C3F₁ mice. *Fundam. Appl. Toxicol.* 31: 192-199(1996).
978. Pershin, G. N., Makeeva, O. O., Grushina, A. A., and Chernov, V. A. An experimental study of the carcinogenic effect of tubazid (isoniazid) and phtivazid. *Vopr. Onkol.* 18: 50-53(1972).
979. Peto, R., Gray, R., Brantom, P., and Grasso, P. Dose and time relationships for tumor induction in the liver and esophagus of 4080 inbred rats by chronic ingestion of *N*-nitrosodiethylamine or *N*-nitrosodimethylamine. *Cancer Res.* 51: 6452-6469(1991b).
980. Peto, R., Gray, R., Brantom, P., and Grasso, P. Effects on 4080 rats of chronic ingestion of *N*-nitrosodiethylamine or *N*-nitrosodimethylamine: a detailed dose-response study. *Cancer Res.* 51: 6415-6451(1991a).
981. Phillips, J. C., Butterworth, K. R., Gaunt, I. F., Evans, J. G., and Grasso, P. Long-term toxicity study of quillaia extract in mice. *Food Cosmet. Toxicol.* 17: 23-27(1979).
982. Pietra, G., and Shubik, P. Induction of melanotic tumors in the Syrian golden hamster after administration of ethyl carbamate. *J. Nat. Cancer Inst.* 25: 627-630(1960).
983. Pino, M. V., Valerio, M. G., Miller, G. K., Larson, J. L., Rosolia, D. L., Jayyosi, Z., Crouch, C. N., Trojanowski, J. Q., and Geiger, L. E. Toxicologic and carcinogenic effects of the type IV phosphodiesterase inhibitor RP 73401 on the nasal olfactory tissue in rats. *Toxicol. Pathol.* 27: 383-394(1999).
984. Pintér, A., Török, G., Börzsönyi, M., Surján, A., Csik, M., Kelecsényi, Z., and Kocsis, Z. Long-term carcinogenicity bioassay of the herbicide atrazine in F344 rats. *Neoplasma* 35: 533-544(1990).
985. Placke, M. E., Griffis, L., Bird, M., Bus, J., Persing, R. L., and Cox, L. A., Jr. Chronic inhalation oncogenicity study of isoprene in B6C3F₁ mice. *Toxicology* 113: 253-262(1996).
986. Poel, W. E. Pituitary tumors in mice after prolonged feeding of synthetic progestins. *Science* 154: 402-403(1966).
987. Poel, W. E., Ciocco, A., and Doolittle, D. P. Unusual neoplasms and hyperplastic lesions in "random-bred" mice derived from four-way crossed inbred lines. *Cancer Res.* 28: 845-859(1968).
988. Pohlmeyer-Esch, G., Mehdi, N., Clarke, D., and Radhofer-Welte, S. Evaluation of chronic oral toxicity and carcinogenic potential of lornoxicam in rats. *Food Chem. Toxicol.* 35: 909-922(1997).
989. Ponomarkov, V., Tomatis, L., and Turusov, V. The effect of long-term administration of phenobarbitone in CF-1 mice. *Cancer Lett.* 1: 165-172(1976).
990. Popp, J. A. *A Chronic Inhalation Toxicity Study of Chlorine in Female and Male B6C3F₁ Mice and Fischer 344 Rats*. CIIT protocol numbers 8321, 8436 and 8437. Research Triangle Park, NC: Chemical Industry Institute of Toxicology (1993).
991. Popper, H., Sternberg, S. S., Oser, B. L., and Oser, M. The carcinogenic effect of aramite in rats. A study of hepatic nodules. *Cancer* 13: 1035-1046(1960).
992. Port, C. D., Dodd, D. C., Deslex, P., Regnier, B., Sanders, P., and Indacochea-Redmond, N. Twenty-one month evaluation of misoprostol for carcinogenicity in CD-1 mice. *Toxicol. Pathol.* 15: 134-142(1987).
993. Pour, P. M. A new prostatic cancer model: systemic induction of prostatic cancer in rats by a nitrosamine. *Cancer Lett.* 13: 303-308(1981).
994. Pour, P. M. Prostatic cancer induced in MRC rats by *N*-nitrosobis(2-oxopropyl)-amine and *N*-nitrosobis(2-hydroxypropyl)amine. *Carcinogenesis* 4: 49-55(1983).
995. Pour, P. M., and Stepan, K. Comparative carcinogenicity of *N*-nitrosobis(2-oxopropyl)amine and *N*-nitrosomethyl(2-oxopropyl)amine following subcutaneous or oral administration to rats. *Cancer Lett.* 45: 49-57(1989).
996. Pour, P. M., Grandjean, C. J., and Knepper, S. Selective induction of nasal cavity tumors in rats by diallylnitrosamine. *Cancer Res. Clin. Oncol.* 109: 5-8(1985).
997. Poynter, D., Pick, C. R., Harcourt, R. A., Selway, S. A. M., Ainge, G., Harman, I. W., Spurling, N. W., Fluck, P. A., and Cook, J. L. Association of long lasting unsurmountable histamine H₂ blockade and gastric carcinoid tumours in the rat. *Gut* 26: 1284-1295(1985).
998. Prahalada, S., Majka, J. A., Soper, K. A., Nett, T. M., Bagdon, W. J., Peter, C. P., Burek, J. D., MacDonald, J. S., and van Zwieten, M. J. Leydig cell hyperplasia and adenomas in mice treated with finasteride, a 5α-reductase inhibitor: a possible mechanism. *Fundam. Appl. Toxicol.* 22: 211-219(1994).
999. Preussmann, R., and Ivankovic, S. Absence of carcinogenic activity in BD rats after oral administration of high doses of bismuth oxychloride. *Food Cosmet. Toxicol.* 13: 543-544(1975).
1000. Preussmann, R., Habs, M., and Pool, B. L. Carcinogenicity and mutagenicity testing of three isomeric *N*-nitroso-*N*-methylaminopyridines in rats. *J. Nat. Cancer Inst.* 62: 153-156(1979).
1001. Preussmann, R., Habs, M., Habs, H., and Schmahl, D. Carcinogenicity of *N*-nitrosodiethanolamine in rats at five different dose levels. *Cancer Res.* 42: 5167-5171(1982).
1002. Preussmann, R., Habs, M., Habs, H., and Stummeyer, D. Fluorosubstituted *N*-nitrosamines. 5. Carcinogenicity of *N*-nitroso-bis(4,4,4-trifluoro-*N*-butyl)amine in rats. *Carcinogenesis* 3: 1219-1222(1982).
1003. Preussmann, R., Habs, M., Habs, H., and Stummeyer, D. Fluorosubstituted *N*-nitrosamines. 6. Carcinogenicity of *N*-nitroso-(2,2,2-trifluoroethyl)-ethyl-amine in rats. *Carcinogenesis* 4: 755-757(1983).
1004. Preussmann, R., Habs, M., Pool, B., Stummeyer, D., Lijinsky, W., and Reuber, M. D. Fluoro-substituted *N*-nitrosamines. 1. Inactivity of *N*-nitroso-bis(2,2,2-trifluoroethyl)amine in carcinogenicity and mutagenicity tests. *Carcinogenesis* 2: 753-756(1981).
1005. Preussmann, R., Ivankovic, S., Landschutz, C., Gimmy, J., Flohr, E., and Griesbach, U. Carcinogene Wirkung von 13 Aryldialkyltriazenen an BD-Ratten. *Cancer Res. Clin. Oncol.* 81: 285-310(1974).
1006. Preussmann, R., Schmahl, D., and Eisenbrand, G. Carcinogenicity of *N*-nitrosopyrrolidine: dose-response study in rats. *Cancer Res. Clin. Oncol.* 90: 161-166(1977).
1007. Price, J. M., Biava, C. G., Oser, B. L., Vogin, E. E., Steinfeld, J., and Ley, H. L. Bladder tumors in rats fed cyclohexylamine or high doses of a mixture of cyclamate and saccharin. *Science* 167: 1131-1132(1970).
1008. Prier, R. F., Nees, P. O., and Derse, P. H. The toxicity of an organic arsenical, 3-nitro-4-hydroxyphenylarsonic acid. II. Chronic toxicity. *Toxicol. Appl. Pharmacol.* 5: 526-542(1963).
1009. Purchase, I. F. H., and van der Watt, J. J. Carcinogenicity of sterigmatocystin. *Food Cosmet. Toxicol.* 8: 289-295(1970).
1010. Purchase, I. F. H., and van der Watt, J. J. The long-term toxicity of ochratoxin A to rats. *Food Cosmet. Toxicol.* 9: 681-682(1971).
1011. Quast, J. F., Calhoun, L. L., and Frauson, L. E. 1,1,1-trichloroethane formulation: a chronic inhalation toxicity and oncogenicity study in Fischer 344 rats and B6C3F₁ mice. *Fundam. Appl. Toxicol.* 11: 611-625(1988).
1012. Quast, J. F., Humiston, C. G., Wade, C. E., Ballard, J., Beyer, J. E., Schwetz, R. W., and Norris, J. M. A chronic toxicity and oncogenicity study in rats and subchronic toxicity study in dogs on ingested vinylidene chloride. *Fundam. Appl. Toxicol.* 3: 55-62(1983).
1013. Quast, J. F., McKenna, M. J., Rampy, L. W., and Norris, J. M. Chronic toxicity and oncogenicity study on inhaled vinylidene chloride in rats. *Fundam. Appl. Toxicol.* 6: 105-144(1986).
1014. Quast, J. F., Schuetz, D. J., Balmer, M. F., Gushow, T. S., Park, C. N., and McKenna, M. J. *A Two-year Toxicity and Oncogenicity Study with Acrylonitrile Following Inhalation Exposure of Rats. Final Report*. Dow Chemical U.S.A., Midland, MI, 1980.

1015. Quast, J. F., Wade, C. E., Humiston, C. G., Carreon, R. M., Hermann, E. A., Park, C. N., and Schwetz, B. A. *A Two-year Toxicity and Oncogenicity Study with Acrylonitrile Incorporated in the Drinking Water of Rats. Final Report.* Dow Chemical U.S.A., Midland, MI, 1980.
1016. Quest, J. A., Copley, M. P., Hamernik, K. L., Rinde, E., Fisher, B., Engler, R., Burnam, W. L., and Fenner-Crisp, P. A. Evaluation of the carcinogenic potential of pesticides. 2. Methidathion. *Regul. Toxicol. Pharmacol.* 12: 117-126(1990).
1017. Quest, J. A., Fenner-Crisp, P. A., Burnam, W., Copley, M., Dearfield, K. L., Hamernik, K. L., Saunders, D. S., Whiting, R. J., and Engler, R. Evaluation of the carcinogenic potential of pesticides. 4. Chloralkylthiodicarboximide compounds with fungicidal activity. *Regul. Toxicol. Pharmacol.* 17: 19-34(1993).
1018. Quest, J. A., Hamernik, K. L., Engler, R., Burnam, W. L., and Fenner-Crisp, P. A. Evaluation of the carcinogenic potential of pesticides. 3. Aliette. *Regul. Toxicol. Pharmacol.* 14: 3-11(1991).
1019. Quest, J. A., Phang, W., Hamernik, K. L., van Gemert, M., Fisher, B., Levy, R., Farber, T. M., Burnam, W. L., and Engler, R. Evaluation of the carcinogenic potential of pesticides. 1. Acifluorfen. *Regul. Toxicol. Pharmacol.* 10: 149-159(1989).
1020. Radike, M. J., Stemmer, K. L., and Bingham, E. Effect of ethanol on vinyl chloride carcinogenesis. *Environ. Health Perspect.* 41: 59-62(1981).
1021. Radomski, J. L., Brill, E., and Glass, E. M. Induction of bladder tumors and other malignancies in rats with 2-methoxy-3-aminodibenzofuran. *J. Nat. Cancer Inst.* 39: 1069-1080(1967).
1022. Radomski, J. L., Deichmann, W. B., Macdonald, W. E., and Glass, E. M. Synergism among oral carcinogens: I. Results of the simultaneous feeding of four tumorigens to rats. *Toxicol. Appl. Pharmacol.* 7: 652-656(1965).
1023. Rao, C. V., Desai, D., Rivenson, A., Simi, B., Amin, S., and Reddy, B. S. Chemoprevention of colon carcinogenesis by phenylethyl-3-methylcaffeate. *Cancer Res.* 55: 2310-2315(1995).
1024. Rao, C. V., Rivenson, A., Simi, B., and Reddy, B. S. Chemoprevention of colon carcinogenesis by dietary curcumin, a naturally occurring plant phenolic compound. *Cancer Res.* 55: 259-266(1995).
1025. Rao, C. V., Rivenson, A., Simi, B., Zang, E., Hamid, R., Kelloff, G. J., Steele, V., and Reddy, B. S. Enhancement of experimental colon carcinogenesis by dietary 6-phenylhexyl isothiocyanate. *Cancer Res.* 55: 4311-4318(1995).
1026. Rao, C. V., Rivenson, A., Zang, E., Steele, V., Kelloff, G., and Reddy, B. S. Inhibition of 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine-induced lymphoma formation by oltipraz. *Cancer Res.* 56: 3395-3398(1996).
1027. Rao, M. S., and Reddy, J. K. Malignant neoplasms in rats fed lasiocarpine. *Br. J. Cancer* 37: 289-293(1978).
1028. Rao, M. S., and Subbarao, V. Incidence of pancreatic and testicular tumors in rats treated with ciprofibrate, a peroxisome proliferator. *Cancer Lett.* 97: 185-188(1995).
1029. Rao, M. S., and Subbarao, V. Inhibition of ciprofibrate-induced hepatocarcinogenesis in the rat by dimethylthiourea, a scavenger of hydroxyl radical. *Oncol. Rep.* 6: 1285-1288(1999).
1030. Rao, M. S., and Subbarao, V. Sex differences in dehydroepiandrosterone-induced hepatocarcinogenesis in the rat. *Cancer Lett.* 125: 111-116(1998).
1031. Rao, M. S., and Subbarao, V. The effect of deferoxamine on ciprofibrate-induced hepatocarcinogenesis in the rat. *in vivo* 11: 495-498(1997).
1032. Rao, M. S., Dwivedi, R. S., Subbarao, V., and Reddy, J. K. Induction of peroxisome proliferation and hepatic tumours in C57BL/6N mice by ciprofibrate, a hypolipidaemic compound. *Br. J. Cancer* 58: 46-51(1988).
1033. Rao, M. S., Lalwani, N. D., Watanabe, T. K., and Reddy, J. K. Inhibitory effect of antioxidants ethoxyquin and 2(3)-tert-butyl-4-hydroxyanisole on hepatic tumorigenesis in rats fed ciprofibrate, a peroxisome proliferator. *Cancer Res.* 44: 1072-1076(1984).
1034. Rao, M. S., Subbarao, A. V., Reddy, J. K. Inhibition of spontaneous testicular Leydig cell tumor development in F-344 rats by dehydroepiandrosterone. *Cancer Lett.* 65: 123-126(1992b).
1035. Rao, M. S., Subbarao, V., Yeldandi, A. V., and Reddy, J. K. Hepatocarcinogenicity of dehydroepiandrosterone in the rat. *Cancer Res.* 52: 2977-2979(1992a).
1036. Rao, M. S., Usuda, N., Subbarao, V., and Reddy, J. K. Absence of γ -glutamyl transpeptidase activity in neoplastic lesions induced in the liver of male F-344 rats by di-(2-ethylhexyl)phthalate, a peroxisome proliferator. *Carcinogenesis* 8: 1347-1350(1987).
1037. Rao, M. S., Yeldandi, A. V., and Subbarao, V. Quantitative analysis of hepatocellular lesions induced by di(2-ethylhexyl)phthalate in F-344 rats. *J. Toxicol. Environ. Health* 30: 85-89(1990).
1038. Reddy, B. S., Hirose, Y., Lubet, R., Steele, V., Kelloff, G., Paulson, S., Seibert, K., and Rao, C. V. Chemoprevention of colon cancer by specific cyclooxygenase-2 inhibitor, celecoxib, administered during different stages of carcinogenesis. *Cancer Res.* 60: 293-297(2000).
1039. Reddy, B. S., Kawamori, T., Lubet, R. A., Steele, V. E., Kelloff, G. J., and Rao, C. V. Chemopreventive efficacy of sulindac sulfone against colon cancer depends on time of administration during carcinogenic process. *Cancer Res.* 59: 3387-3391(1999).
1040. Reddy, B. S., Rao, C. V., Rivenson, A., and Kelloff, G. Inhibitory effect of aspirin on azoxymethane-induced colon carcinogenesis in F344 rats. *Carcinogenesis* 14: 1493-1497(1993).
1041. Reddy, B. S., Tokuno, K., Kulkarni, N., Aligia, C., and Kelloff, G. Inhibition of colon carcinogenesis by prostaglandin synthesis inhibitors and related compounds. *Carcinogenesis* 13: 1019-1023(1992).
1042. Reddy, G., Reddy, T. V., Choudhury, H., Daniel, F. B., and Leach, G. J. Assessment of environmental hazards of 1,3,5-trinitrobenzene. *J. Toxicol. Environ. Health* 52: 447-460(1997).
1043. Reddy, J. K., and Qureshi, S. A. Tumorigenicity of the hypolipidaemic peroxisome proliferator ethyl- α -p-chlorophenoxyisobutyrate (clofibrate) in rats. *Br. J. Cancer* 40: 476-482(1979).
1044. Reddy, J. K., and Rao, M. S. Malignant tumors in rats fed nafenopin, a hepatic peroxisome proliferator. *J. Natl. Cancer Inst.* 59: 1645-1650(1977).
1045. Reddy, J. K., Azarnoff, D. L., and Hignite, C. E. Hypolipidaemic hepatic peroxisome proliferators form a novel class of chemical carcinogens. *Nature* 283: 397-398(1980).
1046. Reddy, J. K., Lalwani, N. D., Reddy, M. K., and Qureshi, S. A. Excessive accumulation of autofluorescent lipofuscin in the liver during hepatocarcinogenesis by methyl clofenate and other hypolipidemic peroxisome proliferators. *Cancer Res.* 42: 259-266(1982).
1047. Reddy, J. K., Rao, M. S., Azarnoff, D. L., and Sell, S. Mitogenic and carcinogenic effects of a hypolipidemic peroxisome proliferator, [4-chloro-6-(2,3-xylidino)-2-pyrimidinylthio]acetic acid [Wy-14,643], in rat and mouse liver. *Cancer Res.* 39: 152-161(1979).
1048. Reddy, J. K., Svoboda, D. J., and Rao, M. S. Induction of liver tumors by aflatoxin B₁ in the tree shrew (*Tupaia glis*) a nonhuman primate. *Cancer Res.* 36: 151-160(1976).
1049. Reddy, T. V., Olson, G. R., Wiechman, B., Reddy, G., Torsella, J. A., Daniel, F. B., and Leach, G. J. Chronic toxicity of 1,3,5-trinitrobenzene in Fischer 344 rats. *Int. J. Toxicol.* 20: 59-67(2001).
1050. Reichert, D., Spengler, U., Romen, W., and Henschler, D. Carcinogenicity of dichloroacetylene: an inhalation study. *Carcinogenesis* 5: 1411-1420(1984).
1051. Reuzel, P. G. J., Dreef-van der Meulen, H. C., Hollanders, V. M. H., Kuper, C. F., Feron, V. J., and van der Heijden, C. A. Chronic inhalation toxicity and carcinogenicity study of methyl bromide in Wistar rats. *Food Chem. Toxicol.* 29: 31-39(1991).
1052. Reznik, G., Brennan, L. M., and Creasia, D. A. Urine cytology: early diagnosis of induced carcinoma of the rat urinary bladder. *Anticancer Res.* 1: 389-392(1981).
1053. Reznik, G., Mohr, U., and Lijinsky, W. Carcinogenic effect of *N*-nitroso-2,6-dimethylmorpholine in Syrian golden hamsters. *J. Nat. Cancer Inst.* 60: 371-378(1978).
1054. Reznik, G., Reznik-Schuller, H. M., Rice, J. M., and Hague, B. F. Pathogenesis of toxic and neoplastic renal lesions induced by the flame retardant tris(2,3-dibromopropyl)phosphate in F344 rats, and development of colonic adenomas after prolonged oral administration. *Lab. Invest.* 44: 74-83(1981).

1055. Richardson, B. P., Turkalj, I., and Flückiger, E. Bromocriptine. In: *Safety Testing of New Drugs: Laboratory Predictions and Clinical Performance* (D. R. Laurence, A. E. M. McLean, and M. Weatherall, Eds.), Academic Press, Orlando, FL, 1984, pp. 19-63.
1056. Rivenson, A., Hoffmann, D., Prokopczyk, B., Amin, S., and Hecht, S. S. Induction of lung and exocrine pancreas tumors in F344 rats by tobacco-specific and areca-derived *N*-nitrosamines. *Cancer Res.* 48: 6912-6917(1988).
1057. Roberts, S. A., Nett, T. M., Hartman, H. A., Adams, T. E., and Stoll, R. E. SDZ 200-110 induces Leydig cell tumors by increasing gonadotropins in rats. *J. Am. Coll. Toxicol.* 8: 487-505(1989).
1058. Robison, R. L., Suter, W., and Cox, R. H. Carcinogenicity and mutagenicity studies with fluvastatin, a new, entirely synthetic HMG-CoA reductase inhibitor. *Fundam. Appl. Toxicol.* 23: 9-20(1994).
1059. Robison, R. L., van Ryzin, R. J., Stoll, R. E., Jensen, R. D., and Bagdon, R. E. Chronic toxicity/carcinogenesis study of temazepam in mice and rats. *Fundam. Appl. Toxicol.* 4: 394-405(1984).
1060. Roe, F. J. C., Grant, G. A., and Millican, D. M. Carcinogenicity of hydrazine and 1,1-dimethylhydrazine for mouse lung. *Nature* 216: 375-376(1967).
1061. Roe, F. J. C., Levy, L. S., and Carter, R. L. Feeding studies on sodium cyclamate, saccharin and sucrose for carcinogenic and tumour-promoting activity. *Food Cosmet. Toxicol.* 8: 135-145(1970).
1062. Roe, F. J. C., Palmer, A. K., Worden, A. N., and Van Abbe, N. J. Safety evaluation of toothpaste containing chloroform. I. Long-term studies in mice. *J. Environ. Pathol. Toxicol.* 2: 799-819(1979).
1063. Rosenkrantz, H., and Fleischman, R. W. In vivo carcinogenesis assay of *l*- α -acetylmethadol.HCl in rodents. *Fundam. Appl. Toxicol.* 11: 626-639(1988).
1064. Rosenkrantz, H., and Fleischman, R. W. In vivo carcinogenesis assay of DL-methadone.HCl in rodents. *Fundam. Appl. Toxicol.* 11: 640-651(1988).
1065. Rosin, A., and Ungar, H. Malignant tumors in the eyelids and the auricular region of thiourea-treated rats. *Cancer Res.* 17: 302-305(1957).
1066. Rossi, L., Barbieri, O., Sangüineti, M., Cabral, J. R. P., Bruzzi, P., and Santi, L. Carcinogenicity study with technical-grade dichlorodiphenyltrichloroethane and 1,1-dichloro-2,2-bis(*p*-chlorophenyl)ethylene in hamsters. *Cancer Res.* 43: 776-781(1983).
1067. Rossi, L., Ravera, M., Repetti, G., and Santi, L. Long-term administration of DDT or phenobarbital-Na in Wistar rats. *Int. J. Cancer* 19: 179-185(1977).
1068. Rothwell, C. E., McGuire, E. J., Martin, R. A., and de la Iglesia, F. A. Chronic toxicity and carcinogenicity studies with the β -adrenoceptor antagonist levobunolol. *Fundam. Appl. Toxicol.* 18: 353-359(1992).
1069. Rudali, G. Induction of tumors in mice with synthetic sex hormones. *Gann Mono. Cancer Res.* 17: 243-252(1975).
1070. Rudali, G., and Assa, R. Lifespan carcinogenicity studies with hexachlorophene in mice and rats. *Cancer Lett.* 5: 325-332(1978).
1071. Rudali, G., Coezy, E., and Chemama, R. Mammary carcinogenesis in female and male mice receiving contraceptives or gestagens. *J. Nat. Cancer Inst.* 49: 813-819(1972).
1072. Rudali, G., Coezy, E., and Muranyi-Kovacs, I. Cancérologie — recherches sur l'action cancérogène du cyclamate de soude chez les souris. *Académie des Sciences, Mémoires et Communications des Membres et des Correspondants de l'Académie* 269: 1910-1913(1969).
1073. Rudali, G., Coezy, E., Frederic, F., and Apiou, F. Susceptibility of mice of different strains to the mammary carcinogenic action of natural and synthetic oestrogens. *Rev. Eur. Etud. Clin. Biol.* 16: 425-429(1971).
1074. Russfield, A. B., Homburger, F., Boger, E., Van Dongen, C. G., Weisburger, E. K., and Weisburger, J. H. *Carcinogenicity of Chemicals in Man's Environment. Final Report.* Contract No. NIH-NCI-E-68-1311. Bio-research Consultants, Inc., Cambridge, MA, 1973.
1075. Russfield, A. B., Homburger, F., Boger, E., Van Dongen, C. G., Weisburger, E. K., and Weisburger, J. H. The carcinogenic effect of 4,4'-methylene-bis-(2-chloroaniline) in mice and rats. *Toxicol. Appl. Pharmacol.* 31: 47-54(1975).
1076. Rustia, M., and Shubik, P. Experimental induction of hepatomas, mammary tumors, and other tumors with metronidazole in noninbred Sas:MRC(WI)BR rats. *J. Nat. Cancer Inst.* 63: 863-868(1979).
1077. Rustia, M., and Shubik, P. Induction of lung tumors and malignant lymphomas in mice by metronidazole. *J. Nat. Cancer Inst.* 48: 721-729(1972).
1078. Rustia, M., and Shubik, P. Life-span carcinogenicity tests with 4-amino-*N*-(10)-methylpteroylglutamic acid (methotrexate) in Swiss mice and Syrian golden hamsters. *Toxicol. Appl. Pharmacol.* 26: 329-338(1973).
1079. Rustia, M., and Shubik, P. Thyroid tumours in rats and hepatomas in mice after griseofulvin treatment. *Br. J. Cancer* 38: 237-249(1978).
1080. Rustia, M., Shubik, P., and Patil, K. Lifespan carcinogenicity tests with native carrageenan in rats and hamsters. *Cancer Lett.* 11: 1-10(1980).
1081. Ryffel, B., Donatsch, P., Madorin, M., Matter, B. E., Ruttimann, G., Schon, H., Stoll, R., and Wilson, J. Toxicological evaluation of cyclosporin A. *Arch. Toxicol.* 53: 107-141(1983).
1082. Ryrfeldt, A., Squire, R. A., and Ekman, L. Liver tumors in male rats following treatment with glucocorticosteroids. *Toxicol. Pathol.* 20: 115-117(1992).
1083. Saito, D., Shirai, A., Matsushima, T., Sugimura, T., and Hirono, I. Test of carcinogenicity of quercetin, a widely distributed mutagen in food. *Teratog. Carcinog. Mutagen.* 1: 213-221(1980).
1084. Saito, M., Horiuchi, T., Ohtsubo, K., Hatanaka, Y., and Ueno, Y. Low tumor incidence in rats with long-term feeding of fusarenon-X, a cytotoxic trichothecene produced by *Fusarium nivale*. *Jpn. J. Exp. Med.* 50: 293-302(1980).
1085. Sakata, T., Hasegawa, R., Johansson, S. L., Zenser, T. V., and Cohen, S. M. Inhibition by aspirin of *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide initiation and sodium saccharin promotion of urinary bladder carcinogenesis in male F344 rats. *Cancer Res.* 46: 3903-3906(1986).
1086. Salmon, R. J., Buisson, J. P., Zafrani, B., Aussepe, L., and Royer, R. Carcinogenic effect of 7-methoxy-2-nitro-naphto[2,1-*b*] furan (R 7000) in the fore-stomach of rats. *Carcinogenesis* 7: 1447-1450(1986).
1087. Sanderson, K. V. Arsenic as a co-carcinogen in mice. *British Empire Cancer Campaign, 39th Annual Report* 39: 628-629(1961).
1088. Sandusky, G. E., Jr., Vodicnik, M. J., and Tamura, R. N. Cardiovascular and adrenal proliferative lesions in Fischer 344 rats induced by long-term treatment with type III phosphodiesterase inhibitors (positive inotropic agents), isomazole and indolidan. *Fundam. Appl. Toxicol.* 16: 198-209(1991).
1089. Sano, T., Kawachi, T., Matsukura, N., Sasajima, K., and Sugimura, T. Carcinogenicity of a food additive, AF-2, in hamsters and mice. *Cancer Res. Clin. Oncol.* 89: 61-68(1977).
1090. Sarles, M. P., and Vandegrift, W. B. Chronic oral toxicity and related studies on animals with the insecticide and pyrethrum synergist, piperonyl butoxide. *Am. J. Trop. Med. Hyg.* 1: 862-883(1952).
1091. Sasajima, K., Kawachi, T., Matsukura, N., Sano, T., and Sugimura, T. Intestinal metaplasia and adenocarcinoma induced in the stomach of rats by *N*-propyl-*N*'-nitro-*N*-nitrosoguanidine. *Cancer Res. Clin. Oncol.* 94: 201-206(1979).
1092. Sato, M., Furukawa, F., Toyoda, K., Mitsumori, K., Nishikawa, A., and Takahashi, M. Lack of carcinogenicity of ferric chloride in F344 rats. *Food Chem. Toxicol.* 30: 837-842(1992).
1093. Schaeffer, E., Greim, H., and Goessner, W. Pathology of chronic polychlorinated biphenyl (PCB) feeding in rats. *Toxicol. Appl. Pharmacol.* 75: 278-288(1984).
1094. Schardein, J. L., Kaump, D. H., Woosley, E. T., and Jellema, M. M. Long-term toxicologic and tumorigenesis studies on an oral contraceptive agent in albino rats. *Toxicol. Appl. Pharmacol.* 16: 10-23(1970).
1095. Scherf, H. R., Frei, E., and Wiessler, M. Carcinogenic properties of *N*-nitrodimethylamine and *N*-nitromethylamine in the rat. *Carcinogenesis* 10: 1977-1981(1989).
1096. Schiefer, H. B., Rousseaux, C. G., Hancock, D. S., and Blakley, B. R. Effects of low-level long-term oral exposure to T-2 toxin in CD-1 mice. *Food Chem. Toxicol.* 25: 593-601(1987).
1097. Schieferstein, G. J., Littlefield, N. A., Gaylor, D. W., Sheldon, W. G., and Burger, G. T. Carcinogenesis of 4-aminobiphenyl in BALB/cStCrIcC3Hf/Nctr mice. *Eur. J. Cancer* 21: 865-873(1985).
1098. Schieferstein, G. J., Sheldon, W. G., Allen, R. R., Greenman, D. L., and Allaben, W. T. Oncogenic evaluation of 3,3'-dimethoxybenzidine dihydrochloride in BALB/c mice. *J. Am. Coll. Toxicol.* 9: 71-77(1990).

1099. Schieferstein, G. J., Shinohara, Y., Allen, R. R., Sheldon, W., Greenman, D. L., and Allaben, W. T. Carcinogenicity study of 3,3'-dimethylbenzidine dihydrochloride in BALB/c mice. *Food Chem. Toxicol.* 27: 801-806(1989).
1100. Schieferstein, G. *Serial Sacrifice Study on Benzidine in Mice*. National Center for Toxicological Research. Serial Sacrifice Study on Benzidine in Mice. Final Report. NCTR Technical Report for Experiment Number 027. NCTR, Jefferson, AR, 1982.
1101. Schmahl, D. Experiments on the carcinogenic effect of ortho-toluol-sulfonamid (OTS). *Cancer Res. Clin. Oncol.* 91: 19-22(1978).
1102. Schmahl, D. Fehlen einer kanzerogenen Wirkung von Cyclamat, Cyclohexylamin und Saccharin bei Ratten. *Arzneim.-Forsch.* 23: 1466-1470(1973).
1103. Schmahl, D. Investigations on esophageal carcinogenicity by methyl-phenyl-nitrosamine and ethyl alcohol in rats. *Cancer Lett.* 1: 215-218(1976).
1104. Schmahl, D. Investigations on the influence of immunodepressive means on the chemical carcinogenesis in rats. *Cancer Res. Clin. Oncol.* 81: 211-215(1974).
1105. Schmahl, D. Prufung von Polyvinylpyridin-N-oxid (PVNO) auf carcinogene Wirkung bei Ratten und Mausen. *Arzneim.-Forsch.* 19: 1313-1314(1969).
1106. Schmahl, D., and Habs, M. Carcinogenic action of low-dose cyclophosphamide given orally to Sprague-Dawley rats in a lifetime experiment. *Int. J. Cancer* 23: 706-712(1979).
1107. Schmahl, D., and Habs, M. Experiments on the influence of an aromatic retinoid on the chemical carcinogenesis in rats by butylbutanol-nitrosamine and 1,2-dimethylhydrazine. *Arzneim.-Forsch.* 28: 49-51(1978).
1108. Schmahl, D., and Habs, M. Life-span investigations for carcinogenicity of some immune-stimulating, immunodepressive and neurotropic substances in Sprague-Dawley-rats. *Cancer Res. Clin. Oncol.* 86: 77-84(1976).
1109. Schmahl, D., and Osswald, H. Experimentelle Untersuchungen über carcinogene Wirkungen von Krebs-Chemotherapeutica und Immunosuppressiva. *Arzneim.-Forsch.* 20: 1461-1467(1970).
1110. Schmahl, D., Port, R., and Wahrendorf, J. A dose-response study on urethane carcinogenesis in rats and mice. *Int. J. Cancer* 19: 77-80(1977).
1111. Schoenig, G. P., Osimitz, T. G., Gabriel, K. L., Hartnagel, R., Gill, M. W., and Goldenthal, E. I. Evaluation of the chronic toxicity and oncogenicity of *N,N*-diethyl-*m*-toluamide (DEET). *Toxicol. Sci.* 47: 99-109(1999).
1112. Schoental, R., Head, M. A., and Peacock, P. R. Senecio alkaloids: primary liver tumours in rats as a result of treatment with (1) a mixture of alkaloids from *S. jacobaea* Lin.; (2) retrorsine; (3) isatidine. *Br. J. Cancer* 8: 458-465(1954).
1113. Schrauzer, G. N., McGinness, J. E., and Kuehn, K. Effects of temporary selenium supplementation on the genesis of spontaneous mammary tumors in inbred female C3H/St mice. *Carcinogenesis* 1: 199-201(1980).
1114. Schrauzer, G. N., McGinness, J. E., Ishmael, D., and Bell, L. J. Alcoholism and cancer: I. Effects of long-term exposure to alcohol on spontaneous mammary adenocarcinoma and prolactin levels in C3H/St mice. *J. Stud. Alcohol* 40: 240-246(1979).
1115. Schrauzer, G. N., White, D. A., and Schneider, C. J. Inhibition of the genesis of spontaneous mammary tumors in C3H mice: effects of selenium and of selenium-antagonistic elements and their possible role in human breast cancer. *Ann. Clin. Lab. Sci.* 4: 441-447(1974).
1116. Schrauzer, G. N., White, D. A., and Schneider, C. J. Inhibition of the genesis of spontaneous mammary tumors in C3H mice: effects of selenium and of selenium-antagonistic elements and their possible role in human breast cancer. *Bioinorg. Chem.* 6: 265-270(1976).
1117. Schrauzer, G. N., White, D. A., McGinness, J. E., Schneider, C. J., and Bell, L. J. Arsenic and cancer: effects of joint administration of arsenite and selenite on the genesis of mammary adenocarcinoma in inbred female C3H/St mice. *Bioinorg. Chem.* 9: 245-253(1978).
1118. Schroeder, H. A., and Mitchener, M. Life-term effects of mercury, methyl mercury, and nine other trace metals on mice. *J. Nutr.* 105: 452-458(1975).
1119. Schroeder, H. A., and Mitchener, M. Life-term studies in rats: effects of aluminum, barium, beryllium, and tungsten. *J. Nutr.* 105: 421-427(1975).
1120. Schroeder, H. A., Balassa, J. J., and Vinton, W. H. Chromium, lead, cadmium, nickel and titanium in mice: effect on mortality, tumors and tissue levels. *J. Nutr.* 83: 239-250(1964).
1121. Schroeder, H. A., Mitchener, M., and Nason, A. P. Life-term effects of nickel in rats: survival, tumors, interactions with trace elements and tissue levels. *J. Nutr.* 104: 239-243(1974).
1122. Schwartz, E. L., Kluwe, W. K., Sleight, S. D., Hook, J. B., and Goodman, J. I. Inhibition of *N*-2-fluorenylacetamide-induced mammary tumorigenesis in rats by dietary polybrominated biphenyls. *J. Nat. Cancer Inst.* 64: 63-67(1980).
1123. Schwetz, B. A., Quast, J. F., Keeler, P. A., Humiston, C. G., and Kociba, R. J. Results of two-year toxicity and reproduction studies on pentachlorophenol in rats. *Pentachlorophenol*, (K. Ranga Rao, Ed.), Plenum Press, New York, 1978, pp. 301-309.
1124. Selan, F., McCullough, C. B., and Black, H. E. Preclinical safety evaluation of dilevalol (SCH 19927), an antihypertensive agent, in the rat. *Fundam. Appl. Toxicol.* 18: 471-476(1992).
1125. Sellakumar, A. R., Laskin, S., Kuschner, M., Rusch, G., Katz, G. V., Snyder, C. A., and Albert, R. E. Inhalation carcinogenesis by dimethylcarbamoyl chloride in Syrian golden hamsters. *J. Environ. Pathol. Toxicol.* 4: 107-115(1980).
1126. Sellakumar, A. R., Snyder, C. A., Solomon, J. J., and Albert, R. E. Carcinogenicity of formaldehyde and hydrogen chloride in rats. *Toxicol. Appl. Pharmacol.* 81: 401-406(1985).
1127. Serota, D. G., Thakur, A. K., Ulland, B. M., Kirschman, J. C., Brown, N. M., Coots, R. H., and Morgareidge, K. A two-year drinking-water study of dichloromethane in rodents. I. Rats. *Food Chem. Toxicol.* 24: 951-958(1986).
1128. Serota, D. G., Thakur, A. K., Ulland, B. M., Kirschman, J. C., Brown, N. M., Coots, R. H., and Morgareidge, K. A two-year drinking-water study of dichloromethane in rodents. II. Mice. *Food Chem. Toxicol.* 24: 959-963(1986).
1129. Severi, L., and Biancifiori, C. Hepatic carcinogenesis in CBA/Cb/Se mice and Cb/Se rats by isonicotinic acid hydrazide and hydrazine sulfate. *J. Nat. Cancer Inst.* 41: 331-349(1968).
1130. Shah, A. S., Sarode, A. V., and Bhide, S. V. Experimental studies on mutagenic and carcinogenic effects of tobacco chewing. *Cancer Res. Clin. Oncol.* 109: 203-207(1985).
1131. Sharratt, M., Frazer, A. C., and Forbes, O. C. Study of the biological effects of benzoyl peroxide. *Food Cosmet. Toxicol.* 2: 527-538(1964).
1132. Shay, H., Gruenstein, M., and Kessler, W. B. Experimental mammary adenocarcinoma of rats: some considerations of methylcholanthrene dosage and hormonal treatment. *J. Nat. Cancer Inst.* 27: 503-513(1961).
1133. Shay, H., Gruenstein, M., and Kessler, W. B. Methylcholanthrene induced breast cancer in the rat: studies on mechanism of inhibition by large doses of estrogen. *Morphological Precursors of Cancer*, (L. Severi, Ed.), Div. Canc. Res., Perugia, 1962, pp. 305-318.
1134. Shibata, M. A., Hirose, M., Tanaka, H., Asakawa, E., Shirai, T., and Ito, N. Induction of renal cell tumors in rats and mice, and enhancement of hepatocellular tumor development in mice after long-term hydroquinone treatment. *Jpn. J. Cancer Res.* 82: 1211-1219(1991).
1135. Shibata, M.-A., Hirose, M., Kagawa, M., Boonyaphiphat, P., and Ito, N. Enhancing effect of concomitant L-ascorbic acid administration on BHA-induced forestomach carcinogenesis in rats. *Carcinogenesis* 14: 275-280(1993).
1136. Shibata, M.-A., Hirose, M., Masuda, A., Kato, T., Mutai, M., and Ito, N. Modification of BHA forestomach carcinogenesis in rats: inhibition by diethylmaleate or indomethacin and enhancement by a retinoid. *Carcinogenesis* 14: 1265-1269(1993).
1137. Shibata, M.-A., Kurata, Y., Hagiwara, A., and Shirai, T. Lack of tumorigenic effects on rat renal pelvic transitional epithelium of life-span exposure to low doses of a bladder carcinogen. *J. Toxicol. Pathol.* 6 (Suppl.): 47-53(1993).
1138. Shibayama, Y., Nishijima, A., Asaka, S., and Nakata, K. Influence of chronic alcohol consumption on the development of altered hepatocellular foci in rats. *Exp. Toxicol. Pathol.* 45: 15-19(1993).
1139. Shimizu, H., and Toth, B. Effect of lifetime administration of 2-hydroxyethylhydrazine on tumorigenesis in hamsters and mice. *J. Nat. Cancer Inst.* 52: 903-906(1974).
1140. Shimizu, H., Nagel, D., and Toth, B. Ethylhydrazine hydrochloride as a tumor inducer in mice. *Int. J. Cancer* 13: 500-505(1974).
1141. Shimizu, H., Nagel, D., and Toth, B. Tumour induction study with *N*-amylhydrazine hydrochloride in Swiss mice. *Br. J. Cancer* 31: 492-496(1975).

1142. Shirai, T., Hagiwara, A., Kurata, Y., Shibata, M., Fukushima, S., and Ito, N. Lack of carcinogenicity of butylated hydroxytoluene on long-term administration to B6C3F₁ mice. *Food Chem. Toxicol.* 20: 861-865(1982).
1143. Shirai, T., Sano, M., Tamano, S., Takahashi, S., Hirose, M., Futakuchi, M., Hasegawa, R., Imaida, K., Matusmoto, K., Wakabayashi, K., Sugimura, T., and Ito, N. The prostate: a target for carcinogenicity of 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine (PhIP) derived from cooked foods. *Cancer Res.* 57: 195-198(1997).
1144. Shirai, T., Takahashi, M., Fukushima, S., and Ito, N. Marked epithelial hyperplasia of the rat glandular stomach induced by long-term administration of iodoacetamide. *Acta Pathol. Jpn.* 35: 35-43(1985).
1145. Shivapurkar, N., Hoover, K. L., and Poirier, L. A. Effect of methionine and choline on liver tumor promotion by phenobarbital and DDT in diethylnitrosamine-initiated rats. *Carcinogenesis* 7: 547-550(1986).
1146. Sigler, R. E., Gough, A. W., and de la Iglesia, F. A. Pancreatic acinar cell neoplasia in male Wistar rats following 2 years of gabapentin exposure. *Toxicology* 98: 73-82(1995).
1147. Singer, S. S., Singer, G. M., Saavedra, J. E., Reuber, M. D., and Lijinsky, W. Carcinogenicity by derivatives of 1-nitroso-3,5-dimethylpiperazine in rats. *Cancer Res.* 41: 1034-1038(1981).
1148. Skipper, H. E. *Booklet 1. Phase I Studies on the Carcinogenic Activity of Anticancer Drugs in Mice and Rats. Final Report*. Southern Research Institute, Birmingham, AL, 1976.
1149. Smith, A. G., and Cabral, J. R. Liver-cell tumours in rats fed hexachlorobenzene. *Cancer Lett.* 11: 169-172(1980).
1150. Smith, A. G., Cabral, J. R. P., Carthew, P., Francis, J. E., and Manson, M. M. Carcinogenicity of iron in conjunction with a chlorinated environmental chemical, hexachlorobenzene, in C57BL/10ScSn mice. *Int. J. Cancer* 43: 492-496(1989).
1151. Smith, A. G., Carthew, P., Francis, J. E., and Ingebrigtsen, K. Influence of iron on the induction of hepatic tumors and porphyria by octachlorostyrene in C57BL/10ScSn mice. *Cancer Lett.* 81: 145-150(1994).
1152. Smith, A. G., Carthew, P., Francis, J. E., Cabral, J. R. P., and Manson, M. M. Enhancement by iron of hepatic neoplasia in rats caused by hexachlorobenzene. *Carcinogenesis* 14: 1381-1387(1993).
1153. Smith, A. G., Francis, J. E., Dinsdale, D., Manson, M. M., and Cabral, J. R. P. Hepatocarcinogenicity of hexachlorobenzene in rats and the sex difference in hepatic iron status and development of porphyria. *Carcinogenesis* 6: 631-636(1985).
1154. Smits-van Prooije, A. E., de Groot, A. P., Dreef-van der Meulen, H. C., and Sinkeldam, E. J. Chronic toxicity and carcinogenicity study of isomalt in rats and mice. *Food Chem. Toxicol.* 28: 243-251(1990).
1155. Snell, K. C., and Stewart, H. L. Pulmonary adenomatosis induced in DBA/2 mice by oral administration of dibenz[a,h]anthracene. *J. Nat. Cancer Inst.* 28: 1043-1051(1962).
1156. Snellings, W. M., Weil, C. S., and Maronpot, R. R. A two-year inhalation study of the carcinogenic potential of ethylene oxide in Fischer 344 rats. *Toxicol. Appl. Pharmacol.* 75: 105-117(1984).
1157. Snyder, C. A., Goldstein, B. D., Sellakumar, A. R., and Albert, R. E. Evidence for hematotoxicity and tumorigenesis in rats exposed to 100 ppm benzene. *Am. J. Ind. Med.* 5: 429-434(1984).
1158. Snyder, C. A., Goldstein, B. D., Sellakumar, A. R., Bromberg, I., Laskin, S., and Albert, R. E. The inhalation toxicology of benzene: incidence of hematopoietic neoplasms and hematotoxicity in AKR/J and C57BL/6J mice. *Toxicol. Appl. Pharmacol.* 54: 323-331(1980).
1159. Snyder, C. A., Goldstein, B. D., Sellakumar, A. R., Wolman, S. R., Bromberg, I., Erlichman, M. N., and Laskin, S. Hematotoxicity of inhaled benzene to Sprague-Dawley rats and AKR mice at 300 ppm. *J. Toxicol. Environ. Health* 4: 605-618(1978).
1160. Sodemoto, Y., and Enomoto, M. Report of carcinogenesis bioassay of sodium benzoate in rats: absence of carcinogenicity of sodium benzoate in rats. *J. Environ. Pathol. Toxicol.* 4: 87-95(1980).
1161. Soffritti, M., Belpoggi, F., Lenzi, A., and Maltoni, C. Results of long-term carcinogenicity studies of chlorine in rats. *Ann. N. Y. Acad. Sci.* 837: 189-208(1997).
1162. Soffritti, M., Maltoni, C., Maffei, F., and Biagi, R. Formaldehyde: an experimental multipotential carcinogen. *Toxicol. Ind. Health* 5: 699-730(1989).
1163. Spencer, A., Barbolt, T., Henry, D., Eason, C., Sauerhoff, R., and Bonner, F. Gastric morphological changes including carcinoid tumors in animals treated with a potent hypolipidemic agent, ciprofibrate. *Toxicol. Pathol.* 17: 7-15(1989).
1164. Stauffer Chemical Company. *A Two-year Oral Toxicity/Carcinogenicity Study (Final Report) on Fyrol FR-2 in Rats*. EPA/OPTS Public Files, Fiche OTS0204911-1 (1981).
1165. Stebbins, K. E., Johnson, K. A., Jeffries, T. K., Redmond, J. M., Haut, K. T., Shabrang, S. N., and Stott, W. T. Chronic toxicity and oncogenicity studies of ingested 1,3-dichloropropene in rats and mice. *Regul. Toxicol. Pharmacol.* 32: 1-13(2000).
1166. Steinhoff, D., and Mohr, U. The question of carcinogenic effects of hydrazine. *Exp. Pathol.* 33: 133-143(1988).
1167. Steinhoff, D., Mohr, U., and Schmidt, W. M. On the question of the carcinogenic action of hydrazine — evaluation on the basis of new experimental results. *Exp. Pathol.* 39: 1-9(1990).
1168. Steinhoff, D., Weber, H., Mohr, U., and Boehme, K. Evaluation of amitrole (aminotriazole) for potential carcinogenicity in orally dosed rats, mice, and golden hamsters. *Toxicol. Appl. Pharmacol.* 69: 161-169(1983).
1169. Stenback, F., Mori, H., Furuya, K., and Williams, G. M. Pathogenesis of dimethylnitrosamine-induced hepatocellular cancer in hamster liver and lack of enhancement by phenobarbital. *J. Nat. Cancer Inst.* 76: 327-333(1986).
1170. Stenback, F., Weisburger, J. H., and Williams, G. M. Effect of lifetime administration of dimethylaminoethanol on longevity, aging changes, and cryptogenic neoplasms in C3H mice. *Mech. Ageing Dev.* 42: 129-138(1988).
1171. Stevens, J. T., Breckenridge, C. B., Wetzel, L. T., Gillis, J. H., Luempert, L. G., III, and Eldridge, J. C. Hypothesis for mammary tumorigenesis in Sprague-Dawley rats exposed to certain triazine herbicides. *J. Toxicol. Environ. Health* 43: 139-153(1994).
1172. Stevens, J. T., Breckenridge, C. B., Wetzel, L. T., Thakur, A. K., Liu, C., Werner, C., Luempert, L. G., III, and Eldridge, J. C. A risk characterization for atrazine: Oncogenicity profile. *J. Toxicol. Environ. Health* 56: 69-109(1999).
1173. Stevenson, D. E., Thorpe, E., Hunt, P. F., and Walker, A. I. T. The toxic effects of dieldrin in rats: a reevaluation of data obtained in a two-year feeding study. *Toxicol. Appl. Pharmacol.* 36: 247-254(1976).
1174. Stieglitz, R., Gibel, W., Werner, W., and Stobbe, H. Experimental study on haematotoxic and leukaemogenic effects of trichlorophone and dimethoate. *Acta Hematol.* 52: 70-76(1974).
1175. Stitzel, K. A., McConnell, R. F., and Dierckman, T. A. Effects of nitrofurantoin on the primary and secondary reproductive organs of female B6C3F₁ mice. *Toxicol. Pathol.* 17: 774-781(1989).
1176. Stoewsand, G. S., Anderson, J. L., Boyd, J. N., Hrzadina, G., Babish, J. G., Walsh, K. M., and Losco, P. Quercetin: a mutagen, not a carcinogen, in Fischer rats. *J. Toxicol. Environ. Health* 14: 105-114(1984).
1177. Stoll, R., and Maraude, R. Sur l'induction de tumeurs thyroïdiennes chez le rat traité par le propylthiouracil et le radio-iode. *Bull. Cancer* 50: 389-398(1963).
1178. Stoner, G. D., Adams, C., Kresty, L. A., Amin, S. G., Desai, D., Hecht, S. S., Murphy, S. E., and Morse, M. A. Inhibition on N'-nitrosonornicotine-induced esophageal tumorigenesis by 3-phenylpropyl isothiocyanate. *Carcinogenesis* 19: 2139-2143(1998).
1179. Stott, W. T., Johnson, K. A., Landry, T. D., Gorzinski, S. J., and Cieszlak, F. S. Chronic toxicity and oncogenicity of picloram in Fischer 344 rats. *J. Toxicol. Environ. Health* 30: 91-104(1990).
1180. Streett, C. S., Robertson, J. L., and Crissman, J. W. Morphological stomach findings in rats and mice treated with the H₂ receptor antagonists, ICI 125,211 and ICI 162,846. *Toxicol. Pathol.* 16: 299-304(1988).

1181. Strickland, P. T., Lijinsky, W., Thomas, B., and Kovatch, R. M. Strain comparison of systemic *N*-nitrosohexamethyleneimine carcinogenesis in BALB/c, Sencar and CD-1 mice. *Cancer Lett.* 41: 139-146(1988).
1182. Stula, E. F., Barnes, J. R., Sherman, H., Reinhardt, C. F., and Zapp, J. A. Liver and urinary bladder tumors in dogs from 3,3'-dichlorobenzidine. *J. Environ. Pathol. Toxicol.* 1: 475-490(1978).
1183. Stula, E. F., Barnes, J. R., Sherman, H., Reinhardt, C. F., and Zapp, J. A. Urinary bladder tumors in dogs from 4,4'-methylene-bis(2-chloroaniline) (MOCA). *J. Environ. Pathol. Toxicol.* 1: 31-50(1977).
1184. Stula, E. F., Sherman, H., Zapp, J. A., and Clayton, J. W. Experimental neoplasia in rats from oral administration of 3,3'-dichlorobenzidine, 4,4'-methylene-bis(2-chloroaniline), and 4,4'-methylene-bis(2-methylaniline). *Toxicol. Appl. Pharmacol.* 31: 159-176(1975).
1185. Styles, J., Elliott, B. M., Lefevre, P. A., Robinson, M., Pritchard, N., Hart, D., and Ashby, J. Irreversible depression in the ratio of tetraploid:diploid liver nuclei in rats treated with 3'-methyl-4-dimethylaminooazobenzene (3'M). *Carcinogenesis* 6: 21-28(1985).
1186. Sugie, S., Okamoto, K., Watanabe, T., Tanaka, T., and Mori, H. Suppressive effect of irsogladine maleate on *N*-methyl-*N*-nitro-*N*-nitrosoguanidine (MNNG)-initiated and glyoxal-promoted gastric carcinogenesis in rats. *Toxicology* 166: 53-61(2001).
1187. Sugie, S., Okumura, A., Tanaka, T., and Mori, H. Inhibitory effects of benzyl isothiocyanate and benzyl thiocyanate on diethylnitrosamine-induced hepatocarcinogenesis in rats. *Jpn. J. Cancer Res.* 84: 865-870(1993).
1188. Sugimura, T., Fujimura, S., and Baba, T. Tumor production in the glandular stomach and alimentary tract of the rat by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine. *Cancer Res.* 30: 455-465(1970).
1189. Svoboda, D. J., and Reddy, J. K. Malignant tumors in rats given lasiocarpine. *Cancer Res.* 32: 908-911(1972).
1190. Swaminathan, S., Ertürk, E., and Bryan, G. T. Mutagenicity, carcinogenicity, distribution, and nitroreduction of 4-(5-nitro-2-furyl)thiazole in the rat. *Cancer Res.* 41: 2648-2653(1981).
1191. Synthetic Organic Chemical Manufacturers Association. *An Oncogenicity Study of Tributyl Phosphate in the Rat via Dietary Administration. Final Report.* Washington, DC. Study no. 89-3533 (FMC: I90-1172) (1994).
1192. Synthetic Organic Chemical Manufacturers Association. *An Oncogenicity Study of Tributyl Phosphate in the Mouse via Dietary Administration. Final Report.* Washington, DC. Study no. 89-3532 (FMC: I91-1196) (1994).
1193. Tabata, H., Sakai, T., Miki, H., Suzuki, H., Ruckman, S. A., Read, R. M., Gopinath, C., Healey, G. F., Barker, M. H., Chasseaud, L. F., Gazeley, M. J. S., Ince, G., and Hedge, A. Oncogenicity studies of the new serotonin (5-HT)3-receptor antagonist ramosetron in mice and rats. *Arzneim.-Forsch.* 46: 560-566(1996).
1194. Tacchi, A. M., Schmahl, D., and Habs, M. Delay of bladder cancer induction in rats treated with *N*-nitroso-*N*-butyl-*N*-(4-hydroxybutyl)amine by administration of sodium-2-mercaptoethanesulfonate (Mesna). *Cancer Lett.* 22: 89-94(1984).
1195. Tada, Y., Fujitani, T., Yano, N., Yuzawa, K., Nagasawa, A., Aoki, N., Ogata, A., and Yoneyama, M. Chronic toxicity of thiabendazole (TBZ) in CD-1 mice. *Toxicology* 169: 163-176(2001).
1196. Tahara, E., Ito, H., Nakagami, K., and Shimamoto, F. Induction of carcinoids in the glandular stomach of rats by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine. *Cancer Res. Clin. Oncol.* 100: 1-12(1981).
1197. Takada, K., Naito, K., Kobayashi, K., Tobe, M., Kurokawa, Y., and Fukuoka, M. Carcinogenic effects of bis(2,3-dibromopropyl)phosphate in Wistar rats. *J. Appl. Toxicol.* 11: 323-331(1991).
1198. Takada, K., Yasuhara, K., Nakaji, Y., Yoshimoto, H., Momma, J., and Kurokawa, Y. Carcinogenicity study of tris (2-chloroethyl) phosphate in ddY mice. *J. Toxicol. Pathol.* 2: 213-222(1989).
1199. Takagi, A., Takada, K., Sai, K., Ochiai, T., Matsumoto, K., Sekita, K., Momma, J., Aida, Y., Saitoh, M., Naitoh, K., Furuya, T., Hasegawa, R., and Kurokawa, Y. Acute, subchronic and chronic toxicity studies of a synthetic antioxidant, 2,2'-methylenebis(4-methyl-6-*tert*-butylphenol) in rats. *J. Toxicol. Sci.* 19: 77-89(1994).
1200. Takahashi, H., Mori, T., Fujihira, E., and Nakazawa, M. Long-term feeding of taurine in rats. *Pharmacometrics (Oyo Yakuri)* 6: 529-534(1972).
1201. Takahashi, M., Nishikawa, A., Furukawa, F., Enami, T., Hasegawa, T., and Hayashi, Y. Dose-dependent promoting effects of sodium chloride (NaCl) on rat glandular stomach carcinogenesis initiated with *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine. *Carcinogenesis* 15: 1429-1432(1994).
1202. Takahashi, M., Toyoda, K., Aze, Y., Furuta, K., Mitsumori, K., and Hayashi, Y. The rat urinary bladder as a new target of heterocyclic amine carcinogenicity: tumor induction by 3-amino-1-methyl-5*H*-pyrido[4,3-*b*]indole acetate. *Jpn. J. Cancer Res.* 84: 852-858(1993).
1203. Takahashi, O., Oishi, S., Fujitani, T., Tanaka, T., and Yoneyama, M. Chronic toxicity studies of piperonyl butoxide in CD-1 mice: induction of hepatocellular carcinoma. *Toxicology* 124: 95-103 (1997).
1204. Takahashi, O., Oishi, S., Fujitani, T., Tanaka, T., and Yoneyama, M. Chronic toxicity studies of piperonyl butoxide in F344 rats: induction of hepatocellular carcinoma. *Fundam. Appl. Toxicol.* 22: 293-303(1994).
1205. Takahashi, O., Oishi, S., Fujitani, T., Tanaka, T., and Yoneyama, M. Piperonyl butoxide induces hepatocellular carcinoma in male CD-1 mice. *Arch. Toxicol.* 68: 467-469(1994).
1206. Takamura, N., Kurokawa, Y., Matsushima, Y., Imazawa, T., Onodera, H., and Hayashi, Y. Long-term oral administration of potassium bromate in male Syrian golden hamsters. *Sci. Rep. Res. Inst. Tohoku Univ. Ser. C Med.* 32: 43-46(1985).
1207. Takanashi, H., Aiso, S., Hirose, I., Matsushima, T., and Sugimura, T. Carcinogenicity test of quercetin and kaempferol in rats by oral administration. *J. Food Safety* 5: 55-60(1983).
1208. Takaoka, M., Matsuura, T., Yamashita, K., Ohashi, Y., and Matsunuma, N. Oncogenicity studies in mice and rats with azelnidipine. *Jpn. Pharmacol. Therapeut.* 25: S1113-S1126(1997).
1209. Takayama, S. Induction of tumors in ICR mice with *N*-nitrosopiperidine, especially in forestomach. *Naturwissenschaften* 56: 142(1969).
1210. Takayama, S., and Imaizumi, T. Carcinogenic action of *N*-nitrosodibutylamine in mice. *Gann* 60: 353(1969).
1211. Takayama, S., and Kuwabara, N. Carcinogenic activity of 2-(2-furyl)-3-(5-nitro-2-furyl)acrylamide, a food additive, in mice and rats. *Cancer Lett.* 3: 115-120(1977).
1212. Takayama, S., and Kuwabara, N. Long-term study on the effect of caffeine in Wistar rats. *Gann* 73: 365-371(1982).
1213. Takayama, S., Masuda, M., Mogami, M., Ohgaki, H., Sato, S., and Sugimura, T. Induction of cancers in the intestine, liver and various other organs of rats by feeding mutagens from glutamic acid pyrolysate. *Gann* 75: 207-213(1984).
1214. Takayama, S., Nakatsuru, Y., Ohgaki, H., Sato, S., and Sugimura, T. Carcinogenicity in rats of a mutagenic compound, 3-amino-1,4-dimethyl-5*H*-pyrido[4,3-*b*]indole, from tryptophan pyrolysate. *Jpn. J. Cancer Res.* 76: 815-817(1985).
1215. Takegawa, K., Mitsumori, K., Onodera, H., Shimo, T., Kitaura, K., Yasuhara, K., Hirose, M., and Takahashi, M. Studies on the carcinogenicity of potassium iodide in F344 rats. *Food Chem. Toxicol.* 38: 773-781(2000).
1216. Takegawa, K., Mitsumori, K., Onodera, H., Yasuhara, K., Kitaura, K., Shimo, T., and Takahashi, M. Induction of squamous cell carcinomas in the salivary glands of rats by potassium iodide. *Jpn. J. Cancer Res.* 89: 105-109(1998).
1217. Takemura, N., Hashida, C., and Terasawa, M. Carcinogenic action of 5-nitroacenaphthene. *Br. J. Cancer* 30: 481-483(1974).
1218. Takenaka, S., Oldiges, H., Konig, H., Hochrainer, D., Ober dorster, G. Carcinogenicity of Cadmium Chloride Aerosols in W Rats. *J. Natl. Cancer Inst.* 70: 367-373 (1983).
1219. Takeuchi, M., Ogiu, T., Matsuoka, C., Furuta, K., Maekawa, A., Nakadate, M., and Odashima, S. Induction of digestive-tract tumors in F344 rats by continuous oral administration of *N*-butyl-*N*-nitrosourea. *Cancer Res. Clin. Oncol.* 107: 32-37(1984).
1220. Tamagawa, M., Otaki, Y., Takahashi, T., Otaka, T., Kimura, S., and Miwa, T. Carcinogenicity study of γ -oryzanol in B6C3F₁ mice. *Food Chem. Toxicol.* 30: 49-56(1992).

1221. Tamagawa, M., Shimizu, Y., Takahashi, T., Otaka, T., Kimura, S., Kadowaki, H., Uda, F., and Miwa, T. Carcinogenicity study of γ -oryzanol in F344 rats. *Food Chem. Toxicol.* 30: 41-48(1992).
1222. Tamano, S., Hasegawa, R., Hagiwara, A., Nagao, M., Sugimura, T., and Ito, N. Carcinogenicity of a mutagenic compound from food, 2-amino-3-methyl-9H-pyrido[2,3-*b*]indole (MeA α C), in male F344 rats. *Carcinogenesis* 15: 2009-2015(1994).
1223. Tamano, S., Hirose, M., Tanaka, H., Asakawa, E., Ogawa, K., and Ito, N. Forestomach neoplasm induction in F344/DuCrj rats and B6C3F₁ mice exposed to sesamol. *Jpn. J. Cancer Res.* 83: 1279-1285(1992).
1224. Tamano, S., Hirose, M., Tanaka, H., Hagiwara, A., and Shirai, T. Variation in susceptibility to the induction of forestomach tumours by butylated hydroxyanisole among rats of different strains. *Food Chem. Toxicol.* 36: 299-304(1998).
1225. Tamano, S., Kurata, Y., Kawabe, M., Yamamoto, A., Hagiwara, A., Cabral, R., and Ito, N. Carcinogenicity of captaphol in F344/DuCrj rats. *Jpn. J. Cancer Res.* 81: 1222-1231(1990).
1226. Tamano, S., Ward, J. M., Diwan, B. A., Keefer, L. K., Weghorst, C. M., Calvert, R. J., Henneman, J. R., Ramljak, D., and Rice, J. M. Histogenesis and the role of p53 and K-ras mutations in hepatocarcinogenesis by glyceryl trinitrate (nitroglycerin) in male F344 rats. *Carcinogenesis* 17: 2477-2486(1996).
1227. Tanaka, H., Hirose, M., Hagiwara, A., Imaida, K., Shirai, T., and Ito, N. Rat strain differences in catechol carcinogenicity to the stomach. *Food Chem. Toxicol.* 33: 93-98(1995).
1228. Tanaka, T., Barnes, W. S., Williams, G. M., and Weisburger, J. H. Multipotential carcinogenicity of the fried food mutagen 2-amino-3-methylimidazo[4,5-*f*]quinoline in rats. *Jpn. J. Cancer Res.* 76: 570-576(1985).
1229. Tanaka, T., Fujii, M., Mori, H., and Hirono, I. Carcinogenicity test of potassium metabisulfite in mice. *Ecotoxicol. Environ. Safety* 3: 451-453(1979).
1230. Tanakamaru, Z., Nishikawa, A., Furukawa, F., Imazawa, T., Lee, I.-S., Kasahara, K.-I., Tanaka, T., and Takahashi, M. Failure of dietary α -difluoromethylornithine to inhibit gastric carcinogenesis in rats after 8 weeks of treatment with *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine and sodium chloride. *Cancer Lett.* 120: 95-100(1997).
1231. Tannenbaum, A., and Silverstone, H. Effect of low environmental temperature, dinitrophenol, or sodium fluoride on the formation of tumors in mice. *Cancer Res.* 9: 403-410(1949).
1232. Tatematsu, M., Furihata, C., Katsuyama, T., Mera, Y., Inoue, T., Matsushima, T., and Ito, N. Immunohistochemical demonstration of pyloric gland-type cells with low-pepsinogen isozyme 1 in preneoplastic and neoplastic tissues of rat stomachs treated with *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine. *J. Natl. Cancer Inst.* 78: 771-777(1987).
1233. Tatematsu, M., Ichinose, M., Tsukada, S., Kakei, N., Takahashi, S., Ogawa, K., Hirose, M., Furihata, C., Miki, K., Kurokawa, K., and Ito, N. DNA methylation of the pepsinogen 1 gene during rat glandular stomach carcinogenesis induced by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine or catechol. *Carcinogenesis* 14: 1415-1419(1993).
1234. Tatematsu, M., Takahashi, M., Tsuda, H., Ogiso, T., and Ito, N. The administration of reserpine to rats for 75 weeks. *Toxicol. Lett.* 1: 201-205(1978).
1235. Tatematsu, M., Yamamoto, M., Iwata, H., Fukami, H., Yuasa, H., Tezuka, N., Masui, T., and Nakanishi, H. Induction of glandular stomach cancers in C3H mice treated with *N*-methyl-*N*-nitrosourea in the drinking water. *Jpn. J. Cancer Res.* 84: 1258-1264(1993).
1236. Terao, K., Aikawa, T., and Kera, K. A synergistic effect of nitrosodimethylamine on sterigmatocystin carcinogenesis in rats. *Food Cosmet. Toxicol.* 16: 591-596(1978).
1237. Terracini, B., Magee, P. N., and Barnes, J. M. Hepatic pathology in rats on low dietary levels of dimethylnitrosamine. *Br. J. Cancer* 20: 559-565(1967).
1238. Terracini, B., Testa, M. C., Cabral, J. R., and Day, N. The effects of long-term feeding of DDT to BALB/c mice. *Int. J. Cancer* 11: 747-764(1973).
1239. Thakur, A. J., Wetzel, L. T., Voelker, R. W., and Wakefield, A. E. Results of a two-year oncogenicity study in Fischer 344 rats with atrazine. In: *Triazine Herbicides: Risk Assessment*. (L. G. Ballantine, J. E. McFarland and D. S. Hackett, Eds.), American Chemical Society, Washington, DC, 1998, pp. 384-398.
1240. Thorgeirsson, U. P., Dalgard, D. W., Reeves, J., and Adamson, R. H. Tumor incidence in a chemical carcinogenesis study in nonhuman primates. *Regul. Toxicol. Pharmacol.* 19: 130-151(1994).
1241. Thorpe, E., and Walker, A. I. T. The toxicology of dieldrin (HEOD). II. Comparative long-term oral toxicity studies in mice with dieldrin, DDT, phenobarbital, β -BHC and γ -BHC. *Food Cosmet. Toxicol.* 11: 433-442(1973).
1242. Til, H. P., Woutersen, R. A., Feron, V. J., Hollanders, V. H. M., Falke, H. E., and Clary, J. J. Two-year drinking-water study of formaldehyde in rats. *Food Chem. Toxicol.* 27: 77-87(1989).
1243. Toge, K., Sano, N., Maeda, T., Shibata, M., and Otsuka, H. Carcinogenicity of bucetin in (C57BL/6 \times C3H)F₁ mice. *J. Nat. Cancer Inst.* 79: 1151-1158(1987).
1244. Tomatis, L., Turusov, V., Charles, R. T., and Boicchi, M. Effect of long-term exposure to 1,1-dichloro-2,2-bis(*p*-chlorophenyl)ethylene, to 1,1-dichloro-2,2-bis(*p*-chlorophenyl)ethane, and to the two chemicals combined on CF-1 mice. *J. Nat. Cancer Inst.* 52: 883-891(1974).
1245. Tomatis, L., Turusov, V., Charles, R. T., Boiocchi, M., and Gati, E. Liver tumours in CF-1 mice exposed for limited periods to technical DDT. *Cancer Res. Clin. Oncol.* 82: 25-35(1974).
1246. Tomatis, L., Turusov, V., Day, N., and Charles, R. T. The effect of long-term exposure to DDT on CF-1 mice. *Int. J. Cancer* 10: 489-506(1972).
1247. Toth, B. 1,1-Dimethylhydrazine (unsymmetrical) carcinogenesis in mice. Light microscopic and ultrastructural studies on neoplastic blood vessels. *J. Nat. Cancer Inst.* 50: 181-194(1973).
1248. Toth, B. 1-Acetyl-2-phenylhydrazine carcinogenesis in mice. *Br. J. Cancer* 39: 584-587(1979).
1249. Toth, B. Benzoylhydrazine carcinogenesis in lungs and lymphoreticular tissues of Swiss mice. *Eur. J. Cancer* 8: 341-345(1972).
1250. Toth, B. Carcinogenesis by *N*2-[γ -*L*(+)-glutamyl]-4-carboxy-phenylhydrazine of *Agaricus bisporus* in mice. *Anticancer Res.* 6: 917-920(1986).
1251. Toth, B. Effects of lifelong administration of β -phenylisopropylhydrazine hydrochloride and thiocarbamylhydrazine in mice. *Fundam. Appl. Toxicol.* 2: 173-176(1982).
1252. Toth, B. Effects of long term administration of nicotine hydrochloride and nicotinic acid in mice. *Anticancer Res.* 2: 71-74(1982).
1253. Toth, B. Formylhydrazine carcinogenesis in mice. *Br. J. Cancer* 37: 960-964(1978).
1254. Toth, B. Hydrazine, methylhydrazine and methylhydrazine sulfate carcinogenesis in Swiss mice. Failure of ammonium hydroxide to interfere in the development of tumors. *Int. J. Cancer* 9: 109-118(1972).
1255. Toth, B. Lack of carcinogenicity of nicotinamide and isonicotinamide following lifelong administration to mice. *Oncology* 40: 72-75(1983).
1256. Toth, B. Lack of tumorigenicity of sodium benzoate in mice. *Fundam. Appl. Toxicol.* 4: 494-496(1984).
1257. Toth, B. Lung tumor induction and inhibition of breast adenocarcinomas by hydrazine sulfate in mice. *J. Nat. Cancer Inst.* 42: 469-475(1969a).
1258. Toth, B. Nicotinic acid hydrazide carcinogenesis in mice. *Oncology* 38: 106-109(1981).
1259. Toth, B. Studies on the incidence, morphology, transplantation and cell-free filtration of malignant lymphomas in the Syrian golden hamster. *Cancer Res.* 27: 1430-1442(1967a).
1260. Toth, B. The large bowel carcinogenic effects of hydrazines and related compounds occurring in nature and in the environment. *Cancer* 40: 2427-2431(1977).
1261. Toth, B. Tumorigenesis studies with 1,2-dimethylhydrazine dihydrochloride, hydrazine sulfate, and isonicotinic acid in Golden hamsters. *Cancer Res.* 32: 804-807(1972).
1262. Toth, B. Tumorigenicity of β -phenylethylhydrazine sulfate in mice. *Cancer Res.* 36: 917-921(1976).
1263. Toth, B., and Boreisha, I. Tumorigenesis with isonicotinic acid hydrazide and urethan in the Syrian golden hamsters. *Eur. J. Cancer* 5: 165-171(1969).
1264. Toth, B., and Erickson, J. Lung tumorigenesis by 1,2-diformylhydrazine in mice. *Cancer Res. Clin. Oncol.* 92: 11-16(1978).
1265. Toth, B., and Gannett, P. Carcinogenesis study in mice by 3-methylbutanal methylformylhydrazone of *Gyromitra esculenta*. *in vivo* 4: 283-288(1990).

1266. Toth, B., and Gannett, P. Carcinogenicity of lifelong administration of capsaicin of hot pepper in mice. *in vivo* 6: 59-64(1992).
1267. Toth, B., and Nagel, D. 1,2-Diallylhydrazine dihydrochloride carcinogenesis in mice. *Oncology* 39: 104-108 (1982).
1268. Toth, B., and Nagel, D. 1,2-Di-N-butylhydrazine dihydrochloride carcinogenesis in mice. *Experientia* 37: 773-775(1981).
1269. Toth, B., and Nagel, D. *N*-Ethyl-*N*-formylhydrazine tumorigenesis in mice. *Carcinogenesis* 1: 61-65(1980).
1270. Toth, B., and Nagel, D. Tumors induced in mice by *N*-methyl-*N*-formylhydrazine of the false morel *Gyromitra esculenta*. *J. Nat. Cancer Inst.* 60: 201-204(1978).
1271. Toth, B., and Nagel, D. Tumour induction study with allylhydrazine HCl in Swiss mice. *Br. J. Cancer* 34: 90-93(1976).
1272. Toth, B., and Patil, K. Carcinogenic effects in the Syrian golden hamster of *N*-methyl-*N*-formylhydrazine of the false morel mushroom *Gyromitra esculenta*. *Cancer Res. Clin. Oncol.* 93: 109-121(1979).
1273. Toth, B., and Patil, K. The tumorigenic effect of low dose levels of *N*-methyl-*N*-formylhydrazine in mice. *Neoplasma* 27: 25-31(1980).
1274. Toth, B., and Patil, K. Tumorigenicity of minute dose levels of *N*-methyl-*N*-formylhydrazine of *Gyromitra esculenta*. *Mycopathologia* 78: 11-16(1982a).
1275. Toth, B., and Raha, C. R. Carcinogenesis by pentanal methylformylhydrazone of *Gyromitra esculenta* in mice. *Mycopathologia* 98: 83-89(1987).
1276. Toth, B., and Rustja, M. The effect of isonicotinic acid hydrazide on the development of tumors. *Int. J. Cancer* 2: 413-420(1967).
1277. Toth, B., and Shimizu, H. 1-Carbamyl-2-phenylhydrazine tumorigenesis in Swiss mice. Morphology of lung adenomas. *J. Nat. Cancer Inst.* 52: 241-251(1974).
1278. Toth, B., and Shimizu, H. Lung carcinogenesis with 1-acetyl-2-isonicotinoylhydrazine, the major metabolite of isoniazid. *Eur. J. Cancer* 9: 285-289(1973).
1279. Toth, B., and Shimizu, H. Methylhydrazine tumorigenesis in Syrian golden hamsters and the morphology of malignant histiocytomas. *Cancer Res.* 33: 2744-2753(1973).
1280. Toth, B., and Shimizu, H. Tumorigenic effects of chronic administration of benzylhydrazine dihydrochloride and phenylhydrazine hydrochloride in Swiss mice. *Cancer Res. Clin. Oncol.* 87: 267-273(1976).
1281. Toth, B., and Shubik, P. Carcinogenesis in Swiss mice by isonicotinic acid hydrazide. *Cancer Res.* 26: 1473-1475(1966).
1282. Toth, B., and Shubik, P. Mammary tumor inhibition and lung adenoma induction by isonicotinic acid hydrazide. *Science* 152: 1376-1377(1966a).
1283. Toth, B., and Wilson, R. B. Blood vessel tumorigenesis by 1,2-dimethylhydrazine dihydrochloride (symmetrical). *Am. J. Pathol.* 64: 585-600(1971).
1284. Toth, B., Nagel, D., and Patil, K. Carcinogenic effects of 1,1-di-*N*-butylhydrazine in mice. *Carcinogenesis* 2: 651-654(1981).
1285. Toth, B., Nagel, D., and Patil, K. Tumorigenesis by *N*-*N*-propyl-*N*-formylhydrazine in mice. *Br. J. Cancer* 42: 922-928(1980).
1286. Toth, B., Nagel, D., and Patil, K. Tumorigenic action of *N*-butyl-*N*-formylhydrazine in mice. *Carcinogenesis* 1: 589-593(1980).
1287. Toth, B., Nagel, D., and Raha, C. Tumorigenesis with 1,1-diallylhydrazine in mice. *Anticancer Res.* 1: 259-262(1981).
1288. Toth, B., Nagel, D., Patil, K., Erickson, J., and Antonson, K. Tumor induction with the *N'*-acetyl derivative of 4-hydroxymethylphenylhydrazine, a metabolite of agaritine of *Agaricus bisporus*. *Cancer Res.* 38: 177-180(1978).
1289. Toth, B., Patil, K., Erickson, J., and Gannett, P. Cancer induction studies using different administrations of benzenediazonium sulfate in mice. *In Vivo* 13: 125-128(1999).
1290. Toth, B., Patil, K., Erickson, J., and Kupper, R. False morel mushroom *Gyromitra esculenta* toxin: *N*-methyl-*N*-formylhydrazine carcinogenesis in mice. *Mycopathologia* 68: 121-128(1979).
1291. Toth, B., Raha, C. R., Wallcave, L., and Nagel, D. Attempted tumor induction with agaritine in mice. *Anticancer Res.* 1: 255-258(1981).
1292. Toth, B., Shimizu, H., and Erickson, J. Carbamylhydrazine hydrochloride as a lung and blood vessel tumour inducer in Swiss mice. *Eur. J. Cancer* 11: 17-22(1975).
1293. Toth, B., Smith, J. W., and Patil, K. D. Cancer induction in mice with acetaldehyde methylformylhydrazone of the false morel mushroom. *J. Nat. Cancer Inst.* 67: 881-887(1981).
1294. Toth, B., Taylor, J., and Gannett, P. Tumor induction with hexanal methylformylhydrazone of *Gyromitra esculenta*. *Mycopathologia* 115: 65-71(1991).
1295. Toth, B., Wallcave, L., Patil, K., Schmelz, I., and Hoffmann, D. Induction of tumors in mice with the herbicide succinic acid 2,2-dimethylhydrazide. *Cancer Res.* 37: 3497-3500(1977).
1296. Toth, K., Somfai-Relle, S., Sugar, J., and Bence, J. Carcinogenicity testing of herbicide 2,4,5-trichlorophenoxyethanol containing dioxin and of pure dioxin in Swiss mice. *Nature* 278: 548-549(1979).
1297. Tourkevitch, N. M., Gorevaia, A. N., Kounitsa, L. K., and Mao, L. S. Développement des tumeurs des glandes mammaires chez les rats en cas de trouble de la régulation endocrine provoqué par différentes actions. *Int. J. Cancer* 20: 1446-1449(1964).
1298. Toyoda, K., Matsui, H., Shoda, T., Uneyama, C., Takada, K., and Takahashi, M. Assessment of carcinogenicity of stevioside in F344 rats. *Food Chem. Toxicol.* 35: 597-603(1997).
1299. Toyoda, K., Shibutani, M., Sato, H., Uneyama, C., Takahashi, M., Hayashi, Y., and Hirose, M. Lack of carcinogenicity and increased survival in F344 rats treated with 5-fluorouracil for two years. *Food Chem. Toxicol.* 38: 187-193(2000).
1300. Toyoda, K., Shoda, T., Uneyama, C., Takada, K., and Takahashi, M. Carcinogenicity study of β -cyclodextrin in F344 rats. *Food Chem. Toxicol.* 35: 331-336(1997).
1301. Trochimowicz, H. J., Loser, E., Feron, V. J., Clary, J. J., and Valentine, R. Chronic inhalation toxicity and carcinogenicity studies on β -chloroprene in rats and hamsters. *Inhal. Toxicol.* 10: 443-472(1998).
1302. Trochimowicz, H. J., Rusch, G. M., Chiu, T., and Wood, C. K. Chronic inhalation toxicity/carcinogenicity study in rats exposed to Fluorocarbon 113 (FC-113). *Fundam. Appl. Toxicol.* 11: 68-75(1988).
1303. Truhaut, R., Coquet, B., Fouillet, X., Galland, D., Guyot, D., Long, D., and Rouaud, J. L. Two-year oral toxicity and multigeneration studies in rats on two chemically modified maize starches. *Food Cosmet. Toxicol.* 17: 11-17(1979).
1304. Truhaut, R., Ferrando, R., Faccini, J. M., and Monro, A. M. Negative results of carcinogenicity bioassay of methyl carbazate in rats: significance for the toxicological evaluation of carbadox. *Toxicology* 22: 219-221(1981).
1305. Truhaut, R., Le Bourhis, B., Attia, M., Glomot, R., Newman, J., and Caldwell, J. Chronic toxicity/carcinogenicity study of trans-anethole in rats. *Food Chem. Toxicol.* 27: 11-19(1989).
1306. Trutter, J. A., Machotka, S. V., Alsaker, R. D., Sumi, N., and Toshida, K. Carcinogenicity study of a new orally active antirheumatic drug 4-acetyl-aminophenylacetic acid (MS-932) in mice. *Pharmacometrics (Oyo Yakuri)* 40: 325-335(1990).
1307. Trutter, J. A., Machotka, S. V., Alsaker, R. D., Sumi, N., and Toshida, K. Carcinogenicity study of a new orally active antirheumatic drug 4-acetyl-aminophenylacetic acid (MS-932) in rats. *Pharmacometrics (Oyo Yakuri)* 40: 337-349(1990).
1308. Tsai, T. H., Beitman, R. E., Gibson, J. P., Larson, E. J., Friehe, H., and Fontaine, R. Acute, subacute and chronic toxicity/carcinogenicity of lofexidine. *Arzneim.-Forsch.* 31: 955-962(1982).
1309. Tsubura, Y. Chronic oral toxicity test of tylosin lactate in C57BL/6 mice. *J. Nara Med. Assoc.* 30: 506-517(1979).
1310. Tsuda, H., Hagiwara, A., Shibata, M., Ohshima, M., and Ito, N. Carcinogenic effect of carbazole in the liver of (C57BL/6N \times C3H/HeN)F₁ mice. *J. Nat. Cancer Inst.* 69: 1383-1387(1982).
1311. Tsuda, H., Hananouchi, M., Tatematsu, M., Hirose, M., Hirao, K., Takahashi, M., and Ito, N. Tumorigenic effect of 3-amino-1*H*-1,2,4-triazole on rat thyroid. *J. Nat. Cancer Inst.* 57: 861-864(1976).
1312. Tsung-Hsien, C., Yu-Chung, L., Kwang-Yung, L., Cheng-Hsien, S., and Yee-Ping, C. Cocarcinogenic action of aspirin on gastric tumors induced by ni-troso-*N*-methylnitroguanidine in rats. *J. Nat. Cancer Inst.* 70: 1067-1069(1983).
1313. Tuchmann-Duplessis, H., and Mercier-Parot, L. Cancérologie — apparition de tumeurs malignes dans une lignée de rats "Wistar." *Académie des Sciences, Mémoires et Communications des Membres et des Correspondants de l'Académie* 254: 1535-1537(1962).

1314. Tucker, M. J., Adam, H. K., and Patterson, J. S. Tamoxifen. In: *Safety Testing of New Drugs: Laboratory Predictions and Clinical Performance* (D. R. Laurence, A. E. M. McLean, and M. Weatherall, Eds.), Academic Press, Orlando, FL, 1984, pp. 125-161.
1315. Tucker, M. J., and Orton, T. C. *Comparative Toxicology of Hypolipidaemic Fibrates*. Section 1.6. Oncogenicity studies in mice (1970, 1976). London: Taylor and Francis, 1995, pp. 13-16.
1316. Tucker, M. J., and Orton, T. C. *Comparative Toxicology of Hypolipidaemic Fibrates*. Section 2.5. Oncogenicity studies in mice (1966-67, 1968-70). London: Taylor and Francis, 1995, pp. 39-53.
1317. Tucker, M. J., and Orton, T. C. *Comparative toxicology of hypolipidaemic fibrates*. 3.8 Oncogenicity study in the rat (1971-73). London: Taylor and Francis, 1995, pp. 74-81.
1318. Tucker, M. J., and Orton, T. C., Eds. *Comparative Toxicology of Hypolipidaemic Fibrates*. Taylor and Francis, London, 1995.
1319. Tucker, M. J., Kalinowski, A. E., and Orton, T. C. Carcinogenicity of cyproterone acetate in the mouse. *Carcinogenesis* 17: 1473-1476(1996).
1320. Tumasonis, C. F., McMurtin, D. N., and Bush, B. Lifetime toxicity of chloroform and bromodichloromethane when administered over a lifetime in rats. *Ecotoxicol. Environ. Safety* 9: 233-240(1985).
1321. Uchida, E., and Hirono, I. Effect of phenobarbital on the development of neoplastic lesions in the liver of cycasin-treated rats. *Cancer Res. Clin. Oncol.* 100: 231-238(1981).
1322. Uematsu, K., and Miyaji, T. Induction of tumors in rats by oral administration of technical acid violet 6B. *J. Nat. Cancer Inst.* 51: 1337-1338(1973).
1323. Ueno, I., and Hirono, I. Non-carcinogenic response to coumarin in Syrian golden hamsters. *Food Cosmet. Toxicol.* 19: 353-355(1981).
1324. Ulland, B. M., Weisburger, J. H., Weisburger, E. K., Rice, J. M., and Cypher, R. Brief communication: thyroid cancer in rats from ethylene thiourea intake. *J. Nat. Cancer Inst.* 49: 583-584(1972).
1325. Ungerer, O., Eisenbrand, G., and Preussmann, R. Zur Reaktion von Nitrit mit Pestiziden. Bildung, chemische Eigenschaften und cancerogene Wirkung der *N*-Nitrosoverbindung des Herbizids *N*-Methyl-*N'*-(2-benzothiazolyl)-harnstoff (Benthiazuron). *Cancer Res. Clin. Oncol.* 81: 217-224(1974).
1326. Uraguchi, K., Saito, M., Noguchi, Y., Takahashi, K., Enomoto, M., and Tatsuno, T. Chronic toxicity and carcinogenicity in mice of the purified mycotoxins, luteoskyrin and cyclochlorotrine. *Food Cosmet. Toxicol.* 10: 193-207(1972).
1327. Usui, T., Ogiwara, S., Kaziwara, K., and Shimamoto, K. Oral toxicity studies of disodium 5'-ribonucleotide in the rat. *J. Takeda Res. Lab. (Takeda Kenkyusho Ho)* 30: 614-635(1971).
1328. Van Duuren, B. L., Goldschmidt, B. M., and Seidman, I. Carcinogenic activity of di- and trifunctional α -chloro ethers and of 1,4-dichlorobutene-2 in ICR/Ha Swiss mice. *Cancer Res.* 35: 2553-2557(1975).
1329. Van Duuren, B. L., Goldschmidt, B. M., Katz, C., Seidman, I., and Paul, J. S. Carcinogenic activity of alkylating agents. *J. Nat. Cancer Inst.* 53: 695-700(1974).
1330. Van Duuren, B. L., Goldschmidt, B. M., Loewengart, G., Smith, A. C., Melchionne, S., Seidman, I., and Roth, D. Carcinogenicity of halogenated olefinic and aliphatic hydrocarbons in mice. *J. Nat. Cancer Inst.* 63: 1433-1439(1979).
1331. Van Duuren, B. L., Langseth, L., Orris, L., Teebor, G., Nelson, N., and Kuschner, M. Carcinogenicity of epoxides, lactones, and peroxy compounds. IV. Tumor response in epithelial and connective tissue in mice and rats. *J. Nat. Cancer Inst.* 37: 825-838(1966).
1332. Van Duuren, B. L., Melchionne, S., Seidman, I., and Pereira, M. A. Chronic bioassays of chlorinated humic acids in B6C3F₁ mice. *Environ. Health Perspect.* 69: 109-117(1986).
1333. Van Duuren, B. L., Seidman, I., Melchionne, S., and Kline, S. A. Carcinogenicity bioassays of bromoacetaldehyde and bromoethanol — potential metabolites of dibromoethane. *Teratog. Carcinog. Mutagen.* 5: 393-403(1985).
1334. Van Esch, G. J., and Kroes, R. Long-term toxicity studies of chlorpropham and propham in mice and hamsters. *Food Cosmet. Toxicol.* 10: 373-381(1972).
1335. Van Esch, G. J., and Kroes, R. The induction of renal tumours by feeding basic lead acetate to mice and hamsters. *Br. J. Cancer* 23: 765-771(1969).
1336. Van Esch, G. J., Van Genderen, H., and Vink, H. H. The induction of renal tumours by feeding of basic lead acetate to rats. *Br. J. Cancer* 16: 289-297(1962).
1337. Van Miller, J. P., Lalich, J. J., and Allen, J. R. Increased incidence of neoplasms in rats exposed to low levels of 2,3,7,8-tetrachlorobenzo-*p*-dioxin. *Chemosphere* 6: 625-632(1977).
1338. Van Ryzin, R. J., and Trapold, J. H. The toxicology profile of the anti-inflammatory drug proquazone in animals. *Drug Chem. Toxicol.* 3: 361-379(1980).
1339. Vazquez-Lopez, E. The effects of thiourea on the development of spontaneous tumours on mice. *Br. J. Cancer* 3: 401-414(1949).
1340. Vernot, E. H., MacEwen, J. D., Bruner, R. H., Haun, C. C., Kinkead, E. R., Prentice, D. E., Hall, A., III, Schmidt, R. E., Eason, R. L., Hubbard, G. B., and Young, J. T. Long-term inhalation toxicity of hydrazine. *Fundam. Appl. Toxicol.* 5: 1050-1064(1985).
1341. Verschuur, H. G., Kroes, R., and Van Esch, G. J. Toxicity studies on tetrasul. I. Acute, long-term and reproduction studies. *Toxicology* 1: 63-78(1973).
1342. Verschuur, H. G., Kroes, R., den Tonkelaar, E. M., Berkvens, J. M., Helleman, P. W., Rauws, G., Schuller, P. L., and van Esch, G. J. (1974). Toxicity Studies with Methylmercury Chloride in Rats (Short-term, Long-term and Reproductive Studies). *Rijks Instituut voor de Volksgezondheid. Report 80/74 Tox.*
1343. Verschuur, H. G., Kroes, R., den, E. M., Tonkelaar, Berkvens, J. M., Helleman, P. W., Rauws, G., Schuller, P. L., and van Esch, G. J. Toxicity studies with methylmercury chloride in rats (short-term, long-term and reproduction studies). *Toxicology* 6: 107-123(1976).
1344. Vesselinovitch, S. D., Rao, K. V. N., and Mihailovich, N. Transplacental and lactational carcinogenesis by safrole. *Cancer Res.* 39: 4378-4380(1979).
1345. Waalkes, M. P., and Rehm, S. Carcinogenicity of oral cadmium in the male Wistar (WF/NCr) rat: effect of chronic dietary zinc deficiency. *Fundam. Appl. Toxicol.* 19: 512-520(1992).
1346. Waalkes, M. P., Anver, M. R., and Diwan, B. A. Chronic toxic and carcinogenic effects of oral cadmium in the noble (NBL/Cr) rat: Induction of neoplastic and proliferative lesions of the adrenal, kidney, prostate, and testes. *J. Toxicol. Environ. Health* 58: 199-214(1999).
1347. Waalkes, M. P., Rehm, S., Riggs, C. W., Bare, R. M., Devor, D. E., Poirier, L. A., Wenk, M. L., and Henneman, J. R. Cadmium carcinogenesis in male Wistar [Crl:(WI)BR] rats: dose-response analysis of effects of zinc on tumor induction in the prostate, in the testes, and at the injection site. *Cancer Res.* 49: 4282-4288(1989).
1348. Wada, S., Hirose, M., Shichino, Y., Ozaki, K., Hoshiya, T., Kato, K., and Shirai, T. Effects of catechol, sodium chloride and ethanol either alone or in combination on gastric carcinogenesis in rats pretreated with *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine. *Cancer Lett.* 124: 127-134(1998).
1349. Wada, S., Hirose, M., Takahashi, S., Okazaki, S., and Ito, N. *Para*-methoxyphenol strongly stimulates cell proliferation in the rat forestomach but is not a promoter of rat forestomach carcinogenesis. *Carcinogenesis* 11: 1891-1894(1990).
1350. Wakabayashi, K., Inagaki, T., Fujimoto, Y., and Fukuda, Y. Induction by degraded carrageenan of colorectal tumors in rats. *Cancer Lett.* 4: 171-176(1978).
1351. Wakabayashi, K., Nagao, M., Esumi, H., and Sugimura, T. Food-derived mutagens and carcinogens. *Cancer Res.* 52: 2092s-2098s(1992).
1352. Walker, A. I. T., Thorpe, E., and Stevenson, D. E. The toxicology of dieldrin (HEOD). I. Long-term oral toxicity studies in mice. *Food Cosmet. Toxicol.* 11: 415-432(1973).
1353. Walker, R. F., Weideman, C. A., and Wheeldon, E. B. Reduced disease in aged rats treated chronically with ibopamine, a catecholaminergic drug. *Neurobiol. Aging* 9: 291-301(1988).
1354. Walker, R. M., Wojcinski, Z. W., Hofstra, A. H., King, L. M., Rogers, J. E., Baker, K. W., Chang, P.-K., and Smith, G. S. Hepatotumorigenicity and peroxisome proliferation induced by the hypolipidemic CI-924 in a two-year study in male and female B6C3F₁ mice. *Toxicol. Pathol.* 24: 265-272(1996).
1355. Waner, T., Borelli, G., Cadel, S., Privman, I., and Nyska, A. Investigation of potential oncogenetic effects of beta-cyclodextrin in the rat and mouse. *Arch. Toxicol.* 69: 631-639(1995).
1356. Wang, C. Y., Croft, W. A., and Bryan, G. T. Tumor production in germ-free rats fed 5-nitrofurans. *Cancer Lett.* 21: 303-308(1984).

1357. Wang, C. Y., Kamiryo, Y., and Croft, W. A. Carcinogenicity of 2-amino-4-(5-nitro-2-furyl)thiazole in rats by oral and subcutaneous administration. *Carcinogenesis* 3: 275-277(1982).
1358. Wang, D. Studies on carcinogenicity of furadan in ICR mice by chronic ingestion. *Acta Sci. Circumst.* 9: 505-508(1989).
1359. Ward, J. M., Sontag, J. M., Weisburger, E. K., and Brown, C. A. Effect of lifetime exposure to aflatoxin B₁ in rats. *J. Nat. Cancer Inst.* 55: 107-110(1975).
1360. Watanabe, H. K., Hashimoto, Y., Abe, I., and Sato, H. Carcinogenicities of 3-methoxy-4-aminoazobenzene, N-hydroxy-3-methoxy-4-aminoazobenzene and related azo dyes in the mouse. *Gann* 73: 136-140(1982).
1361. Watanabe, H., Okamoto, T., Takahashi, T., Ogundigie, P. O., and Ito, A. The effects of sodium chloride, miso or ethanol on development of intestinal metaplasia after X-irradiation of the rat glandular stomach. *Jpn. J. Cancer Res.* 83: 1267-1272(1992).
1362. Watanabe, H., Takahashi, T., Okamoto, T., Ogundigie, P. O., and Ito, A. Effects of sodium chloride and ethanol on stomach tumorigenesis in ACI rats treated with N-methyl-N'-nitro-N-nitrosoguanidine: a quantitative morphometric approach. *Jpn. J. Cancer Res.* 83: 588-593(1992).
1363. Waters, L. L. o-Aminoazotoluene as a carcinogenic agent. *Yale J. Biol. Med.* 10: 179-184(1937).
1364. Watkins, J. R., Gough, A. W., McGuire, E. J., Goldenthal, E., and de la Iglesia, F. A. Calcium valproate-induced uterine adenocarcinomas in Wistar rats. *Toxicology* 71: 35-47(1992).
1365. Wei, M., Wanibuchi, H., Morimura, K., Iwai, S., Yoshida, K., Endo, G., Nakae, D., and Fukushima, S. Carcinogenicity of dimethylarsinic acid in male F344 rats and genetic alterations in induced urinary bladder tumors. *Carcinogenesis* 23: 1387-1397 (2002).
1366. Wei, M., Wanibuchi, H., Yamamoto, S., Li, W., and Fukushima, S. Urinary bladder carcinogenicity of dimethylarsinic acid in male F344 rats. *Carcinogenesis* 20: 1873-1876(1999).
1367. Weikel Jr., J. H., and Kelly, W. A. Tumorigenicity assays of sotalol hydrochloride in rats and mice. *J. Clin. Pharmacol.* 19: 591-604(1979).
1368. Weisburger, E. K. Bioassay program for carcinogenic hazards of cancer chemotherapeutic agents. *Cancer* 40: 1935-1949(1977).
1369. Weisburger, E. K. Carcinogenicity studies on halogenated hydrocarbons. *Environ. Health Perspect.* 21: 7-16(1977).
1370. Weisburger, E. K., Russfield, A. B., Homberger, F., Weisburger, J. H., Boger, E., Van Dongen, C. G., and Chu, K. Testing of twenty-one aromatic amines or derivatives for long-term toxicity or carcinogenicity. *J. Environ. Pathol. Toxicol.* 2: 325-356(1978).
1371. Weisburger, E. K., Ulland, B. M., Nam, J., Gart, J. J., and Weisburger, J. H. Carcinogenicity tests of certain environmental and industrial chemicals. *J. Nat. Cancer Inst.* 67: 75-88(1981).
1372. Weisburger, J. H., Rivenson, A., Hard, G. C., Zang, E., Nagao, M., and Sugimura, T. Role of fat and calcium in cancer causation by food mutagens, heterocyclic amines. *Proc. Soc. Exp. Biol. Med.* 205: 347-352(1994).
1373. Weisburger, J. H., Rivenson, A., Marcus, L. A., Lang, J., Zang, E., Pittman, B., Nagao, M., and Sugimura, T. Modification by dietary fat of mammary gland carcinogenesis induced by 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine in female SD × F344 F₁ hybrid rats. *J. Environ. Pathol. Toxicol. Oncol.* 16: 329-334(1997).
1374. Weisburger, J. H., Yamamoto, R. S., Glass, R. M., and Frankel, H. H. Prevention by arginine glutamate of the carcinogenicity of acetamide in rats. *Toxicol. Appl. Pharmacol.* 14: 163-175(1969).
1375. Wester, P. W., Krajnc, E. I., van Leeuwen, F. X. R., Loever, J. G., van der Heijden, C. A., Vaessen, H. A. M. G., and Helleman, P. W. Chronic toxicity and carcinogenicity of bis(*tri*-N-butyltin)oxide (TBTO) in the rat. *Food Chem. Toxicol.* 28: 179-196(1990).
1376. Wester, P. W., van der Heijden, C. A., Bisschop, A., and van Esch, G. J. Carcinogenicity study with epichlorohydrin (CEP) by gavage in rats. *Toxicology* 36: 325-339(1985).
1377. Wetzel, L. T., Luempert, L. G., III, Breckenridge, C. B., Tisdel, M. O., Stevens, J. T., Thakur, A. K., Extrom, P. J., and Eldridge, J. C. Chronic effects of atrazine on estrus and mammary tumor formation in female Sprague-Dawley and Fischer 344 rats. *J. Toxicol. Environ. Health* 43: 169-182(1994).
1378. Wheldon, G. H., Bhatt, A., Keller, P., and Hummler, H. d,l- α -Tocopheryl acetate (vitamin E): a long term toxicity and carcinogenicity study in rats. *Int. J. Vitam. Nutr. Res.* 53: 287-296(1983).
1379. White, I. N. H., Carthew, P., Davies, R., Styles, J., Brown, K., Brown, J. E., Smith, L. L., and Martin, E. A. Short-term dosing of α -hydroxytamoxifen results in DNA damage but does not lead to liver tumours in female Wistar/Han rats. *Carcinogenesis* 22: 553-557(2001).
1380. Wiessler, M., and Schmahl, D. Zur carcinogenen Wirkung von *N*-Nitroso-Verbindungen. 1. Mitteilung: *N*-Nitroso-3,6-dihydrooxazin-1,2 und *N*-Nitroso-tetrahydrooxazin-1,2. *Cancer Res. Clin. Oncol.* 79: 114-117(1973).
1381. Wiessler, M., and Schmahl, D. Zur carcinogenen Wirkung von *N*-Nitroso-Verbindungen. 2. Mitteilung: S(+) und R(-)-*N*-Nitroso-2-methyl-piperidin. *Cancer Res. Clin. Oncol.* 79: 118-122(1973).
1382. Willheim, R., and Ivy, A. C. A preliminary study concerning the possibility of dietary carcinogenesis. *Gastroenterology* 23: 1-19(1953).
1383. Williams, G. M., Iatropoulos, M. J., Djordjevic, M. V., and Kaltenberg, O. P. The triphenylethylene drug tamoxifen is a strong liver carcinogen in the rat. *Carcinogenesis* 14: 315-317(1993).
1384. Williams, G. M., Iatropoulos, M., Cheung, R., Radi, L., and Wang, C. X. Diethylstilbestrol liver carcinogenicity and modification of DNA in rats. *Cancer Lett.* 68: 193-198(1993).
1385. Williams, G. M., Wang, C. X., and Iatropoulos, M. J. Toxicity studies of butylated hydroxyanisole and butylated hydroxytoluene. II. Chronic feeding studies. *Food Chem. Toxicol.* 28: 799-806(1990).
1386. Williams, M. H. C., and Bonser, G. M. Induction of hepatomas in rats and mice following the administration of auramine. *Br. J. Cancer* 16: 87-91(1962).
1387. Willis, J. The induction of malignant neoplasms in the thyroid gland of the rat. *J. Pathol.* 82: 23-27(1961).
1388. Wislocki, P. G., Miller, E. C., Miller, J. A., McCoy, E. C., and Rosenkranz, H. S. Carcinogenic and mutagenic activities of safrole, 1'-hydroxysafrole, and some known or possible metabolites. *Cancer Res.* 37: 1883-1891(1977).
1389. Wogan, G. N., Edwards, G. S., and Newberne, P. M. Structure-activity relationships in toxicity and carcinogenicity of aflatoxins and analogs. *Cancer Res.* 31: 1936-1942(1971).
1390. Wogan, G. N., PagliaiLunga, S., and Newberne, P. M. Carcinogenic effects of low dietary levels of aflatoxin B₁ in rats. *Food Cosmet. Toxicol.* 12: 681-685(1974).
1391. Wolf, D. C., Morgan, K. T., Gross, E. A., Barrow, C., Moss, O. R., James, R. A., and Popp, J. A. Two-year inhalation exposure of female and male B6C3F₁ mice and F344 rats to chlorine gas induces lesions confined to the nose. *Fundam. Appl. Toxicol.* 24: 111-131(1995).
1392. Wolff, G. L., Gaylor, D. W., Blackwell, B.-N., and Moore, G. E. Bladder and liver tumorigenesis induced by 2-acetylaminofluorene in different F₁ mouse hybrids: variation within genotypes and effects of using more than one genotype on risk assessment. *J. Toxicol. Environ. Health* 33: 327-348(1991).
1393. Wolff, G. L., Roberts, D. W., Morrissey, R. L., Greenman, D. L., Allen, R. R., Campbell, W. L., Bergman, H., Nesnow, S., and Frith, C. H. Tumorigenic responses to lindane in mice: potentiation by a dominant mutation. *Carcinogenesis* 8: 1889-1897(1987).
1394. Wong, L. C. K., Winston, J. M., Hong, C. B., and Plotnick, H. Carcinogenicity and toxicity of 1,2-dibromoethane in the rat. *Toxicol. Appl. Pharmacol.* 63: 155-165(1982).
1395. Wood, M. Factors influencing the induction of tumours of the urinary bladder and liver by 2-acetylaminofluorene in the mouse. *Eur. J. Cancer* 5: 41-47(1969).
1396. Wood, M., Flaks, A., and Clayson, D. B. The carcinogenic activity of dibutylnitrosamine in IF × C57 mice. *Eur. J. Cancer* 6: 433-440(1970).
1397. Woutersen, R. A., and Feron, V. J. Inhalation toxicity of acetaldehyde in rats. IV progression and regression of nasal lesions after discontinuation of exposure. *Toxicology* 47: 295-305(1987).
1398. Woutersen, R. A., Appelman, L. M., Van Gardenen-Hoetmer, A., and Feron, V. J. Inhalation toxicity of acetaldehyde in rats. III. Carcinogenicity study. *Toxicology* 41: 213-231(1986).

1399. Woutersen, R. A., van Garderen-Hoetmer, A., Bruijntjes, J. P., Zwart, A., and Feron, V. J. Nasal tumours in rats after severe injury to the nasal mucosa and prolonged exposure to 10 ppm formaldehyde. *J. Appl. Toxicol.* 9: 39-46(1989).
1400. Wrenn, J. M., Inhelder, J. L., Hemm, R. D., Pollock, J. J., and Sumi, N. Eighteen month carcinogenicity study of etodolac, a nonsteroidal anti-inflammatory agent, in Charles River CD-1 mice. *Pharmacometrics* 41: 113-128(1991).
1401. Wrenn, J. M., Inhelder, J. L., Hemm, R. D., Pollock, J. J., and Sumi, N. Two year carcinogenicity study of etodolac, a nonsteroidal anti-inflammatory agent, in Charles River CR-CD rats. *Pharmacometrics* 41: 129-146(1991).
1402. Wright, J. A., Marsden, A. M., Willets, J. M., and Orton, T. C. Hepatocarcinogenic effect of vinyl carbamate in the C57B1/10J strain mouse. *Toxicol. Pathol.* 19: 258-265(1991).
1403. Yabe, T., Honma, M., Katsuki, S., Luetzen, L., Wiegleb, J., Pueschner, H., and Lehmann, H. Oral toxicity studies of meloxicam in rats. *Pharmacometrics (Oyo Yakuri)* 53: 29-49(1997).
1404. Yamada, T., Kuwano, H., Matsuda, H., Sugimachi, K., and Ishinishi, N. Effect of dietary vitamin A on forestomach tumorigenesis during the total and postinitiation stages in mice treated with high- or low-dose benzo(a)pyrene. *Surg. Toda* 25: 729-736(1995).
1405. Yamada, T., Maita, K., Nakamura, J., Murakami, M., Okuno, Y., Hosokawa, S., Matsuo, M., and Yamada, H. Carcinogenicity studies of oxolinic acid in rats and mice. *Food Chem. Toxicol.* 32: 397-408(1994).
1406. Yamagawa, K., Higashi, S., and Mizumoto, R. Effect of alcohol ingestion on carcinogenesis by synthetic estrogen and progestin in the rat liver. *Jpn. J. Cancer Res.* 82: 771-778(1991).
1407. Yamamoto, H., Imai, S., and Tsubura, Y. Chronic toxicity of vitamin A acid in NIH Swiss mice by oral administration. *J. Nara Med. Assoc.* 27: 437-451(1976).
1408. Yamamoto, K., Eimoto, H., Takashima, Y., Tsutsumi, M., Maruyama, H., Denda, A., Mori, Y., and Konishi, Y. Initiation activity of endogenously synthesized *N*-nitrosobis(2-hydroxypropyl)amine in the rat liver. *Cancer Lett.* 45: 221-225(1989).
1409. Yamamoto, K., Nakajima, A., Eimoto, H., Tsutsumi, M., Maruyama, H., Denda, A., Nii, H., Mori, Y., and Konishi, Y. Carcinogenic activity of endogenously synthesized *N*-nitrosobis(2-hydroxypropyl)amine in rats administered bis(2-hydroxypropyl)amine and sodium nitrite. *Carcinogenesis* 10: 1607-1611(1989).
1410. Yamamoto, K., Tsutsumi, M., Tsujiuchi, T., Kobitsu, K., Okajima, E., Takahama, M., Mori, Y., and Konishi, Y. Lack of significant tumor induction by endogenously formed *N*-nitrosobis(2-hydroxypropyl)amine in rats fed tris(2-hydroxypropyl)amine and sodium nitrite. *J. Toxicol. Pathol.* 9: 199-204(1996).
1411. Yamamoto, R. S., and Korzis, J. H. Weisburger, J. Chronic ethanol ingestion and the hepatocarcinogenicity of *N*-hydroxy-*N*-2-fluorenylacetamide. *Int. J. Cancer* 2: 337-343(1967).
1412. Yamamoto, R. S., Richardson, H. L., Weisburger, E. K., Weisburger, J. H., Benjamin, T., and Bahner, C. T. Carcinogenicity of proposed cancer chemotherapeutic agents with stilbenearylnitrosamine structures. *J. Nat. Cancer Inst.* 51: 1313-1315(1973).
1413. Yamamoto, R. S., Williams, G. M., Frankel, H. H., and Weisburger, J. H. 8-Hydroxyquinoline: chronic toxicity and inhibitory effect on the carcinogenicity of *N*-2-fluorenylacetamide. *Toxicol. Appl. Pharmacol.* 19: 687-698(1971).
1414. Yamamura, T., Nishimura, T., Kuwamura, Y., Inui, T., Aughton, P., and Kawai, Y. Oncogenicity studies of taltirelin tetrahydrate (TA-0910) by oral (gavage) administration in CD-1 mice and CD rats. *J. Toxicol. Sci.* 22(Suppl. II): 419-430 (1997).
1415. Yamauchi, O., Omori, M., Ninomiya, M., Okuno, M., Moriwaki, H., Suganuma, M., Fujiki, H., and Muto, Y. Inhibitory effect of sarcophytol A on development of spontaneous hepatomas in mice. *Jpn. J. Cancer Res.* 82: 1234-1238(1991).
1416. Yamazaki, K., Ohno, H., Asakura, M., Narumi, A., Ohbayashi, H., Fujita, H., Ohnishi, M., Katagiri, T., Senoh, H., Yamanouchi, K., Nakayama, E., Yamamoto, S., Noguchi, T., Nagano, K., Enomoto, M., and Sakabe, H. Two-year toxicological and carcinogenesis studies of 1,4-dioxane in F344 rats and BDF₁ mice. Drinking studies. *Proc. Int. Center Med. Res. Seminar* 1993: 193-198(1994).
1417. Yanagi, S., Yamashita, M., and Hiasa, Y. Aspirin shares a short-term effect, inhibition of pyruvate kinase activity with tumor-promoting agents, but fails to promote rat liver carcinogenesis. *Oncology* 50: 275-278(1993).
1418. Yano, B. L., Young, J. T., and Mattsson, J. L. Lack of carcinogenicity of chlorpyrifos insecticide in a high-dose, 2-year dietary toxicity study in Fischer 344 rats. *Fundam. Appl. Toxicol.* 53: 135-144(2000).
1419. Yasuhara, K., Koujitani, T., Takegawa, K., Nasu, M., Onodera, H., Takagi, H., Hirose, M., and Mitsumori, K. Promoting effects of xylazine on development of thyroid tumors in rats initiated with *N*-bis(2-hydroxypropyl)nitrosamine and the mechanism of action. *Carcinogenesis* 22: 613-618(2001).
1420. Yasuhara, K., Shimo, T., Mitsumori, K., Onodera, H., Kitaura, K., and Takahashi, M. Lack of carcinogenicity of cyanoguanidine in F344 rats. *Food Chem. Toxicol.* 35: 475-480(1997). Yasui, W., and Tahara, E. Effect of gastrin on gastric mucosal cyclic adenosine 3':5'-monophosphate-dependent protein kinase activity in rat stomach carcinogenesis induced by *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine. *Cancer Res.* 45: 4763-4767(1985).
1421. Yokoro, K., Kajihara, H., Kodama, Y., Nagao, K., Hamada, K., and Kinomura, A. Chronic toxicity of 2-(2-furyl)-3-(5-nitro-2-furyl)acrylamide (AF-2) in mice with special reference to carcinogenicity in the forestomach. *Gann* 68: 825-828(1977).
1422. Yonezawa, H., Yamaguchi, K., Shinomiya, K., Koide, T., Suzuki, Y., Ueda, H., Murakata, S., Tanimoto, T., Tanaka, M., Yanagi, H., Shichino, Y., Sakai, M., Shirakawa, R., Itagaki, I., Chihara, N., Kanazawa, H., and Matsuoka, Y. Toxicological study of 4-oxo-8-[4-(4-phenylbutoxy)benzoylamino]-2-(tetrazol-5-yl)-4H-1-benzopyran hemidate (ONO-1078). (3) Twelve-month oral toxicity study in rats. *Pharmacometrics (Oyo Yakuri)* 44: 219-242(1992).
1423. Yoshida, M., Numoto, S., and Otsuka, H. Histopathological changes induced in the urinary bladder and liver of female BALB/c mice treated simultaneously with 2-naphthylamine and cyclophosphamide. *Gann* 70: 645-652(1979).
1424. Yoshimi, N., Ino, N., Suzui, M., Tanaka, T., Nakashima, S., Nakamura, M., Nozawa, Y., and Mori, H. The mRNA overexpression of inflammatory enzymes, phospholipase A₂ and cyclooxygenase, in the large bowel mucosa and neoplasms of F344 rats treated with naturally occurring carcinogen, 1-hydroxyanthraquinone. *Cancer Lett.* 97: 75-82(1995).
1425. Yoshimoto, S. Carcinogenicity and mutagenicity of tetrachlorobenzidine. *Jikeikai Med. J.* 25: 123-128(1978).
1426. Zabechinskii, M. A. Effectiveness of inhalation as a method of administration of atomized carcinogens. *Byull. Eksp. Biol. Med.* 69: 72-74(1970).
1427. Zaidi, N. H., O'Connor, P. J., and Butler, W. H. *N*-Methyl-*N'*-nitro-*N*-nitrosoguanidine-induced carcinogenesis: differential pattern of upper gastrointestinal tract tumours in Wistar rats after single or chronic oral doses. *Carcinogenesis* 14: 1561-1567(1993).
1428. Zarwala, M. B. A., Lalitha, V. S., and Bhide, S. V. Carcinogenic potential of Indian alcoholic beverage (country liquor). *Indian J. Exp. Biol.* 29: 738-743(1991).
1429. Zavanella, T., Radaelli, G., Girotti, P., Arias, E., Ameri, L., Presta, M., Mazzoleni, G., and Ragnotti, G. Evaluation of the tumor-promoting activity of two β -adrenoreceptor blocking agents, propranolol and atenolol, in liver of Fischer 344 rats. *Carcinogenesis* 15: 2531-2539(1994).
1430. Zissu, D., Bonnet, P., and Binet, S. Histopathological study in B6C3F₁ mice chronically exposed by inhalation to glutaraldehyde. *Toxicol. Lett.* 95: 131-139(1998).
1431. Zwicker, G. M., and Eyster, R. C. Proliferative bone lesions in rats fed a diet containing glucocorticoid for up to two years. *Toxicol. Pathol.* 24: 246-250(1996).