

Mosquito Taxonomic Inventory (<https://mosquito-taxonomic-inventory.myspecies.info/>)
Updated 20 April 2024 – Ralph Harbach

abdita (Barraud, 1931): ***Verrallina (Harbachius)***
abdita Peyton, 1977: ***Uranotaenia (Pseudoficalbia)***
abebela Dyar & Knab, 1908: ***Wyeomyia (Wyeomyia)***
aberrans Harrison & Scanlon, 1975: ***Anopheles (Anopheles)***
ablechra Dyar & Knab, 1908: ***Wyeomyia (Wyeomyia)***
ablusa Harbach, 2009: ***Chagasia***
abnormalis (Theobald, 1909): ***Aedimorphus***
abnormalis Lane, 1936: ***Culex (Culex)***
abominator Dyar & Knab, 1909: ***Culex (Melanoconion)***
abonnenci Clastrier, 1970: ***Culex (Melanoconion)***
aboriginis (Dyar, 1917): ***Ochlerotatus*** (subgenus uncertain)
abstratus (Felt & Young, 1904): ***Ochlerotatus*** (subgenus uncertain)
abstrusa Peyton, 1977: ***Uranotaenia (Pseudoficalbia)***
abyssinicus Edwards, 1941: ***Culex (Culex)***
abyssinicus Ribeiro, 1991: ***Toxorhynchites (Toxorhynchites)***
acaci Baisas, 1946: ***Anopheles (Anopheles)***
acanthotorynus Komp, 1937: ***Anopheles (Stethomyia)***
acaudatus (Leicester, 1908): ***Toxorhynchites (Toxorhynchites)***
accelerans Root, 1927: ***Culex (Aedinus)***
achaetae (Leicester, 1908): ***Heizmannia (Mattinglyia)***
acharistus Root, 1927: ***Culex (Culex)***
aconitus Dönitz, 1902: ***Anopheles (Cellia)***
acrostichalis Edwards, 1941: ***Culex (Eumelanomyia)***
aculeatus (Theobald, 1903): ***Ochlerotatus (Gilesia)***
aculeatus Colless, 1965: ***Culex (Lophoceraomyia)***
acutipalpus Colless, 1965: ***Culex (Lophoceraomyia)***
acutisentis Arnell, 1973: ***Haemagogus (Haemagogus)***
adairi Kirkpatrick, 1926: ***Culex (Lasiosiphon)***
adamesi Sirivanakarn & Galindo, 1980: ***Culex (Melanoconion)***
adami (Hamon & Mouchet, 1955): ***Culex (Eumelanomyia)***
adami Ferrara & Eouzan, 1974: ***Eretmapodites***
adami (Geoffroy, 1971): ***Catageiomyia***
adelpha Dyar & Knab, 1906: ***Wyeomyia (Wyeomyia)***
adenensis Edwards, 1941: ***Aedimorphus***
adentata van den Assem, 1959: ***Tripterooides (Rachisoura)***
adersi (Edwards, 1917): ***Diceromyia***
adersianus Edwards, 1941: ***Culex (Eumelanomyia)***
adusta (Laffoon, 1946): ***Verrallina (Neomacleaya)***
aegypti (Linnaeus, 1762): ***Stegomyia (Stegomyia)***
aenea Thurman, 1959: ***Topomyia (Topomyia)***
aenescens Edwards, 1941: ***Culex (Culex)***
aeneus (Edwards, 1921): ***Tripterooides (Tripterooides)***
aeneus (Evans, 1926): ***Toxorhynchites (Afrorhynchus)***
aenigma Harbach, 2000: ***Onirion***
aenigmaticus (Cerqueira & Costa, 1946): ***Ochlerotatus (Protoculex)***
aequatorianna Levi-Castillo, 1953: ***Uranotaenia (Uranotaenia)***
aequatorianna Levi-Castillo, 1954: ***Wyeomyia*** (subgenus uncertain)
aerarius (McIntosh, 1975): ***Aedimorphus***
aeritinctus Galindo & Trapido, 1967: ***Haemagogus (Haemagogus)***
aestivus Sirivanakarn, 1977: ***Culex (Lophoceraomyia)***
affinis (Edwards, 1913): ***Tripterooides (Rachionotomyia)***
africana (Theobald, 1901): ***Mansonia (Mansonioides)***
africana Neveu-Lemaire, 1906: ***Aedeomyia (Aedeomyia)***
africana Theobald, 1901: ***Stegomyia*** (subgenus uncertain)
africanus Theobald, 1909: ***Aedimorphus***
agastyai (Tewari & Hiriyani, 1992): ***Tewarius***
agranensis Singh & Prakash, 2008: ***Lutzia (Metalutzia)***

agrestis (Barraud, 1931): **Verrallina (Neomacleaya)**
agrihanensis (Bohart, 1957): **Stegomyia (Bohartius)**
aguilari Baisas & Feliciano, 1953: **Zeugomyia**
ahomi Chowdhury, 1929: **Anopheles (Anopheles)**
ainshamsi Gad, Harbach & Harrison, 2006: **Anopheles (Cellia)**
airosai Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
airozai Lane, 1945: **Culex (Phenacomyia)**
aitkeni (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'
aitkenii James, 1903: **Anopheles (Anopheles)**
akkeshiensis (Tanaka, 1998): **Ochlerotatus** (subgenus uncertain)
akritos Forattini & Sallum, 1995: **Culex (Melanoconion)**
alani Forattini, 1965: **Culex (Culex)**
alani Lane & Cerqueira, 1957: **Wyeomyia (Antunesmyia)**
alaskaensis (Ludlow, 1906): **Culiseta (Culiseta)**
alba Baker, 1936: **Orthopodomyia**
alba Theobald, 1901: **Uranotaenia (Uranotaenia)**
albertianus Edwards, 1941: **Culex (Eumelanomyia)**
albertoi Unti, 1941: **Anopheles (Nyssorhynchus)**
albescens (Edwards, 1921): **Ochlerotatus (Rusticoidus)**
albescens Taylor, 1914: **Uranotaenia (Uranotaenia)**
albicosta (Edwards, 1913): **Neomelaniconion**
albicosta (Lutz, 1904): **Orthopodomyia**
albicosta (Chagas, 1908): **Coquillettidia (Rhynchotaenia)**
albifasciatus (Macquart, 1838): **Ochlerotatus** (subgenus uncertain)
albifera (Prado, 1931): **Coquillettidia (Rhynchotaenia)**
albigenu (Lutz, 1908): **Psorophora (Janthinosoma)**
albilabris (Edwards, 1925): **Rampamyia**
albimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albimanus Wiedemann, 1820: **Anopheles (Nyssorhynchus)**
albinensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
albinervis Edwards, 1929: **Culex (Oculeomyia)**
albineus (Séguy, 1923): **Ochlerotatus** (subgenus uncertain)
albinotata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albipes (Edwards, 1922): **Toxorhynchites (Toxorhynchites)**
albipes (Theobald, 1907): **Psorophora (Janthinosoma)**
albipes Leicester, 1904: **Orthopodomyia**
albipes Lutz, 1904: **Culex (Microculex)**
albipes Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
albiprivus Theobald, 1903: **Sabethes (Sabethes)**
albiradius le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
albitarsis (Brug, 1939): **Toxorhynchites (Toxorhynchites)**
albitarsis Lynch Arribálzaga, 1878: **Anopheles (Nyssorhynchus)**
albiventris Edwards, 1922: **Culex (Eumelanomyia)**
alboabdominalis Theobald, 1910: **Uranotaenia (Uranotaenia)**
alboannulata (Theobald, 1905): **Uranotaenia (Uranotaenia)**
alboannulatus (Macquart, 1850): **Dobrotworskyius**
alboapicus (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'
albocephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
albocephala (Theobald, 1903): **Polyleptomyia**
albocinctus (Barraud, 1924): **Hopkinsius (Yamada)**
albodorsalis (Fontenille & Brunhes, 1985): **Aedimorphus**
albolateralis (Theobald, 1908): **Downsiomyia**
albolineata Theobald, 1904: **Scutomyia**
albomaculatus Theobald, 1903: **Haemagogus (Haemagogus)**
albomarginatus (Newstead, 1907): **Pseudarmigeres**
albonivea (Barraud, 1934): **Downsiomyia**
albonotata (Coquillett, 1906): **Howardina**
albopicta (Skuse, 1895): **Stegomyia** (subgenus uncertain)
alboscuteclatus (Theobald, 1905): **Aedimorphus**
alboscuteclatus Lee, 1946: **Tripteroides (Tripteroides)**

albosquamata Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
albosternopleura Peters, 1963: **Uranotaenia (Uranotaenia)**
albotaeniata Leicester, 1904: **Danielsia**
albotaeniatus (Theobald, 1903): **Anopheles (Anopheles)**
albothorax (Theobald, 1907): **Neomelaniconion**
alboventralis (Theobald, 1910): **Aedimorphus**
alcasidi (Huang, 1972): **Stegomyia** (subgenus uncertain)
alcocki Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
alektorovi (Stackelberg, 1943): **Bruceharrisonius**
alexandrei Gornostaeva, 2005: **Aedes**
algeriensis Theobald, 1903: **Anopheles (Anopheles)**
aliciae Duret, 1953: **Culex (Melanoconion)**
alienus Colless, 1957: **Culex (Culex)**
alinkios Sallum & Hutchings, 2003: **Culex (Melanoconion)**
alis Theobald, 1903: **Culex (Culex)**
alius (Lien, 1968): **Gilesius**
aliyusopi Miyagi & Toma, 2014: **Topomyia (Topomyia)**
alkatirii Toma, Miyagi & Syafruddin, 1995: **Armigeres (Armigeres)**
allostigma Howard, Dyar & Knab, 1915: **Lutzia (Lutzia)**
allotecnon (Kumm, Komp & Ruiz, 1940): **Howardina**
alocasicola (Marks, 1947): **Finlaya**
alogistus Dyar, 1918: **Culex (Melanoconion)**
alongensis Venhuis, 1940: **Anopheles (Anopheles)**
alongi (Galliard & Ngu, 1947): **Bothaella**
aloponotum (Dyar, 1917): **Ochlerotatus** (subgenus uncertain)
alorensis (Bonne-Wepster & Brug, 1932): **Stegomyia** (subgenus uncertain)
alorensis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
alphus Colless, 1965: **Culex (Lophoceraomyia)**
alternans (Westwood, 1835): **Mucicus (Mucicus)**
alticola (Bonne-Wepster, 1948): 'Ochlerotatus (Finlaya)'
alticola Peters, 1963: **Uranotaenia (Uranotaenia)**
altivallis Bonne-Wepster, 1948: **Tripteroidea (Polylepidomyia)**
amabilis (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
amalthea (de Meillon & Lavoipierre, 1944): **Stegomyia** (subgenus uncertain)
amamiensis (Tanaka, Mizusawa & Saugstad, 1979): **Hulecoeteomyia**
amaniensis van Someren & Hamon, 1964: **Culex (Eumelanomyia)**
amateuri Ortega & Zavortink, 2019: **Ochlerotatus (Ochlerotatus)**
amazonensis (Lutz, 1905): **Culex (Aedinus)**
amazonensis (Theobald, 1901): **Mansonia (Mansonia)**
amazonica Cerqueira, 1960: **Psorophora (Janthinosoma)**
amazonica Levi-Castillo, 1954: **Wyeomyia** (subgenus uncertain)
amazonicus Gordon & Evans, 1922: **Sabethes (Sabethes)**
ambodimanga da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
amboinensis (Doleschall, 1857): **Toxorhynchites (Toxorhynchites)**
ambreensis (Rodhain & Boutonnier, 1983): **Ochlerotatus** (subgenus uncertain)
ambremontis Brunhes & Boussès, 2017: **Paulianius**
ambremontis Brunhes & Hervy, 1995: **Orthopodomyia**
ameliae Casal, 1967: **Culex (Culex)**
amesii (Ludlow, 1903): **Lorrainea**
amharicus Hunt, Wilkerson & Coetzee, 2013: **Anopheles (Cellia)**
amictus Edwards, 1921: **Anopheles (Cellia)**
amiensis Peters, 1963: **Uranotaenia (Uranotaenia)**
amitis Komp, 1936: **Culex (Melanoconion)**
amurensis Maslov, 1964: **Culiseta (Culicella)**
ananae (Knight & Laffoon, 1946): **Finlaya**
anastasionis Dyar, 1921: **Haemagogus (Haemagogus)**
anchietai Corrêa & Ramalho, 1968: **Anopheles (Anopheles)**
andamanensis (Edwards, 1922): **Verrallina (Neomacleaya)**
andamanensis Barraud, 1934: **Orthopodomyia**
andavakae Doucet, 1950: **Uranotaenia (Uranotaenia)**

andersoni (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)
andersoni Edwards, 1914: *Culex* (*Culex*)
andinum Levi-Castillo, 1953: *Trichoprosopon*
andinus Levi-Castillo, 1954: *Limatus*
andinus Osorno-Mesa, 1944: *Haemagogus* (*Haemagogus*)
andreae Doucet, 1962: *Uranotaenia* (*Pseudoficalbia*)
andreae Harbach, 2018: *Sabethes* (*Sabethinus*)
andreas Edwards, 1927: *Culex* (*Eumelanomyia*)
andrewsi (Edwards, 1926): *Stegomyia* (subgenus uncertain)
andricus Root, 1927: *Culex* (*Melanoconion*)
anduzei Cerqueira & Lane, 1944: *Culex* (*Carrollia*)
aneles Dyar & Ludlow, 1922: *Culex* (*Melanoconion*)
anggiensis (Bonne-Wepster, 1937): *Patmarksia*
angkoris Klein, 1977: *Topomyia* (*Topomyia*)
angolae Ribeiro & Ramos, 1974: *Aedimorphus*
angolensis da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
angolensis da Cunha Ramos, 1985: *Uranotaenia* (*Uranotaenia*)
angolensis Ribeiro, 1992: *Toxorhynchites* (*Afrorhynchus*)
angularis Sá & Sallum, 2022: *Culex* (*Melanoconion*)
angusta (Edwards, 1935): *Stegomyia* (subgenus uncertain)
angustiplus Evenhuis & Steffan, 1986: *Toxorhynchites* (*Toxorhynchites*)
angustivittatus (Dyar & Knab, 1907): *Ochlerotatus* (*Ochlerotatus*)
anhydor Dyar, 1907: *Uranotaenia* (*Pseudoficalbia*)
aningae Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia* (*Spilonympha*)
anips Dyar, 1916: *Culex* (*Melanoconion*)
ankaratrensis Brunhes & Hervy, 1995: *Orthopodomyia*
annandalei Barraud, 1926: *Uranotaenia* (*Uranotaenia*)
annandalei Prashad, 1918: *Anopheles* (*Anopheles*)
annandalei Theobald, 1910: *Stegomyia* (*Heteraspidion*)
annettii (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)
annularis van der Wulp, 1884: *Anopheles* (*Cellia*)
annulata (Schrank, 1776): *Culiseta* (*Culiseta*)
annulata Leicester, 1908: *Mansonia* (*Mansonioides*)
annulata Theobald, 1901: *Uranotaenia* (*Pseudoficalbia*)
annulatus Haga, 1930: *Anopheles* (*Cellia*)
annulifera (Theobald, 1901): *Mansonia* (*Mansonioides*)
annulioris Theobald, 1901: *Culex* (*Oculeomyia*)
annulipalpis (Theobald, 1910): *Armigeres* (*Leicesteria*)
annulipalpis Lynch Arribálzaga, 1878: *Anopheles* (*Anopheles*)
annulipes (Meigen, 1830): *Ochlerotatus* (subgenus uncertain)
annulipes Walker, 1856: *Anopheles* (*Cellia*)
annulirostris (Theobald, 1905): *Christophersiomyia*
annulirostris Skuse, 1889: *Culex* (*Culex*)
annulitarsis (Leicester, 1908): *Armigeres* (*Leicesteria*)
annuliventris (Blanchard, 1852): *Culex* (*Culex*)
annulus Theobald, 1901: *Culex* (*Culex*)
anomalophyllus Komp, 1936: *Anopheles* (*Nyssorhynchus*)
anopheloides (Giles, 1903): *Orthopodomyia*
anopheloides Brunhes & Razafindrasolo, 1975: *Uranotaenia* (*Uranotaenia*)
anoplicitus Forattini & Sallum, 1989: *Culex* (*Melanoconion*)
antalahaensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
antennalis Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)
antennalis Taylor, 1919: *Uranotaenia* (*Uranotaenia*)
antennatus (Becker, 1903): *Culex* (*Culex*)
antica Ribeiro *et al.*, 2021: *Wyeomyia* (*Decamyia*)
antillumagnorum Dyar, 1928: *Culex* (*Micraedes*)
antipodea Dobrotworsky, 1962: *Culiseta* (*Climacura*)
antipodeus Edwards, 1920: *Ochlerotatus* (subgenus uncertain)
antunesi Galvão & Franco do Amaral, 1940: *Anopheles* (*Nyssorhynchus*)
antunesi Lane & Guimarães, 1937: *Wyeomyia* (*Phoniomyia*)

antunesi Lane & Whitman, 1943: *Culex (Carrollia)*
aobae (Belkin, 1962): *Stegomyia* (subgenus uncertain)
apeteticus Howard, Dyar & Knab, 1913: *Culex (Melanoconion)*
aphobema Dyar, 1919: *Wyeomyia (Dodecamyia)*
aphylactus Root, 1927: *Culex (Microculex)*
aphyllus Talaga, 2020: *Culex (Melanoconion)*
apicalis Adams, 1903: *Culex (Neoculex)*
apicalis Theobald, 1903: *Uranotaenia (Uranotaenia)*
apicimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
apicinus Philippi, 1865: *Culex (Culex)*
apicoannulatus (Edwards, 1912): *Elpeytonius*
apicoargentea Theobald, 1909: *Stegomyia* (subgenus uncertain)
apicopilosus Cornel & Mayi, 2020: *Culex (Culiciomyia)*
apicosquamata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
apicotriangulatus (Theobald, 1910): *Tripteroides (Polylepidomyia)*
apoci Marsh, 1933: *Anopheles (Cellia)*
apoensis Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
apoensis Bohart & Farner, 1944: *Armigeres (Armigeres)*
aporonoma Dyar & Knab, 1906: *Wyeomyia (Triamyia)*
approximata Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
apsarae Klein, 1977: *Topomyia (Suaymyia)*
aquarius Strickman, 1990: *Culex (Culex)*
aquasalis Curry, 1932: *Anopheles (Nyssorhynchus)*
arabiensis (Patton, 1905): *Aedimorphus*
arabiensis Patton, 1905: *Anopheles (Cellia)*
aranoides (Theobald, 1901): *Tripteroides (Rachionotomyia)*
arawak Berlin, 1969: *Culex (Micraedes)*
arbieeni Salem, 1938: *Culex (Maillotia)*
arborea Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Exallomyia)*
arboREALIS (Bonne-Wepster & Bonne, 1920): *Howardina*
arboricollis (de Charmoy, 1908): *Orthopodomomyia*
arboricolus (Knight & Rozeboom, 1946): *Scutomomyia*
arboricolus Galindo & Mendez, 1961: *Culex (Melanoconion)*
arboricolus Zavortink, 1970: *Anopheles (Anopheles)*
archegus Dyar, 1929: *Culex (Culex)*
ardensis (Theobald, 1905): *Anopheles (Cellia)*
arenivaga Marks, 1968: *Culiseta* (subgenus uncertain)
argenteitarsis (Brug, 1932): *Patmarksia*
argenteiventris (Theobald, 1905): *Tripteroides (Polylepidomyia)*
argenteolobatus (Gough, 1910): *Anopheles (Cellia)*
argenteopunctata (Theobald, 1901): *Catageiomomyia*
argenteopunctatus (Ventrillon, 1905): *Culex (Culex)*
argenteorostris (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
argenteoscutellatus (Carter & Wijesundara, 1948): *Aedimorphus*
argenteoventralis Leicester, 1908: *Topomyia (Suaymyia)*
argenteoventralis (Theobald, 1909): *Pseudarmigeres*
argentinus (Brèthes, 1912): *Anopheles (Anopheles)*
argentipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
arguellesi Baisas, 1935: *Uranotaenia (Uranotaenia)*
argyritarsis Robineau-Desvoidy, 1827: *Anopheles (Nyssorhynchus)*
argyrites (Dyar & Nunez Tovar, 1927): *Howardina*
argyromeris Dyar & Ludlow, 1921: *Haemagogus (Haemagogus)*
argyronotum (Belkin, 1962): *Patmarksia*
argyropalpis Leicester, 1908: *Topomyia (Topomyia)*
argyropus (Swellengrebel, 1914): *Anopheles (Anopheles)*
argyropus (Walker, 1848): *Maorigoeldia*
argyrotarsis Leicester, 1908: *Uranotaenia (Uranotaenia)*
argyrothorax (Bonne-Wepster & Bonne, 1920): '*Ochlerotatus (Protomacleaya)*'
argyrurus (Edwards, 1934): *Udaya*

argyrurus Edwards, 1936: *Eretmapodites*
arizonensis Bohart, 1949: *Culex (Neoculex)*
arribalzagae (Theobald, 1903): *Coquillettidia (Rhynchotaenia)*
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikovich & Yezhov, 2005: *Anopheles (Anopheles)*
arthrostigma (Lutz, 1905): *Wyeomyia (Wyeomyia)*
arthuri Unti, 1941: *Anopheles (Nyssorhynchus)*
articularis Philippi, 1865: *Culex (Culex)*
arundinariae (Kasper, 2020): *Ochlerotatus (Ochlerotatus)*
aruni Sobti, 1968: *Anopheles (Cellia)*
ascidiicola de Meijere, 1910: *Uranotaenia (Pseudoficalbia)*
ashworthi (Edwards, 1921): *Halaedes*
asiaticus Edwards, 1926: *Ochlerotatus* (subgenus uncertain)
asiaticus Leicester, 1903: *Anopheles (Anopheles)*
assamensis (Theobald, 1908): *Phagomyia*
assamensis Bhattacharyya *et al.*, 2004: *Verrallina (Neomacleaya)*
asteliae Belkin, 1968: *Culex (Culex)*
astridianus de Meillon, 1942: *Culex (Culex)*
asulleptus (Theobald, 1903): *Limatus*
atacamensis González & Sallum, 2010: *Anopheles (Nyssorhynchus)*
atactavittatus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
ater (Daniels, 1908): *Toxorhynchites (Toxorhynchites)*
atlantica (Edwards, 1932): *Culiseta (Culiseta)*
atlanticus (Dyar & Knab, 1906): *Ochlerotatus (Protoculex)*
atlanticus Adames, 1971: *Deinocerites*
atra (Lee, 1944): *Culiseta (Culicella)*
atra Theobald, 1905: *Uranotaenia (Pseudoficalbia)*
atracus Colless, 1960: *Culex (Lophoceraomyia)*
atrata Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
atratipes Skuse, 1889: *Anopheles (Anopheles)*
atratus Theobald, 1901: *Culex (Melanoconion)*
atria (Barraud, 1928): *Verrallina (Neomacleaya)*
atriceps Edwards, 1926: *Culex (Culex)*
atriisimilis (Tanaka & Mizusawa, 1973): *Verrallina (Neomacleaya)*
atripes (Skuse, 1889): *Tripteroides (Polylepidomyia)*
atritarsalis (Dobrotworsky, 1954): *Culiseta (Culiseta)*
atropalpus (Coquillett, 1902): *Georgecraigius (Georgecraigius)*
atroparvus van Thiel, 1927: *Anopheles (Anopheles)*
atropos Dyar & Knab, 1906: *Anopheles (Anopheles)*
aurantapex Edwards, 1914: *Culex (Oculeomyia)*
auranticauda Lane, 1992: *Toxorhynchites (Toxorhynchites)*
aurantius (Theobald, 1907): *Mucida (Pardomyia)*
aurata (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*
aurata (Doucet, 1951): *Mimomyia (Ingramia)*
auratus (Grabham, 1906): *Ochlerotatus (Ochlerotatus)*
aurea (Edwards, 1915): *Coquillettidia (Coquillettidia)*
aurea (Leicester, 1908): *Mimomyia (Mimomyia)*
aurea Brug, 1932: *Heizmannia (Heizmannia)*
aureoantennata Ferrara, 1973: *Orthopodomyia*
aureochaeta (Leicester, 1908): *Heizmannia (Heizmannia)*
aureolineata (Berlin, 1969): *Howardina*
aureolineatus (Leicester, 1908): *Armigeres (Armigeres)*
aureonotatus Duret & Barreto, 1956: *Culex (Melanoconion)*
aureosquammata (Ludlow, 1909): *Coquillettidia (Coquillettidia)*
aureostriatus (Doleschall, 1857): *Bruceharrisonius*
aureoventer (Theobald, 1910): *Topomyia (Topomyia)*
aurescens (Lutz, 1905): *Sabethes (Peytonulus)*
aureus Gutsevich, 1955: *Neomelaniconion*
aureus Lane & Whitman, 1951: *Culex (Microculex)*
auriceps Brug, 1939: *Topomyia (Suaymyia)*
auridorsum (Edwards, 1922): *Molpemyia*

aurifer (Coquillett, 1903): *Ochlerotatus* (subgenus uncertain)
aurifluus (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)
aurimargo (Edwards, 1922): *Leptosomatomyia*
auripes (Edwards, 1935): *Toxorhynchites* (*Toxorhynchites*)
aurirostris (Watson, 1910): *Anopheles* (*Cellia*)
aurites (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)
aurites Theobald, 1907: *Howardina*
aurivittata (Cerqueira, 1943): *Howardina*
auronitens (Edwards, 1922): '*Ochlerotatus* (*Finlaya*)'
aurotaeniatus (Edwards, 1922): *Belkinus*
aurovenatum (Worth, 1960): *Neomelaniconion*
austeni (Theobald, 1905): *Anopheles* (*Cellia*)
australicus Dobrotworsky & Drummond, 1953: *Culex* (*Culex*)
australiensis (Theobald, 1910): '*Ochlerotatus* (*Finlaya*)'
australis (Erichson, 1842): *Halaedes*
autocratica Dyar & Knab, 1906: *Wyeomyia* (*Hystatomyia*)
ayantepuensis Harbach & Navarro, 1996: *Anopheles* (*Kerteszia*)
avianus de Meillon, 1943: *Culex* (*Maillotia*)
avistylus (Brug, 1939): *Finlaya*
axillicolus Steffan, 1979: *Culex* (*Acallyntrum*)
axitiosa (Kulasekera, Knight & Harbach, 1990): *Downsiomyia*
azaniae Bailly-Choumara, 1960: *Anopheles* (*Cellia*)
azevedoi Ribeiro, 1969: *Anopheles* (*Cellia*)
aztecus Hoffmann, 1935: *Anopheles* (*Anopheles*)
azureosquamata (Bonne-Wepster, 1948): *Verrallina* (*Verrallina*)
azurini Basio, 1971: *Armigeres* (*Armigeres*)
azurini Toma, Miyagi & Cabrera, 1984: *Culex* (*Culiciomyia*)
azymus Dyar & Knab, 1906: *Culex* (*Microculex*)
babahoyensis Levi-Castillo, 1953: *Culex* (*Carrollia*)
baezai Gater, 1933: *Anopheles* (*Anopheles*)
bahama Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)
bahamensis (Berlin, 1969): *Howardina*
bahamensis Dyar & Knab, 1906: *Culex* (*Culex*)
bahiensis Duret, 1969: *Culex* (*Melanoconion*)
bahri (Edwards, 1914): *Culex* (*Culiciomyia*)
baileyi Edwards, 1929: *Anopheles* (*Anopheles*)
bailly Barraud, 1929: *Hodgesia*
bailly Barraud, 1934: *Culex* (*Culiciomyia*)
baimaii Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
baisasi (Knight & Hull, 1951): *Geoskusea*
baisasi Colless, 1957: *Anopheles* (*Cellia*)
baisasi Sirivanakarn, 1972: *Culex* (*Eumelanomyia*)
baisasi Stone & Thurman, 1958: *Armigeres* (*Armigeres*)
balabacensis Baisas, 1936: *Anopheles* (*Cellia*)
balerensis Mendoza, 1947: *Anopheles* (*Anopheles*)
balfouri Theobald, 1904: *Uranotaenia* (*Uranotaenia*)
altae Porter, 2009: *Wyeomyia* (*Hystatomyia*)
balteatus Macdonald, 1960: *Armigeres* (*Leicesteria*)
bambiotai (Geoffroy, 1987): *Aedimorphus*
bamborum Rozeboom & Komp, 1948: *Culex* (*Anoedioporpa*)
bambusa (Yamada, 1917): *Tripteroides* (*Tripteroides*)
bambusae (Edwards, 1935): *Stegomyia* (subgenus uncertain)
bambusaihole Dong, Zhou & Dong, 1997: *Topomyia* (*Suaymyia*)
bambusicola (Lutz & Neiva, 1913): *Toxorhynchites* (*Lynchiella*)
bambusicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
bambusicolus (Knight & Rozeboom, 1946): *Scutomyia*
bambusicolus Komp, 1937: *Anopheles* (*Kerteszia*)
bananea (Wolfs, 1958): *Diceromyia*
bancoi (Geoffroy, 1987): *Aedimorphus*
bancroftianus (Edwards, 1921): *Ochlerotatus* (*Pseudoskusea*)

bancrofti (Taylor, 1914): *Verrallina (Verrallina)*
bancroftii Giles, 1902: *Anopheles (Anopheles)*
bandoengensis Brug, 1939: *Culex (Lophoceraomyia)*
banksensis Maffi & Tenorio, 1977: *Culex (Culex)*
banksi (Edwards, 1922): *Collessius (Alloeomyia)*
bannaensis Gong & Lu, 1995: *Topomyia (Suaymyia)*
baolini Gong, 1989: *Topomyia (Topomyia)*
barberellus Evans, 1932: *Anopheles (Cellia)*
barberi Coquillett, 1903: *Anopheles (Anopheles)*
barbipes Edwards, 1913: *Toxorhynchites (Toxorhynchites)*
barbirostris van der Wulp, 1884: *Anopheles (Anopheles)*
barbiventris Brug, 1938: *Anopheles (Anopheles)*
barbumbrosus Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*
barbus Baisas, 1946: *Topomyia (Topomyia)*
basesi Cerqueira, 1960: *Haemagogus (Haemagogus)*
barianensis James, 1911, in James & Liston, 1911: *Anopheles (Anopheles)*
barnardi (Edwards, 1924): *Hopkinsius (Hopkinsius)*
barnesi Belkin, 1953: *Uranotaenia (Uranotaenia)*
barraudi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
barraudi Edwards, 1922: *Culex (Culex)*
barraudi Edwards, 1934: *Paraedes*
barreto Adames, 1971: *Deinocerites*
barrinus Bram, 1967: *Culex (Culiciomyia)*
basilewskyi Leleup, 1957: *Anopheles (Cellia)*
bastagarius Dyar & Knab, 1906: *Culex (Melanoconion)*
batesi Lane & Cerqueira, 1942: *Sabethes (Sabethes)*
batesi Rozeboom & Komp, 1948: *Culex (Melanoconion)*
bathana (Dyar, 1928): *Chagasia*
becki (Belkin, 1962): *Geoskusea*
becki Belkin, 1962: *Culex (Lophoceraomyia)*
bedfordi (Edwards, 1936): *Catageiomyia*
behningi (Martini, 1926): *Ochlerotatus* (subgenus uncertain)
bejaranoi (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (subgenus uncertain)
bejaranoi Duret, 1953: *Culex (Melanoconion)*
bekkui (Mogi, 1977): *Edwardsaedes*
beklemishevi Stegnii & Kabanova, 1976: *Anopheles (Anopheles)*
belemensis Duret & Damasceno, 1955: *Culex (Anoedioparpa)*
belenrae Rueda, 2005: *Anopheles (Anopheles)*
belisarioi Neiva, 1908: *Sabethes (Sabethes)*
belkini Adames, 1971: *Deinocerites*
belkini Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
belkini Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
belkini Stone & Penn, 1948: *Culex (Acallyntrum)*
bellator Dyar & Knab, 1906: *Anopheles (Kerteszia)*
belleci le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
benarrochi Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Nyssorhynchus)*
bengalensis Barraud, 1934: *Culex (Lophoceraomyia)*
bengalensis Puri, 1930: *Anopheles (Anopheles)*
bengalensis Rosenberg & Evenhuis, 1985: *Toxorhynchites (Toxorhynchites)*
benguetsensis King, 1931: *Anopheles (Anopheles)*
benoit Wolfs, 1964: *Uranotaenia (Uranotaenia)*
bequaerti (Wolfs, 1947): *Neomelaniconion*
bequaerti Dyar & Shannon, 1925: *Culex (Melanoconion)*
bergerardi (Pajot & Geoffroy, 1971): *Neomelaniconion*
berghai Vincke & Leleup, 1949: *Anopheles (Cellia)*
bergi Belkin, 1962: *Culex (Lophoceraomyia)*
bergrothi (Edwards, 1921): *Culiseta (Culiseta)*
berlandi (Séguy, 1921): *Ochlerotatus* (subgenus uncertain)
berlini (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bernardi (Doucet, 1950): *Mimomyia (Ingramia)*

bertii Cova García & Rausseo, 1964: *Uranotaenia (Uranotaenia)*
bertrami (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bervoetsi D'Haenens, 1961: *Anopheles (Cellia)*
beta Séguy, 1924: *Culex (Culex)*
bevisi (Edwards, 1915): *Aedimorphus*
beytouti (Doucet, 1951): *Mimomyia (Ingramia)*
bhayungi Thurman & Thurman, 1958: *Armigeres (Armigeres)*
bhutanensis (Somboon & Harbach, 2020): *Hulecoeteomyia*
bhutanensis Somboon, Namgay & Harbach, 2021: *Anopheles (Anopheles)*
bhutanensis Somboon, Namgay & Harbach, 2021: *Culex (Culex)*
bhutanensis Somboon, Namgay & Harbach, 2022: *Uranotaenia (Pseudoficalbia)*
bibulus Dyar, 1920: *Culex (Melanoconion)*
bicincta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bicki Stone & Penn, 1947: *Culex (Acallyntrum)*
bickleyi Forattini, 1965: *Culex (Culex)*
bickleyi Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
bicolor Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
bicornis (Root, 1928): *Wyeomyia (Nunezia)*
bicornutus (Theobald, 1910): *Culex (Lophoceraomyia)*
bicristatus (Thurman & Winkler, 1950): *Ochlerotatus (Rusticoidus)*
bidens Dyar, 1922: *Culex (Culex)*
bidentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
bifasciata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bifoliata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
bifoliolatus Duret & Barreto, 1956: *Culex (Melanoconion)*
bifurcata Dong, Wang & Lu, 1995: *Topomyia (Topomyia)*
bigoti (Bellardi, 1862): *Lutzia (Lutzia)*
bihaculus Dyar & Núñez Tovar, 1928: *Culex (Carrollia)*
bihamatus Edwards, 1926: *Culex (Culex)*
bilineata Theobald, 1909: *Uranotaenia (Uranotaenia)*
bilineatus Theobald, 1903: *Culex (Culex)*
bimaculata Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
bimaculatus (Coquillett, 1902): *Ochlerotatus (Chrysoconops)*
bimaculiala Leicester, 1908: *Uranotaenia (Uranotaenia)*
bimaculipes (Theobald, 1905): *Tripteroides (Tripteroides)*
binigrolineatus Knight & Rozeboom, 1945: *Culex (Acallyntrum)*
binotatus Belkin, 1950: *Tripteroides (Tripteroides)*
biocellatus (Taylor, 1914): '*Ochlerotatus (Finlaya)*'
bipartipes Dyar & Knab, 1906: *Sabethes (Sabethes)*
biscaynensis Zavortink & O'Meara, 1999: *Culex (Micraedes)*
biskraensis (Brunhes, 1999): *Ochlerotatus* (subgenus uncertain)
bisquamatus Lee, 1946: *Tripteroides (Rachisoura)*
bisulcatus (Coquillett, 1906): *Culex (Micraedes)*
bitaeniorhynchus Giles, 1901: *Culex (Oculeomyia)*
biunguiculata Harbach, 2014 (in Harbach & Taai, 2014): *Nyctomyia*
blacklocki (Evans, 1925): *Stegomyia* (subgenus uncertain)
bogotanus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
boharti (Knight & Rozeboom, 1946): *Scutomyia*
boharti Brookman & Reeves, 1950: *Culex (Neoculex)*
bokorensis Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
bolense (Edwards, 1936): *Neomelaniconion*
bolii Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
boliviensis (Theobald, 1905): *Anopheles (Kerteszia)*
boneti (Gil Collado, 1936): *Bifidistylus*
boninensis Bohart, 1957: *Culex (Sirivanakarnius)*
bonneae (Mattingly, 1958): *Paraedes*
bonneae Dyar & Knab, 1919: *Culex (Culex)*
bonneae Edwards, 1930: *Mansonia (Mansonioides)*
bonneae Root, 1927: *Chagasia*
bonnei (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*

bonnei Dyar, 1921: *Culex (Carrollia)*
bonneti Belkin, 1962: *Tripteroides (Tripteroides)*
borneensis McArthur, 1949: *Anopheles (Anopheles)*
boshelli Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*
bosseri Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
bougainvillensis (Belkin, 1962): *Mimomyia (Etorleptiomyia)*
bougainvillensis (Marks, 1947): *Finlaya*
bougainvillensis Steffan, 1979: *Culex (Acallyntrum)*
bourrouli (Lutz, 1905): *Wyeomyia (Spilonympha)*
boussesi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
brachiatus Hutchings & Sallum, 2008: *Culex (Melanoconion)*
bradleyi King, 1939: *Anopheles (Anopheles)*
brami Forattini, Rabello & Lopes, 1967: *Culex (Culex)*
braziliensis (Chagas, 1907): *Anopheles (Nyssorhynchus)*
braziliensis (Gordon & Evans, 1922): 'Ochlerotatus (Protomacleaya)'
breedensis (Muspratt, 1953): *Ochlerotatus* (subgenus uncertain)
breinli (Taylor, 1914): *Armigeres (Armigeres)*
brelandi (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
breguesi Rickenbach & Lombrici, 1975: *Eretmapodites*
breguesi Brunhes & Ravaonjanahary, 1973: *Culex (Eumelanomyia)*
brethesi Dyar, 1919: *Culex (Culex)*
breviculus Senevet & Abonnenc, 1939: *Culex (Tinolestes)*
brevipalpis (Giles, 1902): *Culex (Eumelanomyia)*
brevipalpis Brug, 1934: *Tripteroides (Tripteroides)*
brevipalpis Roper, 1914: *Anopheles (Anopheles)*
brevipalpis Theobald, 1901: *Toxorhynchites (Toxorhynchites)*
brevipalpus (Theobald, 1905): *Culex (Lophoceraomyia)*
brevipes (da Costa Lima, 1931): *Trichoprosopon*
brevirhynchus Brug, 1934: *Tripteroides (Rachisoura)*
brevirostris Reid, 1950: *Anopheles (Anopheles)*
brevis (Berlin, 1969): *Howardina*
brevis Edwards, 1941: *Eretmapodites*
breviseti da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
brevispinosus Bonne-Wepster & Bonne, 1920: *Culex (Culex)*
brevitibia (Edwards, 1914): *Alanstonea*
brevivittata (Berlin, 1969): *Howardina*
briceni Cova García *et al.*, 1987: *Uranotaenia (Uranotaenia)*
brisei Dyar, 1925: *Uranotaenia (Uranotaenia)*
britteni (Marks & Hodgkin, 1958): 'Ochlerotatus (Finlaya)'
brohier Edwards, 1929: *Anopheles (Cellia)*
bromeliae Theobald, 1911: *Stegomyia (Mukwaya)*
brottesi Rickenbach, 1967: *Eretmapodites*
broussesi Edwards, 1929: *Anopheles (Cellia)*
browni Komp, 1936: *Culex (Anoedioporpa)*
browni Mattingly, 1955: *Uranotaenia (Pseudoficalbia)*
brownscutuma (Dong, Zhou & Dong, 1999): *Bothaella*
brucei (del Ponte & Cerqueira, 1938): *Onirion*
brucei Service, 1960: *Anopheles (Cellia)*
brumpti Doucet, 1951: *Uranotaenia (Pseudoficalbia)*
brumpti Gailiard, 1931: *Culex (Culex)*
brumpti Hamon & Rickenbach, 1955: *Anopheles (Cellia)*
brunhesi (Reinert, 1999): *Zavortinkius*
brunhesi Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
brunhesi Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
brunnipes (Theobald, 1910): *Anopheles (Cellia)*
brygooi (Brunhes, 1971): *Zavortinkius*
brygooi Grjebine, 1986: *Mimomyia (Ingramia)*
buenaventura (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
bukavuensis Wolfs, 1947: *Culex (Culex)*
bulkleyi Causey, 1937: *Anopheles (Anopheles)*

burgeri (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
burjaticus (Kuchartshuk, 1973): *Ochlerotatus* (subgenus uncertain)
burnetti (Belkin, 1962): *Finlaya*
burnsi (Basio & Reisen, 1971): *Stegomyia* (subgenus uncertain)
burpengaryensis (Theobald, 1905): *Ochlerotatus* (subgenus uncertain)
busckii (Coquillett, 1906): *Howardina*
bustamantei Galvão, 1955: *Anopheles (Anopheles)*
butleri (Theobald, 1901): *Verrallina (Verrallina)*
buxtoni (Belkin, 1962): *Patmarksia*
buxtoni (Edwards, 1923): *Coquillettidia (Coquillettidia)*
buxtoni Edwards, 1926: *Culex (Lophoceraomyia)*
buxtoni Service, 1958: *Anopheles (Cellia)*
bwamba van Someren, 1950: *Aedimorphus*
bwambae White, 1985: *Anopheles (Cellia)*
bwambanus Edwards, 1941: *Culex (Culex)*
caatingensis Andrade & la Corte, 2021: *Toxorhynchites (Lynchiella)*
caballus (Theobald, 1912): *Ochlerotatus (Juppius)*
cabrerai Miyagi, Toma & Rivera, 1983: *Topomyia (Topomyia)*
cachani (Doucet, 1950): *Uranotaenia (Pseudoficalbia)*
cacharana (Barraud, 1923): *Phagomyia*
cacozelus (Marks, 1963): *Ochlerotatus* (subgenus uncertain)
caecus (Theobald, 1901): *Aedimorphus*
caeruleocephala Theobald, 1901: *Uranotaenia (Uranotaenia)*
caeruleocephalus (Leicester, 1908): *Tripteroidea (Tripteroidea)*
caillardi Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
cairnensis (Taylor, 1919): *Culex* (subgenus uncertain)
cairnensis Taylor, 1919: *Hodgesia*
calabarensis Edwards, 1941: *Culex (Eumelanomyia)*
calabyi (Marks, 1963): *Macleaya (Chaetocruimyia)*
calcariae (Marks, 1957): *Ochlerotatus (Pholeomyia)*
calceata (Edwards, 1924): *Stegomyia* (subgenus uncertain)
calderoni Wilkerson, 1991: *Anopheles (Anopheles)*
caledonicus (Edwards, 1922): *Tripteroidea (Polylepidomyia)*
caliginosa Philip, 1931: *Uranotaenia (Uranotaenia)*
caliginosus (Graham, 1910): *Aedimorphus*
caliginosus de Meillon, 1943: *Anopheles (Anopheles)*
calosomata Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*
calumnior (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (subgenus uncertain)
calurus Edwards, 1935: *Culex (Culex)*
camaronis Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
cambournaci Hamon & Gandara, 1955: *Culex (Culiciomyia)*
cameronensis Edwards, 1929: *Anopheles (Anopheles)*
cameroni de Meillon & Evans, 1935: *Anopheles (Cellia)*
campana (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
campestris (Dyar & Knab, 1907): *Ochlerotatus* (subgenus uncertain)
campestris Leicester, 1908: *Uranotaenia (Uranotaenia)*
campestris Reid, 1962: *Anopheles (Anopheles)*
campilunati Carter & Wijesundara, 1948: *Culex (Eumelanomyia)*
camposi Dyar, 1925: *Culex (Culex)*
campyrorhynchus (Thomson, 1869): *Ochlerotatus* (subgenus uncertain)
campylostylus (Laffoon, 1946): *Verrallina (Neomacleaya)*
canaanensis Lane & Whitman, 1943: *Culex (Anodiopora)*
canadensis (Theobald, 1901): *Ochlerotatus (Culicada)*
cancer Theobald, 1901: *Deinocerites*
cancricomes (Edwards, 1922): *Canraedes*
candelabrifer Brug, 1939: *Armigeres (Armigeres)*
candidoscutellum (Marks, 1947): '*Ochlerotatus (Finlaya)*'
canorii Floch & Abonnenc, 1945: *Anopheles (Stethomyia)*
cantans (Meigen, 1818): *Ochlerotatus* (subgenus uncertain)
cantator (Coquillett, 1903): *Ochlerotatus* (subgenus uncertain)

capelai da Cunha Ramos, 1993: ***Uranotaenia (Pseudoficalbia)***
capelai Ribeiro, 1992: ***Toxorhynchites (Afrorhynchus)***
capensis de Meillon, 1935: ***Culex (Maillotia)***
capensis (Edwards, 1924): ***Albuginosus [Aedes (Albuginosus)]***
capricornii Lutz, 1904: ***Haemagogus (Haemagogus)***
caracula Dyar & Núñez Tovar, 1928: ***Wyeomyia (Wyeomyia)***
carcinicola da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
carcinophilus Dyar & Knab, 1906: ***Culex (Melanoconion)***
carcinoxenus de Oliveira Castro, 1932: ***Culex (Culex)***
caribeanus Galindo & Blanton, 1954: ***Culex (Melanoconion)***
carioca Lane & Whitman, 1951: ***Culex (Microculex)***
carleti Brunhes & Ravaonjanahary, 1971: ***Culex (Culex)***
carmentii (Edwards, 1924): ***Verrallina (Verrallina)***
carnevalei Brunhes, le Goff & Geoffroy, 1999: ***Anopheles (Cellia)***
carolinensis Bohart & Ingram, 1946: ***Culex (Lophoceraomyia)***
caroni Adam, 1961: ***Anopheles (Cellia)***
carrilloi (Sutil O. & Pulido F., 1978): ***Wyeomyia (Exallomyia)***
carteri (Edwards, 1936): ***Neomelaniconion***
carteri Amerasinghe, 1993: ***Heizmannia (Heizmannia)***
carteri Evans & de Meillon, 1933: ***Anopheles (Cellia)***
cartroni (Ventrillon, 1906): ***Skusea***
casali (Schick, 1970): '***Ochlerotatus (Protomacleaya)***
caspicus (Pallas, 1771): ***Ochlerotatus*** (subgenus uncertain)
castaneus Sirivanakarn, 1973: ***Culex (Lophoceraomyia)***
castelli Hamon, 1957: ***Culex (Culex)***
castor de Meillon & Lavoipierre, 1944: ***Culex (Eumelanomyia)***
castrensis Edwards, 1922: ***Culex (Eumelanomyia)***
castroi Casal & García, 1967: ***Culex (Phytotelmatomyia)***
castroi Lane & Cerqueira, 1942: ***Trichoprosopon***
cataphylla (Dyar, 1916): ***Ochlerotatus*** (subgenus uncertain)
cataractarum Edwards, 1923: ***Culex (Eumelanomyia)***
catasticta Knab, 1909: ***Aedeomyia (Aedeomyia)***
catesi (Lien, 1968): ***Heizmannia (Mattinglyia)***
catharinensis (da Costa Lima, Guitoon & Ferreira, 1962): ***Toxorhynchites (Ankylorhynchus)***
cauchensis Floch & Abonnenc, 1945: ***Culex (Tinolestes)***
caudatus Clastrier, 1970: ***Culex (Melanoconion)***
caudelli (Dyar & Knab, 1906): ***Culex (Melanoconion)***
cauta (Barraud, 1928): ***Verrallina (Neomacleaya)***
cavalierei García & Casal, 1967: ***Toxorhynchites (Lynchiella)***
cavaticus (Reinert, 1979): ***Isoaedes***
cavernicola Mattingly, 1954: ***Uranotaenia (Pseudoficalbia)***
cavernicola Rattanaarithikul & Harbach, 2007: ***Borichinda***
cedecei Stone & Hair, 1968: ***Culex (Melanoconion)***
celaenocephala Dyar & Knab, 1906: ***Wyeomyia (Wyeomyia)***
celatum Peyton & Harbach, 2000: ***Onirion***
celebica (Mattingly, 1959): ***Lorrainea***
celeste Dyar & Nuñez Tovar, 1927: ***Haemagogus (Haemagogus)***
centropunctatus (Theobald, 1913): ***Aedimorphus***
ceramensis Sirivanakarn & Kurihara, 1973: ***Culex (Culiciomyia)***
cerqueirai (Barreto & Coutinho, 1944): ***Mansonia (Mansonia)***
cerqueirai Nascimento-Pereira, Neves, Lourenço-de-Oliveira & Motta, 2021: ***Sabethes (Sabethes)***
cerqueirai (Stone, 1944): ***Runchomyia (Runchomyia)***
cerqueirai Valencia, 1973: ***Culex (Carrollia)***
cesari del Ponte & Cerqueira, 1938: ***Wyeomyia*** (subgenus uncertain)
ceylonensis (Theobald, 1905): ***Tripteroides (Rachionotomyia)***
ceylonica (Edwards, 1917): ***Verrallina (Neomacleaya)***
chaetovenralis (Theobald, 1910): ***Culex (Neoculex)***
chagasi (da Costa Lima, 1935): ***Mansonia (Mansonia)***
chaguanco Casal, García & Fernández, 1968: ***Culex (Anoedioparpa)***
chaii Miyagi & Toma, 2012: ***Topomyia (Topomyia)***

chalcocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
chalcospilans Dyar, 1921: *Haemagogus* (*Haemagogus*)
chamberlaini Ludlow, 1904: *Mimomyia* (*Mimomyia*)
chamboni (Cornet, 1968): *Catageomyia*
champerico (Dyar & Knab, 1906): *Psorophora* (*Janthinosoma*)
chandi Edwards, 1922: *Heizmannia* (*Heizmannia*)
changuinolae Galindo & Blanton, 1954: *Culex* (*Melanoconion*)
charmion Dyar, 1928: *Wyeomyia* (*Wyeomyia*)
chathamicus (Dumbleton, 1962): *Opifex* (*Nothoskusea*)
chaussieri (Edwards, 1923): *Stegomyia* (subgenus uncertain)
chauveti Brunhes & Rambelo, 1968: *Culex* (*Eumelanomyia*)
cheesmanae Mattingly & Marks, 1955: *Culex* (*Neoculex*)
chelli Edwards, 1915: *Ochlerotatus* (*Juppius*)
chemulpoensis (Yamada, 1921): *Stegomyia* (subgenus uncertain)
chengi Lien, 1968: *Heizmannia* (*Heizmannia*)
cheni Dong, Wang & Lu, 2003: *Culex* (*Culiciomyia*)
cheni Lien, 1968: *Tripteroides* (*Tripteroides*)
cherrapunjiensis Natarajan, Rajavel & Jambulingam, 2016: *Hulecoeteomyia*
chiangmaiensis Somboon & Harbach, 2019: *Lutzia* (*Metalutzia*)
chidesteri Dyar, 1921: *Culex* (*Culex*)
chionodes (Belkin, 1962): *Christophersiomyia*
chionotum (Zavortink, 1972): ‘*Ochlerotatus* (*Protomacleaya*)’
chiriquiensis Komp, 1936: *Anopheles* (*Anopheles*)
chitae Duret, 1967: *Culex* (*Culex*)
chloropterus (von Humboldt, 1819): *Sabethes* (*Sabethoides*)
chocoensis Porter & Wolff, 2004: *Wyeomyia* (*Hystatomyia*)
chodukini Martini, 1929: *Anopheles* (*Anopheles*)
chorleyi Edwards, 1936: *Uranotaenia* (*Uranotaenia*)
chorleyi Edwards, 1941: *Culex* (*Culex*)
christiani Colless, 1960: *Culex* (*Lophoceraomyia*)
christophersi (Edwards, 1922): *Bruceharrisonius*
christophersi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
christophersi Barraud, 1926: *Uranotaenia* (*Uranotaenia*)
christophi (Portschinsky, 1884): *Toxorhynchites* (*Toxorhynchites*)
christyi (Newstead & Carter, 1911): *Anopheles* (*Cellia*)
chryselatus Dyar & Knab, 1919: *Culex* (*Microculex*)
chrysochlorus Arnell, 1973: *Haemagogus* (*Haemagogus*)
chrysogaster Graham, 1909: *Eretmapodites*
chrysogaster (Taylor, 1927): *Mucidus* (*Pardomyia*)
chrysolineata (Theobald, 1907): *Hulecoeteomyia*
chrysonotum (Peryassú, 1922): *Coquillettidia* (*Rhynchoaenia*)
chrysosecula (Theobald, 1910): *Paraedes*
chrysosoma (Edwards, 1915): *Coquillettidia* (*Coquillettidia*)
chungi (Lien, 1968): *Jihlienius*
churchillensis (Ellis & Brust, 1973): *Ochlerotatus* (subgenus uncertain)
ciliata (Fabricius, 1794): *Psorophora* (*Psorophora*)
cilipes (Fabricius, 1805): *Psorophora* (*Psorophora*)
cinctellus Edwards, 1922: *Culex* (*Lophoceraomyia*)
cinctus (Newstead & Carter, 1910): *Anopheles* (*Cellia*)
cinerellus Edwards, 1922: *Culex* (*Culiciomyia*)
cinerus Meigen, 1818: *Aedes*
cinerus Theobald, 1901: *Anopheles* (*Cellia*)
cinerus Theobald, 1901: *Culex* (*Culiciomyia*)
cingulata (Fabricius, 1805): *Psorophora* (*Grabhamia*)
cingulatus (Leicester, 1908): *Armigeres* (*Leicesteria*)
circumcincta Dyar & Knab, 1907: *Wyeomyia* (*Hystatomyia*)
circumflava Cerqueira, 1943: *Psorophora* (*Janthinosoma*)
circumluteolum (Theobald, 1908): *Neomelaniconion*
circumtestacea (Theobald, 1908): *Ficalbia*
civinskii Belkin, 1953: *Uranotaenia* (*Uranotaenia*)

claggi Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)
clara Dyar & Shannon, 1925: *Uranotaenia* (*Uranotaenia*)
clarki (Galindo, Carpenter & Trapido, 1953): *Haemagogus* (*Conopostegus*)
clarki Evans, 1924: *Culex* (*Melanoconion*)
clasoleuca Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)
clastrieri Casal & Garcia, 1968: *Culex* (*Aedinus*)
clavata (Barraud, 1931): *Verrallina* (*Neomacleaya*)
claviger (Meigen, 1804): *Anopheles* (*Anopheles*)
clavipalpus (Theobald, 1908): *Mimomyia* (*Mimomyia*)
clelandi (Taylor, 1914): *Ochlerotatus* (*Pholeomyia*)
clintoni (Taylor, 1946): *Patmarksia*
clivis (Lanzaro & Eldridge, 1992): *Ochlerotatus* (subgenus uncertain)
clowi Rozeboom & Knight, 1946: *Anopheles* (*Cellia*)
coatzacoalcos Dyar & Knab, 1906: *Uranotaenia* (*Uranotaenia*)
codiacampa Dyar & Knab, 1907: *Wyeomyia* (*Miamyia*)
coenonus Howard, Dyar & Knab, 1913: *Wyeomyia* (*Hystatomyia*)
coerulescens Edwards, 1928: *Culex* (*Lophoceraomyia*)
coeruleus (Brug, 1934): *Toxorhynchites* (*Toxorhynchites*)
cogilli (Edwards, 1922): *Phagomyia*
coheni Belkin, 1950: *Tripteroides* (*Polylepidomyia*)
colledgei Marks, 1956: *Anopheles* (*Anopheles*)
collessi (Mattingly, 1958): *Paraedes*
collessi Grjebine, 1986: *Mimomyia* (*Ingramia*)
collessi Lee, 1946: *Tripteroides* (*Polylepidomyia*)
collessi Reid, 1963: *Anopheles* (*Anopheles*)
collessi Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
colocasiae Edwards, 1928: *Uranotaenia* (*Pseudoficalbia*)
colombiana Lane, 1945: *Wyeomyia* (*Antunesmyia*)
colombianus Adames, 1971: *Deinocerites*
columbiae (Dyar & Knab, 1906): *Psorophora* (*Grabhamia*)
columnaris Sá & Hutchings, 2020: *Culex* (*Melanoconion*)
coluzzii Coetzee & Wilkerson, 2013: *Anopheles* (*Cellia*)
coluzzii (Rioux, Guilvard & Pasteur, 1998): *Ochlerotatus* (subgenus uncertain)
comata (Barraud, 1931): *Verrallina* (*Neomacleaya*)
comatus Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)
combesi Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)
comitatus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
commevynensis Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)
comminutor Dyar, 1920: *Culex* (*Melanoconion*)
communis (de Geer, 1776): *Ochlerotatus* (subgenus uncertain)
communis (Leicester, 1908): *Heizmannia* (*Heizmannia*)
comorensis Brunhes, 1977: *Culex* (*Culex*)
comorensis Brunhes, 1977: *Orthopodomyia*
comorensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles* (*Cellia*)
comorensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
comosa (Reinert, 1974): *Verrallina* (*Neomacleaya*)
complex (Theobald, 1910): *Heizmannia* (*Heizmannia*)
complosa (Dyar, 1928): *Wyeomyia* (*Dendromyia*)
compressum Lutz, 1905: *Trichoprosopon*
comptus Sá & Sallum, 2020: *Culex* (*Melanoconion*)
conchobius Edwards, 1941: *Eretmapodites*
concinus Lee, 1946: *Tripteroides* (*Rachisoura*)
concolor Edwards, 1938: *Anopheles* (*Anopheles*)
conditus Moses, Howard & Harbach, 2000: *Sabethes* (*Sabethoides*)
condolenscens (Dyar & Knab, 1907): *Ochlerotatus* (*Ochlerotatus*)
confinnis (Lynch Arribáizaga, 1891): *Psorophora* (*Grabhamia*)
confundior Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
confusa (Lutz, 1905): *Wyeomyia* (*Prosopolepis*)
confusa Bonne-Wepster, 1951: *Bironella* (*Neobironella*)
confusa Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)

confusus Edwards, 1915: *Armigeres (Armigeres)*
confusus Evans & Leeson, 1935: *Anopheles (Cellia)*
confusus Lee, 1946: *Tripteroides (Rachisoura)*
conjungens Edwards, 1914: *Armigeres (Armigeres)*
connali Edwards, 1912: *Uranotaenia (Uranotaenia)*
conradti Grünberg, 1907: *Toxorhynchites (Toxorhynchites)*
conservator Dyar & Knab, 1906: *Culex (Anoedioparpa)*
consimilis Newstead, 1907: *Culex (Oculeomyia)*
consolator Dyar & Knab, 1906: *Culex (Microculex)*
consonensis (Reinert, 1973): *Verrallina (Harbachius)*
conspirator Dyar & Knab, 1906: *Culex (Melanoconion)*
contei Duret, 1968: *Culex (Melanoconion)*
contigua (Edwards, 1936): *Stegomyia* (subgenus uncertain)
continentalis (Dobrotworsky, 1960): *Ochlerotatus* (subgenus uncertain)
contrastata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cooki (Belkin, 1962): *Stegomyia* (subgenus uncertain)
cooki Root, 1937: *Uranotaenia (Uranotaenia)*
coonorensis Mattingly, 1981: *Tripteroides (Rachionotomyia)*
coppenamensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
corbeti Hamon, 1962: *Eretmapodites*
cordellieri (Huang, 1986): *Diceromyia*
corentynensis Dyar, 1920: *Culex (Melanoconion)*
corethroides Theobald, 1907: *Anopheles (Anopheles)*
corneti (Huang, 1986): *Stegomyia* (subgenus uncertain)
corniger Theobald, 1903: *Culex (Phenacomyia)*
cornuta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cornutus Edwards, 1922: *Culex (Oculeomyia)*
corona Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
coronator Dyar & Knab, 1906: *Culex (Culex)*
corriganii Dyar & Knab, 1907: *Culex (Anoedioparpa)*
costai da Fonseca & da Silva Ramos, 1940: *Anopheles (Anopheles)*
costaricensis Adames & Hogue, 1970: *Deinocerites*
cottlei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
coulangesi (Rodhain & Boutonnier, 1983): *Paulianius*
coursi Doucet, 1949: *Culex (Maillotia)*
coustani Laveran, 1900: *Anopheles (Anopheles)*
covagarciai Forattini, 1965: *Culex (Culex)*
covagarciai Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)
covelli Barraud, 1929: *Heizmannia (Heizmannia)*
cozi (Cornet, 1973): *Cornetius*
cozumelensis (Díaz Nájera, 1966): *Howardina*
cracens Sallum & Peyton, 2005: *Anopheles (Cellia)*
craggi Barraud, 1923: *Stegomyia (Heteraspidion)*
crassicomus Colless, 1965: *Culex (Lophoceraomyia)*
crassiforceps (Edwards, 1927): *Neomelaniconion*
crassipes (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*
crassistylus Brug, 1934: *Culex (Neoculex)*
crawfordi Reid, 1953: *Anopheles (Anopheles)*
creole Anduze, 1949: *Culex (Melanoconion)*
cretata (Delfinado, 1967): *Verrallina (Neomacleaya)*
cretina (Edwards, 1921): *Stegomyia* (subgenus uncertain)
crinicauda Edwards, 1921: *Culex (Culex)*
crinifer (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*
cristata (Theobald, 1904): *Coquillettidia (Coquillettidia)*
cristata Thurman, 1959: *Topomyia (Suaymyia)*
cristatus King & Baisas, 1936: *Anopheles (Cellia)*
crispalpis Service, 1977: *Anopheles (Cellia)*
cristovaoi Duret, 1968: *Culex (Melanoconion)*
crocea (Knight & Laffoon, 1946): *Finlaya*
crockeri Colless, 1955: *Anopheles (Anopheles)*

crossi (Lien, 1967): '*Ochlerotatus (Finlaya)*'
crowei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
crucians Wiedemann, 1828: *Anopheles (Anopheles)*
cruzii Dyar & Knab, 1908: *Anopheles (Kerteszia)*
crybda Dyar, 1924: *Culex (Melanoconion)*
crypticus Coetzee, 1995: *Anopheles (Anopheles)*
cubiculi Marks, 1989: *Culex (Lophoceraomyia)*
cubitatus Colless, 1965: *Culex (Lophoceraomyia)*
cuccioi (Belkin, 1962): *Verrallina (Verrallina)*
cucphuongensis Vu, Nguyen, Tran & Nguyen, 1991: *Anopheles (Anopheles)*
culicifacies Giles, 1901: *Anopheles (Cellia)*
culiciformis (Theobald, 1905): *Ochlerotatus (Pseudoskusea)*
culiciformis Cogill, 1903: *Anopheles (Anopheles)*
culicinus (Edwards, 1922): *Aedimorphus*
cumminsii (Theobald, 1903): *Aedimorphus*
cunabulanus (Edwards, 1924): *Ochlerotatus* (subgenus uncertain)
curiche Adames, 1971: *Deinocerites*
curtipalpis (Edwards, 1914): *Culex (Lophoceraomyia)*
curtipes (Edwards, 1915): *Canraedes*
curvibrachius Angulo, 1993: *Culex (Culex)*
cuttsi van den Assem, 1959: *Tripteroides (Rachisoura)*
cuyanus Duret, 1968: *Culex (Culex)*
cyanescens (Coquillett, 1902): *Psorophora (Janthinosoma)*
cyaneus (Fabricius, 1805): *Sabethes (Sabethes)*
cydippis de Meillon, 1931: *Anopheles (Cellia)*
cylindricus Theobald, 1903: *Culex (Lophoceraomyia)*
cyprionides (Danilov & Stupin, 1982): *Ochlerotatus* (subgenus uncertain)
cyprius (Ludlow, 1920): *Ochlerotatus* (subgenus uncertain)
cyptopus Theobald, 1909: *Hodgesia*
cyrtolabis (Edwards, 1928): *Verrallina (Neomacleaya)*
daciae Linton, Nicolescu & Harbach, 2004: *Anopheles (Anopheles)*
daggi (Stone & Bohart, 1944): *Geoskusea*
dahlae Nielsen, 2009: *Ochlerotatus* (subgenus uncertain)
dahuricus Danilov, 1987: *Aedes*
daisetsuzanus Tanaka, Mizusawa & Saugstad, 1979: *Ochlerotatus* (subgenus uncertain)
daitensis (Miyagi & Toma, 1981): *Stegomyia* (subgenus uncertain)
daliensis (Taylor, 1916): '*Ochlerotatus*' (subgenus uncertain)
dalzieli (Theobald, 1910): *Aedimorphus*
damascenoi Duret, 1969: *Culex (Anoediopora)*
damasei Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
danaraji Ramalingam, 1988: *Topomyia (Topomyia)*
dancalicus Corradetti, 1939: *Anopheles (Cellia)*
dandakaranyensis Natarajan, Rajavel & Jambulingam, 2017: *Uranotaenia (Pseudoficalbia)*
darjeelingensis Tyagi, Munirathinam, Krishnamoorthy, Baskaran, Govindaragan, Krishnamoorthi, Mariappan, Dhananjeyan & Venkatesh, 2015: *Toxorhynchites (Toxorhynchites)*
darlingi Root, 1926: *Anopheles (Nyssorhynchus)*
daryi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
dasyorrhus (King & Hoogstraal, 1946): *Lorrainea*
daudi Coluzzi, 1958: *Anopheles (Cellia)*
daumastocampa Dyar & Knab, 1908: *Culex (Microculex)*
davidi (Basio, 1971): *Aedimorphus*
davisi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
davisi Kumm, 1933: *Culex (Microculex)*
davisi Lane, 1943: *Uranotaenia (Uranotaenia)*
deanei (Lourenço de Oliveira, 1983): *Wyeomyia (Phoniomyia)*
deaneorum Rosa-Freitas, 1989: *Anopheles (Nyssorhynchus)*
deboeri (Edwards, 1926): *Stegomyia* (subgenus uncertain)
deccana (Barraud, 1923): *Phagomyia*
decens Theobald, 1901: *Culex (Culex)*
declarator Dyar & Knab, 1906: *Culex (Culex)*

decorabilis (Leicester, 1908): *Kimia*
decticus (Howard, Dyar & Knab, 1917): *Ochlerotatus* (subgenus uncertain)
deemingi Service, 1970: *Anopheles (Cellia)*
deficiens (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
deguzmanae (Mattingly, 1957): *Mimomyia (Ingramia)*
dejesusi Baisas & Feliciano, 1953: *Topomyia (Topomyia)*
delfinadoe Sirivanakarn, 1973: *Culex (Culiciomyia)*
delpilari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
delponte Duret, 1969: *Culex (Melanoconion)*
delys Howard, Dyar & Knab, 1915: *Culex (Culex)*
demeilloni (Edwards, 1936): *Stegomyia* (subgenus uncertain)
demeilloni Doucet, 1950: *Culex (Culex)*
demeilloni Evans, 1933: *Anopheles (Cellia)*
demeilloni Mattingly, 1970: *Heizmannia (Heizmannia)*
demeilloni Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
demissus Colless, 1965: *Culex (Lophoceraomyia)*
danaubento Mochtar & Walandouw, 1934: *Anopheles (Anopheles)*
denbesteni Brug, 1925: *Armigeres (Armigeres)*
denderensis (Wolfs, 1949): *Stegomyia* (subgenus uncertain)
dendrophila (Edwards, 1921): *Stegomyia* (subgenus uncertain)
dentatus (Theobald, 1904): *Aedimorphus*
dentatus Barraud, 1927: *Armigeres (Leicesteria)*
denticulatus Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
derivator Dyar & Knab, 1906: *Culex (Neoculex)*
derooki (Brug, 1932): *Patmarksia*
derooki Soesilo & van Slooten, 1931: *Bironella (Neobironella)*
deserticola (Zavortink, 1970): *Jarnellius*
deserticola Kirkpatrick, 1925: *Culex (Maillotia)*
desmotes Giles, 1904: *Stegomyia (Xyele)*
detritus (Haliday, 1833): *Ochlerotatus* (subgenus uncertain)
devenyi Hamon, 1955: *Uranotaenia (Pseudoficalbia)*
diabolica (Lane & Forattini, 1952): *Wyeomyia (Phoniomyia)*
diagonalis Brug, 1934: *Uranotaenia (Pseudoficalbia)*
dialloi (Hamon & Brengues, 1965): *Catageiomyia*
diamphidius Peyton & Harbach, 1991: *Culex (Melanoconion)*
diantaeus (Howard, Dyar & Knab, 1913): *Ochlerotatus (Woodius)*
diazi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
dibrugarhensis Bhattacharyya et al., 2004: *Uranotaenia (Pseudoficalbia)*
diengensis Brug, 1931: *Culex (Culex)*
digitatum (Rondani, 1848): *Trichoprosopon*
digitatus (Edwards, 1914): *Armigeres (Leicesteria)*
digoelensis Brug, 1932: *Culex (Lophoceraomyia)*
digoelensis Brug, 1934: *Tripteroides (Polylepidomyia)*
diluvialis Reinert, 1997: *Anopheles (Anopheles)*
dimidiata Cerqueira, 1943: *Psorophora (Grabhamia)*
diplophyllum Dyar, 1929: *Culex (Culex)*
diraphati Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
dirus Peyton & Harrison, 1979: *Anopheles (Cellia)*
discolor (Coquillett, 1903): *Psorophora (Grabhamia)*
discors Harbach, 2014: *Topomyia (Miyagiella)*
discrepans (Edwards, 1922): *Heizmannia (Mattinglyia)*
discrucians (Walker, 1856): *Psorophora (Janthinosoma)*
dispar Rattanarithikul & Harbach, 1991: *Anopheles (Cellia)*
dispectus Bram, 1966: *Culex (Culiciomyia)*
dissidens Taai & Harbach, 2015: *Anopheles (Anopheles)*
dissimilierodes (Dong, Zhou & Dong, 2002): *Kenknighthia*
dissimilis (Leicester, 1908): *Kenknighthia*
distigma (Edwards, 1925): *Tripteroides (Tripteroides)*
distinctus (Newstead & Carter, 1911): *Anopheles (Cellia)*
distinguendus Dyar, 1928: *Culex (Melanoconion)*

ditaenionota Prado, 1931: *Uranotaenia (Uranotaenia)*
dives (Schiner, 1868): *Mansonia (Mansonioides)*
dmitryi Gornostaeva, 2005: *Aedes*
dobodura (King & Hoogstraal, 1946): *Patmarksia*
dobrotworskyi (Marks, 1958): *Finlaya*
dofleini (Guenther, 1913): *Tripteroides (Rachionotomyia)*
dohenyi Hogue, 1975: *Culex (Culex)*
dolichocephalus (Leicester, 1908): *Armigeres (Leicesteria)*
dolichophyllus Clastrier, 1970: *Culex (Melanoconion)*
dolosus (Lynch Arribálzaga, 1891): *Culex (Culex)*
domesticus (Theobald, 1901): *Aedimorphus*
domicolus Edwards, 1916: *Anopheles (Cellia)*
domrey Macquart & Rahola, 2023: *Toxorhynchites (Toxorhynchites)*
donai da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
donaldi Reid, 1962: *Anopheles (Anopheles)*
doonii (Wattal, Bhatia & Kalra, 1958): *Bruceharrisonius*
dorsalis (Meigen, 1830): *Ochlerotatus* (subgenus uncertain)
dorseyi (Knight, 1946): *Downsiomyia*
douceti Adam & Hamon, 1959: *Eretmapodites*
douceti Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*
douglasi Dobrotworsky, 1956: *Culex (Neoculex)*
downsi Bohart & Ingram, 1946: *Stegomyia* (subgenus uncertain)
downsi Lane, 1945: *Wyeomyia (Wyeomyia)*
dracaenae Edwards, 1916: *Eretmapodites*
draconis Ingram & de Meillon, 1927: *Culex (Culex)*
dravidicus Christophers, 1924: *Anopheles (Cellia)*
druki Somboon, Namgay & Harbach, 2022: *Anopheles (Anopheles)*
drummondi (Dobrotworsky, 1960): *Culiseta (Culicella)*
dthali Patton, 1905: *Anopheles (Cellia)*
dualaensis Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*
dubitans Lane & Whitman, 1951: *Culex (Microculex)*
dubitans Leicester, 1908: *Topomyia (Topomyia)*
dufourii (Hamon, 1953): *Ochlerotatus* (subgenus uncertain)
dulongensis Gong & Lu, 1995: *Topomyia (Suaymyia)*
dumbletoni Belkin, 1962: *Culex (Neoculex)*
dumonti Doucet, 1949: *Uranotaenia (Uranotaenia)*
dundo da Cunha Ramos, 1993: *Uranotaenia (Uranotaenia)*
dundo da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
dundo Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
dunhami Causey, 1945: *Anopheles (Nyssorhynchus)*
dunni Dyar, 1918: *Culex (Melanoconion)*
duplex (Martini, 1926): *Ochlerotatus* (subgenus uncertain)
duplicator Dyar & Knab, 1909: *Culex (Culex)*
dupreei (Coquillett, 1904): *Ochlerotatus (Protoculex)*
durbanensis (Theobald, 1903): *Aedimorphus*
dureni Edwards, 1938: *Anopheles (Cellia)*
dureti Casal & García, 1968: *Culex (Melanoconion)*
durhami Edwards, 1917: *Armigeres (Armigeres)*
durhami Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
durhamii Theobald, 1901: *Limatus*
duttoni Theobald, 1901: *Culex (Culex)*
dux (Dyar & Shannon, 1925): *Verrallina (Verrallina)*
dyari Belkin & Hogue, 1959: *Deinocerites*
dyari Belkin, Heinemann & Page, 1970: *Mansonia (Mansonia)*
dyari Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
dyari Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*
dybasi (Bohart, 1957): *Stegomyia* (subgenus uncertain)
dyi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
dyius Root, 1927: *Culex (Melanoconion)*
ealaensis (Huang, 2004): *Stegomyia* (subgenus uncertain)

earlei Vargas, 1943: *Anopheles (Anopheles)*
eastor Dyar, 1920: *Culex (Melanoconion)*
eatonii Edwards, 1916: '*Ochlerotatus (Finlaya)*'
ebogoensis (Rickenbach & Ferrara, 1965): *Aedimorphus*
echinus (Edwards, 1920): *Dahlia*
ecuadoriensis (Berlin, 1969): *Howardina*
edgari (Stone & Rosen, 1952): *Ochlerotatus (Buvirilia)*
eduardoi Casal & García, 1968: *Culex (Culex)*
educator Dyar & Knab, 1906: *Culex (Melanoconion)*
edwardsi (Barraud, 1924): *Toxorhynchites (Toxorhynchites)*
edwardsi (Barraud, 1929): *Tripteroidea (Rachionotomyia)*
edwardsi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
edwardsi Barraud, 1923: *Culex (Culex)*
edwardsi Barraud, 1923: *Stegomyia (Actinothrix)*
edwardsi Barraud, 1926: *Uranotaenia (Uranotaenia)*
egcymon Dyar, 1923: *Culex (Melanoconion)*
eidsvoldensis (Mackerras, 1927): *Ochlerotatus* (subgenus uncertain)
eiseni Coquillett, 1902: *Anopheles (Anopheles)*
ejercitoi Baisas, 1935: *Armigeres (Armigeres)*
ejercitoi Mendoza, 1947: *Anopheles (Anopheles)*
eknomios Forattini & Sallum, 1992: *Culex (Melanoconion)*
elchoensis (Taylor, 1929): *Macleaya (Chaetocruomyia)*
eldridgei (Reinert, 1973): *Bothaella*
eldridgei Adames & Galindo, 1973: *Culex (Belkinomyia)*
eleanorae (Berlin, 1969): *Howardina*
elegans (James, 1903): *Anopheles (Cellia)*
elegans (Taylor, 1914): *Mimomyia (Etorleptomyia)*
elegans Brug, 1934: *Tripteroidea (Tripteroidea)*
elephas Komp, 1936: *Culex (Melanoconion)*
elevator Dyar & Knab, 1906: *Culex (Melanoconion)*
elgonicus Edwards, 1941: *Culex (Culex)*
ellinorae (Edwards, 1941): *Neomelanicion*
ellinorae Ovazza, Hamon & Neri, 1956: *Culex (Oculeomyia)*
elongatus Rozeboom & Komp, 1950: *Culex (Microculex)*
elsiae (Barraud, 1923): *Collessius (Collessius)*
embiensis (Huang, 1968): *Verrallina (Verrallina)*
embuensis (Edwards, 1930): *Hopkinsius (Hopkinsius)*
eminentia (Leicester, 1908): *Culex (Lophoceraomyia)*
engarensis Kanda & Oguma, 1978: *Anopheles (Anopheles)*
enigmatica Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
ensifformis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
eouzani Brunhes, le Goff & Boussès, 2003: *Anopheles (Cellia)*
eouzani Geoffroy, 1971: *Culex (Culiciomyia)*
eouzani Rickenbach & Lombrici, 1974: *Eretmapodites*
epactius (Dyar & Knab, 1908): *Georgecraigius (Georgecraigius)*
epanastasis Dyar, 1922: *Culex (Melanoconion)*
epidesmus (Theobald, 1910): *Culex (Oculeomyia)*
epiroticus Linton & Harbach, 2005: *Anopheles (Cellia)*
epitedeus (Knab, 1907): *Deinocerites*
equinoxialis Floch & Abonnenc, 1945: *Culex (Melanoconion)*
equinus Theobald, 1903: *Haemagogus (Haemagogus)*
erepens Gillies, 1958: *Anopheles (Cellia)*
erethyzonfer Galindo & Blanton, 1954: *Culex (Micraedes)*
eritreae (Lewis, 1942): *Aedimorphus*
erlindae Baisas & Ubaldo-Pagayon, 1953: *Tripteroidea (Tripteroidea)*
ernanii Duret, 1968: *Culex (Melanoconion)*
ernsti Anduze, 1949: *Culex (Melanoconion)*
erraticus (Dyar & Knab, 1906): *Culex (Melanoconion)*
erythraeus Corradetti, 1939: *Anopheles (Cellia)*
erythrothorax Dyar, 1907: *Culex (Culex)*

erythrurus (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**
eschirasi Galliard, 1931: **Culex (Culex)**
escodae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
esmeraldas (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**
esoensis Yamada, 1921: **Aedes**
espini (Martini, 1914): **Isostomyia**
ethiopicus Gillies & Coetzee, 1987: **Anopheles (Cellia)**
ethiopiensis (Huang, 2004): **Stegomyia** (subgenus uncertain)
eucephalaeus (Dyar, 1918): **Ochlerotatus (Protoculex)**
euedes (Howard, Dyar & Knab, 1913): **Ochlerotatus** (subgenus uncertain)
euiris (Dyar, 1922): **Ochlerotatus** (subgenus uncertain)
eukrines Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
euplocamus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**
europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**
evandroi da Costa Lima, 1937: **Anopheles (Anopheles)**
evansae (Brèthes, 1926): **Anopheles (Nyssorhynchus)**
evansae (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**
evansae Antunes, 1942: **Trichoprosopon**
evansae Root, 1927: **Culex (Melanoconion)**
exallos Rocha, Lourenço-de-Oliveira & Motta, 2012: **Wyeomyia** (subgenus uncertain)
excruicians (Walker, 1856): **Ochlerotatus** (subgenus uncertain)
exedrus Root, 1927: **Culex (Melanoconion)**
exnebulis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
explorator (Marks, 1964): **Ochlerotatus** (subgenus uncertain)
fabricii Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
faini Leleup, 1952: **Anopheles (Cellia)**
fairchildi Galindo & Blanton, 1954: **Culex (Melanoconion)**
fajardi (Lutz, 1904): **Chagasia**
fajardoi Baisas & Feliciano, 1953: **Zeugomyia**
falabreguesi (Hamon, 1957): **Catageiomyia**
falcipes Banks, 1906: **Uranotaenia (Uranotaenia)**
farakoensis Hamon, 1955: **Culex (Culex)**
farauti Laveran, 1902: **Anopheles (Cellia)**
farquharsoni (Edwards, 1922): **Malaya**
fasciolata (Lynch Arribáizaga, 1891): **Coquillettidia (Rhynchotaenia)**
fascipalpis (Edwards, 1912): **Diceromyia**
fascipes (Coquillett, 1906): **Orthopodomyia**
fasyi Baisas, 1938: **Culex (Culex)**
faurani Duret, 1968: **Culex (Melanoconion)**
fausti Vargas, 1943: **Anopheles (Anopheles)**
feegradei (Barraud, 1934): **Phagomyia**
feliccia (Dyar & Nunez Tovar, 1927): **Wyeomyia (Decamyia)**
felicittatis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
femineus Edwards, 1926: **Culex (Eumelanomyia)**
femorata (Edwards, 1936): **Mimomyia (Mimomyia)**
fengi (Edwards, 1935): **Luius**
fergusoni (Taylor, 1914): **Culex (Neoculex)**
ferinus (Knight, 1947): **Mucidus (Mucidus)**
fernandezi Casal, García & Cavalieri, 1966: **Culex (Culex)**
fernandezyepezi (Cova Garcia, Sutil Oramas & Pulido F., 1974): **Wyeomyia (Caenomyiella)**
ferox (von Humboldt, 1819): **Psorophora (Janthinosoma)**
ferrara Rickenbach & Eouzan, 1970: **Eretmapodites**
ferreri Duret, 1968: **Culex (Melanoconion)**
fiebrigi Edwards, 1922: **Psorophora (Janthinosoma)**
fijiensis (Belkin, 1962): **Coquillettidia (Coquillettidia)**
fijiensis (Marks, 1947): **Finlaya**
filicis (Ingram & de Meillon, 1927): **Catageiomyia**
filipes (Walker, 1861): **Tripteroides (Rachisoura)**
filipinae Manalang, 1930: **Anopheles (Cellia)**
fimbriata King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**

fimbriatus Edwards, 1930: *Armigeres (Armigeres)*
fimbriforceps Edwards, 1935: *Culex (Eumelanomyia)*
fimbripes (Edwards, 1924): *Geoskusea*
finlayi Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
fisheri (Barraud, 1928): *Aedimorphus*
fishi Zavortink, 1986: *Wyeomyia (Zinzala)*
fitchii (Felt & Young, 1904): *Ochlerotatus* (subgenus uncertain)
flabellata (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
flabellifer Komp, 1936: *Culex (Melanoconion)*
flabelliger Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*
flavens (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*
flaveola (Coquillett, 1906): *Mansonia (Mansonia)*
flavescens (Müller, 1764): *Ochlerotatus* (subgenus uncertain)
flavicollis (Edwards, 1928): *Diceromyia*
flavicornis Barraud, 1924: *Culex (Lophoceraomyia)*
flavicosta Barraud, 1927: *Orthopodomyia*
flavicosta Edwards, 1911: *Anopheles (Cellia)*
flavifacies Edwards, 1922: *Wyeomyia (Antunesmyia)*
flavifrons (Skuse, 1889): *Ochlerotatus (Pholeomyia)*
flavimargo (Edwards, 1941): *Neomelaniconion*
flavipennis Giles, 1904: *Finlaya*
flavirostris (Ludlow, 1914): *Anopheles (Cellia)*
flavisetosus de Oliveira Castro, 1935: *Limatus*
flavithorax Barraud, 1927: *Orthopodomyia*
flavocincta (Edwards, 1936): *Coquillettia (Coquillettia)*
flavopicta (Edwards, 1936): *Mimomyia (Mimomyia)*
flavopicta (Yamada, 1921): *Stegomyia* (subgenus uncertain)
flavus (Leicester, 1908): *Armigeres (Leicesteria)*
flochi Duret, 1969: *Culex* (subgenus uncertain)
florestan Dyar, 1925: *Wyeomyia (Wyeomyia)*
floridensis Belkin, 1950: *Tripteroides (Polylepidomyia)*
flui (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
fluminensis Root, 1927: *Anopheles (Anopheles)*
fluviatilis Leicester, 1908: *Hulecoeteomyia*
fluviatilis (Lutz, 1904): *Georgecraigius (Horsfallius)*
fluviatilis (Theobald, 1903): *Shannoniana*
fluviatilis James, 1902: *Anopheles (Cellia)*
foliaceus Lane, 1945: *Culex (Culex)*
foliafer Komp & Rozeboom, 1951: *Culex (Melanoconion)*
foliatus Brug, 1931: *Armigeres (Armigeres)*
foliatus Brug, 1932: *Culex (Eumelanomyia)*
folicola Belkin, 1955: *Tripteroides (Polylepidomyia)*
foliformis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
fontenillei Brunhes & Hervy, 1995: *Orthopodomyia*
fonsecai (Pinto, 1932): *Mansonia (Mansonia)*
fontenillei Le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
fontenillei Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
fontinalis Gillies & de Meillon, 1968: *Anopheles (Cellia)*
forattinii Cerqueira, 1961: *Sabethes (Sabethes)*
forattinii Clastrier, 1974: *Wyeomyia (Cruzmyia)*
forattinii Wilkerson & Sallum, 1999: *Anopheles (Anopheles)*
forceps Cerqueira, 1939: *Psorophora (Janthinosoma)*
forcipenis Lourenço-de-Oliveira & da Silva, 1985: *Wyeomyia (Spilonympha)*
forcipulatus Edwards, 1936: *Eretmapodites*
formosensis (Yamada, 1921): *Hulecoeteomyia*
formosus Ludlow, 1909: *Anopheles (Anopheles)*
formosus (Walker, 1848): *Stegomyia (Stegomyia)*
fowleri (de Charmoy, 1908): *Aedimorphus*
fragilis (Theobald, 1903): *Anopheles (Anopheles)*
fragilis Leicester, 1908: *Verrallina (Harbachius)*

fragilis Ludlow, 1903: *Culex (Culiciomyia)*
franciscanus McCracken, 1904: *Anopheles (Anopheles)*
franciscoi (Mattingly, 1959): *Petermattinglyius (Petermattinglyius)*
franciscoi Reid, 1962: *Anopheles (Anopheles)*
franclemonti (Belkin, 1962): *Finlaya*
fraseri (Edwards, 1914): *Culiseta (Theomyia)*
fraseri (Edwards, 1922): *Malaya*
fraseri (Theobald, 1911): *Coquillettidia (Coquillettidia)*
fraseri Edwards, 1912: *Stegomyia* (subgenus uncertain)
fraseri Edwards, 1912: *Uranotaenia (Uranotaenia)*
fraudatrix (Theobald, 1905): *Culex (Lophoceraomyia)*
freeborni Aitken, 1939: *Anopheles (Anopheles)*
freetownensis Evans, 1925: *Anopheles (Cellia)*
frenchii (Theobald, 1901): *Culiseta (Neotheobaldia)*
freycinetiae (Laird, 1957): *Finlaya*
freyi Meng, 1957: *Anopheles (Anopheles)*
frontosa Theobald, 1903: *Runchomyia (Runchomyia)*
fryeri (Theobald, 1912): '*Ochlerotatus (Coetzeemyia)*'
fulgens (Edwards, 1917): *Zavortinkius*
fulgens da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
fuliginosus Lee, 1946: *Tripteroides (Rachisoura)*
fulleri (Ludlow, 1909): *Culex (Lophoceraomyia)*
fulvithorax (Lutz, 1904): *Howardina*
fulvus (Wiedemann, 1828): *Ochlerotatus (Chrysoconops)*
fumida (Edwards, 1928): *Lorrainea*
fumipennis (Stephens, 1825): *Culiseta (Culicella)*
funerea (Leicester, 1908): *Heizmannia (Heizmannia)*
funerea (Theobald, 1903): *Verrallina (Verrallina)*
funestus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
funestus Giles, 1900: *Anopheles (Cellia)*
funiculus Dyar, 1920: *Psorophora (Grabhamia)*
furcifer (Edwards, 1913): *Diceromyia*
furfurea (Enderlein, 1923): *Aedeomyia (Lepiothauma)*
furlongi van Someren, 1954: *Culex (Culiciomyia)*
fusca (Leicester, 1908): *Mimomyia (Ingramia)*
fusca Theobald, 1907: *Uranotaenia (Pseudoficalbia)*
fuscana (Wiedemann, 1820): *Lutzia (Metalutzia)*
fuscatus Lane & Whitman, 1951: *Culex (Microculex)*
fuscicinctus King & Hoogstraal, 1946: *Culex (Culiciomyia)*
fuscicolor van Someren, 1947: *Anopheles (Anopheles)*
fuscinerve (Edwards, 1914): *Neomelaniconion*
fuscipalpis (Belkin, 1962): *Finlaya*
fuscipes Edwards, 1922: *Wyeomyia (Phoniomyia)*
fuscipleura Lee, 1946: *Tripteroides (Rachisoura)*
fuscitarsis (Belkin, 1962): *Finlaya*
fuscivenosus Leeson, 1930: *Anopheles (Cellia)*
fuscocephala Theobald, 1907: *Culex (Culex)*
fusco pennata (Theobald, 1903): *Coquillettidia (Coquillettidia)*
fuscopterion (Theobald, 1911): *Coquillettidia (Coquillettidia)*
fuscus Hutton, 1902: *Opifex (Opifex)*
futunae (Belkin, 1962): *Stegomyia (Zoromorphus)*
gabaldoni Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*
gabaldoni Vargas, 1941: *Anopheles (Anopheles)*
gabonensis Rahola, Makanga & Paupy, 2014: *Anopheles (Cellia)*
gabriel (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
gaffigani (Reinert, 1990): *KenKnightia*
gagnei Evenhuis, 1989: *Culex (Lophoceraomyia)*
gahnicola (Marks, 1947): *Finlaya*
gairus Root, 1927: *Culex (Microculex)*

galindoi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
galindoi Komp & Rozeboom, 1951: *Culex (Melanoconion)*
galliardi Edwards, 1941: *Culex (Eumelanomyia)*
galloisi (Yamada, 1921): *Stegomyia* (subgenus uncertain)
galloisioides (Liu & Lu, 1984): *Stegomyia* (subgenus uncertain)
galvaoui (Correa & Ramalho, 1956): *Wyeomyia (Phoniomyia)*
galvaoui Causey, Deane & Deane, 1943: *Anopheles (Nyssorhynchus)*
galvaoui Duret, 1968: *Culex (Melanoconion)*
gambiae Giles, 1902: *Anopheles (Cellia)*
gameti Bailly-Choumara, 1966: *Culex (Culex)*
gamma Séguy, 1924: *Culex (Neoculex)*
ganapathi (Colless, 1958): *Downsiomyia*
ganapathi Colless, 1965: *Culex (Lophoceraomyia)*
gandaensis (Huang, 2004): *Stegomyia (Mukwaya)*
gandarai (da Cunha Ramos, Capela & Ribeiro, 1995): *Polyleptiomyia*
gani (Bonne-Wepster, 1940): *Finlaya*
garcesi Duret, 1968: *Culex (Melanoconion)*
garciai Broche, 2000: *Culex (Culex)*
gardnerii Ludlow, 1905: *Stegomyia* (subgenus uncertain)
garioui Bailly-Choumara & Rickenbach, 1966: *Culex (Eumelanomyia)*
garnhami Edwards, 1930: *Anopheles (Cellia)*
garnhami van Someren, 1948: *Uranotaenia (Pseudoficalbia)*
gaudeator Dyar & Knab, 1907: *Culex (Microculex)*
gaudians Dyar & Núñez Tovar, 1927: *Wyeomyia (Wyeomyia)*
gaufini Belkin, 1962: *Culex (Neoculex)*
gausapata Dyar & Núñez Tovar, 1927: *Wyeomyia (Wyeomyia)*
gediensis Edwards, 1941: *Culex (Culex)*
gelidus Theobald, 1901: *Culex (Culex)*
geminus Colless, 1955: *Culex (Oculeomyia)*
geminus Peus, 1970: *Aedes*
geniculata (Olivier, 1791): *Dahlia*
geniculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
genurostris Leicester, 1908: *Malaya*
geoffroyi (Reinert, 1999): *Zavortinkius*
geometrica Theobald, 1901: *Uranotaenia (Uranotaenia)*
geometricus Corrêa, 1944: *Anopheles (Anopheles)*
georgianus King, 1939: *Anopheles (Anopheles)*
geoskusea (Amos, 1944): *Levua*
gerbergi Belkin, 1977: *Toxorhynchites (Lynchiella)*
gerdae Slooff, 1963: *Uranotaenia (Uranotaenia)*
germaini Geoffroy, 1974: *Culex (Eumelanomyia)*
germaini Rickenbach & Eouzan, 1970: *Eretmapodites*
gurneri (van Someren, 1946): *Pseudarmigeres*
gibbinsi (Edwards, 1935): *Aedimorphus*
gibbinsi Evans, 1935: *Anopheles (Cellia)*
gibbosa (Delfinado, 1967): *Verrallina (Neomacleaya)*
gibbulus Delfinado, 1966: *Culex (Lophoceraomyia)*
giblini (Taylor, 1914): *Coquillettidia (Coquillettidia)*
gigantea Brug, 1931: *Uranotaenia (Pseudoficalbia)*
giganteus Ventrillon, 1906: *Culex (Oculeomyia)*
gigantulus (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*
gigas Giles, 1901: *Anopheles (Anopheles)*
gilcolladoi (Sánchez-Covisa Villa, Rodríguez Rodríguez & Guillén Llera, 1985): *Dahlia*
gilesi (Neiva, 1908): *Anopheles (Lophopodomyia)*
gilletti van Someren, 1949: *Eretmapodites*
gilli (Barraud, 1924): *Himalaius*
gilliesi (van Someren, 1962): *Albuginosus*
gilliesi Hamon & van Someren, 1961: *Culex (Culiciomyia)*
giveni Edwards, 1926: *Armigeres (Armigeres)*
glaphyoptera (Schiner, 1864): *Culiseta (Culiseta)*

glaucodaemon (Dyar & Shannon, 1925): *Sabethes (Sabethoides)*
globocoxitus Dobrotworsky, 1953: *Culex (Culex)*
glyptosalpinx Harbach, Peyton & Harrison, 1984: *Culex (Melanoconion)*
gnomatos Sallum, Hutchings, Leila & Ferreira, 1997: *Culex (Melanoconion)*
goeldii Rozeboom & Gabaldon, 1941: *Anopheles (Nyssorhynchus)*
gombakensis (Mattingly, 1959): *Christophersomyia*
gomezdelatorrei Levi-Castillo, 1955: *Anopheles (Lophopodomyia)*
gonguensis (Gong & Lu, 1986): *Jihlienius*
gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*
gorgasi Duret, 1971: *Sabethes (Peytonulus)*
gossi Bohart, 1957: *Culex (Lophoceraomyia)*
gouldi Peyton & Klein, 1970: *Uranotaenia (Pseudoficalbia)*
gouldi (Reinert, 1972): *Aedimorphus*
grabhami (Berlin, 1969): *Howardina*
grabhamii Theobald, 1901: *Anopheles (Anopheles)*
gracicornis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
gracilelineatus (Bonne-Wepster, 1937): '*Ochlerotatus (Finlaya)*'
gracilis Leicester, 1908: *Topomyia (Topomyia)*
gracilis Leicester, 1908: *Zeugomyia*
gracilis Theobald, 1905: *Bironella (Bironella)*
grahami Edwards, 1911: *Eretmapodites*
grahamii Theobald, 1909: *Mucidus (Mucidus)*
grahamii Theobald, 1910: *Culex (Culex)*
grandidieri (Blanchard, 1905): *Coquillettidia (Coquillettidia)*
grandiosus (Williston, 1900): *Toxorhynchites (Lynchiella)*
grantii Theobald, 1901: *Stegomyia* (subgenus uncertain)
grassei (Doucet, 1951): *Paulianius*
grassei da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
grassei Grjebine, 1953: *Anopheles (Cellia)*
gravelyi (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
grayii Theobald, 1901: *Wyeomyia (Wyeomyia)*
greeni Rattanarithikul & Harbach, 1991: *Anopheles (Cellia)*
greenii (Theobald, 1903): *Bruceharrisonius*
greenii (Theobald, 1905): *Heizmannia (Heizmannia)*
grenieri Doucet, 1951: *Uranotaenia (Pseudoficalbia)*
grenieri Eouzan, 1969: *Culex (Culiciomyia)*
grenieri Grjebine, 1964: *Anopheles (Cellia)*
grenieri Hamon & van Someren, 1961: *Eretmapodites*
grenieri (Hamon, Service, Adam & Taufflieb, 1961): *Catageomyia*
gressitti (Bohart, 1957): *Finlaya*
gressitti Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
griffithi Thurman, 1954: *Ayurakitia*
griveaudi Grjebine, 1961: *Anopheles (Cellia)*
grjebinei (Brunhes, 1977): *Mimomyia (Ingramia)*
grjebinei da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
grjebinei Hamon, Taufflieb & Maillot, 1957: '*Aedes (Pseudalbuginosus)*'
grjebinei Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
grossbecki (Dyar & Knab, 1906): *Ochlerotatus* (subgenus uncertain)
guadeloupensis (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*
guamensis (Farner & Bohart, 1944): *Stegomyia* (subgenus uncertain)
guarani Shannon, 1928: *Anopheles (Nyssorhynchus)*
guarao Anduze & Capdevielle, 1949: *Anopheles (Anopheles)*
guatemala (Berlin, 1969): *Howardina*
guatemala Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
guayasi Levi-Castillo, 1953: *Culex (Culex)*
guayasi Levi-Castillo, 1954: *Limatus*
gubernatoris (Giles, 1901): *Phagomyia*
guedesi da Silva Mattos & Xavier, 1991: *Culex (Melanoconion)*
guerrero (Berlin, 1969): *Howardina*
guerreroi Cova García, Sutil & Pulido, 1971: *Culex (Carrollia)*

guiarti Blanchard, 1905: *Culex (Culex)*
guizhouensis Chen & Zhao, 1985: *Culex (Culex)*
gurneyi (Belkin, 1962): *Mimomyia (Mimomyia)*
gurneyi (Stone & Bohart, 1944): *Stegomyia* (subgenus uncertain)
gutierrezii Duret, 1971: *Wyeomyia* (subgenus uncertain)
gutzevichi (Dubitsky & Deshevykh, 1978): *Ochlerotatus* (subgenus uncertain)
guyanensis Clastrier, 1970: *Culex (Aedinus)*
gymnothorax Harbach & Petersen, 1992: *Sabethes (Sabethes)*
gyirongensis Ma, 1982: *Ochlerotatus* (subgenus uncertain)
habilitator Dyar & Knab, 1906: *Culex (Culex)*
hackeri Edwards, 1921: *Anopheles (Cellia)*
hackeri Edwards, 1923: *Culex (Eumelanomyia)*
haddowi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
haddowi van Someren, 1949: *Eretmapodites*
hadrognathus Harbach, 1995: *Sabethes (Peytonulus)*
haemorrhoidalis (Fabricius, 1787): *Toxorhynchites (Lynchiella)*
hailanensis Xu & Luo, 1998: *Anopheles (Anopheles)*
hainanensis Chen, 1977: *Culex (Culiciomyia)*
hakanssoni (Knight & Hurlbut, 1949): *Stegomyia* (subgenus uncertain)
hakusanensis (Yamaguti & Tamaboko, 1954): *Ochlerotatus* (subgenus uncertain)
halifaxii (Theobald, 1903): *Lutzia (Metalutzia)*
halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: *Anopheles (Nyssorhynchus)*
hamistylus (Laffoon, 1946): *Verrallina (Harbachius)*
hamoni Adam, 1962: *Anopheles (Cellia)*
hamoni Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
hamoni Grjebine, 1953: *Uranotaenia (Uranotaenia)*
hamoni Grjebine, 1972: *Eretmapodites*
hancocki (van Someren, 1962): *Vansomerenis*
hancocki Edwards, 1929: *Anopheles (Cellia)*
hancocki Edwards, 1930: *Culex (Culex)*
hansfordi (Huang, 1997): *Stegomyia* (subgenus uncertain)
harbachi Nascimento-Pereira, Guimarães, Lourenço-de-Oliveira & Motta, 2021: *Sabethes (Peytonulus)*
harbachi (Reinert, 1990): *Kenknightsia*
hardini Miyagi, Toma & Ramalingam, 1989: *Topomyia (Topomyia)*
hargreavesi (Edwards, 1920): *Ochlerotatus* (subgenus uncertain)
hargreavesi Evans, 1927: *Anopheles (Cellia)*
harinasutai (Knight, 1978): *Downsiomyia*
harleyi Peters, 1955: *Culex (Culiciomyia)*
harperi (Knight, 1948): *Danielsia*
harperi Evans, 1936: *Anopheles (Cellia)*
harperi van Someren, 1949: *Eretmapodites*
harrisoni Harbach & Manguin, 2007: *Anopheles (Cellia)*
harrisoni (Muspratt, 1953): *Ochlerotatus* (subgenus uncertain)
harrisoni Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
harrisoni Sirivanakarn, 1977: *Culex (Culiciomyia)*
harrisonica (Reinert, 1974): *Verrallina (Neomacleaya)*
harveyi (Barraud, 1923): *Hulecoeteomyia*
hastatus (Dyar, 1922): *Ochlerotatus (Protoculex)*
hatorii (Yamada, 1921): *Collessius (Collessius)*
haworthi (Edwards, 1923): *Albuginosus*
hayashii Yamada, 1917: *Culex (Eumelanomyia)*
hebes Barraud, 1931: *Uranotaenia (Uranotaenia)*
hebrardi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
hebridea (Edwards, 1926): *Stegomyia* (subgenus uncertain)
hectoris Giaquinto Mira, 1931: *Anopheles (Anopheles)*
hedys Root, 1927: *Culex (Microculex)*
heiheensis Ma, 1981: *Anopheles (Anopheles)*
heischi (van Someren, 1951): *Stegomyia* (subgenus uncertain)
heiseri Baisas, 1935: *Uranotaenia (Uranotaenia)*

helenae (Reinert, 1973): ***Bothaella***
helenae Brunhes, Adam & Bailly-Choumara, 1967: ***Culex (Eumelanomyia)***
helenae Ribeiro, 1992: ***Toxorhynchites (Afrorhynchus)***
hemisagnosta Dyar & Knab, 1906: ***Wyeomyia (Wyeomyia)***
hendersoni (Cockerell, 1918): '*Ochlerotatus (Protomacleaya)*'
henrardi Edwards, 1935: ***Uranotaenia (Pseudoficalbia)***
henriquei da Cunha Ramos, 1993: ***Uranotaenia (Pseudoficalbia)***
hensilli (Farner, 1945): ***Stegomyia*** (subgenus uncertain)
heperi Casal & García, 1967: ***Culex (Phytotelmatomyia)***
hermanoí (Lane & Coutinho, 1940): ***Coquillettidia (Rhynchoaenia)***
hermsi Barr & Guptavanij, 1989: ***Anopheles (Anopheles)***
hernandoi Baisas & Feliciano, 1953: ***Topomyia (Topomyia)***
herreraí Sutil Oramas, Pulido Florenzano & Amarista Meneses, 1987: ***Culex (Melanoconion)***
hervyi Brunhes, le Goff & Geoffroy, 1999: ***Anopheles (Cellia)***
hervyi da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
hesperonotius (Marks, 1959): ***Ochlerotatus*** (subgenus uncertain)
heteropus (Dyar, 1921): '*Ochlerotatus (Protomacleaya)*'
heterospina Gong & Lu, 1986: ***Heizmannia (Heizmannia)***
hewitti (Edwards, 1914): ***Culex (Lophoceraomyia)***
hexacis (Martini, 1931): ***Toxorhynchites (Ankylorhynchus)***
hexodontus (Dyar, 1916): ***Ochlerotatus*** (subgenus uncertain)
hightoni van Someren, 1947: ***Eretmapodites***
hilli (Edwards, 1926): ***Culiseta (Neotheobaldia)***
hilli Edwards, 1922: ***Culex (Lophoceraomyia)***
hilli Woodhill & Lee, 1944: ***Anopheles (Cellia)***
himalayensis Edwards, 1922: ***Heizmannia (Heizmannia)***
himalayensis Somboon, Namgay & Harbach, 2022: ***Anopheles (Anopheles)***
hinesorum Schmidt, 2001: ***Anopheles (Cellia)***
hinglungensis Chu, 1957: ***Culex (Eumelanomyia)***
hirsuta Boussès & Brunhes, 2013: ***Uranotaenia (Pseudoficalbia)***
hirsuta (Hill & Hill, 1946): ***Wyeomyia (Wyeomyia)***
hirtusa Gong, 1989: ***Topomyia (Topomyia)***
hirsutifemora Peters, 1964: ***Uranotaenia (Pseudoficalbia)***
hirsutus Brunhes & Boussès, 2017: ***Paulianius***
hirsutus (Theobald, 1901): ***Aedimorphus***
hirtipalpis Sirivanakarn, 1977: ***Culex (Lophoceraomyia)***
hispidá (Delfinado, 1967): ***Verrallina (Neomacleaya)***
hispidá (Theobald, 1910): ***Mimomyia (Mimomyia)***
hispaniola Theobald, 1903: ***Anopheles (Cellia)***
hodgkini (Marks, 1959): ***Ochlerotatus*** (subgenus uncertain)
hodgkini (Wharton, 1962): ***Coquillettidia (Coquillettidia)***
hodgkini Reid, 1962: ***Anopheles (Anopheles)***
hoffmani Root, 1927: ***Limatus***
hogsbackensis (Huang, 2004): ***Stegomyia*** (subgenus uncertain)
hoguei (Belkin, 1962): ***Stegomyia*** (subgenus uncertain)
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): ***Ochlerotatus*** (subgenus uncertain)
hollandi Taylor, 1934: ***Bironella (Brugella)***
hollandia (King & Hoogstraal, 1946): ***Patmarksia***
hollingsheadi (Belkin, 1962): ***Finlaya***
holmbergii Lynch Arribálzaga, 1891: ***Psorophora (Psorophora)***
holocinctus (Edwards, 1941): ***Aedimorphus***
homoeopus (Dyar, 1922): '*Ochlerotatus (Protomacleaya)*'
homunculus Komp, 1937: ***Anopheles (Kerteszia)***
hongayi Galliard & Ngu, 1947: ***Uranotaenia (Pseudoficalbia)***
hoogstraali (Knight & Rozeboom, 1946): ***Scutomyia***
hoogstraali Baisas, 1947: ***Tripteroides (Tripteroides)***
hopkinsi Edwards, 1932: ***Culex (Culex)***
hopkinsi Edwards, 1932: ***Uranotaenia (Uranotaenia)***
hopkinsi (Edwards, 1936): ***Catageiomyia***
horotoi (Taylor, 1972): ***Finlaya***

horrescens (Edwards, 1935): *Stegomyia* (subgenus uncertain)
horrida (Dyar & Knab, 1908): *Psorophora (Janthinosoma)*
horridus Edwards, 1922: *Culex (Eumelanomyia)*
hortator (Dyar & Knab, 1907): *Sallumia*
hortensis Ficalbi, 1889: *Culex (Maillotia)*
hosautos Dyar & Knab, 1907: *Wyeomyia (Miamiya)*
houghtoni Feng, 1941: *Topomyia (Suaymyia)*
howardi Belkin & Hogue, 1959: *Deinocerites*
howardi Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
howardii Coquillett, 1901: *Psorophora (Psorophora)*
huangae (Reinert, 1999): *Zavortinkius*
huangae Meng, 1958: *Culex (Culex)*
hughi Lambert & Coetzee, 1982: *Anopheles (Cellia)*
hui (Bohart, 1957): *Finlaya*
humboldtii (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
humeralis (Edwards, 1922): *Macleaya (Chaetocruimyia)*
humeralis Dyar & Knab, 1916: *Mansonia (Mansonia)*
hungaricus (Mihályi, 1955): *Ochlerotatus* (subgenus uncertain)
hunteri (Strickland, 1916): *Anopheles (Anopheles)*
hurlbuti (Lien, 1967): *Bruceharrisonius*
hurlbuti Belkin, 1962: *Culex (Lophoceraomyia)*
husaini Qutubuddin, 1947: *Uranotaenia (Pseudoficalbia)*
hutchingsae Talaga, 2022: *Culex (Melanoconion)*
hutchinsoni Barraud, 1924: *Culex (Culex)*
hybrida (Leicester, 1908): *Mimomyia (Mimomyia)*
hybridus (Leicester, 1908): *Tripteroides (Tripteroides)*
hybridus Edwards, 1914: *Armigeres (Armigeres)*
hypoptes (Knab, 1907): *Toxorhynchites (Lynchiella)*
hyrcanus (Pallas, 1771): *Anopheles (Anopheles)*
hystera Dyar & Knab, 1913: *Uranotaenia (Uranotaenia)*
ibiapabaensis (Sant'Ana & Sallum, 2023): *Anopheles (Nyssorhynchus)*
ibis (Barraud, 1931): *Christophersiomyia*
ichiromiyagii Toma & Higa, 2004: *Ficalbia*
idahoensis (Theobald, 1903): *Ochlerotatus* (subgenus uncertain)
idanus (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
identicus Dyar & Knab, 1907: *Sabethes (Peytonulus)*
idiogenes Harbach, 1994: *Sabethes (Sabethinus)*
idjenensis (Brug, 1934): *Downsiomyia*
idottus Dyar, 1920: *Culex (Melanoconion)*
ignotus Harbach, 1995: *Sabethes (Peytonulus)*
iguassuensis Barbosa, da Silva & Sallum, 2007: *Mansonia (Mansonia)*
ikelos Forattini & Sallum, 1995: *Culex (Melanoconion)*
imitata (Baisas, 1946): *Kimia*
imitator (Leicester, 1908): *Stegomyia* (subgenus uncertain)
imitator Theobald, 1903: *Culex (Microculex)*
imparis Peyton & Harbach, 2000: *Onirion*
impatibilis (Walker, 1860): *Scutomyia*
impatiens (Walker, 1848): *Culiseta (Culiseta)*
imperfectus (Dobrotworsky, 1962): *Ochlerotatus* (subgenus uncertain)
impiger (Walker, 1848): *Ochlerotatus* (subgenus uncertain)
implexus (Theobald, 1903): *Anopheles (Christya)*
implicatus (Vockeroth, 1954): *Ochlerotatus* (subgenus uncertain)
impostor Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
impostor (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
imprimens (Walker, 1861): *Edwardsaedes*
impudicus Ficalbi, 1890: *Culex (Neoculex)*
inadmirabilis Dyar, 1928: *Culex (Melanoconion)*
inaequalis Grabham, 1907: *Howardina*
inatomii Kamimura & Wada, 1974: *Culex (Barraudius)*
incaudata Root, 1928: *Wyeomyia (Phoniomyia)*

inchoatus Barraud, 1927: *Armigeres (Leicesteria)*
incidens (Thomson, 1869): *Culiseta (Culiseta)*
inclinata Thurman, 1959: *Topomyia (Topomyia)*
incognita Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
incognitus Baisas, 1938: *Culex (Culex)*
incognitus Brug, 1931: *Anopheles (Cellia)*
incomptas Ramalingam & Pillai, 1972: *Malaya*
incomptus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
incomptus Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
inconspicua (Lee, 1937): *Culiseta (Culicella)*
inconspicuus (Theobald, 1908): *Culex (Eumelanomyia)*
increpitus (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)
inculus Colless, 1965: *Culex (Lophoceraomyia)*
indecorabilis Leicester, 1908: *Verrallina (Harbachius)*
indefinitus (Ludlow, 1904): *Anopheles (Cellia)*
indeterminatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
indiana Edwards, 1930: *Mansonia (Mansonioides)*
indica (Edwards, 1920): *Culiseta (Culiseta)*
indica (Theobald, 1905): *Heizmannia (Heizmannia)*
indica (Theobald, 1907): *Verrallina (Neomacleaya)*
indicus (Barraud, 1929): *Tripteroides (Tripteroides)*
indicus Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
indonesiae (Mattingly, 1958): *Canraedes*
indubitans Dyar & Shannon, 1925: *Mansonia (Mansonia)*
inermis (Colless, 1958): *Downsiomyia*
inexpectatus (Bonne-Wepster, 1948): *Ochlerotatus* (subgenus uncertain)
inextricabilis Talaga, 2020: *Culex (Melanoconion)*
infantulus Edwards, 1922: *Culex (Lophoceraomyia)*
infinis (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
infirmatus (Dyar & Knab, 1906): *Ochlerotatus (Ochlerotatus)*
inflictus Theobald, 1901: *Culex (Culex)*
infoliatus Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*
infula Theobald, 1901: *Culex (Oculeomyia)*
ingrami (Edwards, 1930): *Hopkinsius (Hopkinsius)*
ingrami Edwards, 1916: *Culex (Culex)*
inhibitor Dyar & Knab, 1906: *Culex (Melanoconion)*
inimitabilis Dyar & Knab, 1906: *Culex (Microculex)*
ininicola Fauran & Pajot, 1974: *Wyeomyia* (subgenus uncertain)
inini Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*
innovator Evans, 1924: *Culex (Melanoconion)*
inornata (Williston, 1893): *Culiseta (Culiseta)*
inornatus (Theobald, 1905): *Culex* (subgenus uncertain)
inornatus (Walker, 1865): *Toxorhynchites (Toxorhynchites)*
inornatus Newstead, 1907: *Eretmapodites*
inquinata (Edwards, 1922): *Phagomyia*
insequens Marks, 1989: *Culex (Lophoceraomyia)*
insigniforceps Clastrier & Claustre, 1978: *Culex (Carrollia)*
insignis (Carter, 1911): *Culex (Eumelanomyia)*
insolens (Edwards, 1936): *Catageiomyia*
insolitus (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'
insulaeflorum (Swellengrebel & Swellengrebel de Graaf, 1920): *Anopheles (Anopheles)*
insularis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
insularius (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
interfor Dyar, 1928: *Culex (Culex)*
intermedia Barraud, 1929: *Mimomyia (Mimomyia)*
intermediatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
intermedius (Danilov & Gornostaeva, 1987): *Ochlerotatus* (subgenus uncertain)
intermedius (Lutz, 1904): *Sabethes (Sabethinus)*
intermedius Edwards, 1936: *Eretmapodites*
intermedius Lane & Whitman, 1951: *Culex (Microculex)*

interrogator Dyar & Knab, 1906: *Culex (Culex)*
interruptus (Reinert, 1999): *Zavortinkius*
interruptus Puri, 1929: *Anopheles (Anopheles)*
intonca Dyar & Knab, 1910: *Wyeomyia (Hystatomyia)*
intonsus Galindo & Blanton, 1954: *Culex (Melanoconion)*
intrincatus Brèthes, 1916: *Culex (Melanoconion)*
introlatus Colless, 1957: *Anopheles (Cellia)*
intrudens (Dyar, 1919): *Ochlerotatus (Woodius)*
inundatus Reinert, 1997: *Anopheles (Anopheles)*
invidiosus Theobald, 1901: *Culex (Culex)*
invocator Pazos, 1908: *Culex (Melanoconion)*
iolambdis Dyar, 1918: *Culex (Melanoconion)*
ioliota (Dyar & Knab, 1913): *Howardina*
iphis Barraud, 1924: *Culex (Eumelanomyia)*
iracunda (Walker, 1848): *Coquillettia (Coquillettia)*
irenicus Schmidt, 2003: *Anopheles (Cellia)*
irianensis Miyagi & Toma, 1997: *Topomyia (Topomyia)*
iriartei Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*
iridescens (Lutz, 1905): *Culex (Carrollia)*
iridicolor Dyar, 1921: *Haemagogus (Haemagogus)*
iriomotensis (Tanaka & Mizusawa, 1973): *Verrallina (Verrallina)*
irritans (Theobald, 1901): *Catageomyia*
isabelae Duret, 1968: *Culex (Melanoconion)*
iwi (Marks, 1955): *Phagomyia*
iyengari (Edwards, 1923): *Petermattinglyius (Petermattinglyius)*
iyengari Mattingly & Rageau, 1958: *Culex (Culex)*
jacksoni Edwards, 1934: *Culex (Culex)*
jacksoni Edwards, 1935: *Uranotaenia (Pseudoficalbia)*
jacksoni Mattingly, 1949: *Ficalbia*
jacobinae (Serafim & Davis, 1933): *Ochlerotatus* (subgenus uncertain)
jacobsoni (Edwards, 1930): *Malaya*
jalisco Berlin, 1974: *Culex (Micraedes)*
jamaicensis (Theobald, 1901): *Psorophora (Grabhamia)*
jamariensis (Sant'Ana & Sallum, 2022): *Anopheles (Nyssorhynchus)*
jambulingami Natarajan, 2019: *Paraedes*
jamesi (Edwards, 1914): *Aedimorphus*
jamesii Theobald, 1901: *Anopheles (Cellia)*
jamoti (Hamon & Rickenbach, 1954): *Neomelaniconion*
janconnae Wilkerson & Sallum, 2009: *Anopheles (Nyssorhynchus)*
jani Rickenbach & Lombrici, 1976: *Eretmapodites*
janitor Theobald, 1903: *Culex (Culex)*
janthinomys Dyar, 1921: *Haemagogus (Haemagogus)*
japonica (Theobald, 1901): *Hulecoeteomyia*
japonicus Yamada, 1918: *Anopheles (Anopheles)*
javaensis Miyagi & Toma, 1995: *Topomyia (Topomyia)*
javanensis Bonne-Wepster, 1934: *Culex (Culiciomyia)*
jeansottei (Doucet, 1950): *Mimomyia (Ingramia)*
jebudensis Froud, 1944: *Anopheles (Cellia)*
jefferyi Sirivanakarn, 1977: *Culex (Eumelanomyia)*
jenningsi Dyar & Knab, 1907: *Culex (Microculex)*
jenseni (de Meijere, 1910): *Culex (Lophoceraomyia)*
jeyporiensis James, 1902: *Anopheles (Cellia)*
jinhongensis Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*
jinjaensis Edwards, 1941: *Culex (Oculeomyia)*
jocasta Komp & Rozeboom, 1951: *Culex (Melanoconion)*
jocosa (Dyar & Knab, 1908): *Wyeomyia (Dendromyia)*
johni Cova Garcia, Pulido F. & Escalante de Ugueto, 1979: *Culex (Neoculex)*
johnnyi Duret, 1968: *Culex (Melanoconion)*
johnsoni (Laffoon, 1946): *Verrallina (Neomacleaya)*
johnsoni Galindo & Mendez, 1961: *Culex (Melanoconion)*

johnstonii (Grabham, 1905): *Psorophora (Janthinosoma)*
johorensis (Reinert, 1974): *Verrallina (Neomacleaya)*
joloensis (Ludlow, 1904): *Armigeres (Armigeres)*
jorgi (Carpintero & Leguizamón, 2000): *Ochlerotatus (Chrysoconops)*
josephinae (Marks, 1958): *Finlaya*
josephineae Baisas, 1935: *Culex (Lophoceraomyia)*
josiahae (Huang, 1988): *Stegomyia (Mukwaya)*
joucouri da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
joyoni Brunhes, 1977: *Orthopodomya*
jubifer Komp & Brown, 1935: *Culex (Melanoconion)*
judaicus Edwards, 1926: *Culex (Neoculex)*
judithae Zavortink, 1969: *Anopheles (Anopheles)*
jugraensis (Leicester, 1908): *Armigeres (Armigeres)*
jugraensis Leicester, 1908: *Hulecoeteomyia*
juppi (McIntosh, 1973): *Ochlerotatus (Juppius)*
juxtahirsuta Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
juxtamansonia (Chagas, 1907): *Coquillettidia (Rhynchoaenia)*
kabaenensis (Brug, 1939): *Geoskusea*
kabwachensis Edwards, 1941: *Aedimorphus*
kaimosi (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
kana Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia (Heizmannia)*
kanarensis (Edwards, 1934): *Dendroskusea*
kanhsienensis Tung, 1955: *Heizmannia (Heizmannia)*
kanyamwerima van Someren, 1951: *Culex (Eumelanomyia)*
kapretwae (Edwards, 1941): *Albuginosus*
karandalaensis (Wolfs, 1951): *Coquillettidia (Coquillettidia)*
karooensis (Muspratt, 1961): *Aedimorphus*
kartalae Brunhes, 1977: *Culex (Culex)*
karwari (Barraud, 1924): *Kenknightsia*
karwari (James, 1903): *Anopheles (Cellia)*
kasachstanicus (Gutsevich, 1962): *Ochlerotatus* (subgenus uncertain)
katherinensis (Woodhill, 1949): *Stegomyia* (subgenus uncertain)
katibasensis Miyagi & Toma, 2012: *Topomyia (Topomyia)*
kaviengensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
kazanji Talaga, 2020: *Culex (Melanoconion)*
keefe (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'
kelabitensis Miyagi & Toma, 2010: *Topomyia (Suaymyia)*
kempi (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
keniensis (van Someren, 1946): *Stegomyia* (subgenus uncertain)
keniensis Evans, 1931: *Anopheles (Cellia)*
kennethi (Muspratt, 1956): *Albuginosus*
kenyae (van Someren, 1946): *Stegomyia* (subgenus uncertain)
kesseli (Huang & Hitchcock, 1980): *Stegomyia* (subgenus uncertain)
kesseli Belkin, 1962: *Culex (Culex)*
kesseli Ramalingam, 1987: *Armigeres (Armigeres)*
khazani (Edwards, 1922): *Phagomyia*
khazani Edwards, 1922: *Culex (Eumelanomyia)*
kiangsiensis (Tung, 1955): *Phagomyia*
kilara van Someren, 1951: *Culex (Eumelanomyia)*
killertonis (Huang, 1968): *Verrallina (Verrallina)*
kinabaluensis Ramalingam, 1972: *Armigeres (Armigeres)*
kinabaluensis Sirivanakarn, 1976: *Culex (Oculeomyia)*
kingi Christophers, 1923: *Anopheles (Cellia)*
kingi Lee, 1946: *Tripteroides (Rachisoura)*
kingii (Theobald, 1913): *Culex (Culex)*
kingianus Edwards, 1922: *Culex (Eumelanomyia)*
kiriensis Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
kiriromi (Klein, 1969): *Mimomyia (Ingramia)*
kivuensis (Edwards, 1941): *Stegomyia (Mukwaya)*
kleini (Reinert, 1973): *Bothaella*

kleini Rueda, 2005: **Anopheles (Anopheles)**
klossi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
knabi (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'
knabi Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
knighiti (Stone & Bohart, 1944): **Finlaya**
knighiti Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
kobayashii (Nakata, 1956): **Bruceharrisonius**
kochi (Dönitz, 1901): **Finlaya**
kochi Dönitz, 1901: **Anopheles (Cellia)**
kohkutensis (Mattingly, 1958): **Cancaerdes**
kokhani Vythilingam, Jeffery & Harbach, 2007: **Anopheles (Cellia)**
kolambuganensis Baisas, 1932: **Anopheles (Cellia)**
koli Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
koliensis Owen, 1945: **Anopheles (Cellia)**
kompí (Vargas & Downs, 1950): '*Ochlerotatus (Protomacleaya)*'
kompí Edwards, 1930: **Anopheles (Stethomyia)**
kompí Valencia, 1973: **Culex (Carrollia)**
komponga (Klein, 1973): **Verrallina (Neomacleaya)**
konderi Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**
koreica (Edwards, 1917): **Hulecoeteomyia**
koreicoides (Sasa, Kano & Hayashi, 1950): '*Ochlerotatus (Finlaya)*'
koreicus Yamada & Watanabe, 1918: **Anopheles (Anopheles)**
kosiensis Coetzee, Segerman & Hunt, 1987: **Anopheles (Cellia)**
kowiroensis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
kraussi Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**
krombeini (Huang, 1975): **Stegomyia** (subgenus uncertain)
krymmontanus (Alekseev, 1989): **Ochlerotatus (Rusticoidus)**
kuchingensis Edwards, 1915: **Armigeres (Armigeres)**
kuhnsi King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
kukenan Anduze, 1942: **Culex (Microculex)**
kummi (Edwards, 1930): **Pseudarmigeres**
kummi Edwards, 1939: **Orthopodomyia**
kummi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
kummi Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**
kusaiensis Bohart, 1957: **Culex (Lophoceraomyia)**
kweiyangensis Yao & Wu, 1944: **Anopheles (Anopheles)**
kyondawensis Abraham, 1947: **Anopheles (Baimaia)**
kyotoensis Yamaguti & LaCasse, 1952: **Culex (Culiciomyia)**
labesba Howard, Dyar & Knab, 1913: **Wyeomyia (Wyeomyia)**
labranchiae Falleroni, 1926: **Anopheles (Anopheles)**
lacani Grjebine, 1953: **Anopheles (Cellia)**
lacani Rickenbach & Eouzan, 1970: **Eretmapodites**
lacertosus Komp & Rozeboom, 1951: **Culex (Melanoconion)**
lactator Dyar & Knab, 1906: **Culex (Phenacomyia)**
lactea (Knight, 1946): **Downsiomyia**
lacustris (Edwards, 1935): **Mimomyia (Mimomyia)**
lacuum Edwards, 1922: **Armigeres (Armigeres)**
laffooni Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
laffooni (Knight & Rozeboom, 1946): **Scutomyia**
laffooni Belkin, 1962: **Culex (Lophoceraomyia)**
laffosseae da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
laguna (Arnell & Nielsen, 1972): **Jarnellius**
lahillei Bachmann & Casal, 1962: **Culex (Culex)**
lairdi Belkin, 1962: **Culex (Lophoceraomyia)**
lakei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
lamborni (Edwards, 1923): **Bifidistylus**
lambrechtii (van Someren, 1971): **Skusea**
lamellata (Bonne-Wepster & Bonne, 1920): **Wyeomyia (Hystatomyia)**
lamellifera (Bohart & Ingram, 1946): **Lorrainea**
lampangensis Sirivanakarn, 1973: **Culex (Culiciomyia)**

lampangensis Thurman, 1959: *Hodgesia*
lampropus (Howard, Dyar & Knab, 1913): *Trichoprosopon*
laneanus Corrêa & Cerqueira, 1944: *Anopheles* (*Kerteszia*)
lanei (Antunes, 1937): *Trichoprosopon*
lanei Cerqueira, 1961: *Sabethes* (*Sabethes*)
lanei Oliveira Coutinho & Forattini, 1962: *Culex* (*Microculex*)
lanei Galvão & Franco do Amaral, 1938: *Anopheles* (*Nyssorhynchus*)
lanei Martinez & Prosen, 1953: *Uranotaenia* (*Uranotaenia*)
lanei Shannon & Cerqueira, 1943: *Psorophora* (*Janthinosoma*)
langata (van Someren, 1946): *Stegomyia* (subgenus uncertain)
laniger (Wiedemann, 1820): *Mucidus* (*Mucidus*)
lanyuensis Lien, 1968: *Orthopodomyia*
lansaroi Cornel & Mayi, 2020: *Culex* (*Culiciomyia*)
laoagensis (Knight, 1946): *Downsiomyia*
laoensis Toma & Miyagi, 2003: *Armigeres* (*Armigeres*)
laplantei (Hamon, Adam & Mouchet, 1955): *Culex* (*Eumelanomyia*)
lasaensis (Meng, 1962): *Ochlerotatus* (subgenus uncertain)
lasiopalpis Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
lassalli (Bonne-Wepster & Bonne, 1921): *Wyeomyia* (*Phoniomyia*)
latens Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
lateralis Ludlow, 1905: *Uranotaenia* (*Uranotaenia*)
lateralis Petrocchi, 1927: *Wyeomyia* (*Nunezia*)
laticinctus Edwards, 1913: *Culex* (*Culex*)
laticlasper Galindo & Blanton, 1954: *Culex* (*Culex*)
latifolius Delfinado, 1966: *Culex* (*Eumelanomyia*)
latipennis (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
latispinus Gong & Ji, 1989: *Tripteroides* (*Tripteroides*)
latisquama (Coquillett, 1906): *Culex* (*Tinolestes*)
latisquama (Edwards, 1927): *Tripteroides* (*Rachisoura*)
latus Dobrotworsky, 1956: *Culex* (*Neoculex*)
laureli Baisas, 1935: *Culex* (*Eumelanomyia*)
lauriei Carter, 1920: '*Ochlerotatus* (*Finlaya*)'
lavatae Stone & Bohart, 1944: *Culex* (*Lophoceraomyia*)
lavieri Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)
lawtoni Baisas, 1946: *Zeugomyia*
leberi Boreham, 1970: *Mansonia* (*Mansonia*)
lebiedi da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
ledgeri (Huang, 1981): *Stegomyia* (subgenus uncertain)
leei (Berlin, 1969): *Howardina*
leei (Wharton, 1947): *Malaya*
leei King & Hoogstraal, 1955: *Culex* (*Lophoceraomyia*)
leei Peters, 1959: *Tripteroides* (*Rachisoura*)
leei Stone & Barreto, 1969: *Galindomyia*
leesoni (Edwards, 1932): *Aedimorphus*
leesoni Evans, 1931: *Anopheles* (*Cellia*)
legoffi da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
lehcharlesi Miyagi & Toma, 2008: *Topomyia* (*Suaymyia*)
leiboensis Chu, 1981: *Uranotaenia* (*Pseudoficalbia*)
leicesteri (Edwards, 1917): *Verrallina* (*Neomacleaya*)
leicesteri Theobald, 1904: *Toxorhynchites* (*Toxorhynchites*)
leilae (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
lemuriae Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)
leonardi Belkin, 1962: *Culex* (*Neoculex*)
leonis (Colless, 1958): *Downsiomyia*
lepchana (Barraud, 1923): *Danielsia*
lepidocoxitus Dong, Zhou & Dong, 1995: *Armigeres* (*Leicesteria*)
lepidonotus Edwards, 1920: *Ochlerotatus* (*Rusticoidus*)
lepidotus Zavortink, 1973: *Anopheles* (*Kerteszia*)
lepidus (Cerqueira & Paraense, 1945): *Ochlerotatus* (subgenus uncertain)
leptolabis (Edwards, 1936): *Aedimorphus*

lerozeboomi (Reinert, 1990): *Kenknighthia*
lesteri Baisas & Hu, 1936: *Anopheles* (*Anopheles*)
letabensis Lambert & Coetzee, 1982: *Anopheles* (*Cellia*)
letifer Sandosham, 1944: *Anopheles* (*Anopheles*)
leucarthritis (Speiser, 1909): *Aedimorphus*
leucocelaenus (Dyar & Shannon, 1924): *Haemagogus* (*Conopostegus*)
leucocnemis Martini, 1931: *Psorophora* (*Grabhamia*)
leucomelas (Meigen, 1804): *Ochlerotatus* (subgenus uncertain)
leucomeres (Giles, 1904): *Kenknighthia*
leucophoebus (Galindo, Carpenter & Trapido, 1953): *Haemagogus* (*Conopostegus*)
leucopous Graham, 1909: *Eretmapodites*
leucoptera (Theobald, 1907): *Uranotaenia* (*Uranotaenia*)
leucopus (Dyar & Knab, 1906): *Johnbelkinia*
leucosphyrus Dönitz, 1901: *Anopheles* (*Cellia*)
leucostigma Lutz, 1904: *Wyeomyia* (*Menolepis*)
leucotaeniatus (Komp, 1938): *Haemagogus* (*Conopostegus*)
leucotarsis Lane, 1936: *Wyeomyia* (*Miamyia*)
leucotarsis Thurman, 1959: *Topomyia* (*Suaymyia*)
levicastilloi Grjebine, 1986: *Mimomyia* (*Ingramia*)
levicastilloi Lane, 1945: *Culex* (*Culex*)
levicastilloi Levi Castillo, 1944: *Anopheles* (*Anopheles*)
lewelleni (Starkey & Webb, 1946): *Finlaya*
lewisi Ludlow, 1920: *Anopheles* (*Anopheles*)
lewisi Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
lewnielsenii Ortega & Zavortink, 2019: '*Ochlerotatus* (*Protomacleaya*)'
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: *Anopheles* (*Anopheles*)
liberiensis Peters, 1955: *Culex* (*Culiciomyia*)
lii Wu, 1936: *Heizmannia* (*Heizmannia*)
lilii Theobald, 1910: *Stegomyia* (*Mukwaya*)
limacifer Komp, 1936: *Culex* (*Melanoconion*)
limai Lane & Cerqueira, 1942: *Wyeomyia* (*Miamyia*)
limosus King, 1932: *Anopheles* (*Cellia*)
lindesayi Giles, 1900: *Anopheles* (*Anopheles*)
lindsayi Thurman, 1959: *Topomyia* (*Topomyia*)
linealis (Skuse, 1889): *Coquillettidia* (*Coquillettidia*)
lineata (Taylor, 1914): *Verrallina* (*Verrallina*)
lineata (von Humboldt, 1819): *Psorophora* (*Psorophora*)
lineatopenne (Ludlow, 1905): *Neomelaniconion*
lineatus (Theobald, 1912): *Culex* (*Afroculex*)
linesi (Marks, 1964): *Ochlerotatus* (subgenus uncertain)
lipovskyi Belkin, 1950: *Tripteroides* (*Tripteroides*)
listeri de Meillon, 1931: *Anopheles* (*Cellia*)
litoralis Bohart, 1946: *Culex* (*Culex*)
litoralis King, 1932: *Anopheles* (*Cellia*)
litorea (Colless, 1958): *Downsiomyia*
litorea (Shute, 1928): *Culiseta* (*Culicella*)
littlechildi (Edwards, 1930): *Tripteroides* (*Tripteroides*)
littlechildi (Taylor, 1933): *Macleaya* (*Macleaya*)
littleri (Taylor, 1914): *Culiseta* (*Austrotheobaldia*)
litwakae (Reinert, 1990): *Kenknighthia*
litwakae Harbach, 1985: *Culex* (*Culex*)
lloreti Gil Collado, 1936: *Anopheles* (*Cellia*)
lokojensis (Service, 1959): *Catageomyia*
longiareolata (Macquart, 1838): *Culiseta* (*Allotheobaldia*)
longicornis Grjebine, 1986: *Mimomyia* (*Ingramia*)
longicornis Sirivanakarn, 1976: *Culex* (*Oculeomyia*)
longifilamentus (Su & Zhang, 1988): *Ochlerotatus* (subgenus uncertain)
longiforceps (Edwards, 1929): *Geoskusea*
longipalpatus Lee, 1946: *Tripteroides* (*Rachisoura*)
longipalpis (Grünberg, 1905): *Zavortinkius*

longipalpis (Leicester, 1904): *Armigeres (Leicesteria)*
longipalpis (Theobald, 1903): *Anopheles (Cellia)*
longipalpis Dong, Zhou & Dong, 1997: *Tripteroides (Rachionotomyia)*
longipalpus Randolph & O'Neill, 1944: *Psorophora (Janthinosoma)*
longipes (Fabricius, 1805): *Johnbelkinia*
longirostris (Leicester, 1908): *Rhinoskusea*
longirostris Brug, 1928: *Anopheles (Cellia)*
longirostris Leicester, 1908: *Uranotaenia (Uranotaenia)*
longirostris Theobald, 1901: *Wyeomyia (Phoniomyia)*
longisetata (Edwards, 1936): *Aedimorphus*
longisetata Gong, 1994: *Topomyia (Topomyia)*
longisetosus Sá & Sallum, 2020: *Culex (Melanoconion)*
longisiphonus Dong, Zhou & Dong, 2001: *Tripteroides (Tripteroides)*
longistriatus Sá & Hutchings, 2022: *Culex (Melanoconion)*
longistylus Sá & Sallum, 2020: *Culex (Melanoconion)*
longitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
longitubus Sombon, Namgay & Harbach, 2021: *Culex (Culex)*
lopesi (Correa & Ramalho, 1956): *Wyeomyia (Phoniomyia)*
lopesi Sirivanakarn & Jakob, 1979: *Culex (Melanoconion)*
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: *Wyeomyia (Hystatomyia)*
lophoventralis (Theobald, 1910): *Phagomyia*
lorengau Peters, 1963: *Tripteroides (Tripteroides)*
lorraineae (Berlin, 1969): *Howardina*
lottei (Hamon & Brengues, 1965): *Catageomyia*
loturus Dyar, 1925: *Culex (Melanoconion)*
lounibosi Gillies & Coetzee, 1987: *Anopheles (Cellia)*
lousthei Boussès & Brunhes, 2013: *Uranotaenia (Pseudoficalbia)*
lovettae Evans, 1934: *Anopheles (Cellia)*
lowii Theobald, 1901: *Uranotaenia (Uranotaenia)*
lowisii (Theobald, 1910): *Aedimorphus*
lucackermanni Talaga, 2022: *Culex (Melanoconion)*
lucaris Colless, 1965: *Culex (Lophoceraomyia)*
lucaris Macdonald & Mattingly, 1960: *Udaya*
lucianus (Muspratt, 1959): *Mucidus (Mucidus)*
lucifer (Howard, Dyar & Knab, 1913): *Haemagogus (Haemagogus)*
lucifugus Komp, 1936: *Culex (Melanoconion)*
lucyae van Someren, 1954: *Uranotaenia (Pseudoficalbia)*
ludlowae (Theobald, 1903): *Anopheles (Cellia)*
ludlowae (Blanchard, 1905): *Ochlerotatus (Empihals)*
ludlowae Brunetti, 1920: *Ficalbia*
ludlowae Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*
lugubris (Barraud, 1928): *Verrallina (Verrallina)*
lui Gong & Li, 1999: *Heizmannia (Mattinglyia)*
lui Lien, 1968: *Uranotaenia (Pseudoficalbia)*
luna Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
lunata (Theobald, 1901): *Isostomyia*
lunda da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
lungae Belkin & Schlosser, 1944: *Anopheles (Cellia)*
lunulata (King & Hoogstraal, 1946): *Geoskusea*
luridum (McIntosh, 1971): *Neomelaniconion*
lutea (Belkin, 1962): *Coquillettidia (Coquillettidia)*
lutea (Ludlow, 1905): *Finlaya*
luteifemur (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)
luteocephala Newstead, 1907: *Stegomyia* (subgenus uncertain)
luteola Edwards, 1934: *Uranotaenia (Pseudoficalbia)*
luteolaterale (Theobald, 1901): *Neomelaniconion*
luteopleurus (Theobald, 1903): *Culex (Anoedioporpa)*
luteostriata (Robinson, 1950): *Vansomerenis*
luteoventralis Theobald, 1901: *Wyeomyia (Dendromyia)*
lutescens (Theobald, 1901): *Toxorhynchites (Afrorhynchus)*

lutescens Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
lutzi (da Costa Lima, 1930): *Wyeomyia (Miamiya)*
lutzii (Theobald, 1901): *Psorophora (Janthinosoma)*
lutzii Cruz, 1901: *Anopheles (Nyssorhynchus)*
luxodens Hall, Howard & Harbach, 1999: *Sabethes (Peytonulus)*
luzonensis (Ludlow, 1905): *Mimomyia (Etorleptomyia)*
luzonensis (Rozeboom, 1946): *Kenknightsia*
luzonensis Sirivanakarn, 1976: *Culex (Oculeomyia)*
lygrus Root, 1927: *Culex (Culex)*
lynchi (Shannon, 1931): *Coquillettidia (Rhynchotaenia)*
mabinii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
macaensis Ribeiro, 1997: *Toxorhynchites (Toxorhynchites)*
macarthuri Colless, 1956: *Anopheles (Cellia)*
macdonaldi Colless, 1965: *Culex (Lophoceraomyia)*
macdonaldi Mattingly, 1957: *Heizmannia (Heizmannia)*
macdougalli (Edwards, 1922): *Collessius (Collessius)*
macfarlanei (Edwards, 1914): *Collessius (Collessius)*
macfarlanei Edwards, 1914: *Uranotaenia (Uranotaenia)*
macfieii Edwards, 1923: *Culex (Culiciomyia)*
machadoi da Cunha Ramos, 1986: *Uranotaenia (Uranotaenia)*
machadoi da Silva Mattos, da Silveira Guedes & Xavier, 1978: *Culex (Phytotelmatomyia)*
machardy Edwards, 1930: *Anopheles (Cellia)*
macintoshi (Marks, 1959): *Ochlerotatus* (subgenus uncertain)
mackerrasi (Taylor, 1927): *Patmarksia*
macmahoni Evans, 1936: *Anopheles (Cellia)*
macmillani (Marks, 1964): *Macleaya (Chaetocruimyia)*
macrodixoa (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*
macrophyllus Edwards & Gibbins, 1939: *Culex (Culex)*
macrostylus Sirivanakarn & Ramalingam, 1976: *Culex (Eumelanomyia)*
maculatus Theobald, 1901: *Anopheles (Cellia)*
maculipalpis Giles, 1902: *Anopheles (Cellia)*
maculipennis (Theobald, 1911): *Coquillettidia (Coquillettidia)*
maculipennis Meigen, 1818: *Anopheles (Anopheles)*
maculipes (Theobald, 1903): *Anopheles (Anopheles)*
maculipleura Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
madagascarensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
madagascarensis Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
madagascarensis (van Someren, 1949): *Paulianius*
madagascarica Brunhes, Boussès & da Cunha Ramos, 2011: *Aedeomyia (Aedeomyia)*
madagascarica da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
madininensis Senevet, 1936: *Culex (Melanoconion)*
madrensis Baisas, 1946: *Orthopodomyia*
maehleri (Bohart, 1957): *Stegomyia* (subgenus uncertain)
maffii (Taylor & Tenorio, 1974): *Finlaya*
magna (Theobald, 1905): *Runchomyia (Ctenogoeldia)*
magnesianus (Edwards, 1924): *Tripteroides (Tripteroides)*
magnificus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
magnus (Theobald, 1901): *Deinocerites*
magnus (Theobald, 1908): *Armigeres (Leicesteria)*
mahaffyi van Someren, 1949: *Eretmapodites*
mahantai Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: *Armigeres (Armigeres)*
maiae Edwards, 1917: *Armigeres (Armigeres)*
maikalensis Natarajan, Rajavel & Jambulingam, 2017: *Uranotaenia (Pseudoficalbia)*
majidi Young & Majid, 1928: *Anopheles (Cellia)*
major Edwards, 1935: *Culex (Oculeomyia)*
malayensis (Colless, 1962): *Stegomyia* (subgenus uncertain)
malayensis Sirivanakarn, 1972: *Culex (Eumelanomyia)*
malayi (Leicester, 1908): *Culex (Eumelanomyia)*
malayi (Theobald, 1901): *Armigeres (Armigeres)*
malayi Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*

malayi Leicester, 1908: *Hodgesia*
malaysiensis Ramalingam & Banu, 1987: *Topomyia* (*Topomyia*)
malaysisimilis Miyagi & Toma, 2023: *Topomyia* (*Topomyia*)
malefactor Dyar & Knab, 1907: *Anopheles* (*Anopheles*)
malfeyti (Newstead, 1907): *Ficalbia*
maliensis Bailly-Choumara & Adam, 1959: *Anopheles* (*Cellia*)
malikuli (Huang, 1973): *Stegomyia* (*Huangmyia*)
mallochi (Taylor, 1944): '*Ochlerotatus* (*Finlaya*)'
malvari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
mammilifer (Leicester, 1908): *Culex* (*Lophoceraomyia*)
mamoedjoensis (Mattingly, 1958): *Canraedes*
manakaraensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
manalangi Baisas, 1935: *Armigeres* (*Armigeres*)
manalangi Mendoza, 1940: *Anopheles* (*Anopheles*)
mangyanus (Banks, 1906): *Anopheles* (*Cellia*)
manhi Harbach & Cook, 2010: *Bothaella*
manicatus (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)
manopi Thurman, 1959: *Toxorhynchites* (*Toxorhynchites*)
mansouri (Qutubuddin, 1959): *Aedimorphus*
manusensis Sirivanakarn, 1975: *Culex* (*Eumelanomyia*)
maplei Knight & Hurlbut, 1949: *Culex* (*Culiciomyia*)
maracayensis Evans, 1923: *Culex* (*Culex*)
marajoara Galvão & Damasceno, 1942: *Anopheles* (*Nyssorhynchus*)
marceli (Mattingly, 1953): *Malaya*
marcelleae Adam & Hamon, 1959: *Eretmapodites*
marchettei Garcia, Jeffery & Rudnick, 1969: *Culiseta* (*Climacura*)
margarsen (Dyar & Shannon, 1925): *Verrallina* (*Neomacleaya*)
margina Gong & Lu, 1995: *Topomyia* (*Topomyia*)
mariae (Bourroul, 1904): *Toxorhynchites* (*Lynchiella*)
mariae (Sergent & Sergent, 1903): *Acartomyia*
marianae Bohart & Ingram, 1946: *Culex* (*Culex*)
marinkellei (Berlin, 1969): *Howardina*
marksae Dobrotworsky, 1965: *Tripteroides* (*Polylepidomyia*)
marksae Grjebine, 1986: *Mimomyia* (*Ingramia*)
marksae King & Hoogstraal, 1955: *Culex* (*Lophoceraomyia*)
marquesensis Stone & Rosen, 1953: *Culex* (*Culex*)
marshallensis (Stone & Bohart, 1944): *Stegomyia* (subgenus uncertain)
marshallii (Theobald, 1901): *Albuginosus*
marshallii (Theobald, 1903): *Anopheles* (*Cellia*)
marteri Senevet & Prunnelle, 1927: *Anopheles* (*Anopheles*)
martiali Senevet & Abonnenc, 1939: *Limatus*
martinei (Doucet, 1951): *Mimomyia* (*Etorleptiomyia*)
martineti (Senevet, 1937): *Ochlerotatus* (subgenus uncertain)
martinezi (Berlin, 1969): *Howardina*
martinezi Casal & García, 1968: *Culex* (*Melanoconion*)
martinii Medschid, 1930: *Culex* (*Neoculex*)
martinius Shingarev, 1926: *Anopheles* (*Anopheles*)
mascarensis (MacGregor, 1924): *Stegomyia* (*Stegomyia*)
mascarensis de Meillon, 1947: *Anopheles* (*Cellia*)
masculinus (Mattingly, 1958): *Canraedes*
mashonaensis Theobald, 1901: *Uranotaenia* (*Pseudoficalbia*)
masoalensis (Fontenille & Brunhes, 1985): *Aedimorphus*
masseyi (Edwards, 1923): *Stegomyia* (subgenus uncertain)
mathesoni Belkin & Heinemann, 1975: *Psorophora* (*Janthinosoma*)
mathesoni Belkin & Hogue, 1959: *Deinocerites*
mathesoni Belkin, 1950: *Tripteroides* (*Rachisoura*)
mathesoni Lane, 1943: *Uranotaenia* (*Uranotaenia*)
mathioti (Fontenille & Brunhes, 1985): *Aedimorphus*
mattinglyi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
mattinglyi Grjebine, 1986: *Mimomyia* (*Ingramia*)

mattinglyi (Hamon & Rickenbach, 1954): *Aedimorphus mattinglyi*
mattinglyi Hamon & van Someren, 1961: *Eretmapodites mattinglyi*
mattinglyi Knight, 1953: *Culex (Culex) mattinglyi*
mattinglyi Lane, 1953: *Wyeomyia (Cruzmyia) mattinglyi*
mattinglyi Qutubuddin, 1951: *Uranotaenia (Pseudoficalbia) mattinglyi*
mattinglyi Thurman, 1959: *Heizmannia (Heizmannia) mattinglyorum*
mattinglyorum (Huang, 1994): *Stegomyia* (subgenus uncertain)
mattogrossensis Lutz & Neiva, 1911: *Anopheles (Anopheles) mattogrossensis*
mauesensis Lane, 1945: *Culex (Culex) maverlius*
maverlius Reinert, 1997: *Anopheles (Anopheles) maxgermaini*
maxgermaini (Huang, 1990): *Stegomyia* (subgenus uncertain)
maxi Dyar, 1928: *Culex (Culex) maxima*
maxima Leicester, 1908: *Uranotaenia (Pseudoficalbia) maximalepido*
maximalepido Dong, Zhou & Dong, 2005: *Heizmannia (Heizmannia) maximus*
maximus Edwards, 1922: *Armigeres (Armigeres) maxinocca*
maxinocca Dyar, 1920: *Culex (Melanoconion) mayeri*
mayeri Edwards, 1912: *Uranotaenia (Uranotaenia) mayottensis*
mayottensis Brunhes, 1977: *Uranotaenia (Uranotaenia) mccormicki*
mccormicki (Belkin, 1962): *Verrallina (Verrallina) mcdonaldi*
mcdonaldi (Belkin, 1962): *Ochlerotatus (Gilesia) mcdonaldi*
mcdonaldi Belkin & Hogue, 1959: *Deinocerites mcintoshii*
mcintoshii (Huang, 1985): *Neomelaniconion medialis*
medialis (Brug, 1932): *Huaedes medialis*
medialis Harbach, 2018: *Anopheles (Anopheles) medioalbipes*
medioalbipes Lutz, 1904: *Wyeomyia (Wyeomyia) mediolineata*
mediolineata (Theobald, 1904): *Mimomyia (Etorleptiomyia) mediolineatus*
mediolineatus (Theobald, 1901): *Aedimorphus mediopunctata*
mediopunctata Theobald, 1905: *Stegomyia (Huangmyia) mediopunctatus*
mediopunctatus (Lutz, 1903): *Anopheles (Anopheles) mediiovittata*
mediiovittata (Coquillett, 1906): *Gymnometopa medleri*
medleri (Knight & Laffoon, 1946): *Finlaya mefouensis*
mefouensis (Ferrara, 1974): *Diceromyia megafolius*
megafolius Chen & Dong, 1992: *Culex (Eumelanomyia) megaloba*
megaloba Luh, Chao & Xu, 1974: *Culiseta (Culiseta) megaonychus*
megaonychus Yang, Li & Chen, 1993: *Culex (Culiciomyia) melanesiensis*
melanesiensis Belkin, 1955: *Tripteroides (Polylepidomyia) melanesiensis*
melanesiensis Belkin, 1962: *Mansonia (Mansonioides) melanimon*
melanimon (Dyar, 1924): *Ochlerotatus* (subgenus uncertain)
melanocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
melanonymphhe Dyar, 1924: *Sabethes (Sabethinus) melanoon*
melanoon Hackett, 1934: *Anopheles (Anopheles) melanophylum*
melanophylum Dyar & Knab, 1907: *Deinocerites melanopous*
melanopous Graham, 1909: *Eretmapodites melanoptera*
melanoptera (Giles, 1904): *Phagomyia melanopus*
melanopus Dyar, 1919: *Wyeomyia (Wyeomyia) melanota*
melanota Cerqueira, 1943: *Psorophora (Janthinosoma) melanura*
melanura (Coquillett, 1902): *Culiseta (Climacura) melas*
melas (Theobald, 1903): *Anopheles (Cellia) memorans*
memorans (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia) mendacis*
mendacis (Daniels, 1908): *Tripteroides (Tripteroides) mendiolai*
mendiolai Baisas, 1935: *Uranotaenia (Uranotaenia) mengi*
mengi Chen, Wang & Zhao, 1989: *Uranotaenia (Pseudoficalbia) mengi*
mengi Dong, Wang & Lu, 1990: *Topomyia (Suaymyia) menglaensis*
menglaensis Dong, Zhou & Dong, 2002: *Armigeres (Leicesteria) menglangensis*
menglangensis Ma, 1981: *Anopheles (Anopheles) menglianensis*
menglianensis Lu & Gong, 1986: *Heizmannia (Heizmannia) menglianeroides*
menglianeroides Dong, Dong & Zhou, 2003: *Heizmannia (Heizmannia) menoni*
menoni (Mattingly, 1958): *Paraedes meprai*
meprai (Martínez & Prosen, 1953): *Ochlerotatus (Ochlerotatus) meraukensis*
meraukensis Venhuis, 1932: *Anopheles (Cellia)*

mercurator (Dyar, 1920): *Ochlerotatus* (subgenus uncertain)
meronephada Dyar & Shannon, 1925: *Catatassomyia*
merus Dönitz, 1902: *Anopheles* (*Cellia*)
mesodentatus Komp & Kumm, 1938: *Haemagogus* (*Haemagogus*)
mesodenticulatus Galindo & Mendez, 1961: *Culex* (*Melanoconion*)
mesostictus Harbach, 2018: *Aedimorphus*
messeae Falleroni, 1926: *Anopheles* (*Anopheles*)
metallica Edwards, 1912: *Stegomyia* (subgenus uncertain)
metallica (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)
metallicus Leicester, 1904: *Toxorhynchites* (*Toxorhynchites*)
metatarsata Edwards, 1914: *Uranotaenia* (*Uranotaenia*)
metempsytus Dyar, 1921: *Culex* (*Carrollia*)
metoecopus (Dyar, 1925): '*Ochlerotatus* (*Protomacleaya*)'
mexicana (Bellardi, 1859): *Psorophora* (*Janthinosoma*)
miaolingensis Chen, 1982: *Culex* (*Eumelanomyia*)
micans Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
michaelikati (van Someren, 1946): *Pseudarmigeres*
mickevichae (Huang, 1988): *Stegomyia* (subgenus uncertain)
micolo Ribeiro, da Cunha Ramos, Capela & Pires, 1998: *Culex* (*Eumelanomyia*)
microannulata (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)
microcala (Dyar, 1929): *Tripteroides* (*Tricholeptomyia*)
microlepis (Edwards, 1927): *Tripteroides* (*Polylepidomyia*)
micromelas Edwards, 1934: *Uranotaenia* (*Pseudoficalbia*)
microphyllus Root, 1927: *Culex* (*Microculex*)
microptera (Giles, 1901): *Dendroskusea*
microsticta (Edwards, 1936): *Catageomyia*
mijanae Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)
mikrokopion (Knight & Harrison, 1988): *Downsiomyia*
millecampsi Lips, 1960: *Anopheles* (*Cellia*)
milleri (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)
millironi Belkin, 1962: *Culex* (*Neoculex*)
milloti Doucet, 1949: *Culex* (*Culiciomyia*)
milloti Doucet, 1951: *Orthopodomyia*
milloti Grjebine & Lacan, 1953: *Anopheles* (*Cellia*)
milloti Grjebine, 1986: *Mimomyia* (*Ingramia*)
milnensis (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
milnensis Lee, 1944: *Armigeres* (*Armigeres*)
milsoni (Taylor, 1915): *Dobrotworskyius*
milwardi Xavier & da Silva Mattos, 1972: *Culex* (*Melanoconion*)
mimeticus Noè, 1899: *Culex* (*Culex*)
mimomyiaformis (Newstead, 1907): *Mimomyia* (*Mimomyia*)
mimuloides Barraud, 1924: *Culex* (*Culex*)
mimulus Edwards, 1915: *Culex* (*Culex*)
minima (Theobald, 1901): *Ficalbia*
minimus (Theobald, 1905): *Toxorhynchites* (*Toxorhynchites*)
minimus Theobald, 1901: *Anopheles* (*Cellia*)
minjensis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
minnesotae Barr, 1957: *Culiseta* (*Culicella*)
minor (Leicester, 1908): *Culex* (*Lophoceraomyia*)
minor da Costa Lima, 1929: *Anopheles* (*Anopheles*)
minor Leicester, 1908: *Topomyia* (*Topomyia*)
minuta (Theobald, 1901): *Catageomyia*
minutissimus (Theobald, 1907): *Culex* (*Lophoceraomyia*)
miraculosus Bonne-Wepster, 1937: *Culex* (*Culex*)
mirans Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
mirificus Edwards, 1913: *Culex* (*Culex*)
misionensis Duret, 1953: *Culex* (*Melanoconion*)
mitchellae (Dyar, 1905): *Ochlerotatus* (*Culicelsa*)
mitchellii (Theobald, 1905): *Wyeomyia* (*Wyeomyia*)
mixta (Edwards, 1936): *Catageomyia*

mixtli Rivera-García, Mendez-Andrade & Ibáñez-Bernal, 2023: *Trichoprosopon*
miyagii Mogi & Toma, 1999: *Culex (Acallyntrum)*
miyagii (Toma & Mogi, 2003): *Kimia*
miyarai Tanaka, Mizusawa & Saugstad, 1979: *Stegomyia* (subgenus uncertain)
mjobergi (Edwards, 1926): *Downsiomyia*
moctezuma (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*
modesta (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*
modesta Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
modestus Ficalbi, 1890: *Culex (Barraudius)*
moerbista (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)
moghulensis Christophers, 1924: *Anopheles (Cellia)*
mogii Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*
mogilasium (Dyar & Knab, 1907): *Trichoprosopon*
mohani (Knight, 1969): *Downsiomyia*
mohani Sirivanakarn, 1977: *Culex (Eumelanomyia)*
mollis Dyar & Knab, 1906: *Culex (Culex)*
moloiensis (Taylor, 1929): *Macleaya (Chaetocruimyia)*
monetifer (Dyar, 1920): *Tripteroides (Tripteroides)*
monetus (Edwards, 1935): *Zavortinkius*
mongiro van Someren, 1951: *Culex (Culiciomyia)*
monocellatus (Marks, 1948): '*Ochlerotatus (Finlaya)*'
monotrichus (Edwards, 1936): *Neomelaniconion*
montana Ingram & de Meillon, 1927: *Uranotaenia (Pseudoficalbia)*
montanus Brug, 1939: *Rampamyia*
montanus Stanton & Wacker, 1917: *Anopheles (Anopheles)*
montchadskyi (Dubitsky, 1968): *Ochlerotatus* (subgenus uncertain)
monticola (Belkin & McDonald, 1957): *Jarnellius*
monticola Ribeiro, Lourenço-de-Oliveira & Motta, 2022: *Wyeomyia (Decamyia)*
monticola Somboon, Namgay & Harbach, 2021: *Anopheles (Anopheles)*
moralesi (Dyar & Knab, 1919): *Shannoniana*
moramangae da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
moresbyensis Peters, 1963: *Uranotaenia (Uranotaenia)*
morsitans (Theobald, 1901): *Culiseta (Culicella)*
mortiauxi da Cunha Ramos & Ribeiro, 1990: *Eretmapodites*
mortiauxi Edwards, 1938: *Anopheles (Cellia)*
moucheti (Hamon & Adam, 1955): *Malaya*
moucheti (Ravaonjanahary & Brunhes, 1977): *Skusea*
moucheti Evans, 1923: *Culex (Kitzmilleria)*
moucheti Evans, 1925: *Anopheles (Cellia)*
moufiedi Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
moultoni Edwards, 1914: *Armigeres (Armigeres)*
moultoni Edwards, 1914: *Uranotaenia (Pseudoficalbia)*
mousinhoi de Meillon & Pereira, 1940: *Anopheles (Cellia)*
mpusiensis (Huang, 2004): *Stegomyia* (subgenus uncertain)
mubiensis Luh & Shih, 1958: *Aedes*
mucidus (Karsch, 1887): *Mucidus (Mucidus)*
muehlensi Petrocchi, 1927: *Wyeomyia (Phoniomyia)*
muelleri (Dyar, 1920): *Lewnielsenius*
mulrennani Basham, 1948: *Culex (Melanoconion)*
multicinctus Edwards, 1930: *Anopheles (Cellia)*
multicolor Cambouliu, 1902: *Anopheles (Cellia)*
multifolium (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
multiplax (Theobald, 1903): *Ochlerotatus (Pseudoskusea)*
mundulus Grünberg, 1905: *Culex (Eumelanomyia)*
muroafcete (Huang, 1997): *Stegomyia* (subgenus uncertain)
murphyi Gillies & de Meillon, 1968: *Anopheles (Cellia)*
murrelli Lien, 1968: *Culex (Culex)*
muruae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
murudensis Miyagi, Toma & Okazawa, 2021: *Topomyia (Topomyia)*
musarum Edwards, 1932: *Culex (Culex)*

musarum Edwards, 1936: *Uranotaenia (Pseudoficalbia)*
muspratti Hamon & Lambrecht, 1959: *Culex (Culiciomyia)*
mutator Dyar & Knab, 1906: *Culex (Melanoconion)*
mutila (Edwards, 1936): *Catageiomyia*
mystes Dyar, 1924: *Wyeomyia (Spilonympha)*
mzooi (van Someren, 1962): *Zavortinkius*
nailoni King & Hoogstraal, 1946: *Culex (Culiciomyia)*
nairobiensis (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
nakuruensis Mattingly, 1951: *Culex (Culex)*
namibiensis Coetzee, 1984: *Anopheles (Anopheles)*
natalensis (Edwards, 1930): *Pseudarmigeres*
natalensis (Hill & Haydon, 1907): *Anopheles (Cellia)*
nataliae Belkin, 1945: *Anopheles (Cellia)*
nataliae Gornostaeva, 2005: *Aedes*
nataliae Lynch Arribalzaga, 1891: *Uranotaenia (Uranotaenia)*
natronius (Edwards, 1932): *Aedimorphus*
navalis Edwards, 1926: *Culex (Lophoceraomyia)*
neavei Theobald, 1906: *Culex (Culex)*
nebulosus Arnell, 1973: *Haemagogus (Haemagogus)*
nebulosus Theobald, 1901: *Culex (Culiciomyia)*
neghmei Mann, 1950: *Anopheles (Anopheles)*
neglectus Lutz, 1904: *Culex (Microculex)*
negrensis Gordon & Evans, 1922: *Wyeomyia* (subgenus uncertain)
neireti Edwards, 1920: *Uranotaenia (Uranotaenia)*
neivai (Lane & Coutinho, 1940): *Coquillettidia (Rhynchotaenia)*
neivai Howard, Dyar & Knab, 1913: *Anopheles (Kerteszia)*
nemophilous Peyton & Ramalingam, 1988: *Anopheles (Cellia)*
nemorosa (Gong, 1996): *Kimia*
neoafricana (Cornet, Valade & Dieng, 1978): *Stegomyia* (subgenus uncertain)
neogalloisi (Chen & Chen, 2000): *Stegomyia* (subgenus uncertain)
neogeorgiana (Belkin, 1962): *Finlaya*
neomacrodixoa (King & Hoogstraal, 1947): *Verrallina (Neomacleaya)*
neomaculipalpus Curry, 1931: *Anopheles (Anopheles)*
neopandani (Bohart, 1957): *Stegomyia (Bohartius)*
neotibialis King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
nepenthes (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*
nepenthicola (Banks, 1909): *Tripterooides (Tricholeptomomyia)*
nepenthicola Miyagi & Toma, 2007: *Topomyia (Suaymyia)*
nepenthicola Steffan & Evenhuis, 1982: *Toxorhynchites (Toxorhynchites)*
nepenthis (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*
nepenthis (Edwards, 1915): *Tripterooides (Rachionotomyia)*
nepenthisimilis Mattingly, 1981: *Tripterooides (Rachionotomyia)*
nevadensis (Chapman & Barr, 1964): *Ochlerotatus* (subgenus uncertain)
ngong (van Someren, 1950): *Albuginosus*
nicaroensis Duret, 1967: *Culex (Nicaromyia)*
nicceriensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
nicksoni Miyagi & Toma, 2012: *Topomyia (Topomyia)*
nicoyae Adames & Hogue, 1970: *Deinocerites*
niger (Leicester, 1908): *Culex (Lophoceraomyia)*
nigeriae Edwards, 1930: *Hodgesia*
nigeriensis Evans, 1931: *Anopheles (Cellia)*
nigeriensis Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
nigerrimus Giles, 1900: *Anopheles (Anopheles)*
nigerrimus Theobald, 1913: *Mucidus (Mucidus)*
nigra (Theobald, 1901): *Ficalbia*
nigra Leicester, 1908: *Topomyia (Topomyia)*
nigrescens (Edwards, 1929): *Mucidus (Pardomyia)*
nigricans (Coquillett, 1904): *Coquillettidia (Rhynchotaenia)*
nigricephala Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)
nigricephala da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*

nigricephalus (Theobald, 1901): *Aedimorphus*
nigrimacula Lane & Whitman, 1943: *Culex* (subgenus uncertain)
nigrinus (Eckstein, 1918): *Ochlerotatus* (subgenus uncertain)
nigripalpus Theobald, 1901: *Culex* (*Culex*)
nigripes (Edwards, 1935): *Toxorhynchites* (*Toxorhynchites*)
nigripes (Theobald, 1905): *Uranotaenia* (*Pseudoficalbia*)
nigripes (Zetterstedt, 1838): *Ochlerotatus* (subgenus uncertain)
nigripleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
nigritarsis (Chagas, 1907): *Anopheles* (*Nyssorhynchus*)
nigritarsis (Wolfs, 1958): *Coquillettidia* (*Coquillettidia*)
nigrithorax (Macquart, 1847): *Ochlerotatus* (subgenus uncertain)
nigrithorax (Theobald, 1910): *Coquillettidia* (*Coquillettidia*)
nigritubus Galindo, Carpenter & Trapido, 1951: *Wyeomyia* (*Wyeomyia*)
nigrocanus (Martini, 1927): *Ochlerotatus* (subgenus uncertain)
nigrochracea (Bonne-Wepster, 1930): *Coquillettidia* (*Coquillettidia*)
nigromaculata Edwards, 1941: *Uranotaenia* (*Pseudoficalbia*)
nigromaculis (Ludlow, 1906): *Ochlerotatus* (*Culicelsa*)
nigropterum Le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
nigropunctatus Edwards, 1926: *Culex* (*Culiciomyia*)
nigrorhynchus (Brug, 1931): *Hulecoeteomyia*
nigrosignata (Edwards, 1917): *Coquillettidia* (*Coquillettidia*)
nigrostriatus Barraud, 1927: *Aedimorphus*
nigrotarsis (Ludlow, 1908): *Verrallina* (*Neomacleaya*)
nilgircus Christophers, 1924: *Anopheles* (*Anopheles*)
nilgircus Edwards, 1916: *Culex* (*Culex*)
nili (Theobald, 1904): *Anopheles* (*Cellia*)
nimbus (Theobald, 1902): *Anopheles* (*Stethomyia*)
nimpe Nguyen, Tran & Harbach, 2000: *Anopheles* (*Anopheles*)
ninagongoensis Edwards, 1928: *Culex* (*Culex*)
ningheensis (Lei, 1989): *Collessius* (*Collessius*)
niphadopsis (Dyar & Knab, 1918): *Ochlerotatus* (subgenus uncertain)
nippononivea (Sasa & Nakahashi, 1952): *Downsiomyia*
nipponica (LaCasse & Yamaguti, 1948): *Downsiomyia*
nipponica LaCasse & Yamaguti, 1950: *Culiseta* (*Culicella*)
nipponii (Theobald, 1907): *Aedimorphus*
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia*
nissanensis Lee, 1946: *Tripteroides* (*Tripteroides*)
nitens (Cerqueira, 1943): *Coquillettidia* (*Rhynchoaenia*)
nitidoventer (Giles, 1904): *Tripteroides* (*Tripteroides*)
nitidus Harrison, Scanlon & Reid, 1973: *Anopheles* (*Anopheles*)
nitidus Theobald, 1901: *Sabethes* (*Sabethes*)
nivalis (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)
nivea (Ludlow, 1903): *Downsiomyia*
nivea Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
niveitaeniata (Theobald, 1907): *Culiseta* (*Culiseta*)
niveoides (Barraud, 1934): *Downsiomyia*
niveoscutum (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
niveus (de Meillon, 1943): *Paulianius*
nivipes (Theobald, 1903): *Anopheles* (*Cellia*)
nivipes (Theobald, 1905): *Uranotaenia* (*Uranotaenia*)
nivipleura Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
nivipous Theobald, 1912: *Uranotaenia* (*Pseudoficalbia*)
njombiensis (Huang, 1997): *Stegomyia* (subgenus uncertain)
njombiensis Peters, 1955: *Anopheles* (*Cellia*)
nkolbissonensis Rickenbach & Hamon, 1966: *Orthopodomomyia*
nobukonis (Yamada, 1932): *Verrallina* (*Harbachius*)
nocticola Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
nocturnus (Theobald, 1903): *Aedimorphus*
noei Mann, 1950: *Anopheles* (*Anopheles*)
noniae Reid, 1963: *Anopheles* (*Anopheles*)

normanensis (Taylor, 1915): *Ochlerotatus* (subgenus uncertain)
notabilis (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
notanandai Rattanarithikul & Green, 1987: *Anopheles* (*Cellia*)
notleyi van Someren, 1949: *Anopheles* (*Cellia*)
notoscripta (Skuse, 1889): *Rampamyia*
novaezealandiae Pillai, 1966: *Culiseta* (*Climacura*)
novaguinensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
novaguinensis Venhuis, 1933: *Anopheles* (*Cellia*)
novalbitarsis (King & Hoogstraal, 1946): *Patmarksia*
novalbopicta (Barraud, 1931): *Stegomyia* (subgenus uncertain)
novobscura Barraud, 1934: *Uranotaenia* (*Pseudoficalbia*)
novochracea (Barraud, 1927): *Coquillettidia* (*Coquillettidia*)
novohanoverae Peters, 1963: *Tripteroides* (*Tripteroides*)
novonivea (Barraud, 1934): *Downsiomyia*
nubicola (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
nubilus (Theobald, 1903): *Ochlerotatus* (*Protoculex*)
nummatus (Edwards, 1923): *Tewarius*
nuneztovari Gabaldon, 1940: *Anopheles* (*Nyssorhynchus*)
nyasae (Edwards, 1930): *Hopkinsius* (*Hopkinsius*)
nyounae (Hamon & Adam, 1959): *Catageiomyia*
oakleyi (Stone, 1939): *Aedimorphus*
oblita (Lutz, 1904): *Wyeomyia* (*Miamyia*)
obscura Edwards, 1915: *Uranotaenia* (*Pseudoficalbia*)
obscura Tenorio, 1975: *Bironella* (*Brugella*)
obscurum Lane & Cerqueira, 1942: *Trichoprosopon*
obscurus (Grünberg, 1905): *Anopheles* (*Anopheles*)
obscurus (Leicester, 1908): *Culex* (*Acalleoemyia*)
obscurus Brug, 1934: *Tripteroides* (*Rachisoura*)
obsoleta (Huang, 1968): *Verrallina* (*Verrallina*)
obturbans (Walker, 1859): *Armigeres* (*Armigeres*)
obturbator (Dyar & Knab, 1907): *Ochlerotatus* (*Ochlerotatus*)
occidentalis (Skuse, 1889): *Dobrotworskyius*
occidentalis Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
occidentayunnana (Gong & Lu, 1991): *Heizmannia* (*Mattinglyia*)
occulta Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)
oceanica (Belkin, 1962): *Finlaya*
ocellatus Theobald, 1903: *Culex* (subgenus uncertain)
ochracea (Theobald, 1903): *Coquillettidia* (*Coquillettidia*)
ochraceus (Theobald, 1901): *Aedimorphus*
ochripes (Macquart, 1850): *Psorophora* (*Psorophora*)
ochroptera (Peus, 1935): *Culiseta* (*Culicella*)
ocossa Dyar & Knab, 1919: *Culex* (*Melanoconion*)
oedipodeios Graham, 1909: *Eretmapodites*
oedipus Root, 1927: *Culex* (*Melanoconion*)
ohamai Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia* (*Pseudoficalbia*)
oikitorakras Osorno-Mesa, 1947: *Anopheles* (*Lophopodomyia*)
okinawae Bohart, 1953: *Culex* (*Eumelanomyia*)
okinawanus (Bohart, 1946): *Bruceharrisonius*
okinawensis Toma, Miyagi & Tanaka, 1990: *Toxorhynchites* (*Toxorhynchites*)
okuensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles* (*Christya*)
oligopistus (Dyar, 1918): *Ochlerotatus* (*Protoculex*)
olimpioi Xavier, da Silva & da Silva Mattos, 1970: *Culex* (*Melanoconion*)
omani Belkin, 1962: *Culex* (*Culex*)
omissus (Edwards, 1914): *Armigeres* (*Leicesteria*)
omorii (Lien, 1968): *Downsiomyia*
omorii Sakakibara, 1959: *Anopheles* (*Anopheles*)
opok (Corbet & van Someren, 1962): *Stegomyia* (subgenus uncertain)
orbostiensis Dobrotworsky, 1958: *Culex* (*Lophoceraomyia*)
oreios Bangs & Harbach, 2014: *Anopheles* (*Cellia*)
oreophilus Edwards, 1916: '*Ochlerotatus* (*Finlaya*)'

oresbius Harbach & Rattananarithikul, 1988: *Culex (Eumelanomyia)*
orfilai Duret, 1953: *Culex (Melanoconion)*
organaboensis Talaga & Duchemin, 2023: *Culex (Melanoconion)*
orientalis Barraud, 1926: *Uranotaenia (Uranotaenia)*
orientalis Edwards, 1921: *Culex (Culex)*
originator Gordon & Evans, 1922: *Culex (Anoedioporpa)*
ornata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
ornatothoracis Theobald, 1909: *Culex (Culex)*
orstom Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
orthodoxa Dyar, 1921: *Uranotaenia (Uranotaenia)*
ortizi Vargas & Diaz Nájera, 1961: *Sabethes (Sabethes)*
oryzalimnetes Wilkerson & Motoki, 2009: *Anopheles (Nyssorhynchus)*
osornoi (Berlin, 1969): *Howardina*
ostentatio (Leicester, 1908): *Paraedes*
oswaldoi (Peryassú, 1922): *Anopheles (Nyssorhynchus)*
otachati Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
oteizai Perez Viguera, 1956: *Uranotaenia (Uranotaenia)*
ototomo da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
ototomoensis Huang & Rueda, 2013: *Orthopodomyia*
otwayensis (Dobrotworsky, 1960): *Culiseta (Culicella)*
ousqua Dyar, 1918: *Culex (Culex)*
ovazzai (Hamon & Adam, 1959): *Aedimorphus*
ovengensis Awono-Ambene, Kengne, Simard, Antonio-Nkonkjo & Fontenille, 2004: *Anopheles (Cellia)*
oweni Belkin, 1962: *Culex (Lophoceraomyia)*
pachyurus (Edwards, 1936): *Aedimorphus*
pacificus Edwards, 1916: *Culex (Culex)*
pagei (Ludlow, 1911): *Paraedes*
pahangi (Delfinado, 1968): *Verrallina (Harbachius)*
painei Edwards, 1935: *Uranotaenia (Pseudoficalbia)*
pairoji Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
pajoti da Cunha Ramos & Ribeiro, 1982: *Culex (Culex)*
palaciosi Duret, 1968: *Culex (Melanoconion)*
palauensis (Bohart, 1957): *Stegomyia* (subgenus uncertain)
palawanicus (Mattingly, 1958): *Canraedes*
pallens Coquillett, 1898: *Culex (Culex)*
pallens Ross, 1943: *Ochlerotatus (Chrysoconops)*
pallescens Edwards, 1922: *Psorophora (Psorophora)*
pallida Edwards, 1925: *Mimomyia (Mimomyia)*
pallidiceps (Theobald, 1905): *Culex (Acallyntrum)*
pallidipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pallidiventer (Lutz, 1905): *Trichoprosopon*
pallidocephala Theobald, 1908: *Uranotaenia (Uranotaenia)*
pallidostratus (Theobald, 1907): *Aedimorphus*
pallidothorax Dong, Dong & Wu, 2008: *Tripterooides (Rachionotomyia)*
pallidothorax Theobald, 1905: *Culex (Culiciomyia)*
pallidoventer (Theobald, 1907): *Wyeomyia (Phoniomyia)*
pallidoventer Theobald, 1903: *Uranotaenia (Uranotaenia)*
pallidus Lee, 1946: *Tripterooides (Rachisoura)*
pallidus Theobald, 1901: *Anopheles (Cellia)*
pallirostris (Edwards, 1922): *Hulecoeteomyia*
pallithorax Dong, Zhou & Dong, 2004: *Armigeres (Armigeres)*
palmarum (Edwards, 1924): *Patmarksia*
palmata (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
palmatus (Rodenwaldt, 1926): *Anopheles (Anopheles)*
palmeirimi de Meillon & Rebêlo, 1941: *Uranotaenia (Uranotaenia)*
palpale Newstead, 1907: *Neomelaniconion*
palpalis Taylor, 1912: *Culex (Culex)*
paltrinierii Shidrawi & Gillies, 1988: *Anopheles (Cellia)*
paludis Theobald, 1900: *Anopheles (Anopheles)*

paludosa Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
pampanai Büttiker & Beales, 1959: *Anopheles (Cellia)*
pampangensis (Ludlow, 1905): *Aedimorphus*
pampithes (Dyar & Núñez Tovar, 1928): *Wyeomyia* (subgenus uncertain)
panamensis Adames, 1971: *Deinocerites*
panarchys Dyar, 1921: *Haemagogus (Haemagogus)*
panayensis (Ludlow, 1914): *Verrallina (Neomacleaya)*
pandani (Stone, 1939): *Stegomyia (Bohartius)*
pandani (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*
pandani Brunhes, 1969: *Culex (Culiciomyia)*
panocossa Dyar, 1923: *Culex (Melanoconion)*
papago (Zavortink, 1970): *Abraedes*
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): *Bironella (Neobironella)*
papuensis (Taylor, 1914): *Culex (Culiciomyia)*
papuensis (Taylor, 1914): *Mansonia (Mansonioides)*
papuensis (Taylor, 1914): *Patmarksia*
papuensis Dobrotworsky, 1957: *Anopheles (Anopheles)*
papuensis Marks, 1960: *Topomyia (Suaymyia)*
papuensis Peters, 1963: *Armigeres (Armigeres)*
papuensis Zavortink, 1968: *Orthopodomys*
paracrybda Komp, 1936: *Culex (Melanoconion)*
paraculeatus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
paradissimilis (Rozeboom, 1946): *Kenknightsia*
paradoxus Harbach, 2002: *Sabethes (Peytonulus)*
paraensis (Theobald, 1903): *Limatus*
paraitepuyensis Anduze, 1941: *Sabethes (Sabethes)*
paralateralis Peters, 1964: *Uranotaenia (Uranotaenia)*
paramaxi Duret, 1968: *Culex (Culex)*
paranensis (Brèthes, 1910): *Isostomyia*
parangensis (Ludlow, 1914): *Anopheles (Cellia)*
paranovaguinensis Peters, 1963: *Uranotaenia (Uranotaenia)*
parapunctipennis Martini, 1932: *Anopheles (Anopheles)*
parasimilis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
parensis Gillies, 1962: *Anopheles (Cellia)*
parenti (de Meillon & Lavoipierre, 1944): *Mimomyia (Mimomyia)*
particeps (Adams, 1903): *Culiseta (Culiseta)*
parvipluma Edwards, 1941: *Eretmapodites*
parvus (Chagas, 1907): *Anopheles (Nyssorhynchus)*
patersoni (Shannon & del Ponte, 1928): *Ochlerotatus (Ochlerotatus)*
patriciae (Mattingly, 1954): *Stegomyia* (subgenus uncertain)
patriciae Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
pattoni Christophers, 1926: *Anopheles (Cellia)*
paucartamboensis Porter, 2014: *Wyeomyia (Nunezia)*
pauliani (Doucet, 1951): *Toxorhynchites (Afrorhynchus)*
pauliani Doucet, 1949: *Uranotaenia (Pseudoficalbia)*
pauliani Grjebine, 1950: *Eretmapodites*
pauliani Grjebine, 1953: *Aedeomyia (Aedeomyia)*
pauliani Grjebine, 1953: *Anopheles (Cellia)*
paulli Paterson & Shannon, 1927: *Psorophora (Grabhamia)*
paullusi (Stone & Farner, 1945): *Stegomyia* (subgenus uncertain)
pavlovskiyi Casal & García, 1967: *Culex (Melanoconion)*
peccator Dyar & Knab, 1909: *Culex (Melanoconion)*
pecori (Reinert, 1990): *Kenknightsia*
pectinatus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
pectinatus (Edwards, 1914): *Armigeres (Leicesteria)*
pecuniosa (Edwards, 1922): *Molpemyia*
pedicellus King & Hoogstraal, 1947: *Culex (Neoculex)*
peditaeniatus (Leicester, 1908): *Anopheles (Anopheles)*
pedroi Sirivanakarn & Belkin, 1980: *Culex (Melanoconion)*
peipingensis (Feng, 1938): '*Ochlerotatus (Finlaya)*'

pembaensis (Theobald, 1901): *Skusea*
penai Sirivanakarn, 1979: *Culex (Melanoconion)*
pendleburyi (Edwards, 1930): *Toxorhynchites (Toxorhynchites)*
pendulus (Edwards, 1914): *Armigeres (Leicesteria)*
penghuensis (Lien, 1968): *Canraedes*
penicillatus Edwards, 1941: *Eretmapodites*
pennai (Antunes & Lane, 1938): *Ochlerotatus (Chrysoconops)*
perexiguus Theobald, 1903: *Culex (Culex)*
pereyrai Duret, 1967: *Culex (Melanoconion)*
perfidiosus Edwards, 1914: *Culex (Culex)*
perfuscus Edwards, 1914: *Culex (Culex)*
peringueyi Edwards, 1924: *Culex (Maillotia)*
periskelata (Giles, 1902): *Dendroskusea*
perkinsi (Marks, 1949): *Ochlerotatus* (subgenus uncertain)
perkinsi Stone & Penn, 1948: *Culex (Acallyntrum)*
pernotata (Farnier & Bohart, 1944): *Stegomyia* (subgenus uncertain)
perplexa Leicester, 1908: *Stegomyia (Huangmyia)*
perplexens (Edwards, 1932): *Mimomyia (Mimomyia)*
perplexens Ludlow, 1907: *Anopheles (Anopheles)*
perplexus Leicester, 1908: *Culex (Culex)*
perplexus Peters, 1963: *Tripteroides (Polylepidomyia)*
perryi (Belkin, 1962): *Geoskusea*
perryi Belkin, 1962: *Culex (Lophoceraomyia)*
persiensis Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*
persimilis Mattingly, 1970: *Heizmannia (Heizmannia)*
personatum (Lutz, 1904): *Onirion*
pertinans (Williston, 1896): *Wyeomyia (Wyeomyia)*
pertinax (Grabham, 1906): *Ochlerotatus (Protoculex)*
perturbans (Walker, 1856): *Coquillettidia (Coquillettidia)*
perturbans (Williston, 1896): *Isostomyia*
perventor (Cerqueira & Costa, 1946): *Sallumia*
pervigilans von Bergroth, 1889: *Culex (Culex)*
peryassui Dyar & Knab, 1908: *Anopheles (Anopheles)*
pessoai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
petersi Colless, 1960: *Culex (Lophoceraomyia)*
petragnani del Vecchio, 1939: *Anopheles (Anopheles)*
petrocchiai (Shannon & del Ponte, 1928): *Sabethes (Davismyia)*
petroelephantus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
pexa (Colless, 1958): *Downsiomyia*
peytoni (Reinert, 1972): *Ayurakitia*
peytoni Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
peytoni Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles (Anopheles)*
peytoni Leguizamón & Carpintero, 2005: *Orthopodomysia*
phaecasiatus (Marks, 1964): *Ochlerotatus* (subgenus uncertain)
phaeonotus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
phangngae Sirivanakarn, 1972: *Culex (Eumelanomyia)*
pharoensis Theobald, 1901: *Anopheles (Cellia)*
philipi Edwards, 1929: *Culex (Culex)*
philippinensis (Delfinado, 1968): *Verrallina (Neomacleaya)*
philippinensis Ludlow, 1902: *Anopheles (Cellia)*
philippinensis Sirivanakarn, 1976: *Culex (Culex)*
phillipi (van Someren, 1949): *Zavortinkius*
philonuxia Philip, 1931: *Uranotaenia (Uranotaenia)*
phlabistus Dyar, 1920: *Culex (Melanoconion)*
phlogistus Dyar, 1920: *Culex (Melanoconion)*
phnoma (Klein, 1973): *Verrallina (Neomacleaya)*
phoeniciae (Coluzzi & Sabatini, 1968): *Acartomyia*
pholeocola (Linton & Harbach, 2013): *Nyctomyia*
pholeter Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
pholidotus Zavortink, 1973: *Anopheles (Kerteszia)*

phroso Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)
phyllados Hutchings & Sallum, 2008: *Culex (Melanoconion)*
phyllolabis (Edwards, 1929): *Catageomyia*
phyllozoa (Dyar & Knab, 1907): *Orthopodomyia*
phytophagus Theobald, 1909: *Toxorhynchites (Toxorhynchites)*
pia Le Goff & Robert, 2013: *Stegomyia (Stegomyia)*
pictipennis (Philippi, 1865): *Anopheles (Nyssorhynchus)*
pifanoi Anduze, 1949: *Culex (Melanoconion)*
pifanoi Cova Garcia, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia (Uranotaenia)*
pilicauda Root, 1928: *Wyeomyia (Phoniomyia)*
pilifemoralis Wang & Feng, 1964: *Culex (Lophoceraomyia)*
pilinetum Harrison & Scanlon, 1974: *Anopheles (Anopheles)*
pilipes (Macquart, 1834): *Psorophora (Psorophora)*
pillaii (Mattingly, 1958): *Rhinoskusea*
pilosa Brug, 1931: *Topomyia (Topomyia)*
pilosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pilosa Duret, 1971: *Psorophora (Janthinosoma)*
pilosus (Dyar & Knab, 1906): *Culex (Melanoconion)*
pilosus Lee, 1946: *Tripteroides (Rachisoura)*
pinarocampa Dyar & Knab, 1908: *Culex (Culex)*
pingpaensis (Chang, 1965): *Edwardsaedes*
pinjaurensis Barraud, 1932: *Anopheles (Anopheles)*
pionips (Dyar, 1919): *Ochlerotatus* (subgenus uncertain)
pipersalatus (Giles, 1902): *Aedimorphus*
pipiens Linnaeus, 1758: *Culex (Culex)*
pipkini (Bohart, 1957): *Verrallina (Verrallina)*
plagosus (Marks, 1959): '*Ochlerotatus (Finlaya)*'
platylepida (Knight & Hull, 1951): *Scutomyia*
pleccau Koidzumi, 1924: *Anopheles (Anopheles)*
plectoporpe Root, 1927: *Culex (Melanoconion)*
pleuristriatus Theobald, 1903: *Culex (Microculex)*
plicatus Olivares, 1993: *Culex (Culex)*
plioleucus Edwards, 1941: *Eretmapodites*
plumbeus Stephens, 1828: *Anopheles (Anopheles)*
plumifera (King & Hoogstraal, 1946): *Phagomyia*
plumiger Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*
plumosa (Theobald, 1901): *Mimomyia (Mimomyia)*
plumosus (Brug, 1931): *Tripteroides (Tripteroides)*
pluvialis Barraud, 1924: *Culex (Eumelanomyia)*
podographicus (Dyar & Knab, 1906): '*Ochlerotatus (Protomacleaya)*'
pogonurum (Edwards, 1936): *Neomelaniconion*
poicilia Theobald, 1903: *Finlaya*
poicilipes (Theobald, 1903): *Culex (Oculeomyia)*
pollicaris Reid, 1962: *Anopheles (Anopheles)*
pollinctor (Graham, 1910): *Zavortinkius*
polynesiensis (Marks, 1951): *Stegomyia* (subgenus uncertain)
ponmeki Miyagi & Toma, 2001: *Tripteroides (Rachionotomyia)*
portesi Senevet & Abonnenc, 1941: *Culex (Melanoconion)*
portonovoensis (Tewari & Hiriyan, 1992): *Rhinoskusea*
portoricensis (von Röder, 1885): *Toxorhynchites (Lynchiella)*
postspiraculosus (Dobrotworsky, 1961): *Ochlerotatus (Pseudoskusea)*
postspiraculosus Lee, 1944: *Culex (Neoculex)*
powderi Zavortink, 1970: *Anopheles (Anopheles)*
powelli (Ludlow, 1909): *Tripteroides (Tripteroides)*
powelli Lee, 1944: *Anopheles (Anopheles)*
poweri Theobald, 1905: *Stegomyia* (subgenus uncertain)
prachongae Rattanarithikul & Harrison, 2017: *Anopheles (Anopheles)*
prajimi Peyton & Rattanarithikul, 1970: *Uranotaenia (Uranotaenia)*
pretoriensis (Theobald, 1903): *Anopheles (Cellia)*
principensis da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*

prioekanensis (Brug, 1931): *Verrallina (Neomacleaya)*
pristinus Nagaki & Sallum, 2010: *Anopheles (Nyssorhynchus)*
procax (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)
productus Edwards, 1941: *Eretmapodites*
productus Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
prominens (Barraud, 1923): *Phagomyia*
propinqua Mattingly, 1970: *Heizmannia (Heizmannia)*
propinqua Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
propinquus Colless, 1955: *Culex (Culex)*
prosecutor Séguy, 1927: *Culex (Culex)*
protuberans (Delfinado, 1967): *Verrallina (Neomacleaya)*
provocans (Walker, 1848): *Ochlerotatus (Rusticoidus)*
proxima Mattingly, 1970: *Heizmannia (Heizmannia)*
proximus (Edwards, 1915): *Tripteroides (Tripteroides)*
pruina Theobald, 1901: *Culex (Culex)*
psatharus Dyar, 1920: *Culex (Melanoconion)*
psectropus Edwards, 1930: *Hodgesia*
pseudalbolineata (Brug, 1939): *Scutomyia*
pseudalbopicta Borel, 1928: *Stegomyia* (subgenus uncertain)
pseudes Dyar & Knab, 1909: *Deinocerites*
pseudoafricana (Chwatt, 1949): *Stegomyia* (subgenus uncertain)
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pseudoalbipes Duret, 1971: *Psorophora (Janthinosoma)*
pseudoandreas Bailly-Choumara, 1966: *Culex (Eumelanomyia)*
pseudoauriceps Miyagi & Toma, 2010: *Topomyia (Suaymyia)*
pseudobarbistrois Ludlow, 1902: *Anopheles (Anopheles)*
pseudobarbus Baisas, 1946: *Topomyia (Topomyia)*
pseudocinereus Theobald, 1901: *Culex (Culiciomyia)*
pseudoconopas (Theobald, 1910): *Coquillettidia (Coquillettidia)*
pseudodiurna (Theobald, 1910): *Verrallina (Neomacleaya)*
pseudodominicii (Komp, 1936): *Howardina*
pseudohenrardi Peters, 1955: *Uranotaenia (Pseudoficalbia)*
pseudojamesi Strickland & Chowdhury, 1927: *Anopheles (Cellia)*
pseudoleucotarsis Thurman, 1959: *Topomyia (Suaymyia)*
pseudomaculipes (Chagas, 1908): *Anopheles (Anopheles)*
pseudomaculipleura Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
pseudomediofasciata (Theobald, 1910): *Verrallina (Neomacleaya)*
pseudomelanota Theobald, 1907: *Culex (Neoculex)*
pseudomelanota Barata & Cotrim, 1971: *Psorophora (Janthinosoma)*
pseudomethysticus (Bonne-Wepster & Bonne, 1920): *Limatus*
pseudonigeria Theobald, 1910: *Stegomyia* (subgenus uncertain)
pseudonivea (Theobald, 1905): *Downsiomyia*
pseudonormanensis (Marks, 1949): *Ochlerotatus* (subgenus uncertain)
pseudonummatum (Reinert, 1973): *Tewarius*
pseudopecten Dyar & Knab, 1906: *Wyeomyia (Decamyia)*
pseudopictus Grassi, 1899: *Anopheles (Anopheles)*
pseudopruina van Someren, 1951: *Culex (Culex)*
pseudopunctipennis Theobald, 1901: *Anopheles (Anopheles)*
pseudornatus Colless, 1960: *Culex (Lophoceraomyia)*
pseudorobusta Pajot & Fauran, 1975: *Wyeomyia (Wyeomyia)*
pseudorubithoracis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
pseudoscutellaris Theobald, 1910: *Stegomyia* (subgenus uncertain)
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pseudosinensis Baisas, 1935: *Anopheles (Anopheles)*
pseudosinensis Colless, 1955: *Culex (Oculeomyia)*
pseudostigmaticus Dobrotworsky, 1957: *Anopheles (Anopheles)*
pseudostigmatosoma Strickman, 1990: *Culex (Culex)*
pseudostricklandi Natarajan, Rajavel & Jambulingam, 2018: *Uranotaenia (Pseudoficalbia)*
pseudosubaequalis Cornel & Mayi, 2020: *Culex (Culiciomyia)*
pseudosundaicus Tyagi et al., 2009: *Anopheles (Cellia)*

pseudotaeniatus (Giles, 1901): *Collessius (Alloeomyia)*
pseudotarsalis (van Someren, 1946): *Catageiomyia*
pseudotibiamaculatus Galvão & Barretto, 1941: *Anopheles (Lophopodomys)*
pseudotitillans (Theobald, 1901): *Mansonia (Mansonia)*
pseudovarietas (Reinert, 1974): *Verrallina (Neomacleaya)*
pseudovishnui Colless, 1957: *Culex (Culex)*
pseudowillmori (Theobald, 1910): *Anopheles (Cellia)*
pubescens (Edwards, 1925): *Aedimorphus*
puehensis Miyagi, Toma & Okazawa, 2022: *Topomyia (Suaymyia)*
pujutensis Colless, 1948: *Anopheles (Cellia)*
pulcherrima Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*
pulcherrimus Theobald, 1902: *Anopheles (Cellia)*
pulchrithorax (Edwards, 1939): *Vansomerenis*
pulchriventer (Giles, 1901): *Gilesius*
pulcripalpis (Rondani, 1872): *Orthopodomys*
pulcritarsis (Rondani, 1872): *Ochlerotatus* (subgenus uncertain)
pulidoi Cova Garcia & Sutil Oramas, 1974: *Culex (Microculex)*
pullatus (Coquillett, 1904): *Ochlerotatus* (subgenus uncertain)
pullus Theobald, 1905: *Culex (Culiciomyia)*
pullus Yamada, 1937: *Anopheles (Anopheles)*
pulverulentus (Edwards, 1922): *Indusius*
punctifemoris (Ludlow, 1921): *Aedimorphus*
punctimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
punctipennis (Say, 1823): *Anopheles (Anopheles)*
punctipes (Edwards, 1921): *Petermattinglyius (Petermattinglyius)*
punctiscapularis Floch & Abonnenc, 1946: *Culex* (subgenus uncertain)
punctocostale (Theobald, 1909): *Neomelaniconion*
punctodes (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)
punctolateralis (Theobald, 1903): *Tripteroides (Polylepidomyia)*
punctor (Kirby, 1837): *Ochlerotatus* (subgenus uncertain)
punctothoracis (Theobald, 1909): *Catageiomyia*
punctulatus Dönitz, 1901: *Anopheles (Cellia)*
purpuraceus (Brug, 1932): *Ochlerotatus (Gilesia)*
purpuratus (Edwards, 1921): *Tripteroides (Tripteroides)*
purpurea Theobald, 1910: *Molpemyia*
purpureifemur (Marks, 1959): *Ochlerotatus* (subgenus uncertain)
purpureipes (Aitken, 1941): *Kompia*
purpureus (Theobald, 1901): *Toxorhynchites (Ankylorhynchus)*
purpureus (Theobald, 1907): *Sabethes (Sabethes)*
purpuriventris (Edwards, 1926): *Ochlerotatus (Pholeomyia)*
pursati Laveran, 1902: *Anopheles (Anopheles)*
pusillus (da Costa Lima, 1931): *Toxorhynchites (Lynchiella)*
pusillus Macquart, 1850: *Culex (Barraudius)*
putumayensis Matheson, 1934: *Culex (Melanoconion)*
pygmaea (Theobald, 1903): *Psorophora (Grabhamia)*
pygmaea Theobald, 1901: *Uranotaenia (Uranotaenia)*
pylei Baisas, 1946: *Uranotaenia (Pseudoficalbia)*
quadriannulatus (Theobald, 1911): *Anopheles (Cellia)*
quadrifolius Komp, 1936: *Culex (Melanoconion)*
quadrifolium (Brug, 1934): *Verrallina (Verrallina)*
quadrimaculata Edwards, 1929: *Uranotaenia (Pseudoficalbia)*
quadrimaculatus Say, 1824: *Anopheles (Anopheles)*
quadripalpis (Edwards, 1914): *Culex (Lophoceraomyia)*
quadripunctis (Ludlow, 1910): *Mucidus (Pardomyia)*
quadrispinata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
quadrivittata (Coquillett, 1902): *Howardina*
quasicyaneus Peryassú, 1922: *Sabethes (Sabethes)*
quasiferinus (Mattingly, 1961): *Mucidus (Mucidus)*
quasiferox (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
quasiquarti Theobald, 1910: *Culex (Culex)*

quasihybridus Galindo & Blanton, 1954: *Culex (Melanoconion)*
quasilongirostris (Theobald, 1907): *Wyeomyia (Phoniomyia)*
quasimodesta Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
quasioriginator Duret, 1972: *Culex (Anoediopora)*
quasiornatus (Taylor, 1915): *Tripteroides (Tripteroides)*
quasirubithorax (Theobald, 1910): 'Ochlerotatus (Finlaya)'
quasirusticus (Torres Cañamares, 1951): *Ochlerotatus (Rusticoidus)*
quasisanguinae Leicester, 1908: *Hodgesia*
quasiscutellaris (Farner & Bohart, 1944): *Stegomyia* (subgenus uncertain)
quasiunivittatus (Theobald, 1901): *Aedimorphus*
quettensis Mattingly, 1955: *Culex (Maillotia)*
qui Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*
quinquefasciatus Say, 1823: *Culex (Culex)*
quinquelineata (Edwards, 1922): *Rampamyia*
quinquevittatus Theobald, 1901: *Eretmapodites*
quintetti Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
quitensis Levi-Castillo, 1953: *Culex (Culex)*
rabanicolus Floch & Abonnenc, 1946: *Culex (Melanoconion)*
rabelloi Forattini & Sallum, 1987: *Culex (Melanoconion)*
rachoui Duret, 1968: *Culex (Melanoconion)*
rachoui Galvão, 1952: *Anopheles (Anopheles)*
rachoui Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia (Uranotaenia)*
radama de Meillon, 1943: *Anopheles (Cellia)*
rageaui (Hamon & Rickenbach, 1955): *Culex (Eumelanomyia)*
rageaui Mattingly & Adam, 1954: *Anopheles (Cellia)*
raghavanii Rahman, Chowdhury & Kalra, 1969: *Culex (Lophoceraomyia)*
rajah Tsukamoto, 1989: *Culex (Culiciomyia)*
rajah Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*
rajaneae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
rajagopalani Natarajan, Eapen & Jambulingam, 2020: *Heizmannia (Heizmannia)*
rajaonarivelo Brunhes & Hervy, 1995: *Orthopodomyia*
rajaveli Natarajan, Gopalakrishnan, Kumar & Kumar, 2022: *Downsiomyia*
ramachandrai (Reuben, 1967): *Dendroskusea*
ramakrishnii Wattal & Kalra, 1965: *Culex (Culiciomyia)*
ramalai Grjebine, 1986: *Mimomyia (Ingramia)*
ramalingami (Reinert, 1974): *Verrallina (Harbachius)*
ramalingami Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
ramalingami Sirivanakarn, 1973: *Culex (Culiciomyia)*
rami (Barraud, 1928): *Verrallina (Neomacleaya)*
ramirezi (Vargas & Downs, 1950): *Aztecaedes*
ramosa da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rampae Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
rampae Harbach & Somboon, 2011: *Anopheles (Cellia)*
ranci Grjebine, 1953: *Anopheles (Cellia)*
rangeli Gabaldon, Cova-Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*
rapax (Dyar & Knab, 1906): *Runchomyia (Runchomyia)*
rara (Delfinado, 1968): *Verrallina (Neomacleaya)*
raris (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
ratcliffei (Marks, 1959): *Ochlerotatus* (subgenus uncertain)
rausseoi Cova Garcia, Sutil O. & Pulido F., 1972: *Culex (Carrollia)*
ravaonjanaharyi Brunhes & Hervy, 1995: *Orthopodomyia*
ravenalaphila Bousès & Brunhes, 2013: *Uranotaenia (Pseudoficalbia)*
ravenalicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
ravissei Rickenbach & Eouzan, 1970: *Eretmapodites*
raymondi (del Ponte, Castro & Garcia, 1951): *Ochlerotatus (Ochlerotatus)*
reali (Hamon & Adam, 1959): *Catageiomyia*
recens Sallum & Peyton, 2005: *Anopheles (Cellia)*
recondita Edwards, 1922: *Uranotaenia (Pseudoficalbia)*
reducens Lane & Whitman, 1951: *Culex (Microculex)*

reesi (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
reevesi Wirth, 1948: **Culex (Neoculex)**
refiki (Medschid, 1928): **Ochlerotatus (Rusticoidus)**
refutans Alcock, 1913: **Anopheles (Anopheles)**
regale Peyton & Harbach, 2000: **Onirion**
regalis Dyar & Knab, 1906: **Haemagogus (Haemagogus)**
reginae (Edwards, 1922): **Dendroskusea**
reidi Colless, 1965: **Culex (Lophoceraomyia)**
reidi Harrison, 1973: **Anopheles (Anopheles)**
reidi Mattingly, 1957: **Heizmannia (Heizmannia)**
reinerti (Rattarithikul & Harrison, 1988): **Hulecoeteomyia**
reinerti Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
reiseni Basio, 1971: **Tripteroides (Tripteroides)**
rejector Dyar & Knab, 1906: **Culex (Microculex)**
rempeli (Vockeroth, 1954): **Ochlerotatus** (subgenus uncertain)
renatoi Lane & Ramalho, 1960: **Culex (Phytotelmatomyia)**
rennellensis Taylor & Maffi, 1991: **Anopheles (Cellia)**
restrictor Dyar & Knab, 1906: **Culex (Anoedioporpa)**
restuans Theobald, 1901: **Culex (Culex)**
retrosus Lane & Whitman, 1951: **Culex (Microculex)**
reubenae (Tewari & Hiriyan, 1992): **Tewarius**
reunionensis Brunhes & Hervy, 1995: **Orthopodomomyia**
reversa (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
reyi Baisas, 1935: **Uranotaenia (Uranotaenia)**
rhodesiensis Theobald, 1901: **Anopheles (Cellia)**
rhungkiangensis (Chang & Chang, 1974): **Stegomyia** (subgenus uncertain)
rhyacophilus (da Costa Lima, 1933): **Ochlerotatus (Ochlerotatus)**
ribeirensis Forattini & Sallum, 1985: **Culex (Melanoconion)**
richardgarciai Jeffery, Oothuman & Rudnick, 1987: **Culex (Eumelanomyia)**
richei Klein, 1970: **Culex (Eumelanomyia)**
richeti Brunhes & Venard, 1966: **Culex (Barraudius)**
richiardii (Ficalbi, 1889): **Coquillettidia (Coquillettidia)**
rickenbachi da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
rickenbachi Ferrara & Eouzan, 1974: **Eretmapodites**
rickenbachi (Hamon & Adam, 1959): **Aedimorphus**
rickenbachi Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
rima Theobald, 1901: **Culex (Eumelanomyia)**
riojanus Duret, 1968: **Culex (Culex)**
riparioides (Su & Zhang, 1987): **Ochlerotatus** (subgenus uncertain)
riparis King & Baisas, 1936: **Anopheles (Cellia)**
riparius (Dyar & Knab, 1907): **Ochlerotatus** (subgenus uncertain)
rivadeneirai Levi-Castillo, 1945: **Anopheles (Anopheles)**
riverai Duret, 1970: **Uranotaenia (Uranotaenia)**
riverai Miyagi, Toma & Tsukamoto, 1983: **Tripteroides (Tripteroides)**
riversi (Bohart & Ingram, 1946): **Stegomyia** (subgenus uncertain)
rivulorum Leeson, 1935: **Anopheles (Cellia)**
rizali (Banks, 1906): **Hulecoeteomyia**
rizzoi (de Deus Palma & Galvão, 1969): **Toxorhynchites (Lynchiella)**
roai (Belkin, 1962): '**Ochlerotatus (Finlaya)**'
roberti da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
robertsi (Laffoon, 1946): **Verrallina (Harbachius)**
robinsoni (Belkin, 1962): **Stegomyia (Actinothrix)**
robusta Senevet & Abonnenc, 1939: **Wyeomyia (Wyeomyia)**
rochei (Doucet, 1951): **Coquillettidia (Coquillettidia)**
rodhaini Brunhes & Boussès, 2017: **Paulianius**
rodhaini Brunhes & Hervy, 1995: **Orthopodomomyia**
rodhaini Leleup & Lips, 1950: **Anopheles (Cellia)**
rodhaini Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**
romeroi Surcouf & Gonzalez-Rincones, 1912: **Culex** (subgenus uncertain)

ronderosi de Linero, 1967: *Culex (Melanoconion)*
rondoni (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*
rondoniensis (Sant'Ana & Sallum, 2022): *Anopheles (Nyssorhynchus)*
rooti (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
rooti Rozeboom, 1935: *Culex (Melanoconion)*
roperi Reid, 1950: *Anopheles (Anopheles)*
rorotaensis Floch & Abonnenc, 1946: *Culex (Melanoconion)*
rototai Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia (Decamyia)*
roseni Belkin, 1962: *Culex (Culex)*
roslihashimi Miyagi & Toma, 2005: *Topomyia (Suaymyia)*
rossi Delfinado, 1966: *Uranotaenia (Pseudoficalbia)*
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes*
rotana (Bohart & Ingram, 1946): *Stegomyia (Bohartius)*
rotoruae Belkin, 1968: *Culex (Culex)*
rotumae (Belkin, 1962): *Stegomyia* (subgenus uncertain)
rotumanus (Edwards, 1929): *Tripteroides (Polylepidomyia)*
roubaudi (Doucet, 1950): *Mimomyia (Ingramia)*
roubaudi Grjebine, 1953: *Anopheles (Cellia)*
roucouyana (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
roxasi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
rozeboomi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Rachionotomyia)*
rozeboomi Causey, Deane & Deane, 1944: *Chagasia*
ruarinus Edwards, 1940: *Anopheles (Cellia)*
rubensis Sasa & Takahashi, 1948: *Culex (Neoculex)*
rubiginosus (Belkin, 1962): '*Ochlerotatus (Finlaya)*'
rubinotus Theobald, 1906: *Culex (Eumelanomyia)*
rubithoracis (Leicester, 1908): *Culex (Lophoceraomyia)*
rubithoracis Leicester, 1908: *Topomyia (Topomyia)*
rubrithorax (Macquart, 1850): *Dobrotworskyius*
rufipes (Gough, 1910): *Anopheles (Cellia)*
ruiliensis Dong, Zhou & Wang, 1997: *Heizmannia (Heizmannia)*
rupestris (Dobrotworsky, 1959): *Dobrotworskyius*
rupicolus Lewis, 1937: *Anopheles (Cellia)*
rusticus (Rossi, 1790): *Ochlerotatus (Rusticoidus)*
ruthae Peters, 1958: *Culex (Culiciomyia)*
rutherfordi Edwards, 1922: *Uranotaenia (Uranotaenia)*
rutilus (Coquillett, 1896): *Toxorhynchites (Lynchiella)*
ruwenzori (Haddow & van Someren, 1950): *Stegomyia* (subgenus uncertain)
ruwenzori (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*
ryukyensis Bohart, 1946: *Culex (Culiciomyia)*
ryukyuanana Tanaka, Mizusawa & Saugstad, 1979: *Uranotaenia (Pseudoficalbia)*
ryukyuanus Tanaka, Mizusawa & Saugstad, 1979: *Culex (Eumelanomyia)*
sabahensis (Reinert, 1974): *Verrallina (Neomacleaya)*
sabahensis Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*
sabethea Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*
sacchettae Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*
sacharovi Favre, 1903: *Anopheles (Anopheles)*
saeungae Taai & Harbach, 2015: *Anopheles (Anopheles)*
saeva Dyar & Knab, 1906: *Psorophora (Psorophora)*
sagax (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)
saimedres (Huang, 1988): *Stegomyia* (subgenus uncertain)
saipanensis (Stone, 1945): *Stegomyia (Bohartius)*
salauni Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
salbairi Maffi & Coluzzi, 1958: *Anopheles (Cellia)*
salinarius Coquillett, 1904: *Culex (Culex)*
salisburyensis Theobald, 1901: *Culex (Maillotia)*
sallumae (González & Reyes, 2017): *Ochlerotatus* (subgenus uncertain)
sallumae Talaga, 2022: *Culex (Melanoconion)*
saltanensis Dyar, 1928: *Culex (Culex)*
samarensis Rozeboom, 1951: *Anopheles (Anopheles)*

samoensis (Theobald, 1914): **Culex (Oculeomyia)**
samoensis Stone, 1966: **Coquillettidia (Coquillettidia)**
samoana Grünberg, 1913: **Finlaya**
sampaioi da Costa Lima, 1935: **Orthopodomyia**
sampi (Huang, 2004): **Stegomyia (Mukwaya)**
sanctielii Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**
sandrae (Zavortink, 1972): '**Ochlerotatus (Protomacleaya)**'
sandrae Berlin, 1969: **Culex (Micraedes)**
sangengluoensis Wang, 1984: **Culex (Lophoceraomyia)**
sanguinae Theobald, 1904: **Hodgesia**
santamarinai Broche, 2000: **Psorophora (Grabhamia)**
saotomensis Lien, Lin, Lin & Tseng, 2008: **Coquillettidia (Coquillettidia)**
saperoi (Knight, 1946): **Downsiomyia**
saperoi Bohart & Ingram, 1946: **Anopheles (Anopheles)**
sapiens (Marks, 1964): **Ochlerotatus** (subgenus uncertain)
saphirina (Osten Sacken, 1868): **Uranotaenia (Uranotaenia)**
saramaccensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
sarawakensis Miyagi, Toma & Okazawa, 2021: **Topomyia (Topomyia)**
sardinerae Fox, 1953: **Culex (Melanoconion)**
sarpangensis Somboon, Namgay & Harbach, 2024: **Anopheles (Anopheles)**
sasai Kano, Nitahara & Awaya, 1954: **Culex (Culiciomyia)**
sasai Tanaka, Mizusawa & Saugstad, 1975: **Aedes**
satpuraensis Natarajan, Rajavel & Jambulingam, 2017: **Uranotaenia (Pseudoficalbia)**
saungi Colless, 1955: **Anopheles (Cellia)**
savoryi (Bohart, 1957): **Tanakaius**
sawadwongporni Rattanarithikul & Green, 1987: **Anopheles (Cellia)**
sawyeri Causey, Deane, Deane & Sampaio, 1943: **Anopheles (Nyssorhynchus)**
scanloni (Reinert, 1970): **Petermattinglyius (Petermattinglyius)**
scanloni Bram, 1967: **Culex (Culiciomyia)**
scanloni Mattingly, 1970: **Heizmannia (Heizmannia)**
scanloni Sallum & Peyton, 2005: **Anopheles (Cellia)**
scapularis (Rondani, 1848): **Ochlerotatus (Ochlerotatus)**
scatophagoides Theobald, 1901: **Mucidus (Mucidus)**
schedocyclia (Dyar & Knab, 1908): **Shannoniana**
scheuberi Carpintero & Leguizamón, 2004: **Culex (Culex)**
schicki (Zavortink, 1972): '**Ochlerotatus (Protomacleaya)**'
schicki Berlin, 1969: **Culex (Micraedes)**
schilfgaardei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
schizopinax (Dyar, 1929): **Ochlerotatus** (subgenus uncertain)
schlosseri (Belkin, 1962): **Finlaya**
schnusei (Martini, 1931): **Sabethes (Sabethes)**
schoutedeni (Wolfs, 1948): **Coquillettidia (Coquillettidia)**
schroederi (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'
schtakelbergi (Shingarev, 1928): **Ochlerotatus** (subgenus uncertain)
schueffneri Stanton, 1915: **Anopheles (Cellia)**
schwetzi (Edwards, 1926): **Stegomyia** (subgenus uncertain)
schwetzi Edwards, 1929: **Culex (Culex)**
schwetzi Evans, 1934: **Anopheles (Cellia)**
scimitar Branch & Seabrook, 1959: **Culex (Culex)**
scintillans Ludlow, 1905: **Heizmannia (Heizmannia)**
scotinomus (Dyar & Knab, 1907): **Wyeomyia (Wyeomyia)**
scottii Theobald, 1912: **Culex (Culex)**
scutellalbum (Boshell-Manrique, 1939): **Ochlerotatus** (subgenus uncertain)
scutellaris (Walker, 1858): **Stegomyia** (subgenus uncertain)
scutoscripta (Bohart & Ingram, 1946): **Stegomyia** (subgenus uncertain)
scutostrata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
seampi (Huang, 1974): **Stegomyia (Actinothrix)**
seatoi (Huang, 1969): **Stegomyia** (subgenus uncertain)
sechani Brunhes & Boussès, 2009: **Culex (Culex)**
seculata (Menon, 1950): **Verrallina (Neomacleaya)**

secundus Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**
secutor Theobald, 1901: **Culex (Culex)**
sedaensis (Lei, 1989): **Ochlerotatus** (subgenus uncertain)
sedlacekiae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
segermanae (Huang, 1997): **Stegomyia** (subgenus uncertain)
selai Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
selangorensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
seldeslachtsi Wolfs, 1947: **Culex (Culex)**
sembeli Toma & Miyagi, 2002: **Armigeres (Armigeres)**
semibrunneus Edwards, 1927: **Culex (Culiciomyia)**
semisimplicipes Edwards, 1914: **Eretmapodites**
semlikiensis (van Someren, 1950): **Aedimorphus**
seniori Barraud, 1934: **Culex (Lophoceraomyia)**
sentania (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
senyavinensis (Knight & Hurlbut, 1949): **Aedimorphus**
seoulensis (Yamada, 1921): **Hopkinsius (Yamada)**
separatus (Leicester, 1908): **Anopheles (Anopheles)**
separatus (Lynch Arribálzaga, 1891): **Toxorhynchites (Lynchiella)**
septempunctata Theobald, 1905: **Mansonia (Mansonioides)**
septemstriata (Dyar & Knab, 1907): **Howardina**
septentrionalis (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
seretsei Abdulla-Khan, Coetzee & Hunt, 1998: **Anopheles (Cellia)**
sergentii (Theobald, 1907): **Anopheles (Cellia)**
sergievi (Danilov, Markovich & Proskuryakova, 1978): **Ochlerotatus** (subgenus uncertain)
serrata (Lutz, 1905): **Wyeomyia (Miamiya)**
serratimarge Root, 1927: **Culex (Melanoconion)**
serratoria (Dyar & Nunez Tovar, 1927): **Wyeomyia** (subgenus uncertain)
serratus (Barraud, 1929): **Tripteroides (Rachionotomyia)**
serratus (Theobald, 1901): **Ochlerotatus (Protoculex)**
seticoxitus Luh & Li, 1981: **Armigeres (Armigeres)**
setifer Delfinado, 1966: **Armigeres (Armigeres)**
setosa King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
sexaueri Belkin, 1953: **Uranotaenia (Uranotaenia)**
sexlineata (Theobald, 1901): **Howardina**
seydeli Edwards, 1929: **Anopheles (Cellia)**
seyrigi Edwards, 1941: **Culex (Maillotia)**
shannahani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
shannoni Davis, 1931: **Anopheles (Anopheles)**
shannoni (Lane & Antunes, 1937): **Coquillettidia (Rhynchoaenia)**
shannoni (Lane & Cerqueira, 1942): **Sabethes (Peytonulus)**
shannoni (Vargas & Downs, 1950): **Ochlerotatus** (subgenus uncertain)
shebbearei Barraud, 1924: **Culex (Culiciomyia)**
shehzadae (Qutubuddin, 1972): **Downsiomyia**
sherki (Knight, 1948): **Hulecoeteomyia**
shillitonis Edwards, 1932: **Uranotaenia (Pseudoficalbia)**
shinonagai (Tanaka, Mizusawa & Saugstad, 1979): **Lutzia (Insulalutzia)**
shintienensis (Tsai & Lien, 1950): **Hulecoeteomyia**
shoae Hamon & Ovazza, 1954: **Culex (Culex)**
shopei Forattini & Toda, 1966: **Culex (Microculex)**
shortti (Barraud, 1923): **Collessius (Collessius)**
siamensis Zavortink, 1968: **Orthopodomyia**
sibirica (Danilov & Filippova, 1978): **Stegomyia** (subgenus uncertain)
sierrensis (Ludlow, 1905): **Jarnellius**
signata da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
signifera (Coquillett, 1896): **Orthopodomyia**
signipennis (Coquillett, 1904): **Psorophora (Grabhamia)**
silvai Duret, 1968: **Culex (Melanoconion)**
silvestris (Dobrotworsky, 1961): **Ochlerotatus** (subgenus uncertain)
silvestris Ingram & de Meillon, 1927: **Eretmapodites**
simanini (Gutsevich, 1966): **Ochlerotatus** (subgenus uncertain)

simile Lane & Cerqueira, 1942: *Trichoprosopon*
similis (Leicester, 1908): *Tripteroides* (*Tripteroides*)
similis (Theobald, 1910): *Verrallina* (*Verrallina*)
similissimus Strickland & Chowdhury, 1927: *Anopheles* (*Anopheles*)
simlensis (Edwards, 1922): *Himalaius*
simlensis (James, 1911): *Anopheles* (*Anopheles*)
simmondsi Tenorio, 1977: *Bironella* (*Bironella*)
simmsi (Dyar & Knab, 1908): *Wyeomyia* (*Wyeomyia*)
simpla (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
simplex (Theobald, 1903): *Canraedes*
simplex Brug, 1934: *Tripteroides* (*Rachisoura*)
simplicicornis Edwards, 1930: *Culex* (*Eumelanomyia*)
simpliciforceps Edwards, 1941: *Culex* (*Eumelanomyia*)
simpsoni Theobald, 1905: *Culex* (*Culex*)
simpsoni Theobald, 1905: *Stegomyia* (*Mukwaya*)
simulans (Newstead & Carter, 1911): *Elpeytonius*
simulator Dyar & Knab, 1906: *Culex* (*Melanoconion*)
simulatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
sinaiticus Kirkpatrick, 1925: *Culex* (*Culex*)
sinensis (Chow, 1950): *Downsiomyia*
sinensis Theobald, 1903: *Culex* (*Oculeomyia*)
sinensis Wiedemann, 1828: *Anopheles* (*Anopheles*)
sineroides Yamada, 1924: *Anopheles* (*Anopheles*)
singhbhumensis Natarajan & Rajavel, 2009: *Culex* (*Lophoceraomyia*)
singuawaensis Sirivanakarn, 1969: *Culex* (*Lophoceraomyia*)
singularis (Leicester, 1908): *Verrallina* (*Neomacleaya*)
sinkiagensis (Hsiao, 1977): *Ochlerotatus* (subgenus uncertain)
sintoni (Barraud, 1924): '*Ochlerotatus* (*Finlaya*)'
sintoni Puri, 1929: *Anopheles* (*Anopheles*)
sintonoides Ho, 1938: *Anopheles* (*Anopheles*)
siphanulatus Lourenço-de-Oliveira & da Silva, 1987: *Culex* (*Microculex*)
sirivanakarni (Duret, 1982): *Onirion*
sitiens Wiedemann, 1828: *Culex* (*Culex*)
smaragdinus Reinert, 1997: *Anopheles* (*Anopheles*)
smithburni (van Someren, 1950): *Catageiomyia*
smithii (Coquillett, 1901): *Wyeomyia* (*Wyeomyia*)
smithii Theobald, 1905: *Anopheles* (*Cellia*)
soaresi Lane & Cerqueira, 1942: *Trichoprosopon*
socialis Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
sohni (Reinert, 1974): *Verrallina* (*Neomacleaya*)
soleata (Edwards, 1924): *Stegomyia* (subgenus uncertain)
solitarius Bonne-Wepster, 1938: *Culex* (*Culex*)
sollicitans (Walker, 1856): *Ochlerotatus* (*Culicelsa*)
solomonis (Belkin, 1962): *Mimomyia* (*Etorleptiomyia*)
solomonis Belkin, 1953: *Uranotaenia* (*Uranotaenia*)
solomonis (Edwards, 1924): *Tripteroides* (*Polylepidomyia*)
solomonis (Stone & Bohart, 1944): *Finlaya*
solomonis (Wharton, 1947): *Malaya*
solomonis Belkin, 1962: *Hodgesia*
solomonis Belkin, Knight & Rozeboom, 1945: *Anopheles* (*Cellia*)
solomonis Edwards, 1929: *Culex* (*Lophoceraomyia*)
solstitialis (Lutz, 1904): *Toxorhynchites* (*Lynchiella*)
somalicus Rivola & Holstein, 1957: *Anopheles* (*Cellia*)
sombooni Peyton & Klein, 1970: *Uranotaenia* (*Uranotaenia*)
soperi Antunes & Lane, 1937: *Culex* (*Carrollia*)
soperi Lane & Cerqueira, 1942: *Sabethes* (*Peytonulus*)
soperi Levi-Castillo, 1955: *Haemagogus* (*Haemagogus*)
sororcula Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)
sorsogonensis (Bañez & Jueco, 1966): *Finlaya*
spanius (Dyar & Knab, 1909): *Deinocerites*

spathifurca (Edwards, 1915): *Culex (Culiciomyia)*
spathulatus Forattini & Sallum, 1987: *Culex (Melanoconion)*
spathulirostris Edwards, 1923: *Topomyia (Suaymyia)*
speciosus (Skuse, 1889): *Toxorhynchites (Toxorhynchites)*
spgazzinii Brèthes, 1912: *Haemagogus (Haemagogus)*
spencerii (Theobald, 1901): *Ochlerotatus* (subgenus uncertain)
spermatheca (Wijesundara, 1951): *Verrallina (Neomacleaya)*
sphinx Howard, Dyar & Knab, 1913: *Culex (Culex)*
spiculosa Peyton & Rattarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
spiculostylus Chen, 1989: *Culex (Culiciomyia)*
spiculosus Bram & Rattarithikul, 1967: *Culex (Lophoceraomyia)*
spilotus (Marks, 1963): *Ochlerotatus (Lepidokeneon)*
spinifer Sá & Sallum, 2020: *Culex (Melanoconion)*
spiniformis Sá & Hutchings, 2022: *Culex (Melanoconion)*
spinitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spinophallus Zhou, Zhu & Lu, 1999: *Topomyia (Suaymyia)*
spinosa (Berlin, 1969): *Howardina*
spinosa (Doucet, 1951): *Mimomyia (Ingramia)*
spinosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spinosipes (Edwards, 1922): *Macleaya (Chaetocruomyia)*
spinosus Lutz, 1905: *Culex (Culex)*
spiraculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spissipes (Theobald, 1903): *Culex (Melanoconion)*
spixi Cerqueira, 1961: *Sabethes (Sabethes)*
splendens (de Meijere, 1909): *Malaya*
splendens (Wiedemann, 1819): *Toxorhynchites (Toxorhynchites)*
splendens Lee, 1946: *Tripteroides (Tripteroides)*
splendens Theobald, 1903: *Mimomyia (Mimomyia)*
splendens Williston, 1896: *Haemagogus (Haemagogus)*
splendida Bonne-Wepster & Bonne, 1919: *Wyeomyia (Phoniomyia)*
splendidus Koidzumi, 1920: *Anopheles (Cellia)*
spoliata Edwards, 1923: *Hodgesia*
squamifemur Antunes, 1937: *Anopheles (Lophopodomyia)*
squamiger (Coquillett, 1902): *Ochlerotatus* (subgenus uncertain)
squamipennis (Lynch Arribáizaga, 1878): *Aedeomyia (Aedeomyia)*
squamosus (Taylor, 1914): *Culex (Oculeomyia)*
squamosus Theobald, 1901: *Anopheles (Cellia)*
srilankensis (Reinert, 1977): *Verrallina (Harbachius)*
srilankensis Peyton, 1974: *Uranotaenia (Pseudoficalbia)*
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia (Triamyia)*
standfasti Peters, 1959: *Tripteroides (Polylepidomyia)*
stanleyi (Peters, 1963): '*Ochlerotatus (Finlaya)*'
starckeae Stone & Knight, 1958: *Culex (Oculeomyia)*
steffani Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
stellata Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
stellata Grjebine, 1986: *Mimomyia (Ingramia)*
stellatus van Someren, 1947: *Culex (Eumelanomyia)*
stenei (Thompson, 1956): *Howardina*
stenoetrus (Theobald, 1907): *Aedimorphus*
stenolepis Dyar & Knab, 1908: *Culex (Culex)*
stenoscutus (Edwards, 1912c): *Catageiomyia*
stenostylus (Cornel, Kowo & Mayi, 2023): *Aedimorphus*
stephensi Liston, 1901: *Anopheles (Cellia)*
stevensoni (Barraud, 1923): *Phagomyia*
sticticus (Meigen, 1838): *Ochlerotatus* (subgenus uncertain)
stigmaticus (Edwards, 1922): *Ochlerotatus (Chrysoconops)*
stigmaticus Skuse, 1889: *Anopheles (Anopheles)*
stigmatosoma Dyar, 1907: *Culex (Culex)*
stimulans (Walker, 1848): *Ochlerotatus* (subgenus uncertain)
stokesi (Evans, 1929): *Albuginosus*

stonei (Knight & Laffoon, 1946): *Finlaya*
stonei Belkin, 1950: *Tripteroides (Rachisoura)*
stonei Lane & Whitman, 1943: *Culex (Microculex)*
stonei Vargas & Martinez Palacios, 1953: *Wyeomyia (Wyeomyia)*
stonei Vargas, 1956: *Psorophora (Psorophora)*
stoneorum (Marks, 1977): *Macleaya (Macleaya)*
stookesi Colless, 1955: *Anopheles (Cellia)*
stramineus (Dubitzky, 1970): *Ochlerotatus* (subgenus uncertain)
strelitziae (Muspratt, 1950): *Stegomyia (Mukwaya)*
striatipes Edwards, 1941: *Culex (Culex)*
striatus Sant'Ana & Sallum, 2017: *Anopheles (Nyssorhynchus)*
stricklandi Barraud, 1926: *Uranotaenia (Pseudoficalbia)*
stricklandi Edwards, 1912: *Ochlerotatus (Lepidokeneon)*
stricklandi Reid, 1965: *Anopheles (Anopheles)*
strodei Root, 1926: *Anopheles (Nyssorhynchus)*
stunga (Klein, 1973): *Verrallina (Harbachius)*
suarezi Cova García & Sutil Oramas, 1976: *Mansonia (Mansonia)*
subaequalis Edwards, 1941: *Culex (Culiciomyia)*
subalbatus (Coquillett, 1898): *Armigeres (Armigeres)*
subalbirostris (Klein & Marks, 1960): *Ochlerotatus* (subgenus uncertain)
subalbitarsis (King & Hoogstraal, 1946): *Patmarksia*
subalbopicta (Barraud, 1931): *Stegomyia* (subgenus uncertain)
subargentea (Edwards, 1925): *Stegomyia (Mukwaya)*
subauridorsum (Marks, 1948): '*Ochlerotatus (Finlaya)*'
subbasalis (Dobrotworsky, 1962): *Dobrotworskyius*
subcomplosa (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
subdentatus (Edwards, 1936): *Aedimorphus*
subdiversus (Martini, 1926): *Ochlerotatus (Rusticoidus)*
submarginalis Sirivanakarn, 1973: *Culex (Lophoceraomyia)*
subnivea (Edwards, 1922): *Downsiomyia*
subnormalis Martini, 1920: *Uranotaenia (Uranotaenia)*
subnudipennis (Edwards, 1927): *Tripteroides (Rachisoura)*
subochrea (Edwards, 1921): *Culiseta (Culiseta)*
subpictus Grassi, 1899: *Anopheles (Cellia)*
subrima Edwards, 1941: *Culex (Eumelanomyia)*
subsalisburyensis Hervé & Geoffroy, 1974: *Culex (Maillotia)*
subsimilis (Barraud, 1927): *Udaya*
subsimplificipes Edwards, 1914: *Eretmapodites*
subtibioclada King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
suchariti (Miyagi & Toma, 1989): *Kimia*
sudanensis Theobald, 1908: *Mucida (Mucida)*
suffusus (Edwards, 1922): '*Ochlerotatus (Reinertia)*'
sulawesi Waktoedi Koesoemawinangoen, 1954: *Anopheles (Cellia)*
sullivanae Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
sumatranus Brug, 1931: *Culex (Lophoceraomyia)*
sumatranus (Brug, 1939): *Toxorhynchites (Toxorhynchites)*
sumatranus Swellengrebel & Rodenwaldt, 1932: *Anopheles (Anopheles)*
sumethi Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
sumidero (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
summosus Dyar, 1920: *Culex (Culex)*
sundaicus (Rodenwaldt, 1925): *Anopheles (Cellia)*
sunthorni Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
sunyaniensis Edwards, 1941: *Culex (Eumelanomyia)*
superbus (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*
superpictus Grassi, 1899: *Anopheles (Cellia)*
surcoufi (Theobald, 1912): *Ochlerotatus* (subgenus uncertain)
surinamensis Bruijning, 1959: *Wyeomyia* (subgenus uncertain)
surinamensis Dyar, 1918: *Culex (Culex)*
sursumptor Dyar, 1924: *Culex (Melanoconion)*
sutili Cova Garcia & Pulido F., 1974: *Culex (Microculex)*

suzannae Boussès, 2022: *Aedimorphus*
svastii Thurman, 1959: *Topomyia* (*Topomyia*)
swahilicus Gillies, 1964: *Anopheles* (*Cellia*)
sylvanensis (Dobrotworsky, 1960): *Culiseta* (*Culicella*)
sylvatica Lu, Dong & Wang, 1986: *Topomyia* (*Topomyia*)
sylvaticum le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
sylvestris (Theobald, 1910): *Tripteroides* (*Rachisoura*)
symbletos Sallum & Hutchings, 2003: *Culex* (*Melanoconion*)
symesi Edwards, 1928: *Anopheles* (*Anopheles*)
synchytus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
syntheta Dyar & Shannon, 1924: *Uranotaenia* (*Pseudoficalbia*)
szemaonensis Wang & Feng, 1964: *Culex* (*Lophoceraomyia*)
tabu (Ramalingam & Belkin, 1965): *Stegomyia* (subgenus uncertain)
tadei Saraiva & Scarpassa, 2021: *Anopheles* (*Nyssorhynchus*)
taeniarostre (Theobald, 1909): *Neomelaniconion*
taeniarostris (Theobald, 1911): *Malaya*
taeniata (Leicester, 1908): *Verrallina* (*Neomacleaya*)
taeniatus (Leicester, 1908): *Aedimorphus*
taeniopus Dyar & Knab, 1907: *Culex* (*Melanoconion*)
taeniorhynchoides (Christophers, 1911): *Aedimorphus*
taeniorhynchus (Wiedemann, 1821): *Ochlerotatus* (*Culicelsa*)
tahoensis (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)
taiwanensis Lien, 1968: *Heizmannia* (*Heizmannia*)
taiwanica Lien, Lin & Weng, 1999: *Culiseta* (*Climacura*)
taiwanus (Lien, 1968): *Bruceharrisonius*
takagoensis Morishita, 1946: *Anopheles* (*Cellia*)
tamsi Edwards, 1934: *Culex* (*Culex*)
tanakai Miyagi & Tome, 2013: *Uranotaenia* (*Pseudoficalbia*)
tanzaniae da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
tarsalis (Newstead, 1907): *Catageiomyia*
tarsalis Coquillett, 1896: *Culex* (*Culex*)
tarsalis Delfinado & Hodges, 1968: *Tripteroides* (*Tripteroides*)
tarsata Lane & Cerqueira, 1942: *Wyeomyia* (*Exallomyia*)
tarsopus Dyar & Knab, 1908: *Sabethes* (*Sabethes*)
tasmaniensis (Strickland, 1911): *Tripteroides* (*Polylepidomyia*)
tasmaniensis Dobrotworsky, 1966: *Anopheles* (*Anopheles*)
tatoi Casal & García, 1971: *Culex* (*Culex*)
tauffliebi (Rickenbach & Ferrara, 1965): *Aedimorphus*
tauffliebi Geoffroy & Hervé, 1976: *Culex* (*Eumelanomyia*)
taurepana Anduze, 1941: *Wyeomyia* (subgenus uncertain)
taylori (Edwards, 1936): *Diceromyia*
tchekedii de Meillon & Leeson, 1940: *Anopheles* (*Cellia*)
tecmarsis Dyar, 1918: *Culex* (*Melanoconion*)
teesdalei (van Someren, 1954): *Albuginosus*
tehuantepec (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
telesilla de Meillon & Lavoipierre, 1945: *Culex* (*Culex*)
telmatophila Galindo, Blanton & Peyton, 1954: *Uranotaenia* (*Uranotaenia*)
tenagius van Someren, 1954: *Culex* (*Culex*)
tenax (de Meijere, 1910): *Tripteroides* (*Rachionotomyia*)
tendeiroi da Cunha Ramos, Ribeiro & de Barros Machado, 1992: *Eretmapodites*
tenebrosus Dönitz, 1902: *Anopheles* (*Anopheles*)
tengchongensis Dong, Wang & Zhou, 2002: *Heizmannia* (*Heizmannia*)
tenuipalpis (Edwards, 1924): *Coquillettia* (*Austromansonia*)
tenuipalpis Barraud, 1924: *Culex* (*Eumelanomyia*)
tenuis Edwards, 1922: *Topomyia* (*Topomyia*)
terebor Dyar, 1920: *Culex* (*Melanoconion*)
termi Thurman, 1955: *Culex* (*Culiciomyia*)
terrens (Walker, 1856): '*Ochlerotatus* (*Protomacleaya*)'
territans Walker, 1856: *Culex* (*Neoculex*)
terzii Edwards, 1941: *Culex* (*Culex*)

tessellatus Theobald, 1901: *Anopheles (Cellia)*
testacea Theobald, 1905: *Uranotaenia (Uranotaenia)*
testeii Senevet & Abonnenc, 1939: *Wyeomyia (Dendromyia)*
thailandensis (Reinert, 1976): *Paraedes*
thalassius Theobald, 1903: *Culex (Culex)*
theileri Edwards, 1912: *Anopheles (Cellia)*
theileri Theobald, 1903: *Culex (Culex)*
thelcter (Dyar, 1918): *Ochlerotatus (Ochlerotatus)*
thelmae Mattingly, 1970: *Heizmannia (Heizmannia)*
theobaldi (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*
theobaldi (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
theobaldi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
theobaldi (Lutz, 1904): *Culex (Melanoconion)*
theobaldi (Taylor, 1914): *Ochlerotatus* (subgenus uncertain)
theobaldi Barraud, 1934: *Armigeres (Armigeres)*
theobaldi Giles, 1901: *Anopheles (Cellia)*
theresae Harbach, 2018: *Sabethes (Sabethinus)*
thibaulti (Dyar & Knab, 1910): *Ochlerotatus* (subgenus uncertain)
thimphuensis Somboon, Namgay & Harbach, 2022: *Anopheles (Anopheles)*
thomasi Shannon, 1933: *Anopheles (Stethomyia)*
thomsoni (Theobald, 1905): *Christophersomyia*
thorntoni (Dyar & Knab, 1907): '*Ochlerotatus (Protomacleaya)*'
thriambus Dyar, 1921: *Culex (Culex)*
thurmanae (Mattingly, 1958): *Canraedes*
thurmanorum Bram, 1967: *Culex (Culiciomyia)*
tianpingensis Chen, 1981: *Culex (Culex)*
tibialis Taylor, 1919: *Uranotaenia (Uranotaenia)*
tibiamaculatus (Neiva, 1906): *Anopheles (Anopheles)*
tibioclada King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
tigerti Scanlon & Peyton, 1967: *Anopheles (Anopheles)*
tigripes (de Grandpre & de Charmoy, 1901): *Lutzia (Metalutzia)*
timorensis (Miyagi, Toma & Lien, 2004): *Geoskusea*
tiptoni (Grjebine, 1953): *Paulianius*
tipuliformis Leicester, 1908: *Topomyia (Topomyia)*
titillans (Walker, 1848): *Mansonia (Mansonia)*
tityae Slooff, 1961: *Tripteroides (Rachisoura)*
tofaletii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
togoi (Theobald, 1907): *Tanakaius*
toltecum (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
tongae (Edwards, 1926): *Stegomyia* (subgenus uncertain)
tonkinensis (Galliard & Ngu, 1947): *Collessius (Alloeomyia)*
tonkingi Gebert, 1948: *Mucidus (Mucidus)*
tonnoiri (Edwards, 1925): *Culiseta (Climacura)*
tonsa (Edwards, 1924): *Geoskusea*
tonsus Edwards, 1941: *Eretmapodites*
torakala Stoker & Waktoedi Koesoemawinangoen, 1949: *Anopheles (Cellia)*
tormentor (Dyar & Knab, 1906): *Ochlerotatus (Protoculex)*
toroensis Edwards & Gibbins, 1939: *Culex (Culex)*
torokinae Belkin, 1950: *Tripteroides (Rachisoura)*
torosa (Delfinado, 1967): *Verrallina (Neomacleaya)*
torrentium Martini, 1925: *Culex (Culex)*
torresiensis Schmidt, 2001: *Anopheles (Cellia)*
tortilis (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*
totonaci Lassmann, 1951: *Psorophora (Janthinosoma)*
tourneri Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
toviensis Klein, Rivière & Séchan, 1984: *Culex (Culex)*
towadensis (Matsumara, 1916): *Toxorhynchites (Toxorhynchites)*
townsendi Stone, 1944: *Trichoprosopon*
toxopeusi (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'
tramazayguesi Duret, 1954: *Culex (Allimanta)*

trapidoi Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
traubi Colless, 1965: *Culex (Lophoceraomyia)*
traubi Macdonald, 1960: *Armigeres (Leicesteria)*
travestita (Brug, 1928): *Bironella (Brugella)*
tremula Theobald, 1903: *Macleaya (Macleaya)*
treubi (de Meijere, 1910): *Alanstonea*
triannulatus (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*
tricholabis (Edwards, 1941): *Aedimorphus*
trichopygus (Wiedemann, 1828): *Toxorhynchites (Ankylorhynchus)*
trichorostris (Theobald, 1909): *Malaya*
trichorryes Dyar and Knab, 1907: *Trichoprosopon*
tricolor da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
tricuspis Edwards, 1930: *Culex (Culiciomyia)*
tridentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
tridentatus Cerqueira, 1961: *Sabethes (Sabethoides)*
trifida Edwards, 1922: *Topomyia (Topomyia)*
trifidus Dyar, 1921: *Culex (Melanoconion)*
trifilatus Edwards, 1914: *Culex (Culex)*
trifoliatus Edwards, 1914: *Culex (Culex)*
trifurcata Clastrier, 1973: *Wyeomyia (Dendromyia)*
trigeminatus Clastrier, 1970: *Culex (Melanoconion)*
trilineata Leicester, 1908: *Uranotaenia (Uranotaenia)*
trilobulatus Duret & Barreto, 1956: *Culex (Melanoconion)*
trimaculatus (Theobald, 1905): *Aedimorphus*
trinidadensis Theobald, 1901: *Wyeomyia (Phoniomyia)*
trinkae Faran, 1979: *Anopheles (Nyssorhynchus)*
tripartita (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*
tripunctata (Theobald, 1908): *Heizmannia (Mattinglyia)*
triseriatus (Say, 1823): '*Ochlerotatus (Protomacleaya)*'
trisetosus Fauran, 1961: *Culex (Melanoconion)*
trispinata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
tritaeniorhynchus Giles, 1901: *Culex (Culex)*
trivittatus (Coquillett, 1902): *Ochlerotatus (Ochlerotatus)*
tropicalis Cerqueira & Antunes, 1938: *Haemagogus (Haemagogus)*
trukensis (Bohart, 1957): *Aedimorphus*
tsaratananae Doucet, 1950: *Uranotaenia (Pseudoficalbia)*
tsengi Lien, 1968: *Culex (Culex)*
tsiliensis (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'
tubbutiensis (Dobrotworsky, 1959): *Dobrotworskyius*
tuberis Bohart, 1946: *Culex (Lophoceraomyia)*
tulagiensis (Edwards, 1926): *Stegomyia (Actinothrix)*
tulliae (Taylor, 1929): *Macleaya (Chaetocruimyia)*
tumetarsalis Chen & Zhang, 1988: *Topomyia (Suaymyia)*
turkhudi Liston, 1901: *Anopheles (Cellia)*
turneri (Marks, 1963): *Ochlerotatus (Lepidokeneon)*
tutuila (Ramalingam & Belkin, 1965): *Finlaya*
tyagii Krishnamoorthy *et al.*, 2013: *Toxorhynchites (Toxorhynchites)*
typhlosomata Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*
ugandae da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
ugandae Evans, 1934: *Anopheles (Cellia)*
uichancoi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
ulocoma (Theobald, 1903): *Wyeomyia (Decamyia)*
ulopus (Dyar & Knab, 1906): *Johnbelkinia*
umbripes Edwards, 1941: *Culex (Culex)*
umbrosus (Theobald, 1903): *Anopheles (Anopheles)*
unca (Theobald, 1901): *Verrallina (Neomacleaya)*
uncinatus Delfinado, 1966: *Culex (Eumelanomyia)*
undosus (Coquillett, 1906): *Sabethes (Peytonulus)*
undulata del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
ungiculata Edwards, 1913: *Uranotaenia (Pseudoficalbia)*

ugandae van Someren, 1967: *Culex (Culex)*
unalom Maquart & Hide, 2024 *Stegomyia (Stegomyia)*
ungujae White, 1975: *Anopheles (Cellia)*
unicinctus (Edwards, 1922): *Jihlienius*
unicornis Root, 1928: *Culex (Melanoconion)*
unidentatum (McIntosh, 1971): *Neomelaniconion*
uniformis (Theobald, 1901): *Mansonia (Mansonioides)*
uniformis (Theobald, 1904): *Ficalbia*
uniformis (Theobald, 1905): *Culex (Lophoceraomyia)*
uniformis (Theobald, 1910): *Verrallina (Harbachius)*
unilineata (Theobald, 1906): *Stegomyia* (subgenus uncertain)
unimaculiala Leicester, 1908: *Uranotaenia (Uranotaenia)*
unispinosa Thurman, 1959: *Topomyia (Topomyia)*
univittatus Theobald, 1901: *Culex (Culex)*
untii (Sant'Ana & Sallum, 2023): *Anopheles (Nyssorhynchus)*
upatensis (Anduze & Hecht, 1943): *Ochlerotatus* (subgenus uncertain)
upolensis (Marks, 1957): *Stegomyia* (subgenus uncertain)
urichii (Coquillett, 1906): *Culex (Carrollia)*
usambara (Mattingly, 1953): *Stegomyia* (subgenus uncertain)
usquatissimus Dyar, 1922: *Culex (Culex)*
usquatus Dyar, 1918: *Culex (Culex)*
vagans Wiedemann, 1828: *Culex (Culex)*
vagus Dönitz, 1902: *Anopheles (Cellia)*
valeryi Gornostaeva, 2005: *Aedes*
vallistris (Barraud, 1928): *Verrallina (Neomacleaya)*
vana (Colless, 1958): *Downsiomyia*
vanapa (Huang, 1968): *Verrallina (Verrallina)*
vanderwulpi Townson & Harbach, 2013: *Anopheles (Anopheles)*
vanduzeei Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
vaneedeni Gillies & Coetzee, 1987: *Anopheles (Cellia)*
vanemdeni (Martini, 1931): *Howardina*
vanhoofi Wanson & Lebiec, 1945: *Anopheles (Cellia)*
vanleeuweni (Edwards, 1927): *Tripteroides (Rachisoura)*
vanoyei (Wolfs, 1948): *Coquillettidia (Coquillettidia)*
vansomerena Grjebine, 1986: *Mimomyia (Ingramia)*
vansomerena Mattingly, 1955: *Ochlerotatus (Empihals)*
vansomereni Edwards, 1926: *Culex (Culex)*
vansomereni Hamon, 1962: *Eretmapodites*
vanus Walker, 1859: *Anopheles (Anopheles)*
vargasi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
vargasi Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Lophopodomomyia)*
variabilis (Huang, 1968): *Verrallina (Verrallina)*
variatus (Leicester, 1908): *Culex (Lophoceraomyia)*
variegata (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*
variepictus (King & Hoogstraal, 1946): *Huaedes*
varietas (Leicester, 1908): *Verrallina (Neomacleaya)*
varinervis Edwards, 1922: *Psorophora (Grabhamia)*
varipalpus (Coquillett, 1902): *Jarnellius*
varipes (Coquillett, 1904): *Psorophora (Janthinosoma)*
varuae (Belkin, 1962): *Stegomyia* (subgenus uncertain)
varuna Iyengar, 1924: *Anopheles (Cellia)*
vattieri Geoffroy, 1971: *Culex (Eumelanomyia)*
vaxus Dyar, 1920: *Culex (Melanoconion)*
veeniae (McIntosh, 1975): *Catageiomyia*
venezuelensis (Theobald, 1912): *Coquillettidia (Rhynchotaenia)*
ventrilloni Edwards, 1920: *Culex (Culex)*
ventrovittis (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)
venustipes (Skuse, 1889): *Aedeomyia (Aedeomyia)*
vernoni van Someren, 1949: *Orthopodomomyia*
vernus Gillies & de Meillon, 1968: *Anopheles (Cellia)*

versabilis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
versicolor (Barraud, 1924): '*Ochlerotatus (Finlaya)*'
versicolor (Edwards, 1913): *Coquillettidia (Coquillettidia)*
veruslanei Vargas, 1979: *Anopheles (Anopheles)*
verutus Harbach, 1987: *Culex (Culex)*
vestitipennis Dyar & Knab, 1906: *Anopheles (Anopheles)*
vexans (Meigen, 1830): *Aedimorphus*
vexillatus Edwards, 1941: *Culex (Culex)*
vexillifer Komp, 1936: *Culex (Melanoconion)*
vicarius Lien, 1968: *Collessius (Collessius)*
vicinalis de Meillon & Lavoipierre, 1944: *Culex (Culex)*
vicinus (Edwards, 1914): *Tripteroides (Tripteroides)*
vicinus (Taylor, 1916): *Culex (Culex)*
victoriensis (Dobrotworsky, 1954): *Culiseta (Culicella)*
vietnamensis Nguyen, Tran & Nguyen, 1993: *Anopheles (Anopheles)*
vigilax (Skuse, 1889): *Ochlerotatus (Empihals)*
vijayae Ramalingam, 1975: *Topomyia (Topomyia)*
vimoli Thurman & Thurman, 1958: *Armigeres (Leicesteria)*
vinckei de Meillon, 1942: *Anopheles (Cellia)*
vinckei Hamon, Holstein & Rivola, 1957: *Culex (Eumelanomyia)*
vinsoni (Mattingly, 1953): *Stegomyia* (subgenus uncertain)
violaceus (Wiedemann, 1820): *Toxorhynchites (Lynchiella)*
viridibasis (Edwards, 1935): *Toxorhynchites (Afrorhynchus)*
viridis Barraud, 1929: *Heizmannia (Heizmannia)*
viridiventer Giles, 1901: *Culex (Culiciomyia)*
virilis Leicester, 1908: *Verrallina (Neomacleaya)*
vishnui Theobald, 1901: *Culex (Culex)*
vittatus (Bigot, 1861): *Fredwardsius*
vittiger (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)
voltaensis (Danilov, 1982): *Coquillettidia (Coquillettidia)*
vomerifer Komp, 1932: *Culex (Melanoconion)*
vonplesseni (Dyar & Knab, 1906): *Trichoprosopon*
vorax Edwards, 1921: *Lutzia (Metalutzia)*
wadai (Tanaka, Mizusawa & Saugstad, 1979): *Stegomyia* (subgenus uncertain)
wahlbergi (Edwards, 1936): *Coquillettidia (Coquillettidia)*
w-alba Theobald, 1905: *Stegomyia* (subgenus uncertain)
walcotti (Lane & Cerqueira, 1942): *Runchomyia (Ctenogoeldia)*
walkeri (Theobald, 1901): *Howardina*
walkeri Theobald, 1901: *Anopheles (Anopheles)*
wallacei (Edwards, 1926): *Finlaya*
walravensi Edwards, 1930: *Anopheles (Cellia)*
walukasi Belkin, 1962: *Culex (Lophoceraomyia)*
wamanguae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
wannonii Cova Garcia & Sutil O., 1976: *Culex (Carrollia)*
wansoni Edwards, 1941: *Eretmapodites*
wansoni Wolfs, 1945: *Culex (Eumelanomyia)*
wanxianensis Lei & Li, 1990: *Orthopodomyia*
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): *Halaedes*
wardi (Reinert, 1976): *Rhinoscusea*
wardi Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
washinoi (Lanzaro & Eldridge, 1992): *Ochlerotatus* (subgenus uncertain)
wasselli (Marks, 1947): '*Ochlerotatus (Finlaya)*'
watasei (Yamada, 1921): *Phagomyia*
watsonii (Leicester, 1908): *Anopheles (Cellia)*
watteni (Lien, 1968): *Downsiomyia*
wattensis (Taylor, 1929): *Macleaya (Chaetocruimyia)*
watti Edwards, 1920: *Culex (Culex)*
wauensis (Huang, 1968): *Huaedes*
waverleyi (Grabham, 1907): *Orthopodomyia*
weindorferi (Edwards, 1926): *Culiseta (Culicella)*

wejchoochotei Taai & Harbach, 2015: *Anopheles (Anopheles)*
wellcomei Theobald, 1904: *Anopheles (Cellia)*
wellingtonianus Alcock, 1912: *Anopheles (Anopheles)*
wellmanii (Theobald, 1905): *Hopkinsius (Hopkinsius)*
wendyaë (Service, 1959): *Catageomyia*
wepsterae Komp & Rozeboom, 1951: *Culex (Melanoconion)*
wernerii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
weschei Edwards, 1935: *Culex (Culex)*
whartoni (Mattingly, 1965): *Petermattinglyius (Aglaonotus)*
whartoni Colless, 1965: *Culex (Lophoceraomyia)*
whartoni Reid, 1963: *Anopheles (Anopheles)*
whitei Barraud, 1923: *Culex (Culex)*
whitmani Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
whitmorei (Dunn, 1918): *Howardina*
whitmorei (Giles, 1904): *Culex (Culex)*
whittingtoni Belkin, 1962: *Culex (Culex)*
wigglesworthi (Edwards, 1941): *Aedimorphus*
wigglesworthi Edwards, 1941: *Culex (Eumelanomyia)*
wilfredi Colless, 1965: *Culex (Lophoceraomyia)*
wilkersoni (Reinert, 1990): *Kenknightsia*
willmori (James, 1903): *Anopheles (Cellia)*
wilsoni (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
wilsoni Evans, 1934: *Anopheles (Cellia)*
wilsoni Lane & Whitman, 1943: *Culex (Carrollia)*
wilsoni Macdonald, 1958: *Orthopodomyia*
winkleri Belkin, 1962: *Culex (Lophoceraomyia)*
winter Dong, Wu & Mao, 2006: *Topomyia (Topomyia)*
wolfsi Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
woodi (Edwards, 1922): *Stegomyia (Mukwaya)*
worontzowi Pessoa & Galvão, 1936: *Culex (Microculex)*
wui Lin, Tseng & Lien, 2008: *Culiseta* (subgenus uncertain)
wysockii Belkin, 1953: *Uranotaenia (Uranotaenia)*
xanthogaster (Edwards, 1924): *Coquillettidia (Coquillettidia)*
xanthomelaena Edwards, 1925: *Uranotaenia (Pseudoficalbia)*
xanthozona (van Someren, 1948): *Mimomyia (Etorleptomyia)*
xelajuensis de Leon, 1938: *Anopheles (Anopheles)*
xenismus Harbach, 1995: *Sabethes (Peytonulus)*
xenophobus Ronderos, 1965: *Culex (Microculex)*
xhyphydes Harbach, 1994: *Sabethes (Sabethinus)*
xui Dong, Zhou, Dong & Mao, 2007: *Anopheles (Anopheles)*
yaeyamae Bohart, 1956: *Toxorhynchites (Toxorhynchites)*
yaeyamaensis Somboon & Harbach, 2010: *Anopheles (Cellia)*
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
yaeyamensis (Tanaka, Mizusawa & Saugstad, 1979): *Hulecoeteomyia*
yaeyamensis Tanaka, Mizusawa & Saugstad, 1979: *Tripteroides (Tripteroides)*
yamadai (Ôuchi, 1939): *Toxorhynchites (Toxorhynchites)*
yamadai Sasa, Kano & Takahasi, 1950: *Aedes*
yanbarensis Miyagi, 1976: *Topomyia (Suaymyia)*
yanbareroides Dong & Miyagi, 1995: *Topomyia (Suaymyia)*
yangambiensis (de Meillon & Lavoipierre, 1944): *Catageomyia*
yaoi Tung, 1955: *Culex (Culiciomyia)*
ybarmis Dyar, 1920: *Culex (Melanoconion)*
yeageri Baisas, 1935: *Culex (Eumelanomyia)*
yeburyi (Edwards, 1917): *Verrallina (Neomacleaya)*
yojoae Strickman, 1990: *Culex (Culex)*
yongi Miyagi, Toma & Ramalingam, 1991: *Topomyia (Topomyia)*
yovani van Someren, 1951: *Uranotaenia (Pseudoficalbia)*
ypsipola Dyar, 1922: *Wyeomyia (Dendromyia)*
yunnanensis (Gaschen, 1934): 'Aedes (Orohylomyia)'
yunnanensis Dong, Dong & Wu, 2004: *Uranotaenia (Uranotaenia)*

yunnanensis Dong, Zhou & Dong, 1995: **Armigeres (Armigeres)**
yusafi (Barraud, 1931): **Verrallina (Harbachius)**
yvonneae (Edwards, 1941): **Catageomyia**
zabanicus Talaga & Duchemin, 2023: **Culex (Melanoconion)**
zairensis Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
zammitii Theobald, 1903: **Acartomyia**
zavortinki (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
zeteki Dyar, 1918: **Culex (Melanoconion)**
zhangii Gong, 1991: **Topomyia (Topomyia)**
ziemanni Grünberg, 1902: **Anopheles (Anopheles)**
zinzala Zavortink, 1986: **Wyeomyia (Zinzala)**
zombaensis Theobald, 1901: **Culex (Culex)**
zoosophus (Dyar & Knab, 1918): 'Ochlerotatus (Protomacleaya)'