

# Eclipse Modeling Framework Second Edition

Dave Steinberg  
Frank Budinsky  
Marcelo Paternostro  
Ed Merks

Addison-Wesley . ,

*Upper Saddle River, NJ • Boston • Indianapolis • San Francisco •  
New York • Toronto • Montreal • London • Munich • Paris • Madrid  
Cape Town • Sydney • Tokyo • Singapore • Mexico*

# Contents

Foreword by Richard C. Gronback	xix
Foreword by Mike Milinkovich	xxi
Preface	xxiii
Acknowledgments	xxvii
References	xxix

## **Part I O EMF Overview** **I**

<i>Chapter 1 Eclipse</i>	<b>3</b>
1.1 The Projects	4
1.1.1 <i>The Eclipse Project</i>	4
1.1.2 <i>The Modeling Project</i>	5
1.1.3 <i>The Tools Project</i>	5
1.1.4 <i>The Technology Project</i>	5
1.1.5 <i>Other Projects</i>	5
1.2 The Eclipse Platform	6
1.2.1 <i>Plug-In Architecture</i>	6
1.2.2 <i>Workspace Resources</i>	7
1.2.3 <i>Platform UI</i>	7
1.2.4 <i>Rich Client Platform</i>	9
1.3 More Information	9
<i>Chapter 2 Introducing EMF</i>	<b>II</b>
2.1 Unifying Java, XML, and UML	12
2.2 Modeling vs. Programming	15

2.3	Defining the Model	16
2.3.1	<i>The Ecore (Meta) Model</i>	17
2.3.2	<i>Creating and Editing the Model</i>	19
2.3.3	<i>XMI Serialization</i>	20
2.3.4	<i>Java Annotations</i>	21
2.3.5	<i>The Ecore "Big Picture"</i>	23
2.4	Generating Code	23
2.4.1	<i>Generated Model Classes</i>	24
2.4.2	<i>Other Generated "Stuff"</i>	26
2.4.3	<i>Regeneration and Merge</i>	27
2.4.4	<i>The Generator Model</i>	28
2.5	The Runtime Framework	29
2.5.2	<i>Notification and Adapters</i>	29
2.5.2	<i>Object Persistence</i>	31
2.5.3	<i>The Reflective EObject API</i>	35
2.5.4	<i>Dynamic EMF</i>	36
2.5.5	<i>Foundation for Data Integration</i>	38
2.6	EMF and Modeling Standards	39
2.6.1	<i>Unified Modeling Language</i>	39
2.6.2	<i>Meta-Object Facility</i>	39
2.6.3	<i>XML Metadata Interchange</i>	40
2.6.4	<i>Model Driven Architecture</i>	40
Chapter 3	<i>Model Editing with EMF.Edit</i>	41
3.1	Displaying and Editing EMF Models	42
3.1.1	<i>Eclipse UI Basics</i>	43
3.1.2	<i>EMF.Edit Support</i>	45
3.2	Item Providers	46
3.2.1	<i>Content and Label Item Providers</i>	47
3.2.2	<i>Item Property Source</i>	49
3.2.3	<i>Command Factory</i>	50
3.2.4	<i>Change Notification</i>	51
3.2.5	<i>Item Provider Implementation Classes</i>	53

3.3	Command Framework	54
3.3.1	<i>Common Command Framework</i>	55
3.3.2	<i>EMF.Edit Commands</i>	59
3.3.3	<i>EditingDomain</i>	61
3.4	Generating EMF.Edit Code	65
3.4.1	<i>Edit Generation</i>	66
3.4.2	<i>Editor Generation</i>	67
3.4.3	<i>Regenerating EMF.Edit Plug-Ins</i>	68
<b>Chapter 4</b>	<b><i>Using EMF—A Simple Overview</i></b>	<b>69</b>
4.1	Example Model: The Primer Purchase Order	70
4.2	Creating EMF Models and Projects	71
4.2.1	<i>Creating an EMF Model from Annotated Java</i>	72
4.2.2	<i>Creating an EMF Project from a Rational Rose Class Model</i>	80
4.2.3	<i>Creating an EMF Project from an XML Schema</i>	86
4.2.4	<i>Creating a Generator Model for an Ecore Model</i>	89
4.2.5	<i>Other Formats</i>	92
4.3	Generating Code	93
4.4	Running the Application	95
4.5	Continuing Development	98

## **Part II O Defining EMF Models** **101**

<b>Chapter 5</b>	<b><i>Ecore Modeling Concepts</i></b>	<b>103</b>
5.1	Ecore Model Uses	104
5.2	The Ecore Kernel	105
5.3	Structural Features	106
5.3.1	<i>Attributes</i>	110
5.3.2	<i>References</i>	111
5.4	Behavioral Features	112
5.5	Classifiers	113
5.5.1	<i>Classes</i>	114
5.5.2	<i>Data Types</i>	116

5.6	Packages and Factories	118
5.7	Annotations	119
	5.7.1 <i>Annotations in EMF</i>	121
5.8	Modeled Data Types	123
5.9	Ecore and User Models	125
<b>Chapter 6</b>	<b>UML</b>	<b>127</b>
6.1	UML Packages	128
6.2	UML Specification for Classifiers	128
	6.2.1 <i>Classes</i>	129
	6.2.2 <i>Enumerated Types</i>	130
	6.2.3 <i>Data Types</i>	131
6.3	UML Specification for Attributes	132
	6.3.1 <i>Single-Valued Attributes</i>	132
	6.3.2 <i>Multi-Valued Attributes</i>	133
	6.3.3 <i>Attributes with a Default Value</i>	133
6.4	UML Specification for References	134
	6.4.1 <i>Bidirectional, Non-Containment References</i>	135
	6.4.2 <i>Containment References</i>	136
	6.4.3 <i>Map References</i>	136
6.5	UML Specification for Operations	138
6.6	Documentation	140
6.7	Ecore Properties in Rational Rose	140
	6.7.1 <i>Package Properties</i>	141
	6.7.2 <i>Classifier Properties</i>	142
	6.7.3 <i>Structural Feature Properties</i>	142
	6.7.4 <i>Operation Properties</i>	143
	6.7.5 <i>Model Element Properties</i>	144
<b>Chapter 7</b>	<b>Java Source Code</b>	<b>145</b>
7.1	Java Specification for Classes	146
	7.1.1 <i>Attributes</i>	147
	7.1.2 <i>References</i>	150

7.1.3	<i>Compact Notation for Attributes and References</i>	152
7.1.4	<i>Operations</i>	153
7.2	Java Specification for Enumerated Types	158
7.2.1	<i>Enumeration Literals</i>	158
7.3	Java Specification for Packages	159
7.3.1	<i>Data Types</i>	160
7.4	Java Specification for Maps	161
7.4.1	<i>Explicit Definition of Map Entry Classes in a Package</i>	161
7.4.2	<i>Definition of Map-Typed References, Operations, and Parameters</i>	163
7.5	Java Specification for Annotations	164
<b>Chapter 8</b>	<b><i>Extended Ecore Modeling</i></b>	<b>167</b>
8.1	Feature Maps	168
8.1.1	<i>Multiple Features and Cross-Feature Order</i>	168
8.1.2	<i>The FeatureMap Interface</i>	171
8.2	Modeling with Feature Maps	173
8.2.1	<i>UML</i>	173
8.2.2	<i>Annotated Java</i>	175
8.2.3	<i>XML Schema</i>	176
<b>Chapter 9</b>	<b><i>XML Schema</i></b>	<b>179</b>
9.1	Schema	180
9.1.1	<i>Schema without Target Namespace</i>	180
9.1.2	<i>Schema with Target Namespace</i>	181
9.1.3	<i>Global Element or Attribute Declaration</i>	182
9.1.4	<i>Element or Attribute Form Default</i>	183
9.1.5	<i>EMF Extensions</i>	183
9.2	Simple Type Definitions	184
9.2.1	<i>Restriction</i>	184
9.2.2	<i>Restriction with Enumeration Facets</i>	186
9.2.3	<i>List Type</i>	188
9.2.4	<i>Union Type</i>	

9.2.5	<i>Anonymous Type</i>	189
9.2.6	<i>EMF Extensions</i>	190
9.3	<i>Complex Type Definitions</i>	191
9.3.1	<i>Extension and Restriction</i>	192
9.3.2	<i>Simple Content</i>	193
9.3.3	<i>Anonymous Type</i>	194
9.3.4	<i>Abstract Type</i>	194
9.3.5	<i>Mixed Type</i>	195
9.3.6	<i>EMF Extensions</i>	197
9.3.7	<i>Operations</i>	198
9.4	<i>Attribute Declarations</i>	201
9.4.1	<i>ID Attribute</i>	202
9.4.2	<i>ID Reference or URI Attribute</i>	202
9.4.3	<i>Required Attribute</i>	203
9.4.4	<i>Default Value</i>	204
9.4.5	<i>Qualified Attribute</i>	205
9.4.6	<i>Global Attribute</i>	205
9.4.7	<i>Attribute Reference</i>	205
9.4.8	<i>EMF Extensions</i>	206
9.5	<i>Element Declarations</i>	209
9.5.1	<i>AnyType Element</i>	210
9.5.2	<i>ID Element</i>	211
9.5.3	<i>ID Reference or URI Element</i>	211
9.5.4	<i>Nillable Element</i>	213
9.5.5	<i>Default Value</i>	214
9.5.6	<i>Qualified Element</i>	215
9.5.7	<i>Global Element</i>	215
9.5.8	<i>Element Reference</i>	216
9.5.9	<i>Substitution Group</i>	216
9.5.10	<i>EMF Extensions</i>	219
9.6	<i>Model Groups</i>	222
9.6.1	<i>Repeating Model Group</i>	222
9.6.2	<i>Repeating Model Group Reference</i>	224

9.7	Wildcards	225
9.7.1	<i>Element Wildcard</i>	225
9.7.2	<i>Attribute Wildcard</i>	226
9.7.3	<i>EMF Extensions</i>	227
9.8	Annotations	228
9.8.1	<i>Documentation</i>	228
9.8.2	<i>Appinfo</i>	229
9.8.3	<i>Ignored Annotation</i>	229
9.8.4	<i>Non-schema Attribute</i>	230
9.9	Predefined Schema Simple Types	230
9.10	EMF Extensions	232
<b>Part III O Using the EMF Generator</b>		<b>237</b>
<b>Chapter 10 EMF Generator Patterns</b>		<b>239</b>
10.1	Modeled Classes	240
10.1.1	<i>Interfaces and Implementation Classes</i>	240
10.1.2	<i>Accessor Methods</i>	241
10.1.3	<i>Abstract Classes</i>	243
10.1.4	<i>Interfaces</i>	243
10.2	Attributes	243
10.2.1	<i>Simple Attributes</i>	244
10.2.2	<i>Data Type Attributes</i>	245
10.2.3	<i>Enumerated Type Attributes</i>	248
10.2.4	<i>Multi-Valued Attributes</i>	250
10.2.5	<i>Default Values</i>	252
10.2.6	<i>Volatile Attributes</i>	253
10.2.7	<i>Non-Changeable Attributes</i>	254
10.2.8	<i>Unsettable Attributes</i>	255
10.3	References	257
10.3.1	<i>One-Way References</i>	257
10.3.2	<i>Bidirectional References</i>	259
10.3.3	<i>Multiplicity-Many References</i>	261
10.3.4	<i>Non-Proxy-Resolving References</i>	263



10.3.5	<i>Containment References</i>	264
10.3.6	<i>Volatile References</i>	266
10.3.7	<i>Non-Changeable References</i>	267
10.3.8	<i>Unsettable References</i>	268
10.3.9	<i>Map References</i>	269
10.4	Feature Maps	272
10.5	Operations	273
10.6	Class Inheritance	275
10.6.1	<i>Single Inheritance</i>	275
10.6.2	<i>Multiple Inheritance</i>	276
10.6.3	<i>Interface Inheritance and Implementation</i>	277
10.7	Reflective Methods	278
10.7.1	<i>Feature IDs</i>	278
10.7.2	<i>Reflective Accessors</i>	279
10.7.3	<i>Inverse Handshaking Methods</i>	283
10.7.4	<i>Feature ID Conversion Methods</i>	285
10.8	Factories and Packages	287
10.9	Switch Classes and Adapter Factories	291
10.10	Alternative Generator Patterns	295
10.10.1	<i>Performance Optimization</i>	295
10.10.2	<i>Suppression of EMFisms</i>	302
10.11	Customizing Generated Code	305
<b>Chapter 11</b>	<b><i>EMF.Edit Generator Patterns</i></b>	<b>309</b>
11.1	Item Providers	310
11.1.1	<i>Content and Label Provider</i>	311
11.1.2	<i>Item Property Source</i>	315
11.1.3	<i>Command Factory</i>	318
11.1.4	<i>Change Notification</i>	319
11.1.5	<i>Object Creation</i>	321
11.2	Item Provider Adapter Factories	327
11.3	Editor	331
11.4	Action Bar Contributor	334

11.5. Wizard	336
11.6 Plug-Ins	337
<b>Chapter 12</b> <i>Running the Generators</i>	<b>341</b>
12.1 EMF Code Generation	341
12.2 The Generator UI	346
12.3 Generator Model Properties	350
12.3.1 <i>Model Object Properties</i>	350
12.3.2 <i>Package Properties.</i>	359
12.3.3 <i>Class Properties</i>	362
12.3.4 <i>Feature Properties</i>	363
12.4 The Command-Line Generator Tools	364
12.4.1 <i>Headless Invocation</i>	365
12.4.2 <i>Rose2GenModel</i>	366
12.4.3 <i>XSD2GenModel</i>	369
12.4.4 <i>Ecore2GenModel</i>	369
12.4.5 <i>Generator</i>	370
12.5 The Generator Ant Tasks	371
12.5.1 <i>emf.Rose2Java</i>	373
12.5.2 <i>emf.XSD2Java</i>	374
12.5.3 <i>emf.Ecore2Java</i>	375
12.6 The Template Format	375
12.6.1 <i>An Example Template</i>	376
12.6.2 <i>Template Extensibility</i>	379
<b>Chapter 13</b> <i>Example—Implementing a Model and Editor</i>	<b>381</b>
13.1 Getting Started	381
13.2 Generating the Model	384
13.3 Implementing Volatile Features	384
13.4 Implementing Data Types	387
13.5 Running the ExtendedPO2 Editor	392
13.6 Restricting Reference Targets	393
13.7 Splitting the Model into Multiple Packages	396

13.7.1	<i>Resolving Package Dependencies</i>	398
13.7.2	<i>Restricting Reference Targets Revisited</i>	401
13.8	<i>Editing Multiple Resources Concurrently</i>	404
13.8.1	<i>Cross-Document Non-Containment References</i>	404
13.8.2	<i>Cross-Document Containment References</i>	411
<b>Part IV</b>	<b>O Programming with EMF</b>	<b>417</b>
Chapter 14	<i>Exploiting Metadata</i>	419
14.1	<i>Packages</i>	419
14.1.1	<i>Accessing Package Metadata Generically</i>	420
14.1.2	<i>Locating Packages</i>	422
14.2	<i>Reflection</i>	426
14.2.1	<i>Creating Objects</i>	426
14.2.2	<i>Interrogating and Modifying Objects</i>	427
14.3	<i>Dynamic EMF</i>	432
14.4	<i>Extended Metadata</i>	437
Chapter 15	<i>Persistence</i>	443
15.1	<i>Overview of the Persistence Framework</i>	443
15.2	<i>The EMF Persistence API</i>	447
15.2.1	<i>URI</i>	447
15.2.2	<i>URICConverter</i>	449
15.2.3	<i>Resource</i>	450
15.2.4	<i>Resource.Factory and Resource.Factory.Registry</i>	456
15.2.5	<i>ResourceSet</i>	459
15.3	<i>XML Resources</i>	462
15.3.1	<i>Default Serialization Format</i>	462
15.3.2	<i>Deserialization</i>	468
15.3.3	<i>Options</i>	470
15.3.4	<i>Dynamic EMF</i>	479
15.3.5	<i>-Extended Metadata</i>	482
15.3.6	<i>Other Features</i>	485

15.4	EMF Resource and Resource Factory	^	
	Implementations		489
	15.4.1	<i>Base XML</i>	489
	15.4.2	<i>Generic XML</i>	490
	15.4.3	<i>XMI</i>	490
	15.4.4	<i>Ecore</i>	492
	15.4.5	<i>EMOF</i>	492
	15.4.6	<i>Generated</i>	493
15.5	Performance Considerations		494
	15.5.1	<i>Recommended XML Resource Options</i>	494
	15.5.2	<i>Caching Intrinsic IDs</i>	495
	15.5.3	<i>Caching Resource URIs</i>	496
15.6	Custom Storage for Active Objects	-,	497
	15.6.1	<i>Using an EStore</i>	499
	15.6.2	<i>EStore and Generated Classes</i>	500
<b>Chapter 16</b>	<b>Client Programming Toolbox</b>		<b>503</b>
16.1	Tree Iterators and Switches		503
16.2	Adapters		508
	16.2.1	<i>Object Adapting</i>	508
	16.2.2	<i>Behavioral Extensions</i>	515
	16.2.3	<i>Content Adapters</i>	519
	16.2.4	<i>Observing Generated Classes</i>	521
16.3	Cross-Referencers		523
	16.3.1	<i>Basic Cross-Referencers</i>	523
	16.3.2	<i>Cross-Reference Adapters</i>	526
16.4	Copying Objects		529
16.5	Comparing Objects		533
<b>Chapter 17</b>	<b>The Change Model</b>		<b>537</b>
17.1	Describing a Change		537
	17.1.1	<i>Applying a Change Description</i>	539
	17.1.2	<i>Changing Multi-Valued Features</i>	541
	17.1.3	<i>Changing Resources</i>	544

	17.2 Change Recording	^	545
	17.2.1 <i>Transaction Atomicity and Rollback</i>		547
<b>Chapter 18</b>	<b><i>The Validation Framework</i></b>		<b>549</b>
	18.1 Constraints and Invariants		549
	18.2 Effects on Generated Code		553
	18.3 Invoking Validation		557
	18.4 Basic EObject Constraints		563
	18.5 XML Schema Constraints		564
<b>Chapter 19</b>	<b><i>EMF.Edit Programming</i></b>		<b>567</b>
	19.1 Overriding Commands		567
	19.2 Customizing Views		573
	19.2.1 <i>Suppressing Model Objects</i>	o	573
	19.2.2 <i>Using List and Table Viewers</i>		580
	19.2.3 <i>Adding Non-Model Intermediary View Objects</i>		587
<b>Chapter 20</b>	<b><i>Outside of the Eclipse IDE</i></b>		<b>599</b>
	20.1 Rich Client Platform		599
	20.1.1 <i>RCP and EMF</i>		600
	20.1.2 <i>Launching an RCP Application</i>		601
	20.1.3 <i>Generated Code in an RCP Application</i>		606
	20.1.4 <i>Deploying an RCP Application</i>		608
	20.2 Stand-Alone Applications		608
	20.2.1 <i>Adding EMF to the Class Path</i>		609
	20.2.2 <i>Registering the Resource Factory</i>		612
	20.2.4 <i>Registering the Package</i>		614
<b>Chapter 21</b>	<b><i>EMF 2.3 and 2.4</i></b>		<b>^^</b>
	21.1 Java 5.0 Support	•	617
	21.1.1 <i>Enumerations</i>		618
	21.1.2 <i>Generics</i>		622

21.2	EMF Persistence Enhancements	632
21.2.1	<i>Resource Deletion</i>	633
21.2.2	<i>Content Types</i>	634
21.2.3	<i>Other Enhancements</i>	637
21.3'	Other New Features	641
21.3.1	<i>Ecore Validation</i>	642
21.3.2	<i>Reference Keys</i>	643
21.3.3	<i>Annotated Java Model Importer</i>	645
21A	Resource Options	646
21.4.1	<i>XMLResource Options</i>	647
21.5	Generator Model Properties	648
21.5.1	<i>Model Object Properties</i>	648
21.5.2	<i>Package Properties</i>	651
21.5.3	<i>Enum Properties</i> •	652
Appendix A	<i>UML Notation</i>	653
Appendix 8	<i>Summary of Example Models</i>	659
	<i>Index</i>	675