

LEGEND: S = Standard, P = Available within package or group noted in parentheses. O = Optional,
 O/P = Item is a freestanding option and also included in a package or group
 Complete package information is listed at the end of the Feature Availability section.
 NOTE: Information shown is correct at time of publication and is subject to change without notice.

2009 Journey

FEATURE AVAILABILITY

	SE	SXT		R/T	
	FWD	FWD	AWD	FWD	AWD
ENGINES AND TRANSMISSIONS					
2.4L Four-cylinder DOHC 16V Dual VVT/Four-speed Automatic	S				
2.4L Four-cylinder PZEV DOHC 16V Dual VVT/Four-speed Automatic	O				
3.5L High Output V-6 24V MPI/Six-speed Automatic with Auto Stick		S	S	S	S
MECHANICAL					
Alternator					
140-amp		S	S	S	S
160-amp (packaged with Flexible Seating Group)	S	P	P	P	P
Battery — 525-amp, maintenance-free	S	S	S	S	S
Brakes — Anti-lock four-wheel disc brakes	S	S	S	S	S
Engine Block Heater	O	O	O	O	O
Fuel Tank					
18.5-gallon (packaged with PZEV 2.4L engine)	P				
20.5-gallon	S	S		S	
21.1-gallon			S		S
Remote Start System (packaged with Premium Convenience Group)		P	P	S	S
Speed Control (packaged with Popular Equipment Group)	P	S	S	S	S
Steering					
Power rack-and-pinion	S	S			
Performance (packaged with Exterior Appearance Group and Chrome Appearance Group)		P	S	S	S
Suspension					
Normal duty	S				
Touring		S			
Performance (packaged with Exterior Appearance Group and Chrome Appearance Group)		P	S	S	S
EXTERIOR FEATURES					
Antenna — Removable, short mast	S	S	S	S	S
Badging					
Journey	S	S	S	S	S
SXT		S	S		
R/T				S	S
All-wheel Drive			S		S
Colors					
Surf Blue Pearl Coat, Inferno Red Crystal Pearl Coat, Light Sandstone Metallic Clear Coat, Melbourne Green Pearl Coat, Deep Water Blue Pearl Coat, Silver Steel Metallic Clear Coat, Bright Silver Metallic Clear Coat, Brilliant Black Crystal Pearl Coat and Stone White Clear Coat	O	O	O	O	O
Door Handles					
Body-color	S	S	S		

Bright				S	S
Exhaust Systems — Dual, bright (standard with 3.5L High Output engine)		S	S	S	S
Fascia — Body-color	S	S	S	S	S
Glass					
Solar Control (not available with Popular Equipment Group)	S				
Sunscreen glass (packaged with Popular Equipment Group)	P	S	S	S	S
Tinted windshield glass	S	S	S	S	S
Grille — Bright grille accent with Ram's head badge	S	S	S	S	S
Headlamps					
Halogen, quad	S	S	S	S	S
Headlamp off-time delay	S	S	S	S	S
Automatic		S	S	S	S
Fog lamps (packaged with Exterior Appearance Package)	P	P	S	S	S
Center high-mounted stop lamp	S	S	S	S	S
Back-up lamps	S	S	S	S	S
Daytime running lamps (packaged with Family Value Group)	P	P	P	P	P
Mirrors					
Power, fold-away, heated, black	S				
Power, fold-away, heated, body-color		S	S	S	S
Roof Rack — with adjustable roof rail crossbars (packaged with Popular Equipment Group for SE, Convenience Group I for SXT FWD and AWD)	P	P	P		
Roof rails, bright, side				S	S
Crossbars (packaged with Convenience Group II)				P	P
Tires					
P225/70R16 BSW All-season	S				
P225/65R17 BSW All-season Touring		S			
225/55R19 BSW All-season Touring (packaged with Exterior Appearance Group and Chrome Appearance Group)		P	S	S	S
Compact Spare	S	S	S	S	S
Wheels					
16-inch wheels with wheel covers	S				
16-inch aluminum wheels (packaged with Exterior Appearance Group)	P				
17-inch aluminum wheels		S			
19-inch machined, cast-aluminum wheels (packaged with Exterior Appearance Group)		P	S	S	S
19-inch aluminum, chrome-clad wheels (packaged with Chrome Appearance Group on SXT FWD)		P	O	O	O
Windows					
Power with driver one-touch down	S				
Power with driver express-up/-down and passenger express-down		S	S	S	S
Rear defroster	S	S	S	S	S
Windshield Wipers					
Variable intermittent	S	S	S	S	S
Rear wiper/washer	S	S	S	S	S
INTERIOR FEATURES					
Air Conditioning	S	S	S		
Air conditioning with automatic temperature control with dual-zone control (packaged with Premium Convenience Group)		P	P	S	S
Rear air conditioning with heater (packaged with Flexible Seating Group)		P	P	P	P
Air conditioning with three-zone temperature control (packaged with Flexible Seating Group)		P	P		

Automatic temperature control with three-zone temperature control (packaged with Flexible Seating Group) (SXT must have Premium Convenience Group)	P	P	P	P
Air Filtration (packaged with Popular Equipment Group for SE, Convenience Group I for SXT FWD and AWD, and Convenience Group II for R/T FWD and AWD)	P	P	P	P
Assist Handles — Passenger assist handles (packaged with Popular Equipment Group)	P	S	S	S
Cargo Net		S	S	S
Console				
Floor with fore/aft sliding armrest	S	S	S	
Full-length floor console with premium armrest				S
Overhead console with interior observation mirror (packaged with Popular Equipment Group)	P	S	S	S
Door Locks — Power	S	S	S	S
Electronic Vehicle Information Center (packaged with Convenience Group II)				P
Floor Mats — Front and rear (packaged with Popular Equipment Group)	P	S	S	S
Gauges				
120-mph speedometer	S	S	S	S
Premium instrument cluster	S	S	S	S
Premium instrument cluster display with Electronic Vehicle Information Center (packaged with Convenience Group II)				P
Tachometer	S	S	S	S
Trip computer with temperature and compass		S	S	S
Glove Box — Dual, includes Chill Zone™ beverage storage bin	S	S	S	S
HomeLink Universal Home Security System Transceiver (packaged with Convenience Group I)		P	P	S
Interior Accents				
Door sill scuff pads	S	S	S	S
Base door trim panel	S			
Highline door trim panel		S	S	
Premium door trim panel				S
Satin silver accents	S	S	S	
Bright instrument panel bezel				S
Leather-wrapped shift knob				S
Illuminated cup holders	S	S	S	S
Lighting				
Front courtesy/map lamps	S			
Glove box lamp	S	S	S	S
Rear courtesy/reading lamps	S	S	S	S
Liftgate flood lamp	S	S	S	S
Portable, rechargeable flashlight		S	S	S
Front and rear adjustable LED lamps (packaged with Convenience Group I)		P	P	S
Driver and front passenger lower LED lamps (packaged with Convenience Group I for SXT FWD and AWD and Convenience Group II for R/T FWD and AWD)		P	P	P
Mirrors				
Rearview manual day/night	S			
Rearview, auto-dimming		S	S	S
Interior observation mirror (packaged with overhead console in Popular Equipment Group)	P	S	S	S
Power Accessory				

12-volt auxiliary power outlet	S	S	S	S	S
12-volt center console power outlet	S	S	S	S	S
12-volt DC front and rear power outlets	S	S	S	S	S
115-volt auxiliary outlet		S	S	S	S
Steering Column — Tilt, telescopic	S	S	S	S	S
Steering Wheel					
Urethane	S	S	S		
Leather-wrapped, includes steering-wheel-mounted audio controls (packaged with Convenience Group I or Entertainment Group II for SXT FWD and AWD)		P	P	S	S
Storage					
Front passenger in-seat storage		S	S	S	S
Instrument panel storage bin	S	S	S	S	S
Grocery bag hooks		S	S	S	S
Second-row in-floor storage bins	S	S	S	S	S
Cargo tie down loops	S	S	S	S	S
Sunroof — Power with express-open/-close		O	O	O	O
Visors					
Driver sun visor with mirror; passenger visor	S				
Driver and front-passenger sun visors with illuminated vanity mirrors (packaged with Popular Equipment Group)	P	S	S	S	S
SEATING AND TRIM					
Fabric					
Cloth low-back bucket seats	S				
Premium cloth low-back bucket seats with Stain Repel Seat Fabric (packaged with Family Value Group — late availability)	P	S	S		
Leather-trimmed bucket seats				S	S
Front					
Low-back bucket	S	S	S	S	S
Manual driver lumbar adjuster (packaged with Family Value Group)	P	S	S	S	S
Manual driver height adjuster	S				
Power six-way driver seat		S	S	S	S
Heated front seats (packaged with Premium Convenience Group)		P	P	S	S
*					
Front passenger forward fold-flat seat		S	S	S	S
Front passenger Flip 'n Stow™ in-seat storage		S	S	S	S
Second Row					
60/40 seat with fore/aft adjust	S	S	S	S	S
60/40 Tilt 'n Slide™ easy-entry seat system (packaged with Flexible Seating Group)	P	P	P	P	P
Child presentation feature	S	S	S	S	S
Second-row seat with two child boosters (packaged with Family Value Group)	P	P	P	P	P
Seat with center armrest with storage and cup holders	S	S	S	S	S
Second-row reclining/fold-flat seat	S	S	S	S	S
Third Row — 50/50 folding/reclining seat (packaged with Flexible Seating Group)		P	P	P	P
AUDIO/VIDEO OPTIONS					
DVD screen — Second-row overhead 8-inch (packaged with Rear Seat Video Group I)	P	P	P	P	P
Radios					

AM/FM six-disc CD, DVD, MP3-compatible radio	S	S	S	S	S
uconnect gps AM/FM six-disc, DVD, map radio includes separate 7-inch remote navigation unit) (packaged with Entertainment Group II)		P	P	P	P
uconnect tunes (AM/FM/CD/DVD/HDD/MP3 radio) (packaged with Safe and Sound Group)	P	P	P	P	P
uconnect studios SIRIUS Satellite Radio with one-year service contract	O	S	S	S	S
• uconnect studios SIRIUS Backseat TV (late availability)	O	O	O	O	O

Speaker Systems

Six speakers	S	S	S	S	S
Six premium speakers with subwoofer and 368-watt amplifier (packaged with Entertainment Group II, Rear Seat Video Group I and Premium Speaker Group)	O/P	O/P	O/P	O/P	O/P
Universal Customer Interface — Allows driver or front passenger to control iPod through the radio. Interface is located in the glove box (packaged with uconnect tunes – not available with Entertainment Group II)		P	P	P	P

SAFETY AND SECURITY

Air Bags¹

Advanced multi-stage driver and front-passenger	S	S	S	S	S
Supplemental front-seat side air bags	S	S	S	S	S
Supplemental side-curtain air bags — all rows (with rollover protection)	S	S	S	S	S
BeltAlert — Cluster lamp remains lit and chime sounds until driver buckles up	S	S	S	S	S
Brake/Park Interlock	S	S	S	S	S
Child Protection Rear Door Locks	S	S	S	S	S
Child Seat Anchor System (LATCH) — Lower child seat anchors and upper tether anchors help ease the installation of aftermarket child seats	S	S	S	S	S
Electronic Roll Mitigation (packaged with Electronic Stability Program)	S	S	S	S	S
Electronic Stability Program ² — Includes all-speed traction control, Electronic Roll Mitigation (ERM) and trailer sway damping	S	S	S	S	S
ParkView™ Rear Back-up Camera ³ (packaged with Entertainment Group II or Safe and Sound Group)	P	P	P	P	P
Remote Keyless Illuminated Entry (packaged with Popular Equipment Group)	P	S	S	S	S
Seat Belts — Front height-adjustable shoulder belts	S	S	S	S	S
Security Alarm (packaged with Popular Equipment Group)	P	S	S	S	S
Sentry Key® Engine Immobilizer Theft-deterrent System	S	S	S	S	S
Tire Pressure Monitoring (TPM)	S	S	S	S	S
Traction Control — All-speed (packaged with Electronic Stability Program)	S	S	S	S	S
Trailer Sway Damping (packaged with Electronic Stability Program)	S	S	S	S	S
uconnect phone (packaged with Premium Convenience Group for SXT and Convenience Group II for R/T and Entertainment Group II for SXT & R/T)		P	P	P	P

PACKAGES

Convenience Group I Includes cargo compartment cover (five-passenger vehicles only), air filtering, driver and front passenger lower LED lamps, front and rear adjustable LED lamps, roof rack with adjustable roof-rail crossbars, leather-wrapped steering wheel with audio controls and HomeLink universal home security system transceiver

O O

Convenience Group II Includes cargo compartment cover (five-passenger vehicles only), Electronic Vehicle Information Center, air filtering, driver and front-passenger lower LED lamps, adjustable roof-rail crossbars, Universal Customer Interface, and uconnect phone				○	○
Chrome Appearance Group Includes 19-inch chrome-clad wheels and tires, fog lamps, performance steering, performance suspension		○			
Entertainment Group II (not available with Safe and Sound Group) Includes six premium speakers with subwoofer and 368-watt amplifier, 7-inch remote navigation unit, uconnect gps, uconnect phone and ParkView® Rear Back-up Camera		○	○	○	○
Exterior Appearance Package Includes fog lamps, 16-inch aluminum wheels (on SE) or 19-inch cast-aluminum machined wheels and 225/55R19 BSW All-season Touring tires, performance steering, performance suspension (SXT)	○	○			
Family Value Group Includes premium cloth low-back bucket seats with Stain Repel Seat Fabric (on SE only), manual driver lumbar adjust (on SE only), second-row seat with two child booster seats and daytime running headlamps	○	○	○	○	○
Flexible Seating Group Includes third-row 50/50 folding/reclining seat, second-row 40/60 Tilt 'n Slide easy-entry seat, rear air conditioning with heater, 160-amp alternator (SXT and R/T), and air conditioning with three-zone temperature control (SXT) and automatic temperature control with three-zone temperature control (on R/T)		○	○	○	○
Popular Equipment Group Includes front and rear floor mats, cargo compartment cover, passenger assist handles, cargo compartment cover, overhead console with interior observation mirror, sunscreen glass, sun visors with illuminated vanity mirrors, remote keyless illuminated entry, air filtration, roof rack, security alarm and speed control	○				
Premium Convenience Group (must have Convenience Group I) Includes automatic temperature control, air conditioning with dual-zone control, heated front seats, Universal Customer Interface, uconnect phone and remote start system			○	○	
Rear Seat Video Group (must have Safe and Sound Group or Entertainment Group II) Includes second-row overhead 8-inch video screen, wireless headphones and video remote control, six premium speakers with subwoofer and 368-watt amplifier	○	○	○	○	○
Safe and Sound Group Includes uconnect tunes and ParkView™ Rear Back-up Camera	○	○	○	○	○
Smoker's Group Includes removable ashtray and cigar lighter	○	○	○	○	○
Trailer Tow Group (must have Convenience Group I or Convenience Group II) Includes engine oil cooler, and four-pin connector wiring		○	○	○	○

1 Certified to the Federal Regulations that allow less forceful front air bags. Always use seat belts. Children 12 and under should always be in a back seat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and weight.

2 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt.

3 Always check entire surroundings before backing up.

4 Requires Bluetooth enabled mobile phone.

2009 Journey

SPECIFICATIONS

The information shown is based on data available at the time of publication and is subject to change without notice. All measurements are in inches (mm) unless otherwise noted.

GENERAL INFORMATION

Body Style	Four-door; five- or seven-passenger
Assembly Plant	Toluca Assembly, Mexico
U.S. EPA Vehicle Class	Sport-utility vehicle

ENGINE: 2.4-LITER DOHC 16-VALVE, VVT, SMPI I-4

Availability	Standard Journey SE
Type and Description	Four cylinders in line, tuned intake manifold with electronic active charge motion control valves, dual counter-rotating balance shafts
Displacement	144 cu. in. (2360 cu. cm)
Bore x Stroke	3.46 x 3.82 in. (88 x 97 mm)
Compression Ratio	10.5:1
Power (SAE net, estimated)	173 bhp (129 kW) @ 6,000 rpm (71 bhp/liter)
Torque (SAE net, estimated)	166 lb.-ft. (225 N•m) @ 4,000 rpm
Maximum Engine Speed	6,500 rpm (electronically limited)
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	5.0 qt. (4.7L) SAE 5W-20
Coolant Capacity	7.9 qt. (7.5L) — single-zone climate control
Emission Controls	Single catalytic converter, dual heated oxygen sensors and internal engine features ¹

ENGINE: 3.5-LITER SOHC, 24-VALVE SMPI V-6

Availability	Standard — Journey SXT and R/T
Type and Description	60-degree bank angle, liquid-cooled, three-plenum intake manifold with electronically controlled manifold tuning valve and short-runner valves
Displacement	215 cu. in. (3518 cu. cm)
Bore x Stroke	3.78 x 3.19 in. (96 x 81 mm)
Compression Ratio	10.0:1
Valve System	SOHC, 24 valves, hydraulic, center-pivot roller rocker arms
Fuel Injection	Sequential, multi-port, electronic
Power (SAE net, estimated)	235 bhp (175 kW) @ 6,400 rpm (67.1 bhp/liter)
Torque (SAE net, estimated)	232 lb.-ft. (315 N•m) @ 4,000 rpm
Maximum Engine Speed	6,800 rpm (electronically limited)
Fuel Requirement	Unleaded mid-grade, 89 octane (R+M)/2 — preferred Unleaded regular, 87 octane (R+M)/2 — acceptable
Oil Capacity	6 qt. (5.7L) with dry filter SAE 10W-20
Coolant Capacity	9.8 qt. (9.3L) — single- or dual-zone climate control 12.0 qt. (11.4L) — tri-zone climate control
Emission Controls	Three-way catalytic converter, electronic EGR, and internal engine features ²

TRANSAXLE: 40TES AUTOMATIC FOUR-SPEED OVERDRIVE

Availability	Standard with 2.4L engine
Description	Four-speed overdrive, adaptive electronic control, electronically modulated converter clutch
Gear Ratios	
1st	2.842

2nd	1.57
3rd	1.0
4th	0.69
Reverse	2.21
Final Drive Ratio	4.28 with 2.4L engine
Overall Top Gear	2.95 with 2.4L engine

TRANSAXLE: 62TE/62TEA AUTOMATIC SIX-SPEED OVERDRIVE

Availability	62TE standard with FWD 3.5L engine 62TEA standard with AWD 3.5L engine
Description	Six-speed, adaptive electronic control and electronically modulated torque converter clutch
Gear Ratios	
1st	4.127
2nd	2.842
3rd	2.283
4th	1.452 — Upshift 1.570 — WOT kickdown
5th	1.00
6th	0.690
Reverse	3.214
Transfer Ratio	0.95
Final Drive Ratio	3.43
Overall Top Gear	2.248

DRIVETRAIN

Front-wheel Drive	
Availability	Standard with all engines
All-wheel Drive	
Availability	Available with 3.5L V6 engine
Type	Electronically Controlled Coupling (ECC) with variable torque output
Rear Differential	Open

BODY/CHASSIS

Layout	Transverse front engine, front-wheel drive or all-wheel drive
Construction	Steel unibody

SUSPENSION

Front	Independent MacPherson strut, coil spring over gas-charged shock absorbers, stabilizer bar with isolated suspension cradle
Rear	Multi-link independent with coil springs, link-type stabilizer bar, gas-charged shock absorbers and isolated rear suspension cradle

STEERING

Type	Power rack-and-pinion
Overall Ratio	18.6:1 (std.), 16.45 (performance)
Turning Diameter (curb-to-curb)	38.5 ft. (11.7 m) — 16-in. or 17-in. wheels and tires 39.0 ft. (11.9 m) — 19-in. wheels and tires
Steering Turns (lock-to-lock)	3.3 (std.), 2.92 (performance)

ELECTRICAL

Battery	525-amp maintenance-free — Standard with all gasoline engines
Alternator	140-amp — Standard with 3.5L gasoline engine 160-amp — Standard with 2.4L gasoline engine and included with seven-passenger vehicles

BRAKES

Four-wheel Anti-lock Disc	Standard on all models
Front	
Size and Type	11.9 x 1.1 in. (302 x 28 mm) vented rotors with 2.6 (66.0) single-piston floating caliper
Swept Area (total front)	231.6 sq. in. (1494 sq. cm)
Rear	
Size and Type	12.0 x 0.47 in. (305 x 12 mm) solid rotors with 1.7 (43.0) single-piston floating caliper
Swept Area (total rear)	216.3 sq in. (1395 sq. cm.)
Power Assist Type	8 x 9 in. (204 x 230 mm) tandem-diaphragm vacuum
Parking Brake Type	Foot lever with integral parking brake

ELECTRONIC CHASSIS CONTROL FEATURES

Four-wheel Disk Anti-lock (ABS)	Standard
Electronic Stability Program (ESP)	Standard
All-speed Traction Control	Standard
Trailer Sway Control (TSC)	Standard
Electronic Roll Mitigation (ERM)	Standard

DIMENSIONS AND CAPACITIES

General	
Wheelbase	113.8 (2889.8)
Track, Front	61.8 (1570.8)
Track, Rear	62.3 (1581.8)
Overall Length	192.4 (4887.6)
Overhang, Front	38.9 (989.3)
Overhang, Rear	39.7 (1008.5)
Overall Width	72.2 (1834.5)
Body Width, including Mirrors	83.7 (2127.0)
Overall Height (with P225/65R17 tires)	66.6 (1692.6)
Vehicle Height including Roof Rack Assembly Complete (with P225/65R17 tires)	69.5 (1765.2)
Aero	
CdA	10.6
Cd	0.368
Fuel Tank Capacity, gal. (L)	2.4L PEZV — 18.5 (70) 2.4L and 3.5L FWD — 20.5 (77.6) 3.5L AWD — 21.1 (79.87)
Fuel Economy, NAFTA markets (mpg city, highway) ³	
2.4L Gasoline Engine, FWD	19/25
3.5L Gasoline Engine, FWD	16/23
3.5L Gasoline Engine, AWD	15/22
Towing Capabilities, lbs. (kg)	
2.4L I-4 with Automatic Transaxle ⁴	1000 (450)
3.5L V-6 with Automatic Transaxle, FWD or AWD, and Trailer Tow Prep Group ⁵	3500 (1600)
Gross Vehicle Weight Rating (GVWR), lbs. (kg)	

Five-passenger Vehicle, FWD SE	5005 (2270)
Seven-passenger Vehicle, FWD SXT or R/T	5100 (2313)
Five-passenger Vehicle, AWD	5250 (2380)
Seven-passenger Vehicle, FWD SXT or R/T	5450 (2472)
Seven-passenger Vehicle, AWD	5600 (2540)
Gross Axle Weight Rating (GAWR), lbs. (kg)	
Front Five- and seven-passenger vehicles	2750 (1247)
Rear Five- and seven-passenger vehicles	2900 (1315)
Curb Weight, Five-passenger Vehicle, Automatic Transaxle lbs. (kg)⁶	
2.4L I-4 Federal Engine	Journey SE, FWD — 3801 (1724)
3.5L V-6 Engine	Journey SXT, FWD — 4001 (1814)
	Journey SXT, AWD — 4212 (1910)
	Journey R/T, FWD — 4064 (1843)
	Journey R/T, AWD — 4233 (1920)

ACCOMMODATIONS

Modeled data status as of November 10, 2007.

Dimensions represent SXT FWD. Cargo volumes are SAE standard except where noted.

Seating Capacity — F/R	2/3 or 2/3/2
EPA Volume Index, cu. ft. (cu. m)	136.28 (3.86) – 7-passenger / 139.21 (3.94) – 5-passenger
Total Interior Passenger Compartment Volume, cu. ft. (cu. m)	125.62 (3.56) – 7-passenger / 99.54 (2.82) – 5-passenger
First-Row	
Head Room without Sun Roof	40.8 (1036.3)
Head Room with Sun Roof	39.2 (995.0)
Leg Room	40.8 (1036.3)
Shoulder Room	57.5 (1459.7)
Hip Room	53.8 (1366.5)
Seat Travel	10.23 (260)
Front Compartment Volume, cu. ft. (cu. m)	55.39 (1.57)
Second-Row	
Head Room without Sun Roof	39.9 (1013.0)
Head Room with Sun Roof	39.2 (994.8)
Leg Room	33.6 (853.6)
Leg Room, Maximum	36.1 (916.7)
Shoulder Room	56.9 (1444.4)
Hip Room	54.4 (1381.9)
Couple, First to Second Row	30.5 (773.8)
Second Row Compartment Volume, cu. ft. (cu. m)	44.1 (1.2)
Third-Row	
Head Room	37.7 (957.4)
Leg Room	23.4 (595.5)
Shoulder Room	51.1 (1298.5)
Hip Room	40.0 (1016.3)
Couple, Second to Third Row	30.1 (765.1)
Rear Compartment Volume, cu. ft. (cu. m)	26.1 (.74)
Cargo Area	
Liftover Height @ Curb Load	30.8 (782.4)
Cargo Width @ Wheelhouse	41.4 (1050.5)
Maximum Cargo Height	33.1 (841.6)

Cargo Volumes

Behind First Row Seat, cu. ft. (cu. m)	67.6 (1.915)
Behind Second Row Seat, cu. ft. (cu. m) (5-passenger vehicles)	39.61 (1.121)
Behind Second Row Seat, cu. ft. (cu. m) (7-passenger vehicles)	37.0 (1.0)
Behind Third Row Seat, cu. ft. (cu. m)	10.7 (0.3)

WHEELS

Availability	Standard — Journey SE
Type and Material	Black steel wheel with six-spoke painted wheel cover
Size	16 x 6.5

Availability	Available — Journey SE
Type and Material	Machined cast-aluminum, painted pockets, five-spoke
Size	16 x 6.5

Availability	Standard — Journey SXT
Type and Material	Machined cast-aluminum, painted pockets, five-spoke
Size	17 x 6.5

Availability	Standard — Journey SXT and Journey R/T; Available — Journey SXT
Type and Material	Machined cast-aluminum, painted pockets, five-spoke
Size	19 x 7.0

Availability	Available — Journey SXT and Journey R/T
Type and Material	Chrome-clad cast-aluminum, six-spoke
Size	19 x 7.0

Availability	Standard — All
Type and Material	Temporary spare steel wheel
Size	16 x 4.0 x 46

TIRES (U.S. AND CANADA)

Availability	Standard — Journey SE
Size and Type	P225/70R16, All-season
Model	Hankook DynaPro
Revs per Mile (km)	735 (465)

Availability	Standard — Journey SXT
Size and Type	P225/65R17, All-season Touring
Model	Kumho Solus KH16
Revs per Mile (km)	725 (471)

Availability	Standard — Journey R/T; Available — Journey SXT
Size and Type	225/55R19, All-season Touring
Model	Kumho Solus KH16
Revs per Mile (km)	711 (444)

Availability	Standard — All
Size and Type	T145/80 R16 temporary spare tire

1 Meets Federal Tier 2, Bin 4+ emission requirements. Meets PZEV NMOG + NOx emission limits under ULEV II for California, Massachusetts, New York, Maine, Vermont, Connecticut, Rhode Island, Pennsylvania, New Jersey, Washington and Oregon. Meets Euro IV emission requirements for Europe.

2 Meets Federal Tier 2, Bin 5+ emission requirements. Meets ULEV II NMOG + NOx emission limits under ULEV II for California, Massachusetts, New York, Maine, Vermont, Connecticut, Rhode Island, Pennsylvania, New Jersey, Washington and Oregon.

3 Status as of 12/14/2007.

4 Maximum trailer frontal area is 22 sq. ft.

5 Maximum trailer frontal area is 40 sq. ft.

6 Based on Maximum Options Weight Report Preliminary Final. Add 88.5 lbs. (40 kg) for seven-passenger vehicles.