

Colorado Master Gardener<sup>sm</sup> Program

# CMG GardenNotes #144 Plant Growth Factors: Water

Outline:

Role of water, page 1 Common symptoms of water stress, page 2 Relative humidity, page 3



#### **Thought Question**

1. Review how water stress impacts plant growth processes, then list common symptoms of drought stress.

In Colorado, water availability and quality can be a limiting factor in plant growth. Quality issues generally deal with excessive sodium or other soluble salts.

Available water limits potential for crops and gardens in many areas of the west. In cities, the cost of the infrastructure to supply water drives the need for water conservation.

Water management is a topic of other Colorado Master Gardener training classes. For additional information on water management, refer to CMG GardenNotes on Irrigation Management and Water-Wise Landscape Design.

## **Role of Water**

Plants are over 90% water. Roles of water are summarized in Table 1.

Role of water with plants	Impact of water shortage	
Primary component of photosynthesis     and transpiration	Reduced growth and vigor	
<ul> <li>Turgor pressure (pressure to inflate cells and hold plant erect)</li> </ul>	Wilting	
<ul> <li>Solvent to move minerals from the soil up to the plant         <ul> <li>NO<sub>3</sub><sup>-</sup>, NH<sub>4</sub><sup>+</sup>, H<sub>2</sub>PO<sub>4</sub><sup>-</sup>, HPO<sub>4</sub><sup>-2</sup>, K<sup>+</sup>, Ca<sup>+2</sup>, Mg<sup>+2</sup>, SO<sub>4</sub><sup>-2</sup>, H<sub>2</sub>BO<sub>3</sub><sup>-2</sup>, Cl<sup>-</sup>, Co<sup>+2</sup>, Cu<sup>+2</sup>, Fe<sup>+2</sup>, Fe<sup>+3</sup>, Mn<sup>+2</sup>, MOO<sub>4</sub><sup>-2</sup>, and Zn<sup>+2</sup></li> </ul> </li> </ul>	<ul> <li>Reduced growth and plant vigor</li> <li>Nutrient deficiencies</li> </ul>	
<ul> <li>Solvent to move products of photosynthesis throughout the plant, including down to the root system</li> </ul>	<ul> <li>Reduced health of roots which leads (over time) to reduced health of plant</li> </ul>	
<ul> <li>Regulation of stomatal opening and closure, thus regulating transpiration and photosynthesis</li> </ul>	<ul> <li>Reduced plant growth and vigor</li> <li>Reduced cooling effect = warmer micro-climate temperatures</li> </ul>	
Source of pressure to move roots     through the soil	<ul> <li>Reduced root growth = reduced plant growth and vigor</li> </ul>	
Medium for biochemical reactions	Reduced plant growth and vigor	

## **Common Symptoms of Water Stress**

#### **Drought**

- Decreased growth
- Small, off-colored leaves
- Decline from top down
- Early fall color
- Reduced xylem growth = long-term growth reduction
- Stress may show up five or more years later

#### Water Logged Soils

- Root activity slows or shuts down, and plants show symptoms of drought
- Decline in root growth slows plant growth processes
- Leaves may wilt from lack of water uptake
- Root rots are common in some species
- Lower interior leaves may yellow

Leaf Scorch (short-term water deficiency in leaves)

- Marginal burning
- Often from the top down, on southwest side, or from the side with root injury or root restrictions


#### Contributing factors to leaf scorch

- Dry or overly wet soils
- Compacted soils
- Limited root spread
- Root injury
- Structural damage to xylem tissues
- Trunk and branch injury
- Excessive wind and heat
- Excessive canopy growth (from heavy fertilization)

### **Relative Humidity**

Water moves from areas of high relative humidity to areas of lower relative humidity. Inside a leaf, the relative humidity between cells approaches 100%. When the stomata open, water vapors inside the leaf rush out forming a bubble of higher humidity around the stomata on the outside of the leaf.

The difference in relative humidity around the stomata and adjacent air regulates transpiration rates and pulls water up through the xylem tissues. Transpiration peaks under hot dry and/or windy conditions. When the supply of water from the roots is inadequate, the stomata close, photosynthesis shuts down, and plants can wilt.



<u>**Outdoors**</u> – In the arid climate of the west, low summer humidity helps manage some insect and disease problems and can aggravate others. The relative humidity returns to normal levels within a few minutes of watering/irrigation.

<u>Indoors</u> – With forced air heating, many homes have very low relative humidity in the winter. Some homes can have excessively high relative humidity due to a large number of houseplants, cooking and frequent long showers. Both extremely high and low indoor relative humidity are health concerns.

#### Additional Information – CMG GardenNotes on How Plants Grow (Botany):

#121	Horticulture Classification Terms	#136	Plant Structures: Fruit
#122	Taxonomic Classification	#137	Plant Structures: Seeds
#131	Plant Structures: Cells, Tissues,	#141	Plant Growth Factors: Photosynthesis,
	and Structures		Respiration and Transpiration
#132	Plant Structures: Roots	#142	Plant Growth Factors: Light
#133	Plant Structures: Stems	#143	Plant Growth Factors: Temperature
#134	Plant Structures: Leaves	#144	Plant Growth Factors: Water
#135	Plant Structures: Flowers	#145	Plant Growth Factors: Hormones

Authors: David Whiting, Consumer Horticulture Specialist (retired), Colorado State University Extension; with Michael Roll and Larry Vickerman (former CSU Extension employees). Line drawings by Scott Johnson and David Whiting.

- o Colorado Master Gardener GardenNotes are available online at www.cmg.colostate.edu.
- o Colorado Master Gardener training is made possible, in part, by a grant from the Colorado Garden Show, Inc.
- o Colorado State University, U.S. Department of Agriculture and Colorado counties cooperating.
- Extension programs are available to all without discrimination.
- No endorsement of products mentioned is intended nor is criticism implied of products not mentioned.
- Copyright 2003-2014. Colorado State University Extension. All Rights Reserved. *CMG GardenNotes* may be reproduced, without change or additions, for nonprofit educational use.



**Revised October 2014**