









TYPE TRD S SPORTY EXTERIOR LOOK





It has the whole comprehensive Type G features and the following:

- FRONT TRD S Aerokit
- REAR TRD S Aerokit
- TRD S Side Skirts
- TRD S Side Sticker
- TRD S Emblem



- IND S LINDIGIT

COMPLETE SAFETY FEATURES



Optimum protection for driver and front passenger





Strong body structure will minimize damage from impacts/collisions



COMPLETE TRANSMISSION



CONVENIENCE FEATURES



















SPECIFICATIONS

MODEL / TYPE			AT
DIMENSION			
Overall Length		mm	3,600
Overall Width		mm	1,620
Overall Height	Infirma II Pilleria - A Physic	mm	1,520
Wheelbase		mm	2,450
Tread -	Front :	mm	1,410
	Rear :	mm	1,405
Curb Weight		Kg	795
Gross Weight		Kg	1,100
CHASSIS			
Transmission			4 Speed Automatic
Gear Ratio		1st	2.731
		2 nd	1.526
	_	3rd	1.000
		4 th	0.696
		5 th	(*),
		Reverse	2.290
Final Gear Ratio			4.485
Steering System			Rack and Pinion with Electric Power Steering
Suspension —	Front		MacPherson Struts with Coil Spring
	Rear		Semi Independent Torsion Axle Beam with Coil Spring
Brake System —	Front		Ventilated Disc
	Rear		Drum Leading-trailing
Tire Size			Alloy Wheel, 175/65 R14
ENGINE			
Engine Type			3 Cylinder in-line, 12 Valves, DOHC
Displacement cc		СС	998
Bore x Stroke mm x mm			71.0 x 84.0
Max.Power ps/rpm		ps/rpm	65/6,000
Max.Torque Nm/rpm		Nm/rpm	85/3,600
Fuel Tank Capacity Itr		ltr	33
Fuel -	Туре		Unleaded Gasoline
or co	System		Electronic Fuel Injection

- Toyota Motor Corporation reserves the right to alter any details of specifications and equipments without prior notice.
- Details and specifications may differ from the picture shown, depending on models.
- Addition to extra features may change figures in the chart.

COLOR OPTIONS

White (W09)











Color Options in the brochure might be slightly different from the actual color of the cars.



No. 337, Negombo Road, Wattala, Sri Lanka Tel: 0112 939 989

E-mail:wigi@toyota.lk