

Endangered, Threatened, and Extirpated Plants of Indiana

<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Acalypha deamii</i>	Deam's two-seeded mercury	G4?	S3		WL
<i>Aconitum uncinatum</i>	blue monkshood	G4	S1		SE
<i>Acorus americanus</i>	sweetflag	G5	SU		WL
<i>Actaea racemosa</i>	black bugbane	G3G4	S3		WL
<i>Actaea rubifolia</i>	Appalachian bugbane	G3	S1		SE
<i>Actaea rubra</i> ssp. <i>rubra</i>	red baneberry	G5T5	S1?		ST
<i>Adlumia fungosa</i>	climbing fumatory	G4	SX		SX
<i>Aesculus octandra</i>	yellow buckeye	G5	S3		WL
<i>Agalinis auriculata</i>	earleaf foxglove	G3	S2		ST
<i>Agalinis fasciculata</i>	clustered foxglove	G5	S3		WL
<i>Agalinis gattingeri</i>	roundstem foxglove	G4	S3		ST
<i>Agalinis skinneriana</i>	pale false foxglove	G3G4	S2		ST
<i>Agrostis scabra</i>	rough bentgrass	G5	SU		WL
<i>Alnus incana</i> ssp. <i>rugosa</i>	speckled alder	G5T5	S3		WL
<i>Amelanchier humilis</i>	running serviceberry	G5	S1		SE
<i>Ammophila breviligulata</i>	Marram grass	G5	S3		WL
<i>Anaphalis margaritacea</i>	pearly everlasting	G5	SU		WL
<i>Andromeda glaucophylla</i>	bog rosemary	G5T5	S2		ST
<i>Andropogon ternarius</i>	silver bluestem	G5	S3		WL
<i>Androsace occidentalis</i>	western rockjasmine	G5	S2		ST
<i>Anemone caroliniana</i>	Carolina anemone	G5	SX		SX
<i>Antennaria solitaria</i>	single-head pussytoes	G5	S3		WL
<i>Anticlea elegans</i> var. <i>glaucus</i>	white camas	G5T4T5	S3		ST
<i>Arabis patens</i>	spreading rockcress	G3	S1		SE
<i>Aralia hispida</i>	bristly sarsaparilla	G5	S1		SE
<i>Arctostaphylos uva-ursi</i>	bearberry	G5	S3		ST
<i>Arethusa bulbosa</i>	swamp-pink	G5	SX		SX
<i>Aristida longespica</i> var. <i>geniculata</i>	slim-spike three-awn grass	G5T5?	S3		WL
<i>Aristida tuberculosa</i>	seabeach needlegrass	G5	S3		ST
<i>Asclepias meadii</i>	Mead's milkweed	G2	SX	LT	SRE
<i>Asclepias variegata</i>	white milkweed	G5	S3		WL
<i>Asclepias viridis</i>	green milkweed	G4G5	S1		SE

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Asplenium bradleyi</i>	Bradley's spleenwort	G4	S1		SE
<i>Asplenium montanum</i>	mountain spleenwort	G5	S1		SE
<i>Asplenium resiliens</i>	black-stem spleenwort	G5	S2		ST
<i>Asplenium ruta-muraria</i>	wallrue spleenwort	G5	S3		ST
<i>Astragalus tennesseensis</i>	Tennessee milk-vetch	G3	SX		SRE
<i>Aureolaria grandiflora</i> var. <i>pulchra</i>	large-flower false-foxglove	G4G5T4T5	SX		SX
<i>Azolla caroliniana</i>	Carolina mosquito-fern	G5	S3		ST
<i>Bacopa rotundifolia</i>	roundleaf water-hyssop	G5	S2		ST
<i>Baptisia australis</i>	wild false indigo	G5	S3		ST
<i>Baptisia bracteata</i> var. <i>leucophaea</i>	cream wild-indigo	G4G5T4T5	S3		WL
<i>Baptisia tinctoria</i>	yellow wild-indigo	G5	S3		WL
<i>Bartonia paniculata</i>	twining bartonia	G5	S3		WL
<i>Berberis canadensis</i>	American barberry	G3G4	S1		SE
<i>Besseyia bullii</i>	kitten tails	G3	S1		SE
<i>Betula papyrifera</i>	paper birch	G5	S3		ST
<i>Betula populifolia</i>	gray birch	G5	S1		WL
<i>Bidens beckii</i>	Beck's water-marigold	G5	S1		SE
<i>Boechera stricta</i>	Drummond's rockcress	G5	S1		SE
<i>Boltonia asteroides</i>	white boltonia	G5	S3		WL
<i>Borodinia missouriensis</i>	Missouri rockcress	G5	S1		SE
<i>Botrychium matricariifolium</i>	chamomile grape-fern	G5	S3		ST
<i>Botrychium simplex</i>	least grape-fern	G5	S1		SE
<i>Brachyelytrum aristosum</i>	northern shorthusk	G5	S1		SE
<i>Buchnera americana</i>	bluehearts	G5?	S1		SE
<i>Bumelia lycioides</i>	buckthorn	G5	S1		SE
<i>Cakile edentula</i> var. <i>lacustris</i>	American sea-rocket	G5T3T5	S3		WL
<i>Calamagrostis porteri</i> ssp. <i>insperata</i>	reed bent grass	G4T3	S1		SE
<i>Calamagrostis porteri</i> ssp. <i>porteri</i>	Porter's reedgrass	G4T4	S1		SE
<i>Calla palustris</i>	wild calla	G5	S1		SE
<i>Callirhoe triangulata</i>	clustered poppy-mallow	G3	S1		SE
<i>Calopogon oklahomensis</i>	Oklahoma grass-pink	G3	SX		SX
<i>Calyocarpum lyonii</i>	cup-seed	G5	S2		ST

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Calylophus serrulatus</i>	yellow sundrops	G5	SU		SE
<i>Camassia angusta</i>	wild hyacinth	G5?Q	S1		SE
<i>Cardamine diphylla</i>	two-leaf toothwort	G5	S3		WL
<i>Cardamine dissecta</i>	divided toothwort	G4?	S1		SE
<i>Cardamine pratensis</i> var. <i>palustris</i>	cuckoo flower	G5T5	S3		ST
<i>Carex alata</i>	broadwing sedge	G5	S3		WL
<i>Carex alopecoidea</i>	foxtail sedge	G5	S1		SE
<i>Carex arctata</i>	black sedge	G5	S2		ST
<i>Carex atherodes</i>	awned sedge	G5	S1		SE
<i>Carex atlantica</i> ssp. <i>atlantica</i>	Atlantic sedge	G5T5	S1		SE
<i>Carex atlantica</i> ssp. <i>capillacea</i>	Howe's sedge	G5T5?	S1		SE
<i>Carex aurea</i>	golden-fruited sedge	G5	S3		ST
<i>Carex aureolensis</i>	land of gold sedge	GNR	S1		SE
<i>Carex bebbii</i>	Bebb's sedge	G5	S3		ST
<i>Carex brunnescens</i>	brownish sedge	G5	S2		ST
<i>Carex bushii</i>	Bush's sedge	G4	S2		ST
<i>Carex castanea</i>	chestnut colored sedge	G5	SU		SE
<i>Carex cephaloidea</i>	thinleaf sedge	G5	S2		ST
<i>Carex chordorrhiza</i>	creeping sedge	G5	S1		SE
<i>Carex conoidea</i>	prairie gray sedge	G5	S2		ST
<i>Carex crawei</i>	Crawe's sedge	G5	S2		ST
<i>Carex cumberlandensis</i>	Cumberland sedge	GNR	S3		WL
<i>Carex cumulata</i>	clustered sedge	G4G5	S1		SE
<i>Carex debilis</i> var. <i>rudgei</i>	white-edge sedge	G5T5	S3		WL
<i>Carex decomposita</i>	cypress-knee sedge	G3G4	S2		ST
<i>Carex disperma</i>	softleaf sedge	G5	S1		SE
<i>Carex eburnea</i>	ebony sedge	G5	S3		ST
<i>Carex echinata</i>	little prickly sedge	G5	S1		SE
<i>Carex flava</i>	yellow sedge	G5	S2		ST
<i>Carex folliculata</i>	long sedge	G5	S3		ST
<i>Carex garberi</i>	elk sedge	G5	S1		SE
<i>Carex gigantea</i>	large sedge	G4	S1		SE

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
Carex gravida	heavy sedge	G5	S1		SE
Carex leptalea	bristly-stalk sedge	G5	S3		WL
Carex leptoneuria	finely-nerved sedge	G5	S1		SE
Carex limosa	mud sedge	G5	S1		SE
Carex livida	livid sedge	G5	S1		SE
Carex louisianica	Louisiana sedge	G5	S3		WL
Carex lupuliformis	false hop sedge	G4	S2		ST
Carex missouriensis	Missouri sedge	G4	SU		SE
Carex oklahomensis	Oklahoma sedge	G4	S1		SE
Carex pauciflora	few-flower sedge	G5	SX		SX
Carex pedunculata	longstalk sedge	G5	S3		WL
Carex projecta	necklace sedge	G5	SU		SE
Carex pseudocyperus	cyperus-like sedge	G5	S1		SE
Carex retroflexa	reflexed sedge	G5	S3		WL
Carex retrorsa	retorse sedge	G5	S1		SE
Carex richardsonii	Richardson's sedge	G5	S2		ST
Carex scabrata	rough sedge	G5	S1		SE
Carex seorsa	weak stellate sedge	G5	S3		ST
Carex socialis	social sedge	G4	S2		ST
Carex straminea	straw sedge	G5	S2		ST
Carex timida	timid sedge	G2G4	S1		SE
Carex trichocarpa	hairy-fruit sedge	G4	S3		WL
Carex trisperma	three-seed sedge	G5	S3		WL
Carex viridistellata	green star sedge	G2G3	SU		SE
Carex woodii	pretty sedge	G4	S3		WL
Carya pallida	sand hickory	G5	S1		SE
Castanea dentata	American chestnut	G4	S1		SE
Catalpa speciosa	northern catalpa	G4?	S3		ST
Caulophyllum giganteum	giant blue cohosh	G4G5	SU		SE
Ceanothus herbaceus	prairie redroot	G5	S1		SE
Ceratophyllum echinatum	prickly hornwort	G4	S3		WL
Chaerophyllum shortii	wild chervil	G5T3T4Q	S2		ST

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Chamaecrista nictitans</i> var. <i>nictitans</i>	wild sensitive plant	G5T5	S3		WL
<i>Chamaelirium luteum</i>	devil's-bit	G5	S1		SE
<i>Chamaenerion angustifolium</i>	fireweed	G5	S1		SE
<i>Cheilanthes lanosa</i>	hairy lipfern	G5	S3		ST
<i>Chelone obliqua</i> var. <i>speciosa</i>	rose turtlehead	G4T3	S3		WL
<i>Chimaphila maculata</i>	spotted wintergreen	G5	S3		WL
<i>Chimaphila umbellata</i> ssp. <i>cisatlantica</i>	pipsissewa	G5T5	S1		SE
<i>Chrysosplenium americanum</i>	American golden-saxifrage	G5	S2		ST
<i>Circaea alpina</i>	small enchanter's nightshade	G5	SX		SX
<i>Cirsium carolinianum</i>	Carolina thistle	G5	S3		ST
<i>Cirsium hillii</i>	Hill's thistle	G3	S1		SE
<i>Cirsium pitcheri</i>	dune thistle	G2G3	S1	LT	SE
<i>Cladrastis kentukea</i>	yellowwood	G4	S1		SE
<i>Clematis pitcheri</i>	Pitcher's leather-flower	G4G5	S3		ST
<i>Clinopodium arkansanum</i>	calamint	G5	S2		ST
<i>Clinopodium vulgare</i>	American wild basil	G5	S3		WL
<i>Clintonia borealis</i>	Clinton's lily	G5	S1		SE
<i>Clitoria mariana</i>	Maryland butterfly-pea	G5	S3		WL
<i>Cocculus carolinus</i>	red-berried moonseed	G5	S3		WL
<i>Coleataenia longifolia</i> ssp. <i>longifolia</i>	long-leaved panic-grass	G5T5?	SX		SX
<i>Comptonia peregrina</i>	sweet fern	G5	S3		WL
<i>Conioselinum chinense</i>	hemlock parsley	G5	S1		SE
<i>Coptis trifolia</i> var. <i>groenlandica</i>	goldthread	G5T5	S3		ST
<i>Corallorhiza trifida</i> var. <i>verna</i>	early coralroot	G5TNRQ	SX		SX
<i>Cornus amomum</i> ssp. <i>amomum</i>	silky dogwood	G5	S1		SE
<i>Cornus canadensis</i>	bunchberry	G5	S1		SE
<i>Cornus rugosa</i>	roundleaf dogwood	G5	S3		ST
<i>Corydalis sempervirens</i>	pale corydalis	G5	S1		SE
<i>Crataegus chrysoarpa</i>	fireberry hawthorn	G5	S1		SE
<i>Crataegus coccinea</i> var. <i>coccinea</i>	scarlet hawthorn	G5	S2		ST
<i>Crataegus intricata</i>	Copenhagen hawthorn	G5	S3		ST
<i>Crataegus iracunda</i>	Illinois hawthorn	GNR	S1		SE

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Crataegus succulenta</i> var. <i>succulenta</i>	fleshy hawthorn	G5T5	S3		ST
<i>Crataegus viridis</i> var. <i>viridis</i>	green hawthorn	G5T5	S2		ST
<i>Crepidomanes intricatum</i>	weft fern	G4G5	SU		SE
<i>Croton michauxii</i> var. <i>elliptica</i>	elliptical rushfoil	G5	S1		SE
<i>Cuscuta cuspidata</i>	cusps dodder	G5	S1		SE
<i>Cuscuta indecora</i>	pretty dodder	G5	S1		SE
<i>Cyperus acuminatus</i>	short-point flatsedge	G5	S3		WL
<i>Cyperus dentatus</i>	toothed sedge	G4	S1		SE
<i>Cyperus houghtonii</i>	Houghton's nutsedge	G4?	S2		SE
<i>Cyperus pseudovegetus</i>	green flatsedge	G5	S3		ST
<i>Cypripedium acaule</i>	pink lady's-slipper	G5	S1		SE
<i>Cypripedium candidum</i>	small white lady's-slipper	G4	S3		ST
<i>Cypripedium parviflorum</i> var. <i>makasin</i>	small yellow lady's-slipper	G5T4T5	S3		ST
<i>Cypripedium parviflorum</i> var. <i>pubescens</i>	large yellow lady's-slipper	G5T5	S3		WL
<i>Cypripedium reginae</i>	showy lady's-slipper	G4G5	S3		ST
<i>Dactylorhiza viridis</i>	long-bract green orchid	G5	S1		SE
<i>Danthonia compressa</i>	flattened oatgrass	G5	SU		SE
<i>Dendrolycopodium dendroideum</i>	treelike clubmoss	G5	S1		SE
<i>Dendrolycopodium hickeyi</i>	Hickey's clubmoss	G5	S3		ST
<i>Dendrolycopodium obscurum</i>	tree clubmoss	G5	S3		ST
<i>Dennstaedtia punctilobula</i>	eastern hay-scented fern	G5	S3		WL
<i>Deschampsia cespitosa</i>	tufted hairgrass	G5	S3		ST
<i>Desmodium laevigatum</i>	smooth tick-trefoil	G5	S3		WL
<i>Desmodium viridiflorum</i>	velvety tick-trefoil	G5?	S3		WL
<i>Dichanthelium annulum</i>	panic-grass	G4	S1		SE
<i>Dichanthelium bicknellii</i>	panic-grass	G4?Q	S1		SE
<i>Dichanthelium boreale</i>	northern witchgrass	G5	S3		ST
<i>Dichanthelium commonsianum</i>	Commons' panic-grass	G5	SU		SE
<i>Dichanthelium deamii</i>	Deam's panic-grass	GNR	SU		SE
<i>Dichanthelium leibergii</i>	Leiberg's witchgrass	G4	S2		ST
<i>Dichanthelium lucidum</i>	shining panic-grass	G4	S1		SE
<i>Dichanthelium mattamuskeetense</i>	panic-grass	G4?	SX		SX

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
Dichanthelium ovale	egg-leaf witchgrass	G5T5	SU		ST
Dichanthelium scoparium	broom panic-grass	G5	S1		SE
Dichanthelium subvillosum	panic-grass	GNRQ	S1		SE
Dichanthelium wilcoxianum	blood witchgrass	G5	S3		ST
Dichanthelium yadkinense	Yadkin panic-grass	G5T4Q	S1		SE
Dicliptera brachiata	wild mudwort	G5	S1		SE
Didiplis diandra	water-purslane	G5	S1		SE
Diervilla lonicera	northern bush-honeysuckle	G5	S3		WL
Digitaria filiformis	slender crabgrass	G5	SU		ST
Diodia virginiana	buttonweed	G5	S3		WL
Diphasiastrum tristachyum	deep-root clubmoss	G5	S2		ST
Dodecatheon frenchii	French's shootingstar	G3?	S3		ST
Drosera intermedia	spoon-leaved sundew	G5	S3		ST
Drosera rotundifolia	roundleaf sundew	G5	S3		WL
Drymocallis arguta	tall cinquefoil	G5	SU		WL
Dryopteris celsa	log fern	G4	S1		SE
Dryopteris clintoniana	Clinton's woodfern	G5	S1		SE
Echinacea simulata	wavyleaf purple coneflower	G4	SU		WL
Echinodorus berteroi	tall bur-head	G5	S1		SE
Echinodorus cordifolius	creeping bur-head	G5	S1		SE
Echinodorus parvulus	little bur-head	G3Q	SX		SX
Eleocharis bifida	glades spikerush	G3G4	S1		SE
Eleocharis equisetoides	horse-tail spikerush	G4	S1		SE
Eleocharis geniculata	capitate spike-rush	G5	S2		ST
Eleocharis melanocarpa	black-fruited spike-rush	G4	S2		ST
Eleocharis microcarpa	small-fruited spike-rush	G5	S1		SE
Eleocharis parvula	small spikerush	G5	SU		SE
Eleocharis quinqueflora	fewflower spikerush	G5	S3		WL
Eleocharis robbinsii	Robbins' spikerush	G4G5	S2		ST
Eleocharis wolfii	Wolf's spikerush	G3G5	S2		ST
Epigaea repens	trailing arbutus	G5	S3		ST
Epilobium strictum	downy willowherb	G5	SU		WL

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana

<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Equisetum sylvaticum</i>	woodland horsetail	G5	S1		SE
<i>Equisetum variegatum</i> var. <i>variegatum</i>	variegated horsetail	G5T5	S1		SE
<i>Eriocaulon aquaticum</i>	pipewort	G5	S1		SE
<i>Eriophorum angustifolium</i>	narrow-leaved cotton-grass	G5	S3		ST
<i>Eriophorum gracile</i>	slender cotton-grass	G5	S2		ST
<i>Eriophorum spissum</i>	dense cotton-grass	G5T5	SX		SX
<i>Eriophorum viridicarinatum</i>	green-keeled cotton-grass	G5	S3		ST
<i>Erysimum capitatum</i>	prairie-rocket wallflower	G5	S1		SE
<i>Eupatorium album</i>	white thoroughwort	G5	S3		ST
<i>Eupatorium rotundifolium</i>	round-leaved boneset	G5	S3		WL
<i>Euphorbia polygonifolia</i>	seaside spurge	G5?	S2		ST
<i>Eurybia furcata</i>	forked aster	G3	S3		ST
<i>Eurybia schreberi</i>	Schreber's aster	G4	S1		SE
<i>Euthamia caroliniana</i>	slender goldentop	G5	SU		WL
<i>Fallopia cilinodis</i>	fringed black bindweed	G5	S1		SE
<i>Festuca paradoxa</i>	cluster fescue	G5	S2		ST
<i>Filipendula rubra</i>	queen-of-the-prairie	G4G5	S3		WL
<i>Fimbristylis annua</i>	annual fimbry	G5	S1		SE
<i>Fimbristylis puberula</i>	Carolina fimbry	G5	S1		SE
<i>Fleischmannia incarnata</i>	pink thoroughwort	G5	S2		ST
<i>Fragaria vesca</i> var. <i>americana</i>	woodland strawberry	G5T5	S1		SE
<i>Frangula caroliniana</i>	Carolina buckthorn	G5	S3		WL
<i>Fuirena pumila</i>	dwarf umbrella-sedge	G4	S2		ST
<i>Galactia regularis</i>	eastern milk-pea	G5	S3		WL
<i>Galium labradoricum</i>	bog bedstraw	G5	SU		ST
<i>Gaura filipes</i>	slender-stalked gaura	G5	S2		SE
<i>Gentiana alba</i>	yellow gentian	G4	S3		ST
<i>Gentiana puberulenta</i>	downy gentian	G4G5	S1		SE
<i>Gentiana villosa</i>	striped gentian	G4	S1		SE
<i>Geranium bicknellii</i>	Bicknell's northern cranesbill	G5	S1		SE
<i>Geranium robertianum</i>	herb-Robert	G5	S3		ST
<i>Geum aleppicum</i>	yellow avens	G5	SU		ST

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Geum fragarioides</i>	barren strawberry	G5	S3		ST
<i>Geum rivale</i>	purple avens	G5	S1		SE
<i>Gleditsia aquatica</i>	water-locust	G5	S1		SE
<i>Glyceria acutiflora</i>	sharp-scaled manna-grass	G5	S1		SE
<i>Glyceria borealis</i>	small floating manna-grass	G5	S1		SE
<i>Glyceria grandis</i>	American manna-grass	G5	S1		SE
<i>Gonolobus suberosus</i>	angular-fruited milkvine	G5	S3		ST
<i>Gymnopogon ambiguus</i>	broadleaf beardgrass	G4	SX		SX
<i>Helenium virginicum</i>	Virginia sneezeweed	G3	SU	LT	ST
<i>Helianthus angustifolius</i>	swamp sunflower	G5	S1		SE
<i>Heliotropium tenellum</i>	slender heliotrope	G5	S2		ST
<i>Hesperostipa comata</i>	sewing needlegrass	G5	SX		SX
<i>Heteranthera reniformis</i>	kidney leaf mud-plantain	G5	SU		WL
<i>Heterotheca camporum</i> var. <i>camporum</i>	hairy golden-aster	G5TNR	S3		ST
<i>Heuchera parviflora</i> var. <i>rugelii</i>	alumroot	G4TNR	S3		WL
<i>Heuchera villosa</i>	hairy alumroot	G5	S3		WL
<i>Hexalectris spicata</i>	crested coralroot	G5	S3		ST
<i>Hibiscus moscheutos</i> ssp. <i>lasiocarpus</i>	hairy-fruited hibiscus	G5T4	S1		SE
<i>Hieracium venosum</i>	rattlesnake hawkweed	G5	S3		WL
<i>Hippuris vulgaris</i>	common mare's-tail	G5	SX		SX
<i>Hottonia inflata</i>	featherfoil	G4	S2		ST
<i>Hudsonia tomentosa</i>	sand-heather	G5	S2		ST
<i>Huperzia lucidula</i>	shining clubmoss	G5	S3		WL
<i>Huperzia porophila</i>	rock clubmoss	G4	S3		WL
<i>Hydrastis canadensis</i>	golden seal	G3G4	S3		WL
<i>Hydrocotyle americana</i>	American water-pennywort	G5	S1		SE
<i>Hylotelephium telephioides</i>	Allegheny stonecrop	G4	S3		ST
<i>Hymenocallis occidentalis</i>	Carolina spider-lily	G4?	S3		WL
<i>Hymenopappus scabiosaeus</i>	Carolina woollywhite	G4G5	S1		SE
<i>Hypericum adpressum</i>	creeping St. John's-wort	G3	S1		SE
<i>Hypericum boreale</i>	northern St. John's-wort	G5	SU		WL
<i>Hypericum canadense</i>	Canadian St. John's-wort	G5	SU		WL

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Hypericum dolabriforme</i>	straggling St. John's-wort	G4	S3		ST
<i>Hypericum frondosum</i>	golden St. John's-wort	G4	SX		SX
<i>Hypericum gymnanthum</i>	clasping-leaved St. John's-wort	G4	S1		SE
<i>Hypericum kalmianum</i>	Kalm's St. John's-wort	G4	S3		WL
<i>Hypericum pyramidatum</i>	great St. John's-wort	G4T4	S2		ST
<i>Hypericum swinkianum</i>	Swink's St. John's-wort	GNR	SU		SE
<i>Hypericum virgatum</i>	coppery St. John's-wort	G4?	S2		ST
<i>Hypopitys monotropa</i>	American pinesap	G5	S3		WL
<i>Ilex decidua</i>	deciduous holly	G5	S3		WL
<i>Ilex mucronata</i>	mountain holly	G5	S3		ST
<i>Iresine rhizomatosa</i>	eastern bloodleaf	G5	S3		ST
<i>Isoetes engelmannii</i>	Appalachian quillwort	G4	S1		SE
<i>Isoetes melanopoda</i>	blackfoot quillwort	G5	S2		ST
<i>Isotrema tomentosum</i>	woolly dutchman's-pipe	G5	S3		WL
<i>Isotria verticillata</i>	large whorled pogonia	G5	S3		WL
<i>Itea virginica</i>	Virginia willow	G4	S1		SE
<i>Juglans cinerea</i>	butternut	G3	S2		ST
<i>Juncus articulatus</i>	jointed rush	G5	S1		SE
<i>Juncus balticus</i> var. <i>littoralis</i>	Baltic rush	G5T5	S3		WL
<i>Juncus militaris</i>	bayonet rush	G5	S1		SE
<i>Juncus nodatus</i>	stout rush	G5	SU		ST
<i>Juncus pelocarpus</i>	brown-fruited rush	G5	S1		SE
<i>Juncus scirpoides</i>	scirpus-like rush	G5	S2		ST
<i>Juncus secundus</i>	Secund's rush	G5?	S1		SE
<i>Juniperus communis</i> var. <i>depressa</i>	ground juniper	G5T5	S3		ST
<i>Juniperus horizontalis</i>	creeping juniper	G5	SX		SX
<i>Kalmia latifolia</i>	mountain laurel	G5	S3		ST
<i>Lactuca hirsuta</i>	hairy lettuce	G5?	SU		ST
<i>Lactuca ludoviciana</i>	western lettuce	G4G5	SX		SX
<i>Larix laricina</i>	tamarack	G5	S2		ST
<i>Lathyrus japonicus</i>	beach peavine	G5	S1		SE
<i>Lathyrus ochroleucus</i>	pale vetchling peavine	G5	S1		SE

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
Lathyrus venosus	smooth veiny pea	G5	S1		SE
Leavenworthia uniflora	Michaux's leavenworthia	G4	S1		SE
Lechea racemulosa	Illinois pinweed	G5	S1		SE
Lechea stricta	upright pinweed	G4?	SX		SX
Lemna gibba	inflated duckweed	G4G5	SU		SE
Lemna minuta	least duckweed	G4	S1		SE
Lemna perpusilla	minute duckweed	G5	SX		SX
Lemna valdiviana	pale duckweed	G5	S1		SE
Leptochloa panicoides	Amazon sprangle-top	G5	S1		SE
Lespedeza stuevei	tall bush-clover	G4?	SX		SX
Liatris pycnostachya	cattail gay-feather	G5	S1		SE
Liatris squarrosa	scaly gay-feather	G5	S3		WL
Ligusticum canadense	nondo lovage	G4	S1		SE
Lilium canadense	Canada lily	G5	S3		ST
Lilium philadelphicum	wood lily	G5	SU		WL
Lilium superbum	Turk's cap lily	G5	S3		ST
Limnobiium spongia	American frog's-bit	G4	S1		SE
Linnaea borealis	twinflower	G5	SX		SX
Linum intercursum	sandplain flax	G4	S1		SE
Linum striatum	ridged yellow flax	G5	S3		WL
Linum sulcatum	grooved yellow flax	G5	S3		ST
Liparis loeselii	Loesel's twayblade	G5	S3		WL
Lipocarpa drummondii	Drummond's hemicarpha	G4G5	S1		SE
Lithospermum incisum	narrow-leaved puccoon	G5	S1		SE
Lithospermum parviflorum	shaggy false-gromwell	G4G5T4	S1		SE
Lonicera canadensis	American fly-honeysuckle	G5	S1		SE
Ludwigia decurrens	primrose willow	G5	S3		WL
Ludwigia glandulosa	cylindric-fruited seedbox	G5	S2		ST
Ludwigia sphaerocarpa	globe-fruited false-loosestrife	G5	S1		SE
Luzula acuminata var. acuminata	Hairy Woodrush	G5T5	S1		SE
Lycopodiella inundata	northern bog clubmoss	G5	S2		ST
Lycopodiella margueritiae	Marguerite's clubmoss	G1G2	SU		SE

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana

<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Lycopodiella subappressa</i>	northern appressed bog clubmoss	G2	S1		SE
<i>Lycopodium clavatum</i>	running pine	G5	S3		WL
<i>Lycopus amplexans</i>	sessile-leaved bugleweed	G5	S1		SE
<i>Lygodium palmatum</i>	climbing fern	G4	S1		SE
<i>Magnolia acuminata</i>	cucumber magnolia	G5	S1		SE
<i>Magnolia tripetala</i>	umbrella magnolia	G5	S1		SE
<i>Malaxis unifolia</i>	green adder's-mouth orchid	G5	S1		SE
<i>Manfreda virginica</i>	Virginia tube-rose	G5	S3		WL
<i>Matelea obliqua</i>	angle pod	G4?	S3		ST
<i>Matteuccia struthiopteris</i>	ostrich fern	G5	S3		ST
<i>Mecardonia acuminata</i>	striped hedge hyssop	G5	S1		SE
<i>Melampyrum lineare</i>	American cow-wheat	G5	S1		SE
<i>Melanthium virginicum</i>	Virginia bunchflower	G5	S1		SE
<i>Melica mutica</i>	narrow melic grass	G5	S3		WL
<i>Melica nitens</i>	three-flower melic grass	G5	S1		SE
<i>Melothria pendula</i>	creeping cucumber	G5?	S2		ST
<i>Menyanthes trifoliata</i>	buckbean	G5	S3		WL
<i>Micranthes forbesii</i>	Forbe's saxifrage	G4Q	S1		SE
<i>Micranthes virginiana</i>	Virginia saxifrage	G5	S3		WL
<i>Mikania scandens</i>	climbing hempweed	G5	S1		SE
<i>Milium effusum</i>	tall millet-grass	G5	S1		ST
<i>Minuartia michauxii</i> var. <i>michauxii</i>	Michaux's stitchwort	G5T5	S2		ST
<i>Minuartia patula</i>	Pitcher's stitchwort	G4	S1		SE
<i>Monarda bradburiana</i>	eastern bee-balm	G5	S1		SE
<i>Muhlenbergia capillaris</i>	long-awn hairgrass	G5	S1		SE
<i>Muhlenbergia cuspidata</i>	plains muhly	G5	S1		SE
<i>Myosotis laxa</i>	smaller forget-me-not	G5	S2		ST
<i>Myosotis macrosperma</i>	large-seeded forget-me-not	G5	S3		WL
<i>Myriophyllum pinnatum</i>	cutleaf water-milfoil	G5	S1		SE
<i>Myriophyllum tenellum</i>	slender water-milfoil	G5	S1		SE
<i>Myriophyllum verticillatum</i>	whorled water-milfoil	G5	S3		ST
<i>Najas gracillima</i>	thread-like naiad	G5?	S3		ST

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
Napaea dioica	glade mallow	G4	S2		ST
Nelumbo lutea	American lotus	G4	S3		WL
Nothoscordum bivalve	crow-poison	G4	S3		ST
Oenothera perennis	small sundrops	G5	S3		ST
Oenothera triloba	stemless evening-primrose	G4	SX		SX
Oligoneuron album	prairie goldenrod	G5	S3		ST
Ophioglossum engelmannii	limestone adder's-tongue	G5	S3		ST
Ophioglossum pusillum	northern adder's-tongue	G5	SU		ST
Orobanche fasciculata	clustered broomrape	G4G5	S1		SE
Orobanche riparia	bottomland broomrape	G4?	S1		SE
Orthilia secunda	one-sided wintergreen	G5	SX		SX
Oryzopsis asperifolia	white-grained mountain-ricegrass	G5	S1		SE
Oxalis illinoensis	Illinois woodsorrel	G4Q	S3		WL
Oxydendrum arboreum	sourwood	G5	S3		ST
Pachysandra procumbens	Allegheny spurge	G4G5	S1		SE
Packera anonyma	Small's ragwort	G5	S3		WL
Panax quinquefolius	American ginseng	G3G4	S3		WL
Panax trifolius	dwarf ginseng	G5	S3		WL
Panicum tuckermanii	Tuckerman's panicgrass	G3G5	SU		ST
Panicum verrucosum	warty panic-grass	G4	S2		ST
Passiflora incarnata	purple passion-flower	G5	S3		WL
Patis racemosa	black-fruit mountain-ricegrass	G5	S3		ST
Pediomelum tenuiflorum	few-flowered scurf-pea	G5	SX		SX
Penstemon canescens	gray beardtongue	G4	S1		SE
Penstemon deamii	Deam's beardtongue	G1	S1		SE
Penstemon tubaeformis	tube penstemon	G5	S1		SE
Perideridia americana	eastern eulophus	G4	S1		SE
Persicaria careyi	Carey's smartweed	G4	S2		ST
Persicaria opelousana	northeastern smartweed	G5TNRQ	S2		ST
Persicaria robustior	stout smartweed	G4G5	SU		SE
Persicaria setacea	swamp smartweed	G5	S1		SE
Phacelia covillei	buttercup scorpionweed	G3	S1		SE

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana

<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
Phacelia ranunculacea	blue scorpionweed	G4	S1		SE
Phemeranthus rugospermus	prairie fame-flower	G3G4	S1		SE
Phlox amplifolia	large-leaved phlox	G3G5	S3		ST
Phlox bifida ssp. stellaria	cleft phlox	G5?T3	S1		SE
Phlox ovata	mountain phlox	G4	S1		SE
Phlox pilosa ssp. deamii	Deam's phlox	G5T3T4	S1		SE
Phoradendron serotinum	American mistletoe	G5	S3		WL
Physaria globosa	Short's bladderpod	G2	S1	LE	SE
Pinus banksiana	jack pine	G5	S3		ST
Pinus strobus	eastern white pine	G5	S3		ST
Pinus virginiana	Virginia pine	G5	S3		WL
Piptatheropsis pungens	slender mountain-ricegrass	G5	S1		SE
Piptochaetium avenaceum	blackseed needlegrass	G5	S3		ST
Plantago cordata	heart-leaved plantain	G4	S1		SE
Platanthera aquilonis	leafy northern green orchid	G5	S2		ST
Platanthera ciliaris	yellow-fringe orchid	G5	S1		SE
Platanthera clavellata	small green woodland orchid	G5	S3		WL
Platanthera dilatata	leafy white orchid	G5	SX		SX
Platanthera flava var. flava	southern rein orchid	G4?T4?Q	S1		SE
Platanthera flava var. herbiola	pale green orchid	G4?T4Q	S3		WL
Platanthera hookeri	Hooker's Orchid	G4	SX		SX
Platanthera lacera	green-fringe orchid	G5	S3		WL
Platanthera leucophaea	prairie white-fringed orchid	G2G3	S1	LT	SE
Platanthera orbiculata	large roundleaf orchid	G5	SX		SX
Platanthera peramoena	purple fringeless orchid	G5	S3		WL
Platanthera psycodes	small purple-fringe orchid	G5	S3		ST
Pleopeltis polypodioides	resurrection fern	G5	S3		WL
Poa alsodes	grove meadow grass	G4G5	S3		ST
Poa cuspidata	early bluegrass	G5	SX		SX
Poa paludigena	bog bluegrass	G3G4	S3		ST
Poa wolfii	Wolf's bluegrass	G4	S3		ST
Pogonia ophioglossoides	rose pogonia	G5	S3		ST

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Polygala incarnata</i>	pink milkwort	G5	S1		SE
<i>Polygala paucifolia</i>	gay-wing milkwort	G5	S1		SE
<i>Polygonum articulatum</i>	eastern jointweed	G5	S3		ST
<i>Polytaenia nuttallii</i>	prairie parsley	G5	S1		SE
<i>Populus balsamifera</i>	balsam poplar	G5	S1		SE
<i>Potamogeton bicupulatus</i>	snail-seed pondweed	G4	S1		SE
<i>Potamogeton epihydrus</i>	nuttall pondweed	G5	S1		SE
<i>Potamogeton friesii</i>	Fries' pondweed	G5	S1		SE
<i>Potamogeton oakesianus</i>	Oakes' pondweed	G5	S1		SE
<i>Potamogeton praelongus</i>	white-stem pondweed	G5	S1		ST
<i>Potamogeton pulcher</i>	spotted pondweed	G5	S2		ST
<i>Potamogeton pusillus</i>	slender pondweed	G5	S2		WL
<i>Potamogeton richardsonii</i>	redheadgrass	G5	S3		ST
<i>Potamogeton robbinsii</i>	flatleaf pondweed	G5	S3		ST
<i>Potamogeton strictifolius</i>	straight-leaf pondweed	G5	S2		ST
<i>Potamogeton vaseyi</i>	Vasey's pondweed	G4	S1		SE
<i>Potentilla anserina</i>	silverweed	G5	S2		ST
<i>Prenanthes aspera</i>	rough rattlesnake-root	G4?	S3		ST
<i>Prenanthes crepidinea</i>	nodding rattlesnake-root	G4	S2		WL
<i>Proboscidea louisianica</i>	Louisiana unicorn-plant	GU	SX		SX
<i>Prunus pensylvanica</i>	fire cherry	G5	S3		ST
<i>Pseudognaphalium macounii</i>	winged cudweed	G5	SX		SX
<i>Pteridium aquilinum</i> var. <i>pseudocaudatum</i>	bracken fern	G5T5	SX		SX
<i>Pyrola americana</i>	American wintergreen	G5	S2		ST
<i>Pyrola asarifolia</i>	pink wintergreen	G5	S1		SE
<i>Pyrola chlorantha</i>	greenish-flowered wintergreen	G5	SX		SX
<i>Pyrola elliptica</i>	elliptical-leaf wintergreen	G5	S3		WL
<i>Quercus lyrata</i>	overcup oak	G5	S3		WL
<i>Quercus pagoda</i>	cherry-bark oak	G5	S3		WL
<i>Quercus prinoides</i>	dwarf chinquapin oak	G5	S1		SE
<i>Ranunculus harveyi</i>	Harvey's buttercup	G4	S1		SE
<i>Ranunculus laxicaulis</i>	Mississippi buttercup	G5?	S1		SE

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
Ranunculus pusillus	Pursh's buttercup	G5	S1		SE
Rhamnus alnifolia	alderleaf buckthorn	G5	S3		ST
Rhamnus lanceolata	lance-leaved buckthorn	G5	S3		WL
Rhexia mariana var. interior	showy meadow-beauty	G5T4T5	S3		WL
Rhexia mariana var. mariana	Maryland meadow beauty	G5T5	S1		ST
Rhus aromatica var. arenaria	beach sumac	G5T3Q	S3		ST
Rhynchospora corniculata	short-bristle hornedrush	G5	S2		ST
Rhynchospora fusca	brown beakrush	G4G5	SX		SX
Rhynchospora macrostachya	tall beaked-rush	G4	S3		ST
Rhynchospora nitens	short-beaked bald-rush	G4?	S1		SE
Rhynchospora recognita	globe beaked-rush	G5?	S1		SE
Rhynchospora scirpoides	long-beaked baldrush	G4	S3		ST
Ribes hirtellum	smooth gooseberry	G5	S3		WL
Rorippa aquatica	lake cress	G4?	S1		SE
Rubus odoratus	purple flowering raspberry	G5	S2		ST
Rubus setosus	small bristleberry	G5	S1		SE
Rudbeckia fulgida var. fulgida	orange coneflower	G5T4?	S3		WL
Rudbeckia fulgida var. umbrosa	coneflower	G5T4T5	S1		SE
Sabatia campanulata	slender marsh pink	G5	SX		SX
Saccharum alopecuroides	woolly beardgrass	G5	S3		WL
Sagittaria ambigua	Kansas arrowhead	G2?	SX		SX
Sagittaria australis	longbeak arrowhead	G5	S3		ST
Salix caroliniana	Carolina willow	G5	S3		WL
Salix cordata	heartleaf willow	G4	S1		SE
Salix serissima	autumn willow	G5	S2		ST
Sanguisorba canadensis	Canada burnet	G5	S1		SE
Sanicula smallii	Small's snakeroot	G5	S3		ST
Sarracenia purpurea	northern pitcher-plant	G5	S3		ST
Sceptridium biternatum	sparse-lobe grape-fern	G5	S3		WL
Sceptridium multifidum	leathery grape-fern	G5	SX		
Sceptridium oneidense	blunt-lobe grape-fern	G4	S3		WL
Sceptridium rugulosum	ternate grapefern	G3	SX		SX

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
<i>Scheuchzeria palustris</i> ssp. <i>americana</i>	American scheuchzeria	G5T5	S1		SE
<i>Schizachne purpurascens</i>	purple oat	G5	S1		SE
<i>Schoenoplectiella hallii</i>	Hall's bulrush	G2G3	S1	C	SE
<i>Schoenoplectiella purshiana</i>	weakstalk bulrush	G4G5	S3		ST
<i>Schoenoplectiella smithii</i>	Smith's Bulrush	G5?	S2		ST
<i>Schoenoplectus subterminalis</i>	water bulrush	G5	S3		ST
<i>Schoenoplectus torreyi</i>	Torrey's Bulrush	G5?	S1		SE
<i>Scirpus expansus</i>	bulrush	G4	S1		SE
<i>Scleria muehlenbergii</i>	Muehlenberg's nutrush	G5	S1		SE
<i>Scleria oligantha</i>	little-headed nutrush	G5	S3		WL
<i>Scleria pauciflora</i>	fewflower nutrush	G5	S3		WL
<i>Scleria reticularis</i>	reticulated nutrush	G4	S2		ST
<i>Scutellaria parvula</i> var. <i>australis</i>	southern skullcap	G4T4?	S2		WL
<i>Scutellaria parvula</i> var. <i>parvula</i>	small skullcap	G4T4	S1		SE
<i>Scutellaria saxatilis</i>	rock skullcap	G3G4	S1		SE
<i>Selaginella apoda</i>	meadow spike-moss	G5	S1		WL
<i>Selaginella rupestris</i>	ledge spike-moss	G5	S1		SE
<i>Sericocarpus linifolius</i>	narrowleaf aster	G5	S3		WL
<i>Setaria parviflora</i>	bristly foxtail	G5	S3		WL
<i>Shepherdia canadensis</i>	Canada buffalo-berry	G5	SX		SX
<i>Sida hermaphrodita</i>	Virginia mallow	G3	S1		SE
<i>Silene ovata</i>	ovate catchfly	G3	S1		SE
<i>Silene regia</i>	royal catchfly	G3	S1		SE
<i>Sisyrinchium montanum</i>	strict blue-eyed-grass	G5	S1		SE
<i>Smilax bona-nox</i>	saw greenbrier	G5	S3		WL
<i>Solidago buckleyi</i>	Buckley's goldenrod	G4	S1		SE
<i>Solidago hispida</i>	hairy goldenrod	G5	S3		WL
<i>Solidago missouriensis</i>	Missouri goldenrod	G5	SU		WL
<i>Solidago rupestris</i>	rock goldenrod	G4?	SX		SX
<i>Solidago shortii</i>	Short's goldenrod	G1	S1	LE	SE
<i>Solidago simplex</i> var. <i>gillmanii</i>	sticky goldenrod	G5T3?	S2		ST
<i>Solidago speciosa</i>	showy goldenrod	G5	SU		WL

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
Solidago squarrosa	stout-ragged goldenrod	G4G5	S1		SE
Sorbus decora	northern mountain-ash	G5	SX		SX
Sparganium androcladum	branching bur-reed	G4G5	S2		ST
Sparganium natans	small bur-reed	G5	SX		SX
Spigelia marilandica	woodland pinkroot	G4	S1		SE
Spiranthes lucida	shining ladies'-tresses	G4	S3		ST
Spiranthes magnicamporum	Great Plains ladies'-tresses	G3G4	S1		SE
Spiranthes ochroleuca	yellow nodding ladies'-tresses	G4	S2		ST
Spiranthes romanzoffiana	hooded ladies'-tresses	G5	S1		SE
Spiranthes tuberosa	little ladies'-tresses	G5	S3		WL
Spiranthes vernalis	grassleaf ladies'-tresses	G5	S3		WL
Stachys clingmanii	Clingman's hedge-nettle	G2	SU		WL
Stellaria corei	Tennessee chickweed	G4	SU		WL
Stenanthium gramineum	eastern featherbells	G4G5	S1		ST
Stenaria nigricans	narrowleaf summer bluets	G5	S3		ST
Strophostyles leiosperma	slick-seed wild-bean	G5	S3		WL
Styrax americanus	American snowbell	G5	S3		ST
Styrax grandifolius	large-leaf snowbell	G5	S1		SE
Sullivantia sullivantii	Sullivantia	G4	S2		ST
Symphyotrichum boreale	rushlike aster	G5	S2		ST
Symphyotrichum oblongifolium	aromatic aster	G5	S3		ST
Symphyotrichum phlogifolium	thin leaf late purple aster	G5	S3		WL
Symphyotrichum sericeum	western silvery aster	G5	S2		ST
Symphyotrichum undulatum	waxy-leaved aster	G5	S3		WL
Synandra hispidula	Gyandotte beauty	G4	S3		WL
Taxodium distichum var. distichum	bald cypress	G5	S2		ST
Taxus canadensis	American yew	G5	S1		SE
Thalictrum pubescens	tall meadowrue	G5	S3		ST
Thuja occidentalis	northern white cedar	G5	S1		SE
Thyrsanthella difformis	climbing dogbane	G4G5	S3		ST
Tragia cordata	heart-leaved noseburn	G4	S3		WL
Trautvetteria caroliniensis	Carolina tassel-rue	G5	SX		SX

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
Triadenum tubulosum	large marsh St. John's-wort	G4?	S3		WL
Triadenum walteri	Walter's St. John's-wort	G5	S3		WL
Triantha glutinosa	false asphodel	G5	S2		ST
Trichostema dichotomum	forked bluecurl	G5	S3		WL
Trifolium reflexum var. glabrum	buffalo clover	G3G4T2T4Q	S1		SE
Trifolium stoloniferum	running buffalo clover	G3	S1	LE	SE
Triglochin palustris	marsh arrow-grass	G5	S2		ST
Trillium cernuum var. macranthum	nodding trillium	G5T4	S1		SE
Tsuga canadensis	eastern hemlock	G5	S3		WL
Turritis glabra	tower-mustard	G5	S3		WL
Utricularia cornuta	horned bladderwort	G5	S1		SE
Utricularia geminiscapa	hidden-fruited bladderwort	G4G5	S1		SE
Utricularia intermedia	flatleaf bladderwort	G5	S3		WL
Utricularia minor	lesser bladderwort	G5	S1		ST
Utricularia purpurea	purple bladderwort	G5	S3		ST
Utricularia radiata	small swollen bladderwort	G4	S1		SE
Utricularia resupinata	northeastern bladderwort	G4	S1		SE
Utricularia subulata	zigzag bladderwort	G5	S2		ST
Uvularia perfoliata	bellwort	G5	S1		SE
Vaccinium arboreum	farkleberry	G5	S3		WL
Vaccinium macrocarpon	large cranberry	G5	S3		ST
Vaccinium myrtilloides	velvetleaf blueberry	G5	S1		SE
Vaccinium oxycoccos	small cranberry	G5	S2		ST
Valeriana edulis var. ciliata	hairy valerian	G5T3	S1		SE
Valeriana uliginosa	marsh valerian	G4	S1		SE
Valerianella chenopodiifolia	goose-foot corn-salad	G4	S3		WL
Vandenboschia boschiana	filmy fern	G4	S1		SE
Veratrum woodii	false hellebore	G5	S3		WL
Verbesina occidentalis	yellow crownbeard	G5	SU		SE
Verbesina virginica	white crownbeard	G5?	S3		WL
Veronica americana	American speedwell	G5	SX		SX
Viburnum cassinoides	northern wild-raisin	G5T5	S1		SE

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, and Extirpated Plants of Indiana



<u>Species Name</u>	<u>Common Name</u>	<u>GRANK</u>	<u>SRANK</u>	<u>FEDERAL</u>	<u>STATE</u>
Viburnum molle	softleaf arrow-wood	G5	S3		ST
Viburnum opulus var. americanum	highbush-cranberry	G5T5	S1		SE
Viola blanda	smooth white violet	G5	S3		WL
Viola egglestonii	Eggleston's violet	G4	S1		SE
Viola hirsutula	southern wood violet	G4	S1		SE
Viola pedatifida	prairie violet	G5	S2		ST
Viola primulifolia	primrose-leaf violet	G5	S3		ST
Vitis palmata	catbird grape	G4	S3		ST
Vitis rupestris	sand grape	G3	S1		SE
Vittaria appalachiana	Appalachian vittaria	G4	S2		ST
Wisteria frutescens	American wisteria	G5	S3		ST
Wolffiella gladiata	sword bogmat	G5	S1		SE
Woodwardia areolata	netted chainfern	G5	S3		ST
Xyris difformis	Carolina yellow-eyed grass	G5	S2		ST
Zizania palustris	northern wild rice	G5	SU		WL
Zizia aptera	golden alexanders	G5	S3		WL

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long-term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank
 SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,
 STATE: SX=extirpated, SE=endangered, ST=threatened, SRE = reintroduced, WL = watch list
 FEDERAL: LE=endangered, LT=threatened, C=candidate species