

UK Interface Requirement (IR) 2093

Earth Stations on Mobile Platforms

Publication Date: June 2021

Contents

Section			
1. Foreword	1		
2. Minimum requirements for operation within the UK	2		
3. Additional performance parameters	5		
4. References	6		
5. Contact details	7		
6. Document history	8		

1. Foreword

- 1.1 The Radio Equipment Regulations 2017 (SI 2017/1206) set out the obligations on economic operators for placing radio equipment on the market. This UK Interface Requirement contains the requirements for contains the requirements for the authorisation and use of aircraft and ship mounted Earth Stations on Mobile Platforms (ESOMPs) and the licence-exemption of land-based ESOMPs in the specified frequency bands.
- 1.2 It is required by the Wireless Telegraphy Act 2006 that no radio equipment is installed or used in the UK except under the authority of a licence granted by or otherwise exempted by regulations made by Ofcom. It is a condition of such a licence or exemption regulations as appropriate that the equipment must meet the minimum requirements specified in this UK Interface Requirement for the stated equipment types and for the stated frequency bands.
- 1.3 The requirements given in the main body of this UK Radio Interface Requirement will apply to the licensing of aircraft and ship mounted ESOMPs and the licence-exemption of land-based ESOMPs.
- 1.4 This UK Radio Interface Requirement will be revised as necessary, for example to follow:
 - i) current technology developments for reasons related to the effective and appropriate use of the spectrum in particular maximising spectrum utilisation; and
 - ii) changes to the available spectrum allocated for ESOMPs.
- 1.5 All UK Radio Interface Requirements will be published and will be made available free of charge from the Ofcom website.
- 1.6 Further information on this UK Radio Interface Requirement can be obtained from the technical enquiry contact given at the back of this document.

2. Minimum requirements for operation within the UK

- 2.1 The minimum requirements in this document are made for reasons related to the effective and appropriate use of the radio spectrum, in particular, maximising spectrum utilisation.
- 2.2 This UK Radio Interface Requirement gives a high level description of how the spectrum in the UK is used for Earth Stations on Mobile Platforms (ESOMPs). It does not prescribe technical interpretation of the 'essential requirements' of the Radio Equipment Regulations 2017.
- 2.3 This UK Radio Interface Requirement therefore stipulates the necessary equipment parameters for the licensing of and use of aircraft and ship mounted ESOMPs and the licence-exemption of land-based ESOMPs in the UK. Tables 2.1 and 2.2 contain the relevant equipment parameters. These together with the 'essential requirements' detailed in Regulation 6 of Radio Equipment Regulations 2017 constitute the minimum equipment requirements for short range devices within the UK.
- 2.4 The technical parameters specified in the UK Radio Interface Requirement are applied to achieve the desired level of compatibility within the ESOMPs and with other radiocommunications services, whilst promoting enterprise, innovation and competition.
- 2.5 This UK Radio Interface requirement provides the necessary technical information which facilitates access to the ESOMPs spectrum by making clear the assumptions that are made in planning the use of ESOMPs in the UK. It is not the intention of this UK Radio Interface Requirement to duplicate or impose any additional 'essential requirements' of the Radio Equipment Regulations 2017 on products. Any specified parameters within this document are for the purpose of identifying product options and not as a national de facto product requirement.

Table 2.1: Minimum requirements for the use of Earth Stations on Mobile Platforms (ESOMPs) transmitting to satellites in Geostationary orbit

Mandatory (1-11)			
1	Radiocommunication Service	Fixed-Satellite Service	
2	Application	Earth Stations on Mobile Platforms (ESOMPs)	
3	Frequency band	27.5 – 27.8185 GHz, 28.4545 – 28.8265 GHz and 29.4625 – 30 GHz for operation in UK territory. 27.5 – 30 GHz for operation outside UK territory.	
4	Channelling	-	
5	Modulation/Occupied bandwidth	-	
6	Direction/Separation	-	
7	Transmit power/Power density	e.i.r.p from a single terminal ≤ 55 dBW¹	
8	Channel access and occupation rules	-	
9	Authorisation regime	Licence exempt – for land-based ESOMPs.	
	3	Licensed – for ESOMPs mounted on aircraft or ships.	
10	Additional essential requirements	-	
Infor	Informative (11-15)		
11	Frequency planning assumptions	Use of 17.3 – 20.2 GHz for reception is unprotected.	
12	Planned changes	-	
13	Reference	ETSI EN 303 978 V1.1.2	
14	Notification	2016/227/UK	
15	Remarks	Note 1: Unless otherwise agreed through bilateral coordination of satellite networks, the limits on offaxis e.i.r.p. emission density within the band specified in section 4.2.3 of ETSI EN 303 978 V1.1.2 may be used to ensure that transmissions from ESOMPs protect other satellite networks. Note 2: The limitations on power flux density (pfd) contained in ECC Decision (13)01 may be used to ensure that transmissions from aircraft and ship mounted ESOMPs protect terrestrial services, where appropriate.	

 $^{^{\}rm 1}\,\mbox{The}$ elevation angle of the antenna shall be higher than 3 degrees.

Table 2.2: Minimum requirements for the use of Earth Stations on Mobile Platforms (ESOMPs) transmitting to satellites in Non-Geostationary orbit

mmunication Service cion ncy band Iling tion/Occupied bandwidth	Fixed-Satellite Service Earth Stations on Mobile Platforms (ESOMPs) 27.5 – 27.8185 GHz, 28.4545 – 28.8265 GHz and 29.5 – 30 GHz for operation in UK territory. 27.5 – 29.1 GHz and 29.5 – 30 GHz for operation outside UK territory.	
ncy band	27.5 – 27.8185 GHz, 28.4545 – 28.8265 GHz and 29.5 – 30 GHz for operation in UK territory. 27.5 – 29.1 GHz and 29.5 – 30 GHz for operation	
lling	29.5 – 30 GHz for operation in UK territory. 27.5 – 29.1 GHz and 29.5 – 30 GHz for operation	
	·	
tion/Occupied bandwidth	-	
	-	
n/Separation	-	
t power/Power density	e.i.r.p from a single terminal ≤ 55 dBW ²	
access and occupation rules	-	
sation regime	Licence exempt – for land-based ESOMPs.	
	Licensed – for ESOMPs mounted on ships.	
nal essential requirements	-	
Informative (11-15)		
ncy planning assumptions	Use of 17.3 – 20.2 GHz for reception is unprotected.	
changes	-	
ce	ETSI EN 303 979	
tion Number	2016/227/UK	
S	Note 1: The earth stations operating with non-geostationary satellites shall ensure compliance with the equivalent power flux-density limitations specified in Article 22 of the ITU Radio Regulations. Note 2: The limitations on power flux density (pfd) contained in ECC Decision (15)04 may be used to ensure that transmissions from ship mounted ESOMPs protect terrestrial services, where appropriate.	

 $^{^{\}rm 2}$ The elevation angle of the antenna shall be higher than 3 degrees.

3. Additional performance parameters


(informative)

3.1 None specified

4. References

	Reference	Reference description
[1]	ETSI EN 303 978 V1.1.2	Satellite Earth Stations and Systems (SES); Harmonized EN for Earth Stations on Mobile Platforms (ESOMP) transmitting towards satellites in geostationary orbit in the 27,5 GHz to 30,0 GHz frequency bands covering the essential requirements of article 3.2 of the Radio Equipment Directive (Directive 2014/53/EU).
[2]	EN 303 979	Satellite Earth Stations and Systems (SES); Harmonized EN for Earth Stations on Mobile Platforms (ESOMP) transmitting towards satellites in non- geostationary orbit in the 27,5 GHz to 29,1 GHz and 29,5 GHz to 30,0 GHz frequency bands covering the essential requirements of article 3.2 of the Directive 2014/53/EU.
[3]	ECC Decision (13)01	The 6armonized use, free circulation and exemption from individual licensing of Earth Stations On Mobile Platforms (ESOMPs) within the frequency bands 17.3-20.2 GHz and 27.5-30.0 GHz
[4]	ECC Decision (15)04	The 6armonized use, free circulation and exemption from individual licensing of Land and Maritime Earth Stations On Mobile Platforms (ESOMPs) operating with NGSO FSS satellite systems in the frequency ranges 17.3-20.2 GHz, 27.5-29.1 GHz and 29.5-30.0 GHz

5. Contact details



• Tel: 020 7981 3131

• Fax: 020 7981 3235

• Email: spectrum.licensing@ofcom.org.uk

• Website: http://www.ofcom.org.uk

Technical queries, Spectrum Group, Ofcom, Riverside House 2a Southwark Bridge Road, London, SE1 9HA

• Tel: 020 7981 3154

• Fax: 020 7981 3208

• Email: <u>James.Richardson@Ofcom.org.uk</u>

6. Document history

Version	Date	Changes
0.1	14 August 2013	Draft published
1.0	February 2014	Document published
2.0	January 2018	Includes non-Geostationary use Replaces R&TTE Directive 1999/5/EC and Directive 98/34/EC with Radio Equipment Directive (Directive 2014/53/EU) and Directive (EU) 2015/1535 respectively.
2.1	June 2021	Format update