

Summary table of partial removal of minimum car parking requirements from the 2GP in accordance with the NPS-UD 2020

6 January 2022

This table details amendments made to the 2GP in accordance with the National Policy Statement for Urban Development 2020 (NPS-UD).

The NPS-UD requires that all plan provisions that have the effect of requiring a minimum number of car parks must be removed from the 2GP by 20 January 2022. Car parking requirements for mobility car parks are not affected and will remain in the plan.

Plan section	Provision	Change made				
15 Residential Rule 15.5.8 Zones land use performance		15.5.8 Minimum Mobility Car Parking Land use activities must provide the on-site car parking as follows:				
	standards	Activity	Minimum car parking rate	NPS-UD		
	Standards	1. Standard residential in	a. 1 - 5 habitable rooms on a site: 1 parking	INI 3-OD		
2	esidential	esidential Rule 15.5.8	esidential ones Rule 15.5.8 land use performance standards Activity 1. Standard residential in Inner CityResidential Zone 2. Standard residential in all otherresidential zones 3. Working from home	esidential Induse performance standards Activity Activity 1. Standard-residential in Inner CityResidential In Inner CityResidential Inner CityResidenti		

		Campus Zone have no minimum car parking requirements.
		b. Rest homes
		i. 1 parking space for every 3 beds.
		c. Retirement villages
		i. 1 parking space for every residential
		unit, and 1 parking space forevery 3 beds for any
		rest home type component of the retirement
		village.
5.	Community and leisure	1 parking space for every 5 persons the facility
		can accommodate at anyone time
		·
6.	Visitor accommodation	1. 1 parking space per 3 guest rooms, where
	(other than in George	the activity is based upon guest rooms (e.g.
	Street North Residential	hotels);
	Heritage Precinct)	2. 1 parking space per visitor accommodation
		unit, where the activity is based on units (e.g.
		motels); and
		moters), und
		3.—1 parking space per visitor accommodation
		unit on a campground.
7.		1 parking space per 2 full time equivalent staff
	small scale	members plus one parking space for
		parent/guardian use per 6 children the facility is
		licensed for.
8.	Training and education	1 parking space per 30m² of gross floor area.
9.	Emergency services	a. For fire stations: 5 parking spaces per fire
		engine bay.
		b. For all other activities: 1 parking space per
		100m² gross floor area.

Activity		Minimum car parking rate
1-9	Removed to comply with the National Policy Statement on Urban Development 2020 requirement to remove minimum car parking requirements. Rule numbering to be corrected at a later date.	

- 10. <u>Land use Aa</u>ctivities must provide <u>on-site</u> mobility parking spaces as follows: *{table retained}*
- 11. Required parking spaces may be used for car, cycle or motorcycle, except for any required mobility parking spaces, which must be used for accessible car parking. NA.
- 12. Parking spaces may be shared between land use activities (i.e. the same parking spaces may be used to fulfil the minimum mobility car parking requirement for more than one land use activity), as long as the hours of operation of the land use activities do not overlap.

			13. Residential and office activities (excluding registered health practitioners) undertaken entirely within a scheduled heritage building do not need to provide any additional mobility car parking other than what is already on-site and may remove any car parking that does not meet the performance standards for location of car parking. 14. For the purposes of calculating minimum car parking:				
				the minimum car parking perform			
			· -	ent for a fractional space, any fract raction of one half or greater will b	cion under one half will be disregarded		
			,	S .	building will be excluded from the		
			assessme		ose of calculating the minimum car		
				•	arking performance standard is based		
				,	will be excluded from the assessment of		
			gross floo a. any par	r area: 'king area and associated manoeu v	ring space, including aisle; and		
			b. any loa	ding area and associated manoeuv	rring space. NA.		
				ities that contravene this performa nary activities.	nce standard are restricted		
16	Rural Zones	Rule 16.5.8	16.5.8 Mi	nimum <u>Mobility</u> Car Parking		As	
		land use performance standards	The follow	ving land use activities must provice below:	le on site car parking at the rates	required by the NPS-UD	
			Activity		Minimum car parking rate		
			1.	Rural ancillary retail	1 parking space for customers of any roadside produce stall		
			2.	Rural tourism - smallscale	1 parking space for every 5 persons the facility can accommodate at any one time		
			3.	Rural research - smallscale	1 parking space is required for each full time equivalent member of staff, when overfive staff members are employed on-site		
			4.	Intensive farming	1 parking space per full time equivalent member of staff employed on site		
			5.	Community and leisure -small scale	1 parking space for every 5 persons the facility can accommodate at any one time		
			6.	Crematoriums	1 parking space per 75m² of gross floor area		
			7.	Emergency services	a. For fire stations: 5 parking spaces per fire engine bay		
					b. For all other activities: 1 parking space per 100m² gross floor area		
				•			

			Activity		Minimum car parking rate	
			1-7	Removed to comply with the National Policy Statement on Urban Development 2020 requirement to remove minimum car parking requirements. Rule numbering to be corrected at a later date.		
			9. Where	ained}	=	
			10. Parkir parking sp for more t	ng spaces may be shared between baces may be used to fulfil the mini	· -	
			on the gro gross floo a. any par	ess floor area, the following areas v		
				ties that contravene this performal ary activities.	nce standard are restricted	
17	Rural Residential Zones	Rule 17.5.8 land use performance standards		nimum <u>Mobility</u> Car Parking se activities must provide on-site p	arking spaces as follows: NA.	As required by the NPS-UD
			Activity		Minimum car parking rate	
			a.	Community and leisure — small scale	1 parking space for every 5 persons the facility can accommodate at any one time	
			b.	Rural ancillary retail	1 on-site parking space per roadside produce stall	
			€.	Emergency services	i. For fire stations: 5 parking spaces per fire engine bay. ii. For all other activities: 1 parking space per 100m² gross floor area.	
			Activity		Minimum car parking rate	
			<u>a-c</u>	Removed to comply with the National Policy Statement on Urban Development 2020 requirement to remove minimum car parking		

		T	П	T		T	1	
				requirements. R				
				to be corrected a	at a later date.			
			2. <u>Land u</u> {table ret	<u>se Aa</u> ctivities must ained}	provide <u>on-site</u>	mobility parking sp	aces as follows:	
			a. where t	e purpose of calcula the minimum parki	ng performance	standard results in		
				ional space, any fra fone half or greate		_	arded and any	
			b. the san parking sp	ne parking spaces r	may be counted for the second	or more than one luse activities), as k	land use activity (i.e. ong as the hours of	
				floor area, the folk	-		tandard is based on he assessment of	
			a. any par	rking area and asso ding area and asso			g aisle; and	
			5. Activiti activities.		e this performand	e standard are res	tricted discretionary	
18	Commercial and Mixed Use Zones	Rule 18.5.6 land use performance standards	1. Land u	nimum <u>Mobility</u> Ca se activities (other ng spaces as follow	than in the Cam	ous mapped area) (must provide on-	As required by the NPS-UD
			Activity		Zone		Minimum car parking rate	
			Comme	rcial activities				
			a.	Conference, meeting and function	i. PC/SC/RC/N	EDC/HE	1 parking space for every 5 persons the facilitycan accommodate at any one time	
			b.	Entertainment and exhibition (capacityfor greater than 20persons at any onetime)	i. PC/SC/RC/N	EDC/HE	1 parking space for every 5 persons the facilitycan accommodate at any one time	
			C.	Registered health practitioners	i. PC/SC/RC/N	EDC/NECC/NEC	2 parking spaces for every registered health practitioner	
			d.	Restaurants	i. HE		1 parking space per 30m² of gross public floorarea	

e.	Bulky goods retail	i. CBD/CEC - North/CEC - South	1 parking space per 50m² of gross public floorarea
		ii. Centres/WP (500m² or more in gross public floor area)	1 parking space per 25m² of gross public floorarea
f.	Food and beverageretail	i. CBD/CEC – North/CEC – South (1500m² or more ingross public floor area) Centres (500m² or more ingross public floor area)	1 parking space per 25m² of gross public floorarea
		1. iii. TR (1500m² or more in grosspublic floor area)	1 parking space per 20m² of gross public floorarea
g.	Service Stations	2. i. Centres/PPH/TR/CEC – North/CEC – South	1 parking space per 40m² of gross public floorarea
h.	Trade related retail	i. CBD (1500m² or more in gross public floor area) 3. Centres (500m² or more in gross public floor area)	1 parking space per 25m² of gross public floorarea
		4. iii. WP/CEC – North/CEC – South/PPH/TR	1 parking space per 75m² of gross public floorarea
i.	Yard based retail	i. Centres (500m² or more in gross public floor area) ii. CEC – North/ CEC – South (1500m² or more in gross public floor area)	1 parking space per 25m² of gross public floorarea
		iii. PPH/TR	1. 1 parking space per 100m² gross publicfloor area (inside buildings)
			1 parking space per 400m² of outdoordisplay area
j.	General Retail	i. CBD (1500m² or more in gross public floor area) ii. WP/Centres (500m² or morein gross public floor area) iii. CEC – North/CEC South (750m² or more in grosspublic	1 parking space per 25m² of gross public floorarea

			floor area)	
	m.	Visitor accommodation	i. CBD/Centres/WP/PPH/SSYP and HE zones ii. CEC – North (1500m² or more in gross public floorarea)	1. 1 parking space per 6 visitor accommodation units, where the activity is based on guest rooms (e.g. hotels)
				2. 1 parking space per 3 visitor accommodation units, where the activity is based upon units (e.g. motels)
	Commur	nity activities		
	n.	Community and leisure	i. Centres/PPH/SSYP/CEC/TR and HE	1 parking space for every 5 persons the facilitycan accommodate at any one time
	θ.	Early childhood education - smallscale	i. CBD/Centres and SSYP	1. 1 parking space per 5 full time equivalent staff members, and 2. 1 parking space for parent/guardian
				useper 6 children the activity is licensed for
	p.	Sport and recreation(with capacity for greater than 20 persons at any one time)	i. Centres/PPH/SSYP/CEC/TR and HE	1 parking space for every 5 persons the facilitycan accommodate at one time
	Resident	I 		
	q.	Rest homes	i. Centres/SSYP/PPH and HE	1 parking space for every 3 beds
	r.	Retirement villages	i. Centres/SSYP/PPH and HE	1 parking space for every residential unit

	S.	Student hostels	i. Centres/HE/PPH and SSYP	1 parking space
				for every 10
				residents (or
				partthereof)
				except student
				hostels within
				500m of the
				Campus Zone
				which are
				managed as
				partof the
				overall campus
				parking
				requirements.
	ŧ.	Standard	i. Centres/HE/PPH and SSYP	1. 1-5
		residential		habitable
				rooms on a site:
				1 parkingspace
				2. 6-8
				habitable
				rooms on a site:
				2 parking
				spaces
				3. Greater
				than 8
				habitable
				rooms on a site:
				2parking
				spaces plus 1
				space for every
				4 habitable
				rooms (or part
				thereof)
				4. Except:
				4. Except.
				1. where
				sites with less
				than 5
				habitable
				rooms have no
				existing
				parking, no
				additional
				parking is
				required for
				additions that
				increase the
				number of
				habitable
				rooms to 5 (or
				fewer),
				- I - I - I - I - I - I - I - I - I - I
				provided no
				additional
				residential units
				are created;
				2bars
				2. where

			the provision
			of an on-site
			parking space
			for sites with
			1-5 habitable
			rooms would
			result in the
			lossof an
			on-street
			parking space,
			no parking
			space is
			required: and
			3. in
			centres, no
			parking space is
			requiredwhere
			an existing
			building is
			converted to
			residential
			activity with
			fewer than five
			habitable
			rooms.
Indi	 ustrial activities		
		i. HE/CEC/PPH	1 norking space
u.	Industry	I. HE/CEC/PPH	1 parking space
			per 100m²
			gross floor area
		ii. TR	1 parking space
			I I DAINING SUACE
		11. 114	
		11. 114	per 75m² gross
	S with a satisfation		
Maj	or facility activities		per 75m² gross floor area
Maj	Emergency	i. All zones	per 75m² gross floor area
			per 75m² gross floor area 1. For fire stations: 5
	Emergency		per 75m² gross floor area 1. For fire stations: 5 parking spaces
	Emergency		per 75m² gross floor area 1. For fire stations: 5
	Emergency		per 75m² gross floor area 1. For fire stations: 5 parking spaces
	Emergency		1. For fire stations: 5 parking spaces per fireengine bay.
	Emergency		1. For fire stations: 5 parking spaces per fireengine bay. 2. For all
	Emergency		1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities:
	Emergency		1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space
	Emergency		1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per 100m²
	Emergency		1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per100m² gross floor
	Emergency		1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per 100m²
₩.	Emergency Services	i. All zones	1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per100m² gross floor area.
	Emergency Services		1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per100m² gross floor
V. Activ	Emergency Services	i. All zones	1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per100m² gross floor area.
∀ .	Emergency Services vity Removed to comp	i. All zones Zone	1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per100m² gross floor area.
V.	vity Removed to comp with the National I	i. All zones Zone	1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per100m² gross floor area.
V.	vity Removed to comp with the National I Statement on Urba	Zone Zone	1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per100m² gross floor area.
V. Activ	vity Removed to comp with the National I Statement on Urba Development 2020	Zone Zone	1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per100m² gross floor area.
V. Activ	vity Removed to comp with the National I Statement on Urba	Zone Zone Zone One Note: The second of t	1. For fire stations: 5 parking spaces per fireengine bay. 2. For all other activities: 1 parking space per100m² gross floor area.

	1		Т		1		
				numbering to be corrected at a later			
				date.			
				arking spaces as follows:		esidential-must provide <u>on-site</u>	
			Harboursi walking di	de Edge Zone where parl stance of the activity, wit ovided as dedicated off-s	king spaces th all parki	e property as the activity except in the smust be provided within 200m ng not on the same property as the ing for the activity through a lease	
			-	ed parking spaces may be any required mobility pa		car, cycle or motorcycle parking, ces. <u>NA.</u>	
			undertake any additi	en entirely within a sched onal <u>mobility</u> car parking ny car parking that does r	uled herita other than	registered health practitioners) age building do not need to provide n what is already on site and may he performance standard for locatio	
			spaces ma than one l	y be used to fulfil the mi	nimum <u>mc</u>	nd use activities (i.e. the same parki obility parking requirement for more ours of operation of the land use	-
			requireme	ent for a fractional space,	any fraction	ence standard results in the on under one half will be disregarde ecounted as one space. NA.	r d
			the gross t	floor area, the following a r area:	areas will k	ring performance standard is based be excluded from the assessment of	
				king area and associated ding area and associated		ing space, including aisle; and ing space. NA.	
			9. Activiti activities.	es that contravene this p	erformanc	e standard are restricted discretion	ary
19	Industrial Zones	Rule 19.5.6 land use performance		nimum <u>Mobility</u> Car Parki se activities must provide	_	arking spaces as follows: NA.	As required by the
		standards	Activity			Minimum car parking rate	NPS-UD
			a.	Industry (excluding ind ancillary tourism)	ustrial	1 parking space per 100m² gross floor area.	
			b.	Industrial ancillary tour	ism	i. 1 parking space for every persons the facility can accommodate at any one time, an	d
						ii. 1 coach parking space for facilities that can accommodate more than 50 people at one time (see Figure 6B.12)	

c.	Retail ancillary to industry	1 parking space per 35m² of retail floor area
d.	Yard based retail	1 parking space per 100m² of gross floor area and 1 per 400m² of yard display area.
e.	Restaurants	1 parking space per 35m² of gross floor area.
f.	Crematoriums	1 parking space per 75m² gross floor area.
g.	Emergency services	i. For fire stations: 5 parking spaces per fire engine bay. ii. For all other activities: 1 parking space per 100m² gross floor area.
h.	Service stations	1 parking space per 40m² of gross public floor area.

Activity		Minimum car parking rate
a-h	Removed to comply with the National Policy Statement on Urban Development 2020 requirement to remove minimum car parking requirements. Rule numbering to be corrected at a later date.	

- 2. <u>Land use Aactivities must provide on-site mobility parking spaces as follows:</u> *{table retained}*
- 3. Required parking spaces must be designed and constructed to comply with Rule 6.6.1.1.e.iii.
- 4. Required parking spaces may be used for car, cycle or motorcycle parking, except for any required mobility parking spaces. NA.
- 5. Parking spaces may be shared between land use activities (i.e. the same parking spaces may be used to fulfil the minimum <u>mobility</u> parking requirement for more than one land use activity), as long as the hours of operation of the land use activities do not overlap.
- 6. Where the minimum parking performance standard results in the requirement for a fractional space, any fraction under one half will be disregarded and any fraction of one half or greater will be counted as one space. NA.
- 7. For activities where the minimum car parking performance standard is based on the gross floor area, the following areas will be excluded from the assessment of gross floor area:
- a. any parking area and associated manoeuvring space, including aisle; b. any loading area and associated manoeuvring space NA.
- 8. Activities that contravene this performance standard are restricted discretionary activities.

20	Recreation Zone		1. Land us	20.5.5 Minimum Mobility Car Parking 1. Land use activities must provide on-site parking spaces as follows: NA.		
			Activity		Minimum car parking rate	
			a.	Community and leisure	1 parking space for every 5 persons the facility can accommodate at any one time	
			b.	Sport and recreation	1 parking space for every 5 persons that the facility can accommodate at any one time.	
			C.	Campgrounds	1 parking space for every visitor accommodation unit	
			Activity		Minimum car parking rate	
			<u>a-c</u>	Removed to comply with the National Policy Statement on Urban Development 2020 requirement to remove minimum car parking requirements. Rule numbering to be corrected at a later date.		
			d. <u>Land u</u> {table ret		mobility parking spaces as follows:	
					car, cycle or motorcycle parking, ces, which must be used for mobility	
			f. Parking spaces may be shared between land use activities (i.e. the same parking spaces may be used to fulfil the minimum mobility car parking requirement for more than one land use activity), as long as the hours of operation of the land use activities do not overlap.			
			requireme	the minimum car parking performent for a fractional space, any fract raction of one half or greater will be	ion under one half will be disregarded	
			2. Activiti activities.	ies that contravene this performan	ce standard are restricted discretionary	
21	Ashburn Clinic		 21.5.4 Minimum Mobility Car Parking 1. Hospital activity must provide a minimum of 50 parking spaces, including two mobility parking spaces. 		of 50 parking spaces, including t wo	As required by the NPS-UD
					car, cycle or motorcycle parking, ces, which must be used for mobility	
			3. Activiti activities.	ies that contravene this performan	ce standard are restricted discretionary	

22	Dunedin Botanic	Rule 22.5.4 land use	22.5.4 Minimum Mobility Car Parking	As required
	Garden	performance standards	1. Dunedin Botanic Garden activity must provide a minimum of 94 parking spaces, including three mobility parking spaces.	by the NPS-UD
			Required parking spaces may be used for car, cycle or motorcycle, except for any required mobility parking spaces, which must be used for mobility car parking. NA.	
			3. Activities that contravene this performance standard are restricted discretionary activities.	
23	Dunedin Hospital	Rule 23.5.4 land use	23.5.4 Minimum Mobility Car Parking	As required
		performance standards	1. Hospital activity must provide a minimum of 184 parking spaces, including 6 mobility parking spaces. These must be provided within 250m of the Dunedin Hospital Zone.	by the NPS-UD
			2. Early childhood education — small scale: 1 parking space per 5 full time equivalent staff members plus one parking space for parent / guardian use per 6 children the facility is licensed for. NA.	
			3. Required parking spaces may be used for car, cycle or motorcycle, except for any required mobility parking spaces, which must be used for mobility car parking. NA.	
			4. Activities that contravene this performance standard are restricted discretionary activities.	
24	Dunedin International	Rule 24.5.5 land use	24.5.5 Minimum Mobility Car Parking	As required
	Airport	performance standards	1. Airport activity must provide a minimum of 971 parking spaces, including 20 mobility parking spaces.	by the NPS-UD
			2. Visitor accommodation must provide for:	
			a. 1 parking space per 3 guest rooms, where the activity is based upon guest rooms	
			(e.g. hotels). b. 1 parking space per visitor accommodation unit, where the activity is based on units (e.g. motels); and NA.	
			3. {mobility parking rule retained}	
			4. Required parking spaces may be used for car, cycle or motorcycle, except for any required mobility parking spaces, which must be used for mobility car parking. NA.	
			5. Where the minimum car parking performance standards results in the requirement for a fractional space, any fraction under one half will be disregarded and ay fraction of one half or greater will be counted as one space. NA.	
			6. Activities that contravene this performance standard are restricted discretionary activities.	

25	Edgar Centre	Rule 25.5.4	25.5.4 Minimum Mobility Car Parking	As required
		performance standards	1. Major recreation facility activity must provide a minimum of 400 parking spaces, including nine mobility parking spaces. These must be provided either within or on land close to the Edgar Centre Zone.	by the NPS-UD
			2. Required parking spaces may be used for car, cycle or motorcycle, except for any required mobility parking spaces, which must be used for mobility car parking. NA.	
			3. Activities that contravene this performance standard are restricted discretionary activities.	
27	Mercy Hospital	Rule 27.5.4 land use	27.5.4 Minimum Mobility Car Parking	As required
		performance standards	1. Hospital activity must provide a minimum of 1.9 parking spaces per 100m2 of gross floor area. This minimum car parking requirement is cumulative for all hospital activities on the site, except that if a resource consent is held for an	by the NPS-UD
			exemption to this rule, the gross floor area provided for by this resource consent is excluded from future calculations. NA.	
			2. The following areas will be excluded from the assessment of gross floor area for the purpose of calculating the minimum car parking requirement:	
			a. any parking area and associated manoeuvering space, including aisle; and b. any locating area and associated manoeuvering space. NA.	
			3. Where additional gross floor area is proposed, any additional parking spaces required to comply with this standard must be provided and operational before	
			construction commences on the additional gross floor area, unless resource consent is obtained to exempt or reduce the minimum car parking requirement for the extension or activity. NA.	
			4. {mobility parking rule retained}	
			5. Required parking spaces may be used for car, cycle or motorcycle, except for any required mobility parking spaces, which must be used for mobility car parking. NA.	
			6. Where the minimum car parking performance standards results in the	
			requirement for a fractional space, any fraction under one half will be disregarded and ay fraction of one half or greater will be counted as one space. NA.	
			7. Activities that contravene this performance standard are restricted discretionary activities.	
28	Moana Pool	Rule 28.5.4 land use	28.5.4 Minimum Mobility Car Parking	As required
		performance standards	Major recreational facility activity must provide a minimum of 190 parking spaces, including 4 mobility parking spaces.	by the NPS-UD
			Required parking spaces may be used for car, cycle or motorcycle, except for any required mobility parking spaces, which must be used for mobility car parking. NA.	
			3. Activities that contravene this performance standard are restricted discretionary activities.	

	1	-	1			1			
29	Otago	Rule 29.5.3	29.5.3 Mi	nimum <u>Mobility</u> Car Parking		As required			
	Museum	land use performance	1. Otago	1. Otago Museum activity must provide a minimum of 17 parking spaces, including					
		standards		parking space.		by the NPS-UD			
			2. Requir	ed parking spaces may be use	ed for car, cycle or motorcycle, except for				
				red mobility parking spaces, v	which must be used for mobility car parking.				
			<u>NA.</u>						
					een land use activities (i.e. the same parking um mobility car parking requirement for				
				ng as the hours of operation of the land use					
			activities	do not overlap.					
				es that contravene this perfo	ormance standard are restricted discretionary				
			activities.						
31	Schools	Rule 31.5.5 land use	31.5.5 Mi	nimum <u>Mobility</u> Car Parking		As required			
		performance	Activity		Minimum number of parking	by the			
		standards			spaces	NPS-UD			
			1.	Schools	a. For the following schools, the				
						minimum number of parking spaces is the number of parking			
						spaces			
					(including any parking spaces				
					reserved for the dropping off				
					and/or picking up of pupils) that were				
					in place on the site on 26th September 2015:				
					i. Arthur Street School				
					ii. Columba College				
					iii. George Street Normal School				
					iv. Kaikorai Primary School				
					v. Kavanagh College				
					vi. Otago Boys High School				
					vii. Otago Girls High School				
					viii. St Hilda's Collegiate				
					ix. St Joseph's Cathedral School				
					b. For the schools identified in				
					31.5.5.1.a, one parking space must be provided for each new				
					classroom added after 26th				
					September 2015.				
					c. For all other schools there is no				
					minimum parking standard.				
			2.	Student hostels	a. hostels with 1 - 10 residents: 1 parking space				
					parking space				

			b. hostels with 11 - 20 residents: 2 parking spaces c. hostels with 21 - 30 residents: 3 parking spaces d. hostels with greater than 30 residents: 3 parking spaces plus 1 additional space for every 10 additional residents (or part thereof) Activity Minimum number of parking spaces	
			1-2 Removed to comply with the National Policy Statement on Urban Development 2020 requirement to remove minimum car parking requirements. Rule numbering to be corrected at a later date.	
			 4. Required parking spaces may be used for car, cycle or motorcycle, except for any required mobility parking spaces, which must be used for mobility car parking. NA. 5. Parking spaces may be shared between land use activities (i.e. the same parking) 	
			spaces may be used to fulfil minimum mobility parking requirement for more than one land use activity), as long as the hours of operation of the land use activities do not overlap. 6. Where the minimum car parking performance standards results in the requirement for a fractional space, any fraction under one half will be disregarded	
			 and ay fraction of one half or greater will be counted as one space. NA. 7. Activities that contravene this performance standard are restricted discretionary activities. 	
32	Stadium	Rule 32.5.5 land use performance standards	 32.5.5 Minimum Mobility Car Parking Major recreational facility activity must provide a minimum of 163 parking spaces, including 5 mobility parking spaces. Activities that contravene this performance standard are restricted discretionary 	As required by the NPS-UD
			activities.	
33	Taieri Aerodrome	Rule 33.5.6 land use performance standards	33.5.6 Minimum Mobility Car Parking 1. Industry must provide 1 parking space per 75m2 gross floor area. NA.	As required by the NPS-UD
			2. {mobility parking rule retained} 3. Required parking spaces may be used for car, cycle or motorcycle, except for any required mobility parking spaces, which must be used for mobility car parking. NA.	

			4. Parking spaces may be shared between land use activities (i.e. the same parking spaces may be used to fulfil minimum mobility parking requirement for more than one land use activity), as long as the hours of operation of the land use activities do not overlap.		
			requirement for a fractional space	g performance standards results in the , any fraction under one half will be disregarded ter will be counted as one space. NA.	
			the gross floor area, the following gross floor area:	um car parking performance standard is based on areas will be excluded from the assessment of maneuvering space, including aisles; and maneouvering space. NA.	
			7. Activities that contravene this pactivities.	performance standard are restricted discretionary	
34	Campus	Rule 34.5.5	34.5.5 Minimum Mobility Car Park	ing	As
		land use performance standards	Land use activities must provide m	inimum car parking as follows: NA.	required by the NPS-UD
		Starragras	Activity	Minimum car parking rate	111 3 33
				tertiary educationproviders must provide a minimum of 1 parking space for every 3 full time equivalent staff and 1 parking space for every 50 full time equivalent students. b. The following provisions apply to the calculation of parking spaces underRule 34.5.5.1.a: i. parking spaces which are managed as licence to hunt or casual (i.e. available on a first come first served basis) will count as 1.25 parkingspaces; ii. provision of new dedicated covered bicycle parking,	
				where supporting shower and changing facilities are available, will count as 1 parking space per 3 bike spaces, up to a maximum reduction of 5% of the total parking spaces required; iii. parking spaces for campus activity must be provided within 500m of the Campus Zone; iv. all parking not provided directly by the University of Otago or OtagoPolytechnic must be provided as dedicated off-street parking for campus activity through a lease agreement; and v. where parking spaces are located outside the Campus Zone	

-				
				and are included in this
				calculation, parking spaces already
				allocated or requiredfor activities
				within the property must not be
				included in the calculation.
		2.	Standard residential	a. 1 - 5 habitable rooms on a
				site: 1 parking space.
				b. 6 - 8 habitable rooms on a
				site: 2 parking spaces.
				c. Greater than 8 habitable
				rooms on a site: 2 parking spaces
				plus 1 spacefor every 4 habitable
				rooms (or part thereof).
				d. Except:
				i. where sites with less than
				5 habitable rooms have no existing
				parking, no additional parking is
				required for additions that increase
				the number of habitable rooms to
				5 (or fewer), provided no
				additional residentialunits are created.
				ii. where the provision of
				the on-site parking required by
				this standard would require an
				equivalent or greater loss of
				on-street parking spaces(for
				example, for sites with 1-5
				habitable rooms meeting the
				standardwould result in the loss
				of an on-street parking space), no
				on-site parking space is required
				provided the on-street parking is
				retained.
				iii. where a residential
				building that existed as at 26
				September 2015 (dateof
				notification of the Plan) is divided
				into more residential units, no
				additional parking is required
				provided that no additional
				habitable rooms are created.
		3.	Working from home	On-site car parking must be
				provided for all vehicles associated
			Paulo alcilale d - do d	with theactivity.
		4.	Early childhood education	1 parking space per 5 full time
				equivalent staff members plus 1
				parking spacefor parent/guardian use per 6 children the activity is
				licensed for, to be usedfor drops
				off and pick ups.
		5.	Community and leisure	1 parking space for every 5 persons
]		the facility can accommodate at
				any onetime.
		6.	Sport and recreation (with a	1 parking space for every 5 persons
			capacity for 20 or more	the facility can accommodate at
			persons at any one time)	any onetime.

			7.	Entertainment and exhibition (with a capacity for 20 or more persons at any one time)	1 parking space for every 5 persons the facility can accommodate at any onetime.	
			8.	Industrial	1 parking space per 100m² gross floor area.	
			9.	Conference, meeting and function	1 parking space for every 5 persons the facility can accommodate at any onetime.	
			10.	Registered HealthPractitioners	2 parking spaces for every registered health practitioner.	
			Activity		Minimum car parking rate	
			1-10	Removed to comply with the National Policy Statement on Urban Development 2020 requirement to remove minimum car parking requirements. Rule numbering to be corrected at a later date.		
			a. where to require me and ay frame. Parking spaces made one land to not overlate.	the minimum car parking performal ent for a fractional space, any fractice ction of one half or greater will be- spaces may be shared between lar by be used to fulfil minimum mobilicus activity), as long as the hours of	on under one half will be disregarded	
			13. For acon the gross floor a. any parb. any load	etivities where the minimum car pa coss floor area, the following areas w	ering space. <u>NA.</u>	
35	Wakari Hospital	Rule 35.5.4 land use performance standards	1. Hospita	nimum <u>Mobility</u> Car Parking al activity must provide a minimum nobility parking spaces.	of 555 car parking spaces, including at	As required by the NPS-UD
			•		car, cycle or motorcycle, except for must be used for mobility car parking.	
			3. Activiti activities.	es that contravene this performand	ce standard are restricted discretionary	
<u> </u>		1				1