

Literatur

1. FDA (2017) Food labelling: health claims; soy protein and coronary heart disease. A proposed Rule by the Food and Drug Administration on 10/31/2017. URL: www.federalregister.gov/documents/2017/10/31/2017-23629/food-labeling-health-claims-soy-protein-and-coronary-heart-disease Zugriff 19.05.19
2. FDA (1999) Food labelling: health claims; soy protein and coronary heart disease. Food and Drug Administration, HHS. Final rule. Fed Regist 64: 57700–57733
3. EFSA (2012) Scientific opinion on the substantiation of a health claim related to isolated soy protein and reduction of blood LDL-cholesterol concentrations pursuant to Article 14 of Regulation (EC) No 1924/2006. EFSA J 10: 2555
4. Benkhedda K, Boudrault C, Sinclair SE et al. (2014) Health Canada's proposal to accept a health claim about soy products and cholesterol lowering. *Int Food Risk Anal J* 4: 1–12
5. Zhang X, Shu XO, Gao YT et al. (2003) Soy food consumption is associated with lower risk of coronary heart disease in Chinese women. *J Nutr* 133: 2874–2878
6. Yamori Y on behalf of the WHO-CARDIAC study group (2006) Food factors for atherosclerosis prevention: Asian perspective derived from analyses of worldwide dietary biomarkers. *Exp Clin Cardiol* 11: 94–98
7. Kokubo Y, Iso H, Ishihara J et al. (2007) Association of dietary intake of soy, beans, and isoflavones with risk of cerebral and myocardial infarctions in Japanese populations. The Japan Health Center-Based (JPHC) Study Cohort I. *Circulation* 116: 2553–2562
8. Shimazu T, Kuriyama S, Hozawa A et al. (2007) Dietary patterns and cardiovascular disease mortality in Japan: a prospective cohort study. *Int J Epidemiol* 36: 600–609
9. Nagata C, Wada K, Tamura T et al. (2017) Dietary soy and natto intake and cardiovascular disease mortality in Japanese adults: The Takayama study. *Am J Clin Nutr* 105: 426–431
10. Ho SY, Schooling M, Hui LL et al. (2006) Soy consumption and mortality in Hong Kong: proxy-reported case-control study of all older adult deaths in 1998. *Prev Med* 43: 20–26
11. Zhang X, Gao YT, Yang G et al. (2012) Urinary isoflavonoids and risk of coronary heart disease. *Int J Epidemiol* 41: 1367–1375
12. van der Schouw YT, Kreijkamp-Kaspers S, Peeters PHM et al. (2005) Prospective study on usual dietary phytoestrogen intake and cardiovascular disease risk in Western women. *Circulation* 111: 465–471
13. Talaei M, Koh WP, van Dam RM et al. (2014) Dietary soy intake is not associated with risk of cardiovascular disease mortality in Singapore Chinese adult. *J Nutr* 144: 921–928
14. Yu D, Zhang X, Xiang YB et al. (2014) Association of soy food intake with risk and biomarkers of coronary heart disease in Chinese men. *In J Cardiol* 172: e285–e287
15. Lou D, Li Y, Yan G et al. (2016) Soy consumption with risk of coronary heart disease and stroke: a meta-analysis of observational studies. *Neuroepidemiology* 46: 242–252
16. Yan Z, Zhang X, Li C et al. (2017) Association between consumption of soy and risk of cardiovascular disease: a meta-analysis of observational studies. *Eur J Prev Cardiol* 24: 735–747
17. Namazi N, Saneei P, Larijani B, Esmailzadeh A (2018) Soy product consumption and the risk of all-cause, cardiovascular and cancer mortality: a systematic review and meta-analysis of cohort studies. *Food Funct* 9: 2576–2588
18. Nestel P, Fujii A, Zhang L (2007) An isoflavone metabolite reduces arterial stiffness and blood pressure in overweight men and postmenopausal women. *Atherosclerosis* 192: 184–189
19. Usui T, Tochiya M, Sasaki Y et al. (2013) Effects of natural S-equol supplements on overweight or obesity and metabolic syndrome in the Japanese, based on sex and equol status. *Clin Endocrinol* 78: 365–372
20. Curtis PJ, Potter J, Kroon PA et al. (2013) Vascular function and atherosclerosis progression after 1 y of flavonoid intake in statin-treated postmenopausal women with type 2 diabetes: a double-blind randomized controlled trial. *Am J Clin Nutr* 97: 936–942
21. Hazim S, Curtis PJ, Schär MY et al. (2016) Acute benefits of the microbial-derived isoflavone metabolite equol on arterial stiffness in men prospectively recruited according to equol producer phenotype: a double-blind randomized controlled trial. *Am J Clin Nutr* 103: 694–702
22. Ahuja V, Miura K, Vishnu A et al. (2017) Significant inverse association of equol-producer status with coronary artery calcification but not dietary isoflavones in healthy Japanese men. *Br J Nutr* 117: 260–266
23. Sekikawa A, Ihara M, Lopez O et al. (2019) Effect of S-equol and soy isoflavones on heart and brain. *Current Cardiology Reviews* 15: 114–135
24. Birru RL, Ahuja V, Vishnu A et al. (2016) The impact of equol-producing status in modifying the effect of soya isoflavones on risk factors for CHD: a systematic review of randomized controlled trials. *J Nutr Sci* 5(e30) [doi: 10.1017/jns.2016.18]
25. Hodis HN, Mack WJ, Kono N et al. (2011) Isoflavone soy protein supplementation and atherosclerosis progression in healthy postmenopausal women: a randomized controlled trial. *Stroke* 42: 3168–3175
26. Liu ZM, Ho SC, Chen YM et al. (2014) Whole soy, but not purified daidzein, had a favorable effect on improvement of cardiovascular risks: a 6-month randomized, double-blind, and placebo-controlled trial in equol-producing postmenopausal women. *Mol Nutr Food Res* 58: 709–717
27. Tokede OA, Onabanjo TY, Yansane A et al. (2015) Soya products and serum lipids: a meta-analysis of randomized controlled trials. *Br J Nutr* 114: 831–843
28. Chalvon-Demersay T, Azzout-Marniche D, Arfsten J et al. (2017) A systematic review of the effects of plant compared with animal protein sources on features of metabolic syndrome. *J Nutr* 147: 281–292
29. Pirro M, Vetrani C, Bianchi C et al. (2017) Joint position statement on “Nutraceuticals for the treatment of hypercholesterolemia” of the Italian Society of Diabetology (SID) and of the Italian Society for the Study of Arteriosclerosis (SISA). *Nutr Metab Cardiovasc Dis* 27: 2–17
30. Ramdath DD, Padhi EMT, Sarfaraz S et al. (2017) Beyond the cholesterol-lowering effect of soy protein: a review of the effects of dietary soy and its constituents on risk factors for cardiovascular disease. *Nutrients* 9: 324
31. Anderson JW, Johnstone BM, Cook-Newell ME (1995) Meta-analysis of the effects of soy protein intake on serum lipids. *N Engl J Med* 333: 276–282
32. Zhan S, Ho SC (2005) Meta-analysis of the effects of soy protein containing isoflavones on the lipid profile. *Am J Clin Nutr*

- 81: 397–408
33. Sacks FM, Lichtenstein A, van Horn L et al. (2006) Soy protein, isoflavones, and cardiovascular health. An American Heart Association science advisory for professionals from the Nutrition Committee. *Circulation* 113: 1034–1044
34. Reynolds K, Chin A, Lees KA et al. (2006) A meta-analysis of the effect of soy protein supplementation on serum lipids. *Am J Cardiol* 98: 633–640
35. Harland JI, Haffner TA (2008) Systematic review, meta-analysis and regression of randomized controlled trials reporting an association between an intake of circa 25 g soya protein per day and blood cholesterol. *Atherosclerosis* 200: 13–27
36. Jenkins DJA, Mirrahimi A, Srichaikul K et al. (2010) Soy protein reduces serum cholesterol by both intrinsic and food displacement mechanisms. *J Nutr* 140: 2302S–2311S
37. Anderson JW, Bush HM (2011) Soy protein effects on serum lipoproteins: a quality assessment and meta-analysis of randomized, controlled studies. *J Am Coll Nutr* 30: 79–91
38. Yang B, Chen Y, Tongchen X et al. (2011) Systematic review and meta-analysis of soy products consumption in patients with type 2 diabetes mellitus. *Asia Pac J Clin Nutr* 20: 593–602
39. Li J, Liu Y, Wang T et al. (2016) Does genistein lower plasma lipids and homocysteine levels in postmenopausal women? A meta-analysis. *Climacteric* 19: 440–447
40. Zhang XM, Zhang YB, Chi MH (2016) Soy protein supplementation reduces clinical indices in type 2 diabetes and metabolic syndrome. *Yonsei Med J* 57: 681–689
41. Messina M (2016) Soy and health update: evaluation of the clinical and epidemiological literature. *Nutrients* 8: 75
42. Chatterjee C, Gleddie S, Xiao CW (2018) Soybean bioactive peptides and their functional properties. *Nutrients* 10: 1211
43. Taku K, Umegaki K, Sato Y et al. (2007) Soy isoflavones lower serum total and LDL cholesterol in humans: a meta-analysis of 11 randomized controlled trials. *Am J Clin Nutr* 85: 1148–1156
44. Taku K, Lin N, Cai D et al. (2010) Effects of soy isoflavone extract supplements on blood pressure in adult humans: systematic review and meta-analysis of randomized placebo-controlled trials. *J Hypertens* 28: 1971–1982
45. Liu XX, Li SH, Chen JZ et al. (2012) Effect of soy isoflavones on blood pressure: a meta-analysis of randomized controlled trials. *Nutr Metab Cardiovasc Dis* 22: 463–470
46. Kou T, Wang Q, Cai J et al. (2017) Effect of soybean protein on blood pressure in postmenopausal women: a meta-analysis of randomized controlled trials. *Food Funct* 8: 2663–2671
47. Li SS, Mejia SB, Lytyyn L et al. (2017) Effect of plant protein on blood lipids: a systematic review and meta-analysis of randomized controlled trials. *J Am Heart Assoc* 6: e006659
48. Atiya Ali M, Poortvliet E, Strömberg R, Yngve A (2011) Polyamines in foods: development of a food database. *Food Nutr Res* 55: 5572
49. Kalac P (2014) Health effects and occurrence of dietary polyamines: a review for the period 2005–mid 2013. *Food Chem* 161: 27–39
50. Eisenberg T, Abdellatif M, Schroeder S et al. (2016) Cardioprotection and lifespan extension by the natural polyamine spermidine. *Nat Med* 22: 1428–1438
51. Madeo F, Eisenberg T, Pietrocola F, Kroemer G (2018) Spermidine in health and disease. *Science* 359: eaan2788
52. Nilsson BO, Persson L (2019) Beneficial effects of spermidine on cardiovascular health and longevity suggest a cell type-specific import of polyamines by cardiomyocytes. *Biochem Soc Trans* 47: 265–272
53. Kiechl S, Pechlaner R, Willeit P et al. (2018) Higher spermidine intake is linked to lower mortality: a prospective population-based study. *Am J Clin Nutr* 108: 371–380
54. Soda K, Kano Y, Sakuragi M et al. (2009) Long-term oral polyamine intake increases blood polyamine concentrations. *J Nutr Sci Vitaminol* 55: 361–366
55. Langen U, Schmitz R, Steppuhn H (2013) Häufigkeit allergischer Erkrankungen in Deutschland. Ergebnisse der Studie zur Gesundheit Erwachsener in Deutschland (DEGS1). *Bundesgesundheitsbl* 56: 698–706
56. Gupta RS, Warren CM, Smith BM et al. (2019) Prevalence and severity of food allergies among US adults. *JAMA Network Open* 2: e185630
57. Nwaru BI, Hickstein L, Panesar SS et al. (2014) Prevalence of common food allergies in Europe: a systematic review and meta-analysis. *Allergy* 69: 992–1007
58. University of Portsmouth (2013) Literature searches and reviews related to the prevalence of food allergy in Europe. EFSA supporting publication 2013: EN-506
59. Savage JH, Kaeding AJ, Matsui EC, Wood RA (2010) The natural history of soy allergy. *J Allergy Clin Immunol* 125: 683–686
60. Haftenberger M, Laußmann D, Ellert U et al. (2013) Prävalenz von Sensibilisierungen gegen Inhalations- und Nahrungsmittelallergene. Ergebnisse der Studie zur Gesundheit Erwachsener in Deutschland (DEGS1). *Bundesgesundheitsbl* 56: 687–697
61. Treudler R, Werner M, Thiery J et al. (2008) High risk of immediate-type reactions to soy drinks in 50 patients with birch pollinosis. *J Invest Allergol Clin Immunol* 18: 483–484
62. Mittag D, Vieths S, Vogel L et al. (2004) Soybean allergy in patients allergic to birch pollen: clinical investigation and molecular characterization of allergens. *J Allergy Clin Immunol* 113: 148–154
63. Verhoeckx KCM, Vissers YM, Baumert JL et al. (2015) Food processing and allergenicity. *Food Chem Toxicol* 80: 223–240
64. Bundesinstitut für Risikobewertung (2007) Birkenpollenallergiker können auf Sojaprodukte besonders empfindlich reagieren. Presseinformation vom 28.6.2007.
65. Bundesinstitut für Risikobewertung (2007) Sojaprodukte können bei Birkenpollen-Allergikern schwere allergische Reaktionen auslösen. Stellungnahme Nr. 016/2007 des BfR vom 17. April 2007
66. Celakovská J, Ettlrova K, Ettl K et al. (2013) Soy allergy in patients suffering from atopic dermatitis. *Indian J Dermatol* 58: 325
67. Harlfinger J, Kerschner B, Christof C (2016) Soja-Lebensmittel: Riskant für die Schilddrüse? *Medizin-transparent.at*. URL: www.medizin-transparent.at/soja-lebensmittel-riskant-fuer-die-schilddruese Zugriff 19.05.19
68. Bundesinstitut für Risikobewertung (2007) Isolierte Isoflavone sind nicht ohne Risiko. Aktualisierte Stellungnahme Nr. 039/2007 des BfR vom 3. April 2007
69. Sosvorová L, Miksátkova P, Biciková M et al. (2012) The presence of monoiodinated derivatives of daidzein and genistein in human urine and its effect on thyroid gland function. *Food Chem Toxicol* 50: 2774–2779
70. Hüser S, Guth S, Joost HG et al. (2018) Effects of isoflavones on breast tissue and the

- thyroid hormone system in humans: a comprehensive safety evaluation. *Arch Toxicol* 92: 2703–2748
71. Messina M, Redmond G (2006) Effects of soy protein and soybean isoflavones on thyroid function in healthy adults and hypothyroid patients: a review of the relevant literature. *Thyroid* 16: 249–258
 72. Marini H, Polito F, Adamo EB et al. (2012) Update on genistein and thyroid: an overall message of safety. *Front Endocrinol* 3: 94
 73. Alekel DL, Genschel U, Koehler KJ et al. (2015) Soy Isoflavones for Reducing Bone Loss (SIRBL) Study: effect of a three-year trial on hormones, adverse events, and endometrial thickness in postmenopausal women. *Menopause* 22: 185–197
 74. EFSA Panel on Food Additives and Nutrient Sources added to Food (ANS) (2015) Risk assessment for peri- and post-menopausal women taking food supplements containing isolated isoflavones. *EFSA J* 13: 4246
 75. Tonstad S, Jaceldo-Siegl K, Messina M et al. (2016) The association between soya consumption and serum thyroid-stimulating hormone concentrations in the Adventist Health Study-2. *Public Health Nutr* 19: 1464–1470
 76. Rizzo G, Baroni L (2018) Soy, soy foods and their role in vegetarian diets. *Nutrients* 10: 43
 77. Horn-Ross P, Hoggatt KJ, Lee MM (2012) Phytoestrogens and thyroid cancer risk: The San Francisco Bay Area Thyroid Cancer Study. *Cancer Epidemiol Biomarkers Prev* 11: 43–49
 78. Castelo-Branco C, Cancelo Hidalgo MJ (2011) Isoflavones: effects on bone health. *Climacteric* 14: 204–211
 79. Taku K, Melby MK, Nishi N et al. (2011) Soy isoflavones for osteoporosis: an evidence-based approach. *Maturitas* 70: 333–338
 80. Schmidt M, Arjomand-Wölkart K, Birkhäuser MH et al. (2016) Consensus: soy isoflavones as a first-line approach to the treatment of menopausal vasomotor complaints. *Gynecol Endocrinol* 32: 427–430
 81. Abdi F, Alimoradi Z, Haqi P, Mahdizad F (2016) Effects of phytoestrogens on bone mineral density during the menopause transition: a systematic review of randomized, controlled trials. *Climacteric* 19: 535–545
 82. Egarter C (2018) Update zu Isoflavonen in der Menopause. *Mittel der ersten Wahl bei leichten klimakterischen Beschwerden. J Gynäkol Endokrinol* [publiziert online 6. März 2018; doi: 10.1007/s41974-018-0040-1]
 83. Zhang X, Shu XO, Li H et al. (2005) Prospective cohort study of soy food consumption and risk of bone fracture among postmenopausal women. *Arch Intern Med* 165: 1890–1895
 84. Koh WP, Wu AH, Wang R et al. (2009) Gender-specific associations between soy and risk of hip fracture in the Singapore Chinese Health Study. *Am J Epidemiol* 170: 901–909
 85. Wei P, Liu M, Chen Y, Chen DC (2012) Systematic review of soy isoflavone supplements on osteoporosis in women. *Asian Pac J Trop Med* 5: 243–248
 86. Pawlowski JW, Martin BR, McCabe GP et al. (2015) Impact of equol-producing capacity and soy-isoflavone profiles of supplements on bone calcium retention in postmenopausal women: a randomized crossover trial. *Am J Clin Nutr* 102: 695–703
 87. Ricci E, Cipriani S, Chiaffarino F et al. (2010) Soy isoflavones and bone mineral density in perimenopausal and postmenopausal western women: a systematic review and meta-analysis of randomized controlled trials. *J Womens Health (Larchmt)* 19: 1609–1617
 88. Lagari VS, Levis S (2013) Phytoestrogens in the prevention of postmenopausal bone loss. *J Clin Densitom* 16: 445–449
 89. Castelo-Branco C, Soveral I (2013) Phytoestrogens and bone health at different reproductive stages. *Gynecol Endocrinol* 29: 735–743
 90. Zheng X, Lee SK, Chun OK (2016) Soy isoflavones and osteoporotic bone loss: a review with an emphasis on modulation of bone remodeling. *J Med Food* 19:1–14
 91. Martinez J, Lewi JE (2008) An unusual case of gynecomastia associated with soy product consumption. *Androcr Pract* 14: 415–418
 92. Siepmann T, Roofeh J, Kiefer FW, Edelson DG (2011) Hypogonadism and erectile dysfunction associated with soy product consumption. *Nutrition* 27(7–8): 859–862
 93. Chavarro JE, Toth TL, Sadio SM, Hauser R (2008) Soy food and isoflavone intake in relation to semen quality parameters among men from an infertility clinic. *Hum Reprod* 23: 2584–2590
 94. Song G, Kochman L, Andolina E et al. (2006) Beneficial effects of dietary intake of plant phytoestrogens on semen parameters and sperm DNA integrity in infertile men. *Fertil Steril* 86: S49
 95. Hamilton-Reeves JM, Vazquez G, Duval SJ et al. (2010) Clinical studies show no effects of soy protein or isoflavones on reproductive hormones in men: results of a meta-analysis. *Fertil Steril* 94: 997–1007
 96. Cederroth CR, Auger J, Zimmermann C et al. (2010) Soy, phyto-oestrogens and male reproductive function: a review. *Int J Androl* 33: 304–316
 97. Messina M (2010) Soybean isoflavone exposure does not have feminizing effects on men: a critical examination of the clinical evidence. *Fertil Steril* 93: 2095–2104
 98. Messina M, Magee P (2018) Does soy protein affect circulating levels of unbound IGF-1? *Eur J Nutr* 57: 423–432
 99. Krüger M (2014) Expertenforum: Säuglings- und Kinderernährung (0 – 10 Jahre). Frage: Sojaprodukte im Krippen- und Kindergarten als Milch- und Fleischersatz. Expertenantwort. URL: www.bzfe.de/forum/index.php/forum/showExpMessage/id/45910/searchstring/soja/page1/1/forumId/8/datumvon/+/datumbis/+/searchpattern/1/searchconcat/1 Zugriff 19.05.19
 100. Messina M, Rogero MM, Fisberg M, Waitzberg D (2017) Health impact of childhood and adolescent soy consumption. *Nutr Rev* 75: 500–515
 101. Shu NX, Jin F, Dai Q et al. (2001) Soy-food intake during adolescence and subsequent risk of breast cancer among Chinese women. *Cancer Epidemiol Biomarkers Prev* 10: 483–488
 102. Wu AH, Wan P, Hankin J et al. (2002) Adolescent and adult soy intake and risk of breast cancer in Asian-Americans. *Carcinogenesis* 23: 1491–1496
 103. Thanos J, Cotterchio M, Boucher BA et al. (2006) Adolescent dietary phytoestrogen intake and breast cancer risk (Canada). *Cancer Causes Control* 17: 1253–1261
 104. Korde LA, Wu AH, Fears T et al. (2009) Childhood soy intake and breast cancer risk in Asian American women. *Cancer Epidemiol Biomarkers Prev* 18: 1050–1059
 105. Segovia-Siapco G, Pribis P, Oda K, Sabaté J (2018) Soy isoflavone consumption and age at pubarche in adolescent males. *Eur J Nutr* 57: 2287–2294
 106. Segovia-Siapco G, Pribis P, Messina M (2014) Is soy intake related to age at onset of menarche? A cross-sectional study among adolescents with a wide range of soy food consumption. *Nutr J* 13: 54
 107. Duitama SM, Zurita J, Cordoba D et al. (2018) Soy protein supplement intake over

- 12 months has no effect on sexual maturation and may improve nutritional status in prepubertal children. *J Paediatr Child Health* 54: 997–1004
108. Boye J, Ribéreau S. Assessing compositional differences in soy products and impacts on health claims. In: El-Shemy H (Hg). *Soybean and nutrition*. InTech, Rijeka (2011), 453–476. URL: www.intechopen.com/books/soybean-and-nutrition Zugriff 19.05.19
109. Reinwald S, Akabas SR, Weaver CM (2010) Whole versus the piecemeal approach to evaluating Soy. *J Nutr* 140: 2335S–2343S
110. Zaheer K, Humayoun Akhtar M (2017) An updated review of dietary isoflavones: nutrition, processing, bioavailability and impacts on human health. *Crit Rev Food Sci Nutr* 57: 1280–1293
111. Willet W, Rockström J, Loken B et al. (2019) Food in the anthropocene: the EAT-Lancet Commission on healthy diets from sustainable food systems. *Lancet* 393: 447–492
112. Potsdam-Institut für Klimafolgenforschung (2019) Lancet Report: Gesund leben auf einem gesunden Planeten – anders essen und anders produzieren. Pressemitteilung vom 17.01.2019. URL: www.pik-potsdam.de/aktuelles/pressemitteilungen/lancet-report-gesund-leben-auf-einem-gesunden-planeten-anders-essen-und-anders-produzieren Zugriff 19.05.19
113. de Schutter L, Bruckner M, Giljum S. WWF Studie 2015. Achtung: Heiß und fettig – Klima und Ernährung in Österreich. Auswirkungen der Österreichischen Ernährung auf das Klima. WWF Österreich (Hg). Wien (2015), URL: www.wwf.at/de/ernaehrungsstudie/ Zugriff 19.05.19
114. WWF Deutschland (2016) Soja: Wunderbohne mit riskanten Nebenwirkungen. Stand: 21.4.2016. URL: www.wwf.de/themen-projekte/landwirtschaft/produkte-aus-der-landwirtschaft/soja/soja-wunderbohne-mit-riskanten-nebenwirkungen/ Zugriff 19.05.19
115. Soja Netzwerk Schweiz (2019) Soja Fakenblätter. URL: www.sojanetzwerk.ch/fileadmin/user_upload/soja-fact-sheet-de_180618_update.pdf Zugriff 19.05.19
116. Europäische Kommission (2018) Bericht der Kommission über die Entwicklung von Eiweißpflanzen in der EU. Pressemitteilung vom 22. November 2018. URL: http://europa.eu/rapid/press-release_IP-18-6495_de.htm Zugriff 19.05.19
117. Verein Donau Soja (2018) Donau Soja Statistics. Soybean area by country in Europe (2011–2018). Last update: 07.12.2018. URL: www.donausoja.org/de/innovation/markt-statistik/marktinfos/ Zugriff 19.05.19
118. Verein Donau Soja (2019) Schweiz unterzeichnet Europa Soja Erklärung. Pressemitteilung vom 28. Jänner 2019. URL: www.donausoja.org/fileadmin/user_upload/Press/Press_Release/PA_Schweiz_unterzeichnet_Europa_Soja_Erkla_rung_012019.pdf Zugriff 19.05.19
119. Bundesministerium für Ernährung und Landwirtschaft (Hg) (2016) Ackerbohne, Erbse & Co. Die Eiweißstrategie des Bundesministeriums für Ernährung und Landwirtschaft zur Förderung des Leguminosenanbaus in Deutschland. URL: www.bmel.de/SharedDocs/Downloads/Broschueren/EiweisspflanzenstrategieBMEL.pdf?jsessionid=B11D50CCA2718ECF1105302C63F8DF39.2_cid288?__blob=publicationFile Zugriff 19.05.19
120. Mörxlbauer A (2019) Soja, Sojaisoflavone und gesundheitliche Auswirkungen. Teil 1. *Ernährungs Umschau* 66(3): M160–M169

DOI: 10.4455/eu.2019.024