

10,000-year-old DNA pens the first tales of the earliest domesticated goats

June 7 2021



Indentation of several goat hooves in a brick from the archaeological site of Ganj Dareh. Credit: The 'Tracking Cultural and Environmental Change project'.

New research has revealed the genetic makeup of the earliest goat herds. The findings, assimilated from DNA taken from the remains of 32 goats that died some 10,000 years ago in the Zagros mountains, provide clues to how early agricultural practices shaped the evolution of these animals.

Archaeological evidence has previously pointed to the Zagros Mountains of western Iran as providing the earliest evidence of [goat](#) management by humans. Here at the site of Ganj Dareh, the bone remains indicate deliberate slaughtering of male goats once they were fully grown.

In contrast, female goats were allowed to reach older ages, meaning early goat-keepers maximized the number of breeding female animals, similar to herders in the area today.

The close relationship between these early herders and goats can be seen in the very foundations of the settlement, with several bricks bearing the imprint of cloven goat hooves. However, their goats resembled the wild bezoar, with a larger body size and scimitar horn shape.

The international collaboration of researchers behind the study included individuals from Trinity College Dublin, the Smithsonian Institution, the University of Copenhagen, the Centre national de la recherche scientifique (CNRS) and Muséum national d'Histoire naturelle (MNHN) of France, and the National Museum of Iran.

The landmark study has just been published in the international journal

PNAS.

Dr. Kevin G Daly, research fellow in Trinity's School of Genetics and Microbiology and first author of the paper, said: "Our study shows how archaeology and genetics can address highly important questions by building off ideas and results from both fields. Our genetic results point to the Zagros region as being a major source of ancestry of domestic goats and that herded, morphologically wild goats were genetically on the path to domestication by about 10,200 years ago."

Links to modern goats

Genetic analyses enabled the researchers to determine that the ancient goats fell at the very base of the domestic goat lineage, suggesting that they were closely related to the animals first recruited during domestication.

A surprising find, however, was the discovery of a small number of goats of the 32 whose genomes appeared more like their wild relatives—the bezoar ibex. This strongly suggests these early goat herders continued to hunt goats from wild herds.

Dr. Daly added: "This first livestock keeping shaped the goats' genomes. There were signs of reduced Y chromosome diversity—fewer males were allowed to breed, leading to an increased tendency of relatives mating. Surprisingly, the Zagros goat appeared to not have undergone a population bottleneck often associated with domestication and lacked strong signals of selection found in later domestic goats."

Dan Bradley, professor of population genetics at Trinity, said: "Ancient DNA continues to allow us to plumb the depths of ancient prehistory and examine the origins of the world's first livestock herds. Over 10,000 years ago, early animal farmers were practicing husbandry with a genetic

legacy that continues today."

More information: Kevin G. Daly et al., "Herded and hunted goat genomes from the dawn of domestication in the Zagros Mountains," *PNAS* (2021). www.pnas.org/cgi/doi/10.1073/pnas.2100901118

Provided by Trinity College Dublin

Citation: 10,000-year-old DNA pens the first tales of the earliest domesticated goats (2021, June 7) retrieved 25 April 2024 from <https://phys.org/news/2021-06-year-old-dna-pens-tales-earliest.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.